

2012 10th International Symposium on Antennas, Propagation & EM Theory

(ISAPE 2012)

**Xi'an China
22 – 26 October 2012**

Pages 1-642



**IEEE Catalog Number: CFP12501-PRT
ISBN: 978-1-4673-1799-3**

TABLE OF CONTENTS

| | |
|--|----|
| A NEW PLANAR ELECTRONICALLY STEERABLE PASSIVE ARRAY RADIATOR ANTENNA | 1 |
| <i>T. Zhang</i> | |
| MINIATURE OMNIDIRECTIONAL PLANAR ANTENNA FOR WIDEBAND VERTICAL POLARIZATION APPLICATIONS | 4 |
| <i>J. Dong</i> | |
| EFFECT STUDY OF SPECTRUM ANALYZER NOISE FLOOR ON ANTENNA NOISE TEMPERATURE MEASUREMENT | 8 |
| <i>Z. Wu, S. Qin</i> | |
| DIGITAL ACTIVE PHASED ARRAY ANTENNA MEASUREMENT METHOD BASED ON CORRELATION TECHNIQUE | 11 |
| <i>S. Hao, Q. Li, J. Ding, Z. Wu</i> | |
| THE ANALYSIS AND COMPARISON OF THE ELECTROMAGNETIC RADIATION CHARACTERISTIC OF THE KOCH FRACTAL DIPOLE ANTENNAS | 15 |
| <i>Y. Li, Y. Mi, Y. Wang, G. Li</i> | |
| A THINNING METHOD OF CONFORMAL NON-CONCENTRIC CIRCULAR ARRAY USING GENETIC ALGORITHM | 19 |
| <i>Y. Hou, J. Kang, Y. Shen, C. Hou</i> | |
| PROGRESS OF UHF/VHF PLASMA ANTENNA RESEARCH | 23 |
| <i>J. Sun, Y. Xie, Y. Xu</i> | |
| ANTENNA ARRAY DESIGN IN MIMO RADAR USING CYCLIC DIFFERENCE SETS AND GENETIC ALGORITHM | 26 |
| <i>J. Dong, R. Shi, Y. Guo, W. Lei</i> | |
| DUAL-WIDEBAND, DUAL-POLARIZED SHARED APERTURE ANTENNA WITH HIGH ISOLATION AND LOW CROSS-POLARIZATION | 30 |
| <i>S. Zhou, T. Chio</i> | |
| A PRINTED DIVERSITY CANTOR SET FRACTAL ANTENNA FOR ULTRA WIDEBAND COMMUNICATION APPLICATIONS | 34 |
| <i>Y. Li, W. Li, C. Liu, T. Jiang</i> | |
| AN EXACT METHOD TO DETERMINE THE VALUE OF INDUCTOR ON A SHORT OFF-CENTER-LOADED DIPOLE | 39 |
| <i>X. Zhang, D. Meng</i> | |
| ARRAY CHARACTERISTIC OF THE STRONG-COUPLING BASED ON EVEN-ODD MODE TECHNOLOGY | 43 |
| <i>J. Zhu, W. Deng, X. Liu, X. Wu</i> | |
| STUDY ON THE OPTICS OF THE 5 METER DOME A TERAHERTZ EXPLORER (DATE5) FOR ANTARCTICA | 47 |
| <i>Z. Lou, Y. Zuo, J. Cheng, J. Yang, S. Shi</i> | |
| CALIBRATION OF BICONICAL ANTENNAS ON A SMALL GROUND PLANE | 51 |
| <i>D. Meng, M. Alexander, X. Zhang</i> | |
| SUB-REFLECTOR EXTENSION SHAPES FOR REDUCED FAR-OUT SIDE-LOBES IN OFFSET GREGORIAN ANTENNAS | 55 |
| <i>D. Villiers, R. Lehmensiek</i> | |
| RELEVANCE ANALYSIS BETWEEN HARMONIC AND FUNDAMENTAL FREQUENCY IN EMITTING SPECTRUM OF ACTIVE PHASED ARRAY ANTENNA | 59 |
| <i>N. Wu, C. Wang, D. Xie</i> | |
| WIDE-BAND CIRCULARLY POLARIZED ANTENNA FOR DUAL-BAND GPS RECEIVER | 62 |
| <i>Y. Zhang, L. Yang, S. Gong, X. Li</i> | |
| MEASUREMENT METHOD FOR RADIATION PATTERN OF LARGE HF ANTENNA ARRAY | 66 |
| <i>W. Zhu</i> | |
| NOVEL 3D RFID ANTENNA WITH LOW PROFILE AND LOW COST | 69 |
| <i>L. Tian, H. Guo, X. Liu, Y. Wang, X. Yang</i> | |
| MAXIMUM CAPACITY ANTENNA DESIGN FOR AN INDOOR MIMO-UWB COMMUNICATION SYSTEM | 73 |
| <i>Y. Sit, L. Reichardt, R. Liu, H. Liu, T. Zwick</i> | |
| MINIATURIZED ULTRAWIDEBAND MULTIFUNCTION VEHICULAR ANTENNA FOR TERRESTRIAL AND SATELLITE COMMUNICATIONS | 77 |
| <i>J. Wang, D. Triplett, S. Workman</i> | |

| | |
|--|------------|
| SYMMETRIC/ASYMMETRIC H-PLANE HORN FED OFFSET PARABOLIC REFLECTOR ANTENNA WITH SWITCHABLE PENCIL/FAN-BEAM RADIATION CHARACTERISTICS..... | 82 |
| <i>O. Yurduseven, D. Smith</i> | |
| PRINTED ANTENNA WITH CHIP CAPACITANCE EMBEDDED FOR LTE/WWAN WIRELESS USB DONGLE APPLICATIONS | 86 |
| <i>S. Sun, Y. Ban, C. Liu, J. Li</i> | |
| THE SYNTHESIS AND OPTIMIZATION OF A DIPLEXER FOR THE MULTI-PURPOSE, MULTI-FREQUENCY SHUTTLECOCK ANTENNA | 89 |
| <i>R. Lehmsiek</i> | |
| A NOVEL LOW PROFILE BOX-SHAPED ANTENNA FOR A REPEATER SYSTEM..... | 93 |
| <i>Z. Yang, X. Zhang, X. Teng, Z. Zhang, S. Li, Y. Wang</i> | |
| AN IMPROVED HAT-SHAPED CAVITY-BACKED ARCHIMEDEAN SPIRAL ANTENNA..... | 97 |
| <i>X. Ge, G. Fu, X. Chen, Y. Bai</i> | |
| A NTFF TRANSFORMATION METHOD IN PLANAR NEAR-FIELD ANTENNA MEASUREMENT DERIVED FROM FDTD | 101 |
| <i>L. Du, R. Zhao, Q. Chang, Y. Wang</i> | |
| A FAR-FIELD MEASUREMENT SYSTEM FOR THE MULTICHANNEL PHASED ARRAYS ANTENNA | 105 |
| <i>Q. Chang, L. Du, Y. Wang</i> | |
| A DUALBAND MICROSTRIP ANTENNA FOR WEARABLE APPLICATION..... | 109 |
| <i>L. Xu, J. Li</i> | |
| A DUAL-POLARIZED MICROSTRIP ANTENNA ARRAY WITH LOW CROSS-POLARIZATION FOR RETRODIRECTIVE ANTENNA SYSTEM | 113 |
| <i>K. An, A. Chen, C. Yang, K. Zhang, C. Li</i> | |
| STACKED COMPACT DIELECTRIC RESONATOR ANTENNAS FOR BROADBAND APPLICATIONS..... | 117 |
| <i>Y. Ge, T. Wei, Z. Hai</i> | |
| NOVEL DESIGN OF DUAL-BAND UNEQUAL WILKINSON POWER DIVIDER WITH WIDE BAND-RATIOS AND SIMPLE LAYOUT..... | 121 |
| <i>B. Gao, Y. Liu</i> | |
| OPTIMIZATION AND DESIGN OF A WIDEBAND VERTICALLY STACKED YAGI-UDA ANTENNA ARRAY WITH A WIDE AZIMUTH HPBW..... | 124 |
| <i>J. Yuan, G. Fu, J. Lei, Y. Luo</i> | |
| GAIN ENHANCEMENT OF AXIAL-MODE HELICAL ANTENNA WITH A CYLINDRICAL RING..... | 128 |
| <i>Y. Wu, J. Li</i> | |
| DESIGN OF THE CONTINUOUS TRANSVERSE STUB ARRAY | 133 |
| <i>B. Li, Z. Yan, T. Zhang, Y. Shi</i> | |
| DESIGN OF CIRCULARLY POLARIZATION H-SHAPED APERTURES-COUPLED MICROSTRIP PATCH ANTENNA ARRAY..... | 137 |
| <i>Y. Shi, Z. Yan, B. Li, F. Fan</i> | |
| A COMPACT TRIPLE-BAND PRINTED MONOPOLE ANTENNA FOR WLAN/WIMAX APPLICATIONS | 140 |
| <i>X. Teng, X. Zhang, Y. Li, Z. Yang, D. Liu, Q. Dai</i> | |
| ZERO-FORCING BEAM-FORMING AND ITERATIVE DETECTION ALGORITHM FOR MULTIUSER TURBO-BLAST SYSTEM | 144 |
| <i>X. Chen, X. Yu, T. Meng, X. Yu, X. Liu, Q. Zhu</i> | |
| A BROADBAND BOW-TIE ANTENNA USED IN UHF WITH METAL REFLECTION PLANE..... | 148 |
| <i>B. Xiao, L. Guo, M. Li, H. Yang</i> | |
| DESIGN OF A NOVEL ANTENNA ELEMENT FOR BGAN PHASED ARRAY ANTENNA SYSTEM..... | 151 |
| <i>S. Fu, S. Fang, C. Li, Y. Zhou</i> | |
| A NEW COMPACT MIMO ANTENNA DESIGN WITH HIGH ISOLATION FOR 1710-2700MHZ..... | 154 |
| <i>W. Tang, Z. Nie, X. Zong, P. Li</i> | |
| NON-INVASIVE BREAST CANCER THERMOTHERAPY STUDIES USING CONFORMAL MICROSTRIP ANTENNAS | 159 |
| <i>D. Yin, M. Li, J. Li</i> | |
| A NOVEL MONOPOLE ANTENNA FOR DIGITAL TELEVISION RECEIVING APPLICATION..... | 163 |
| <i>F. Lei, Z. Li, L. Luo, H. Zhang, Y. Yang</i> | |
| SIMULATION ANALYSIS OF AIRCRAFT ELECTROMAGNETIC ENVIRONMENT..... | 167 |
| <i>Caojin, Z. Yan, W. Yu, G. Shi</i> | |

| | |
|---|-----|
| A NOVEL LOW-PROFILE HIGH-GAIN ANTENNA BASED ON ARTIFICIAL MAGNETIC CONDUCTOR FOR LTE APPLICATIONS | 171 |
| <i>F. Yang, W. Tang</i> | |
| A SERIES FEED E-SHAPED MICROSTRIP ANTENNA WITH HIGH GAIN | 175 |
| <i>Y. Wang</i> | |
| PLATE END-FIRE ANTENNA DESIGN BASED ON GENETIC ALGORITHM | 179 |
| <i>D. Liu, Z. Xue, W. Li, W. Ren</i> | |
| DESIGN OF A COMPACT TRIPLE-BAND ANTENNA FOR BLUETOOTH/WLAN/WIMAX APPLICATIONS | 183 |
| <i>C. Zhu, R. Huang, S. Gong</i> | |
| INVESTIGATION OF COMPACT ULTRA-WIDEBAND ANTENNA WITH BAND-NOTCH | 186 |
| <i>H. Zheng, M. Zhu</i> | |
| CHARACTERIZATION OF THE PLANAR COMB-SHAPED MONOPOLE ANTENNA | 190 |
| <i>H. Zheng, L. Feng</i> | |
| A METHOD FOR OMNI-DIRECTIONAL RADIATING SLF RADIO SIGNAL BASED ON GROUNDED ANTENNA | 194 |
| <i>W. Shi, D. Teng, G. Li</i> | |
| A NOVEL LOWER FREQUENCY DUAL-POLARIZED BROADBAND HORN ANTENNA FOR USE AS A SOURCE IN TAPERED ANECHOIC CHAMBERS | 198 |
| <i>J. Shang, L. Sun, P. Xu, X. Li, F. Shang</i> | |
| THE SYNTHESIS OF ALONGITUDINAL SLOT ARRAY ON A RECTANGULAR WAVEGUIDE | 202 |
| <i>W. Zhang, Y. Zhao, M. Zhang</i> | |
| RESEARCH ON GRATING LOBE SUPPRESSION BASED ON THE VIRTUAL ARRAY TRANSFORMATION ALGORITHM | 206 |
| <i>R. Chang, X. Wang, Z. Xue</i> | |
| GENERATING PLANE WAVES IN THE NEAR FIELDS OF PYRAMIDAL HORN ARRAYS | 211 |
| <i>H. Wang, J. Miao, J. Jiang, R. Wang, Z. Lei</i> | |
| A NOVEL FAST MEASUREMENT METHOD AND DIAGNOSTIC OF PHASED ARRAY ANTENNAS | 219 |
| <i>J. Shang, X. Li, L. Sun, F. Shang</i> | |
| DESIGN OF A NEW TYPE OF ULTRA WIDEBAND PLANAR ANTENNA | 223 |
| <i>H. Guo, C. Xu, J. Tang</i> | |
| REVIEW OF TRANSMISSION LINE MODEL ON EBG STRUCTURES | 227 |
| <i>L. Angel, D. Su</i> | |
| THE CORRECTION OF MUTUAL COUPLING AND THE AMPLITUDE AND PHASE ERROR BASED ON DIGITAL BEAMFORMING RECEIVING ANTENNA | 231 |
| <i>Y. Du, X. Xi, W. Xi, L. Zhou</i> | |
| A COMPACT TRIPLE BAND PRINTED MONOPOLE ANTENNA FOR WIMAX/WLAN APPLICATIONS | 234 |
| <i>X. Li, F. Zhang, Z. Ma</i> | |
| A NOVEL MULTI-BAND ANTENNA FOR WLAN AND WIMAX APPLICATIONS | 238 |
| <i>L. Ma, F. Zhang, W. Li</i> | |
| THE APPLICATION OF METAMATERIALS WITH SLANT H SPLIT RING ON MICROSTRIP ANTENNA | 242 |
| <i>L. Wang, S. Zhang, J. Liu</i> | |
| A NOVEL FOCUSING DIELECTRIC LENS | 245 |
| <i>Y. Zhang, S. Xie, Y. Lei, Y. Liu, X. Chen</i> | |
| A MINIATURE GPS MICROSTRIP ANTENNA | 250 |
| <i>L. Wang, L. Deng, X. Xi, Y. Du</i> | |
| A COMPOSITE CIRCULARLY POLARIZED DIELECTRIC COMPLEX WAVEGUIDE SLOT ANTENNA ARRAY WITH ENHANCED BANDWIDTH | 253 |
| <i>D. Yang, L. Si</i> | |
| ANALYSIS OF GPS PATCH ANTENNA COVERED BY RE-ENTRY PLASMA SHEATH | 257 |
| <i>B. Bai, X. Li, Y. Liu, L. Shi, K. Xie</i> | |
| MUTUAL COUPLING CALIBRATION FOR ELECTROMAGNETIC VECTOR SENSOR ARRAY | 261 |
| <i>G. Wang, H. Tao, J. Su, X. Guo, C. Zeng, L. Wang</i> | |
| RESEARCH ON THE DBF METHOD OF VIRTUAL ELEMENT INTERPOLATION BASED ON END-FIRE ANTENNA ARRAY | 265 |
| <i>Y. Wang, J. Liu, Z. Xue</i> | |
| DESIGN OF THE ABSORBER SCREEN BASED ON THE MODIFIED BOW-TIE PATCH PERIODICAL ARRAY | 269 |
| <i>Y. Zhang, W. Tang, B. Lin</i> | |

| | |
|---|-----|
| DESIGN OF A NOVEL MONOPOLE ANTENNA WITH 5.5 GHZ BAND-NOTCH CHARACTERIZATION FOR UWB APPLICATIONS | 273 |
| <i>Y. Hacene, S. Xie, T. Rahman</i> | |
| RESEARCH ON HT_C RF SQUID MAGNETIC SENSOR CALIBRATION | 277 |
| <i>W. Tao, J. Gao, Y. Wei, Z. Liu, C. Zhang, Y. Zhang, H. Wang, P. Ma</i> | |
| SYNTHESIS OF PLATFORM INTEGRATED ANTENNAS FOR RECONFIGURABLE RADIATION PATTERNS USING THE THEORY OF CHARACTERISTIC MODES | 281 |
| <i>Y. Chen, C. Wang</i> | |
| A DESIGN OF TRIPLE-BAND PLANAR INVERTED-F ANTENNA FOR MOBILE COMMUNICATION | 286 |
| <i>W. Zhang, Y. Zhao</i> | |
| ACTIVE LOW NOISE DIFFERENTIALLY FED DIPOLE ANTENNA | 290 |
| <i>J. Eichler, D. Segovia-Vargas, P. Hazdra, M. Capek, V. Gonzalez-Posadas</i> | |
| A TRIBAND SHORT-CIRCUITED SUSPENDED SOLAR PATCH ANTENNA | 294 |
| <i>O. Yurduseven, D. Smith, N. Pearsall, I. Forbes</i> | |
| ITERATIVE DOUBLY CONSTRAINED ROBUST CAPON BEAMFORMER USING ADAPTIVE UNCERTAINTY LEVEL | 298 |
| <i>T. Zhang, L. Sun</i> | |
| MUTUAL COUPLING ANALYSIS OF ADCOCK WATSON WATT DIRECTION FINDING SYSTEM BASED ON THE RECEIVING MUTUAL IMPEDANCE | 302 |
| <i>W. Du, S. Xie</i> | |
| ANALYSIS OF DIELECTRIC-COVERED WAVEGUIDE LONGITUDINAL SLOTS | 306 |
| <i>Z. Jin, M. Li, L. Wang, H. Yang</i> | |
| ON THE DESIGN OF MATCH NETWORK OF PRINTED ANTENNA | 310 |
| <i>C. Wang, W. Song, D. Xie</i> | |
| THE DESIGN OF SIX-WAY S BAND POWER DIVIDER | 313 |
| <i>M. Cai, X. Shi, P. Li, X. He, P. Liu</i> | |
| MODIFIED DESIGN OF THE ANTIPODAL VIVALDI ANTENNA | 316 |
| <i>Y. Wu, J. Lu, Y. Liu, H. Yang</i> | |
| STUDY OF WPT SYSTEM FOR CHARGING PORTABLE DEVICES ON A DESK | 320 |
| <i>C. Yang, K. Tsunekawa</i> | |
| RADIATION AND SCATTERING OF THE MICROSTRIP ANTENNA WITH SLOTTED GROUND PLANE | 325 |
| <i>W. Xu, J. Wang, M. Chen, Z. Zhang</i> | |
| DESIGN OF A COMPACT DUAL BAND ANTENNA FOR BLUETOOTH AND UWB APPLICATION | 329 |
| <i>H. Zhao, J. Liang, C. Wang, X. Zhang, F. Zhang</i> | |
| PLANAR SCISSORS MONOPOLE ANTENNA FOR UWB COMMUNICATION | 332 |
| <i>H. Zhao, X. Zhang, C. Wang, J. Liang, F. Zhang</i> | |
| THE EFFECT OF MUTUAL COUPLING ON THE CHANNEL PERFORMANCE OF MIMO COMMUNICATION SYSTEM | 335 |
| <i>H. Shi, S. Gong, T. Zheng</i> | |
| A NOVEL PLANAR UWB ANTENNA WITH TRIPLE BAND-NOTCHED CHARACTERISTICS | 340 |
| <i>J. Tang, M. Chen, Y. Li</i> | |
| C-BAND BROADBAND DIPOLE ANTENNA | 344 |
| <i>M. Cao, Z. Xue, W. Ren, W. Li, X. Wang</i> | |
| OMNIDIRECTIONAL ANTENNA WITH DIPOLE ARRAY | 347 |
| <i>Y. Wang, L. Yang, S. Gong, X. Feng, J. Wang</i> | |
| STUDY OF RECONFIGURABLE HIGH GAIN WIDE-ANGLE ANTENNA | 349 |
| <i>B. Yuan, Y. Gao, Y. Zhang, P. Zhu</i> | |
| EFFECTS OF ANTENNA HEIGHT ON DETECTION OF MICROWAVE OVER-THE-HORIZON RADAR | 353 |
| <i>Z. Cao, S. Kang</i> | |
| THREE UNIT CELL CRLH-TL BASED ZEROth ORDER RESONANCE ANTENNA | 356 |
| <i>A. Ghosh, M. Joshi, A. Mohan</i> | |
| ESTIMATION OF RADIATION PROPERTY OF CYLINDRICAL ARRAY | 359 |
| <i>Y. Zhang, P. Sun, S. Lu</i> | |
| DESIGN OF WIDEBAND CPW-FED CIRCULARLY POLARIZED SLOT ANTENNA | 363 |
| <i>J. Wang, L. Yang, S. Gong, X. Li, Y. Wang</i> | |
| A NOVEL BROADBAND DUAL-BAND DUAL CIRCULAR POLARIZATION STACKED MICROSTRIP ANTENNA | 366 |
| <i>L. Yuan, X. Wang, J. Chen</i> | |

| | |
|--|------------|
| A NOVEL RECONFIGURABLE NOTCH-BAND UWB ANTENNA | 369 |
| <i>Y. Zhang, Q. Shi, S. Lin, S. Lu</i> | |
| MUTUAL COUPLING ISOLATING EXPERIMENT FOR THE PLATE END-FIRE ANTENNA ARRAY..... | 373 |
| <i>J. Cao, Z. Xue, N. Ma, W. Li, W. Ren, X. Xu</i> | |
| A NOVEL MINIATURIZED FREQUENCY SELECTIVE SURFACE | 377 |
| <i>D. Feng, X. Wu</i> | |
| COMPACT DUAL-BAND LOOP-LOADED MONOPOLE WITH INTEGRATED BAND-SELECT FILTER FOR WLAN APPLICATION..... | 381 |
| <i>W. Wu, S. Zuo, X. Huang, D. Wen, R. Fan</i> | |
| ESTIMATION OF DOA AND POLARIZATION PARAMETERS BASED ON POLARIZED UCA..... | 384 |
| <i>L. Wang, J. Lin, G. Wang, X. Jiang</i> | |
| ARRAY ANTENNA NEARFIELD DIAGNOSIS TECHNIQUE BASED ON PATTERN MULTIPLICATION THEOREM | 388 |
| <i>X. Feng, L. Yang, S. Gong, Y. Wang, X. Li</i> | |
| WIDE ANGLE SHAPED ARRAY OPTIMIZATION INCLUDING MUTUAL COUPLING | 392 |
| <i>J. Yang, J. Lei, Z. Wu</i> | |
| A NOVEL COMPACT MICROSTRIP SLOT ANTENNA WITH SPIRALS | 395 |
| <i>F. Yao, X. Xuan, Y. Liu, Y. Shang</i> | |
| A NOVEL APPROACH FOR RADIATION PATTERN MEASUREMENT OF SHORT WAVE PHASED ARRAY..... | 398 |
| <i>Y. Cui, S. Hao</i> | |
| THE LONG-TERM TREND VARIATION OF IONOSPHERIC PARAMETER'S DIFFERENCE AT 43.8°N STATION OF CHINA | 402 |
| <i>Z. Ding, Z. Xu</i> | |
| THE INFLUENCE OF METEORIC SMOKE PARTICLE ATTRIBUTIONS ON POLAR MESOSPHERIC CLOUDS FORMATION | 407 |
| <i>Z. Ma, L. Chen, K. Xue, Z. Xu, J. Wu</i> | |
| TESTING AND VERIFYING TECHNIQUE OF THE PERFORMANCE OF TRI-BAND BEACON GROUND APPLICATION SYSTEM | 411 |
| <i>H. Zhang, F. Zhang, M. Ou, W. Zhen</i> | |
| REFRACTIVE ERROR CORRECTION ON RADAR TARGET DETECTION IN EVAPORATION DUCT..... | 415 |
| <i>X. Zhao, J. Huang</i> | |
| SIMULATION OF IONOSPHERIC EFFECTS ON SAR IMAGING WITH NOISE AT P-BAND | 419 |
| <i>C. Wang, M. Zhang, Z. Xu, C. Chen</i> | |
| A NOVEL METHOD TO ELIMINATE IONOSPHERIC PHASE CONTAMINATION IN OTHR SYSTEMS | 423 |
| <i>H. Luo, J. Chen, Z. Bao</i> | |
| A NOVEL 3D RAY-TRACING MODEL FOR PROPAGATION PREDICTION IN INDOOR ENVIRONMENTS | 428 |
| <i>Z. Liu, L. Guo, X. Meng, Z. Zhong</i> | |
| EFFICIENT RAY-TRACING MODEL FOR PROPAGATION PREDICTION FOR MICROCELLULAR WIRELESS COMMUNICATION SYSTEMS | 432 |
| <i>Y. Feng, L. Guo, P. Wang, Z. Liu</i> | |
| A FAST RAY-TRACING ALGORITHM FOR MICROCELLULAR PROPAGATION PREDICTION MODELS..... | 436 |
| <i>P. Wang, L. Guo, Y. Feng</i> | |
| SAR MODELING AND SIMULATION OF COMPLEX EXTENDED SCENES | 440 |
| <i>X. Geng, C. Dong, C. Wang, H. Yin, G. Zhu</i> | |
| ON THE PREDICTABILITY OF FOF2 TWENTY-FOUR HOUR AHEAD USING A SUPPORT VECTOR MACHINE TECHNIQUE | 444 |
| <i>C. Chen, P. Ban, S. Sun</i> | |
| RESEARCH ON THE EQUIVALENT RADIATION POWER TEST METHODS..... | 448 |
| <i>Z. Cai, R. Liu, S. Sun, C. Li</i> | |
| A DEVELOPED PHASE DIFFERENCES INTERPOLATION ALGORITHM IN THE CORRELATIVE INTERFEROMETER | 451 |
| <i>Y. Liu, S. Xie, X. Hao, L. Zhao, X. Chen</i> | |
| RESEARCH OF VLF COMMUNICATION FREQUENCY OPTIMIZING METHOD | 455 |
| <i>G. Li, X. Sun, G. Cai</i> | |
| IONOSPHERE TEC PREDICTION BASED ON CHAOS | 458 |
| <i>Z. Xu, W. Wang, B. Wang</i> | |

| | |
|---|-----|
| A NEW FULL-DUPLEX MULTI-CHANNEL WIRELESS SPEECH SYNTHESIS TECHNOLOGY | 461 |
| <i>Y. Wei, P. Han</i> | |
| THE ANALYSIS OF ION LINE SPECTRA INDUCED BY POWERFUL HEATING | 464 |
| <i>Z. Wang, B. Xu, M. Cheng, F. Li, Z. Xu, J. Wu</i> | |
| NEAR-FIELD ERROR CORRECTION ON RFSS FOR APPLICATIONS | 468 |
| <i>J. Ma, D. Chen, J. Fei</i> | |
| A NEW METHOD FOR IONOSPHERIC SHORT-TERM FORECAST USING SIMILAR-DAY MODELING | 472 |
| <i>J. Feng</i> | |
| A NOVEL SIMULATOR FOR CORRELATED GENERALIZED-K COMPOSITE FADING CHANNELS | 475 |
| <i>Q. Zhu, W. Lv, D. Xu, X. Chen, Y. Xu</i> | |
| THE SIMULATION RESEARCH OF IONOSPHERIC SIDE-SCATTER IONOGRAM | 478 |
| <i>N. Wei</i> | |
| TWO-DIMENSIONAL MIRRORED INTERFEROMETRIC APERTURE SYNTHESIS | 482 |
| <i>L. Chen, X. Zhang</i> | |
| NEW DESIGN OF ULTRA-WIDEBAND BANDPASS FILTER USING INTERDIGITATED COUPLED LINES CRLH-TL STRUCTURE | 486 |
| <i>Q. Bu, J. Ding, C. Guo</i> | |
| SCATTERING OF ELECTROMAGNETIC PULSE WAVE BY SPHERICAL SAND AND DUST PARTICLES | 490 |
| <i>Q. Dong, Y. Li, J. Xu, M. Wang</i> | |
| RESEARCH ON SCINTILLATION INDEX OF LASER BEAM PROPAGATION THROUGH ATMOSPHERIC TURBULENCE FOR DOUBLE SLANT PATH | 493 |
| <i>J. Cui, B. Ma, L. Guo</i> | |
| APPROXIMATE SOLUTION FOR VERTICALLY POLARIZED VLF/LF WAVES IN LOWER IONOSPHERE | 497 |
| <i>F. Bo, Y. Lv</i> | |
| FURTHER COMPARISON OF BASIC MUF PREDICTION BASED ON DIFFERENT IONOSPHERE MODELS DURING MEDIUM EPOCH OF THE SOLAR ACTIVITY | 500 |
| <i>J. Wang, H. Zhao, W. Fu</i> | |
| MODELING HIGH-ALTITUDE NA ATOM BEHAVIOR IN IONOSPHERIC CHEMICAL REACTION SYSTEM | 504 |
| <i>L. Chen, Z. Ma</i> | |
| SPECTRUM MONITORING BASED ON USRP2 RECEIVER | 508 |
| <i>S. Mu, D. Chen, M. Wang, J. Yang, M. Huang</i> | |
| A NOVEL APPLICATION OF FREQUENCY SELECTIVE SURFACE IN DUAL-BAND WLAN ANTENNA | 512 |
| <i>Y. Liu, Q. Ye, B. Xiao, H. Yang</i> | |
| THE MAXIMUM AVAILABLE FREQUENCY PREDICTION OF HF COMMUNICATION UNDER A COMPLEX ENVIRONMENT USING THE MODIFIED IRI AND IGRF MODEL | 515 |
| <i>Z. Yan, D. Su, G. Shi</i> | |
| RESEARCH ON IONOSPHERE DRIFT VELOCITY BASED ON DIGISONDE OBSERVATION | 519 |
| <i>L. Rui, L. Guo, R. Wu, B. Zhang</i> | |
| TIME DOMAIN SIMULATION OF THREE DIMENSIONAL ELASTIC WAVE SCATTERING | 523 |
| <i>Y. Liu, H. Zheng, G. Wu</i> | |
| STUDY ON MORPHOLOGICAL CHARACTERISTICS OF IONOSPHERE SCINTILLATION IN THE HIGH-LATITUDE REGION | 527 |
| <i>R. Wu, L. Guo, R. Liu, H. Hu</i> | |
| THEORY AND EXPERIMENT VALIDATION OF RADIO WAVE PROPAGATION IN THE FOREST AND ITS APPLICATION FOR EXTENDED FREQUENCY | 531 |
| <i>L. Zhang, Y. Tian</i> | |
| A CALCULATION MODEL AND CHARACTERISTICS ANALYSIS OF RADIO WAVE PROPAGATION IN RECTANGULAR SHED TUNNEL | 535 |
| <i>C. Liu, Q. Chen, E. Zhang, G. Yang</i> | |
| VALIDATION OF SUPER THERMAL ELECTRON INDUCED BY NTH GYRO-HARMONIC FREQUENCY HEATING | 540 |
| <i>X. Bin, Z. Wang, M. Chen, Z. Xu, J. Wu</i> | |
| DISTURBANCE PROPAGATION CHARACTERISTICS OF IONOSPHERE F LAYER 120° MERIDIAN CHAIN DURING ONE MAGNETIC STORM | 544 |
| <i>N. Li, Z. Ding, Z. Xu</i> | |

| | |
|--|------------|
| ANALYSIS OF IONOSPHERIC RESPONSE TO SOLAR FLARES AT KUNMING SITE | 547 |
| <i>N. Li, Z. Ding, J. Chen, Z. Xu</i> | |
| ELECTROMAGNETIC LEAKAGE CHARACTERISTICS SIMULATION OF PD WITH THE SPECIFIC STRUCTURE GIS DISC INSULATOR | 551 |
| <i>H. Guo, M. Fu, J. Tang</i> | |
| RESEARCH ON THE FAULT TOLERANCE IN RETRIEVING ATMOSPHERIC REFRACTIVITY BY MICROWAVE RADIOMETER DATA..... | 555 |
| <i>J. Li, T. Shu, L. Guo, L. Lin, Z. Zhao</i> | |
| A VARACTOR-LOADED TUNABLE PHASE SHIFTER BASED ON FOLDED HALF MODE SUBSTRATE INTEGRATED WAVEGUIDE..... | 558 |
| <i>W. Wang, Y. Jiang, W. Zou, R. Luo, X. Lin</i> | |
| NUMERICAL SOLUTION OF THE HORN ANTENNA WITH COMPLEX STRUCTURE | 562 |
| <i>T. Qing, Z. Nie, X. Zong</i> | |
| STUDY ON PERFORMANCE OF M-ARY PPM UNDERWATER OPTICAL COMMUNICATION SYSTEMS USING VECTOR RADIATIVE TRANSFER THEORY | 566 |
| <i>X. He, J. Yan</i> | |
| AN IMPROVED TIME-FREQUENCY DISTRIBUTION METHOD FOR IONOSPHERE PHASE DECONTAMINATION | 571 |
| <i>X. Li, Z. Lu, W. Guo</i> | |
| CHARACTERISTIC OF TIME-VARYING PLASMA SHEATH CHANNEL..... | 575 |
| <i>M. Yang, X. Li, Y. Liu, L. Shi, X. Wang</i> | |
| PLASMA SHEATH PHASE FLUCTUATION AND ITS EFFECT ON GPS NAVIGATION | 579 |
| <i>P. Gao, X. Li, Y. Liu, M. Yang, J. Li</i> | |
| STUDY ON CLOUD PROCESSING WITH MODIS DATA AND APPLICATION..... | 583 |
| <i>H. Ren, L. Li, L. Jin, Y. Wang</i> | |
| THE ARIMA PREDICTION MODEL OF RAIN-INDUCED DYNAMIC ATTENUATION CHARACTERISTICS | 587 |
| <i>T. Zheng, S. Gong, H. Shi</i> | |
| HFPBR ACTIVITY AT WUHAN UNIVERSITY: MULTIPATH CLUTTER PROCESSING AND EXPERIMENTAL RESULTS..... | 591 |
| <i>X. Wan, Z. Zhao, R. Xie, H. Ke</i> | |
| RIVER TRAFFIC MONITORING WITH UHF PASSIVE BISTATIC RADAR IN CLUTTER-RICH ENVIRONMENT | 595 |
| <i>X. Wan, J. Yi, H. Tang, H. Ke</i> | |
| A TWO-DIMENSIONAL MICROWAVE RADIATION IMAGING METHOD BASED ON DATA FUSION | 600 |
| <i>Y. Liu, L. Zhu, D. Huang</i> | |
| THE SAMPLING ERROR CALIBRATION AND IMAGING OF SYNTHETIC APERTURE DIGITAL RADIOMETER..... | 604 |
| <i>L. Zhu, Y. Liu, D. Huang</i> | |
| HUMAN-BODY SHADOWING MODELING FOR INDOOR QUASI-STATIC MIMO CHANNELS | 608 |
| <i>K. Saito, K. Kitao, T. Imai, S. Miura</i> | |
| COUPLING CHARACTERISTICS BETWEEN LEAKY COAXIAL CABLES WITH AND WITHOUT OBSTACLE..... | 612 |
| <i>X. Wang, J. Wang, Z. Zhang, M. Chen</i> | |
| INFLUENCE OF MULTIPLE SCATTERING ON RAIN ATTENUATION..... | 616 |
| <i>W. Meng, S. Gong, J. Yang</i> | |
| COMPARISON OF EVAPORATION DUCT MODELS WITH METEOROLOGY GRADS TOWER MEASUREMENTS | 620 |
| <i>X. Guo, S. Kang, Y. Zhang</i> | |
| A MODEL FOR REMOTE SENSING SEA LEVEL WITH GPS INTERFEROMETRIC SIGNALS USING RHCP ANTENNA..... | 624 |
| <i>H. Wang, S. Kang, Q. Zhu</i> | |
| A PRELIMINARY STUDY OF THE NEQUICK MODEL OVER CHINA USING GPS TEC AND IONOSONDE DATA..... | 627 |
| <i>X. Yu, C. She, D. Liu, W. Zhen</i> | |
| GENERATION OF LOCAL PHASE MODEL OF DOR TONES FOR TRACKING DEEP SPACE PROBES..... | 631 |
| <i>L. Shang, F. Shu, W. Jiang</i> | |
| COMPARE OF POLAR IONOSPHERE MODIFICATION EFFECT WITH DIFFERENT HEATING MODES..... | 635 |
| <i>F. Li, B. Xu, Z. Wu, Z. Wang, Z. Xu</i> | |

| | |
|---|-----|
| SEASONAL RESULTS OF ASPECT SENSITIVITY FROM AN MF RADAR OVER KUNMING (25.6°N, 103.8°E), CHINA | 639 |
| <i>J. Chen, J. Xu, Z. Zhao</i> | |
| SCINTILLATION OF PARTIALLY COHERENT GAUSSIAN SCHELL-MODEL BEAM PROPAGATION IN SLANT ATMOSPHERIC TURBULENCE | 643 |
| <i>Y. Li, Z. Wu, Y. Zhang, N. Xiang</i> | |
| SIMULATION OF RAIN ATTENUATION TIME SERIES AND FADE DURATION STATISTIC | 647 |
| <i>R. Yang, Y. Zhang, X. Zhang, L. Li, Z. Zhao</i> | |
| GIM-INGESTED NEQUICK MODEL APPLIED FOR GPS SINGLE FREQUENCY IONOSPHERIC CORRECTION IN CHINA | 652 |
| <i>M. Ou, H. Zhang, D. Liu, X. Yu, W. Zhen</i> | |
| GPS-BASED IONOSPHERIC TOMOGRAPHY WITH CONSTRAINED IRI AS A REGULARIZATION | 656 |
| <i>M. Ou, H. Zhang, W. Zhen</i> | |
| INCOHERENT SCATTER SPECTRA OF PLASMA WITH BUMP-ONTAIL DISTRIBUTION | 660 |
| <i>H. Li, B. Xu, M. Cheng, Z. Wu</i> | |
| ANALYSIS AND IMPROVEMENT OF THE FREQUENCY SWEEPING METHOD FOR RESONANCE CHARACTERISTIC MEASUREMENT | 664 |
| <i>S. Zhang, L. Mao, C. Ma</i> | |
| OPTOELECTRONIC IMAGE PROCESS THE SCALING RATIOS BETWEEN THE LIGHT SCATTERING CHARACTERISTIC AND GEOMETRIC DIMENSIONS OF THE TARGET | 668 |
| <i>M. Wang, X. Meng, Y. Li, R. Deng, N. Xiang</i> | |
| ABSORBING PERFORMANCE OF ULTRATHIN WIDE-BAND PLANAR METAMATERIAL ABSORBER | 672 |
| <i>Y. Fan, Y. Cheng, Y. Deng, R. Gong</i> | |
| A STUDY ON EMC STRESS-STRENGTH INTERFERENCE MODEL AND EMC RELIABILITY | 677 |
| <i>J. Wu, S. Xie, T. Ke, X. Chen, C. Li</i> | |
| AIRBORNE SAR MOTION COMPENSATION AND MOVING TARGET INDICATION | 681 |
| <i>Y. Lu, Z. Xu, J. Yao, X. Geng</i> | |
| PERFORMANCE APPRAISAL OF ANTI-INTERFERENCE TECHNOLOGY WITH ADAPTIVE NULLING ANTENNA BASED ON SINR OF ARRAY OUTPUT | 686 |
| <i>J. Chen, Y. Liu, H. Niu</i> | |
| SIMULATION OF THE INFLUENCE OF WHITECAP ON THE SCATTERING OF SEA SURFACES AT LOW GRAZING ANGLES | 690 |
| <i>G. Luo, M. Zhang, P. Zhou</i> | |
| WIDE-BAND SCATTERING OF 1-D DISPERSIVE SOIL SURFACE | 694 |
| <i>J. Li, L. Guo, K. Li</i> | |
| COMPUTATION TRANSIENT FAR RADIATION FIELD OF A HELICAL ANTENNA OVER THE HALF-SPACE USING THE SEMI-ANALYTIC METHOD | 698 |
| <i>C. Le, W. Bing, W. Fei, Q. He, Y. Zhang</i> | |
| TWO KINDS OF DUAL-BAND POWER AMPLIFIER MATCHING NETWORKS USING THREE-SECTION MICROSTRIP LINE | 702 |
| <i>S. Pei, J. Nan, Y. Qu</i> | |
| TERAHERTZ CHIRAL METAMATERIAL BASED ON COMPLEMENTARY U-SHAPED STRUCTURE ASSEMBLY | 706 |
| <i>Y. Cheng, Q. Huang, Y. Nie, R. Gong</i> | |
| PRINCIPLE AND APPLICATIONS OF SEGMENTED MODELING METHOD OF VIA | 710 |
| <i>Z. Ma, Z. Yan, M. Che, G. Shi</i> | |
| STUDY ON CHARACTERISTICS OF THE IONOSPHERIC CONDUCTIVITY IN THE POLAR REGION | 714 |
| <i>J. Cui, B. Ma, L. Guo</i> | |
| AN IDENTIFICATION METHOD FOR SUBSURFACE TARGET BASED ON POLARIZATION INFORMATION | 718 |
| <i>Z. Xiao, J. He</i> | |
| A COAXIAL LINE BASED PROPAGATION CHANNEL FOR WIRELESS COMMUNICATION BETWEEN ROTATING MACHINE COMPONENTS | 721 |
| <i>K. Wang, L. Li, C. Schmidt, S. Bonerz, U. Siart, T. Eibert</i> | |
| NEAR FIELD SCATTERING MEASUREMENT BASED ON ISAR IMAGING TECHNIQUE | 725 |
| <i>D. Yu, W. Liu, Z. Zhang</i> | |
| COUPLED-MODE ANALYSIS OF TWO-PARALLEL PHOTONIC CRYSTAL WAVEGUIDES | 729 |
| <i>K. Yasumoto, Y. Liu, V. Jandieri</i> | |

| | |
|--|------------|
| METAMATERIAL ABSORBER BASED ON CIRCULAR RINGS AT INFRARED FREQUENCIES | 733 |
| <i>F. Wu, M. Li, L. Guo</i> | |
| A FREQUENCY RECONFIGURABLE MICROWAVE REACTION CAVITY BASED ON A QUARTER-WAVE COAXIAL CAVITY RESONATOR | 737 |
| <i>L. Wang, Z. Xia, Y. Cheng, Y. Fan</i> | |
| THE CALCULATION METHODS OF COUPLING COEFFICIENT BETWEEN RESONATORS | 741 |
| <i>H. Yang</i> | |
| MULTI-ARM SPIRAL METAMATERIAL WITH ELECTRIC AND MAGNETIC RESPONSES | 744 |
| <i>C. Zhu, L. Li, H. Zhai, K. Li, Y. Chen, T. Li, C. Liang</i> | |
| SCATTERING PROPERTIES OF WIND-BLOWN BARCHAN | 747 |
| <i>F. Zheng, L. Guo, R. Xue, W. Liu</i> | |
| THE ASSESSMENT OF ELECTROMAGNETIC RADIATION TO ELECTRONIC EQUIPMENT IN CIVIL AVIATION BUILDING | 751 |
| <i>G. Shi, Z. Yan, Y. Wang</i> | |
| SIMULATION ANALYSIS OF CROSSTALK AND RADIATION EFFECTS OF CABLES INSIDE AEROCRAFT | 755 |
| <i>W. Yu, Z. Yan, J. Cao</i> | |
| RADIATION CHARACTERISTIC ANALYSIS OF RIDGED HORN BY APERTURE PORT EXCITATION | 759 |
| <i>D. Wen, H. Chen, J. Zhang</i> | |
| GENERAL EXPRESSIONS OF PROPAGATION VECTOR OF ELECTROMAGNETIC WAVE FOR LOSSLESS ANISOTROPIC MEDIA | 762 |
| <i>Y. Li, J. Li, M. Wang, Q. Dong</i> | |
| A NEW CALIBRATION TECHNIQUE FOR GROUND-BASED MICROWAVE RADIOMETER | 765 |
| <i>H. Han, T. Shu, L. Guo, Z. Zhao, J. Li, L. Lin</i> | |
| NEAR-SURFACE ELECTROMAGNETIC FIELDS FOR A CHIRAL CYLINDER PERPENDICULARLY ILLUMINATED WITH AN ON-AXIS GAUSSIAN BEAM | 769 |
| <i>Y. Zhai, Y. Sun, H. Zhang</i> | |
| LASER SCATTERING POLARIZATION CHARACTERISTICS OF MIST AND PAINTED TARGET BASED ON ROTATION ANGLE | 773 |
| <i>D. Cui, W. Wang, W. Li, W. Yan</i> | |
| STUDY ON A NEW SUB-WAVELENGTH GRATING FOR ANTIREFLECTIVE STRUCTURE OF SOLAR CELL | 778 |
| <i>H. Xia, K. Song, R. Wang, L. Peng</i> | |
| SENSITIVENESS OF CLOAKING PERFORMANCE ON MODERATE MATERIAL PARAMETER VIOLATION | 782 |
| <i>W. Song, M. Bao, X. Sheng</i> | |
| COMPARISONS OF MULTI-PARAMETER BIDIRECTIONAL REFLECTANCE DISTRIBUTIONAL FUNCTION | 787 |
| <i>X. Zou, L. Bai, Z. Wu</i> | |
| PLANE WAVE SCATTERING BY A CHIRAL-COATING DIELECTRIC SPHERE | 791 |
| <i>H. Li, W. Ye, Z. Wu</i> | |
| COLLISION ABSORPTION AND RESONANCE ABSORPTION OF ELECTROMAGNETIC WAVES BY ARRAY PLASMA | 795 |
| <i>X. He, Y. Zhang, J. Chen, Y. Chen, X. Zeng, T. Gu, W. Yang</i> | |
| NUMERICAL CALCULATION ON ELECTROMAGNETIC WAVE REFLECTION BY PLASMA-COVERED STRUCTURES | 799 |
| <i>X. He, Y. Zhang, J. Chen, Y. Chen, X. Zeng, T. Gu, W. Yang</i> | |
| SIGNAL ATTENUATION TIME SERIES PREDICTION METHOD BASED ON THE CHAOS ALGORITHM | 802 |
| <i>S. Ma, B. Ma, M. Song</i> | |
| A NOVEL METHOD FOR ANALYZING ELECTROMAGNETIC SCATTERING PROBLEMS OF SPACE DEBRIS | 807 |
| <i>D. Fei, Z. Liang, K. Cai</i> | |
| ANALYSIS OF THE SCALE CONDITIONS FOR THE ROUGH SURFACE | 811 |
| <i>Q. Li, L. Guo, X. Meng</i> | |
| SMALL-SLOPE APPROXIMATION FOR ELECTROMAGNETIC WAVE SCATTERING AT THE DIELECTRIC ROUGH SEA SURFACE | 815 |
| <i>L. Linghu, Z. Wu, X. Guo, H. Li, W. Bin</i> | |
| PURE TIME DOMAIN PLANAR NEAR FIELD SCATTERING MEASUREMENTS | 819 |
| <i>Y. Wu, Z. Xue, W. Ren, W. Li, X. Xu</i> | |

| | |
|--|------------|
| SCATTERING BY TWO CONCENTRIC FERRITE ANISOTROPIC SPHERES | 823 |
| <i>Y. Geng</i> | |
| SYNTHESIS OF A PLANE-WAVE VIA LINEAR ARRAY WITH UNEQUAL INTERVAL | 827 |
| <i>D. Yu, Z. Zhang, W. Liu</i> | |
| EVALUATION METHOD OF ABSORBER REFLECTIVITY USING ANTENNA WITH HIGH REFLECTION COEFFICIENT | 830 |
| <i>S. Oh, Y. Lee</i> | |
| SCATTERING OF A HIGH-ORDER BESSEL BEAM BY A SPHERE | 833 |
| <i>R. Li, C. Ding, K. Ren, X. Han, L. Guo, Z. Wu, S. Gong</i> | |
| SCATTERING OF AN ARBITRARY SHAPED OBJECT BY USING VECTORIAL COMPLEX RAY MODEL | 837 |
| <i>K. Ren, X. Han, K. Jiang</i> | |
| SCATTERING OF TWO-DIMENSION GAUSSIAN ROUGH SURFACE FROM PULSE WAVES | 842 |
| <i>Z. Yu, Z. Wu, H. Tian, Z. Li</i> | |
| THE THEORETICAL AND EXPERIMENTAL STUDY ON BACKSCATTERING FROM ARABLE LAND..... | 845 |
| <i>P. Zhao, Z. Wu, Y. Zhang, Z. Yin</i> | |
| ELECTROMAGNETIC ANALYSIS IN THE SHIP RCS PLASTICS DESIGN | 849 |
| <i>D. Song, Q. Zhang, Y. Yuan, Y. Shi</i> | |
| OBSERVATION DEBRIS RCS WITH THE TRISTATIC RADAR..... | 853 |
| <i>W. Jin, J. Wu, Z. Wu, Y. Liu</i> | |
| ELECTROMAGNETIC PULSE PROTECTION REQUIRMENTS AND TEST METHODS FOR SYSTEMS | 857 |
| <i>S. Zheng, D. Hou, D. Wang, F. Deng</i> | |
| THE TIME-FREQUENCY COMBINATION MEASUREMENT METHOD AND ITS IMPLEMENTATION FOR IN-SITU ELECTRONICMAGNETIC EMISSION TEST | 861 |
| <i>Z. Lu, G. Li, D. Zhou, P. Liu</i> | |
| THE MLFMA BASIS METHOD FOR RCS CALCULATION OF DISCONTINUOUS CHARACTER OBJECTS | 865 |
| <i>M. Xu, X. Gao, Z. Liu, P. Huang</i> | |
| ELECTROMAGNETIC SCATTERING FROM A PEC CYLINDER ABOVE TWO-LAYERED ROUGH SURFACE : HORIZONTAL POLARIZATION..... | 869 |
| <i>S. Chai, L. Guo, A. Wang</i> | |
| OMNIDIRECTIONAL POLARIMETRIC SCATTERING IN THE UPPER HALF-SPACE FROM OCEAN-LIKE ROUGH SURFACES..... | 874 |
| <i>W. Liu, L. Guo, F. Zheng, J. Li</i> | |
| FAST COMPUTATION OF RCS FROM ELECTRICALLY LARGE 3-D HOMOGENEOUS OBJECTS..... | 878 |
| <i>M. Gou, Y. Wu, C. Huang, X. Sheng</i> | |
| HYBRID MSDDM WITH FEM-BI FOR MULTIPLE COMPOSITE STRUCTURES | 882 |
| <i>L. Lei, J. Hu, H. Hu</i> | |
| A DDM-SVE-BI FOR SOLVING SCATTERING OF MULTIPLE CONDUCTING BODIES COATED BY THIN LAYER DIELECTRIC..... | 886 |
| <i>L. Lei, J. Hu, H. Hu</i> | |
| A NOVEL UNCONDITIONAL STABLE FDTD METHOD FOR THE TRANSIENT ANALYSIS OF HIGH-SPEED INTERCONNECTS WITHIN A CIRCUIT SIMULATOR..... | 889 |
| <i>W. Wei, P. Liu, Y. Qin</i> | |
| AN EFFECTIVE PRECONDITION TECHNOLOGY FOR RCS ACCURATE COMPUTATIONAL ENGINEERING OF AIRCRAFTS..... | 893 |
| <i>H. Zhang, D. Su, L. Zhang</i> | |
| CURVATURE LIMITATION IN LOCAL PLANAR APPROXIMATION OF RADOME..... | 897 |
| <i>W. Wang, G. Wan, X. Ma</i> | |
| A 3-D PRECORRECTED FFT ALGORITHM FOR ELECTRICALLY LARGE OBJECTS IN PLANARLY LAYERED MEDIA | 900 |
| <i>L. Guo, Y. Li, Y. Chen, J. Hu, J. Li</i> | |
| STUDY ON THE GAIN MEDIA USING FDTD AND FOUR ENERGY LEVEL MODEL | 905 |
| <i>B. Sun, H. Wang, B. Wu, Z. Huang, X. Wu</i> | |
| THE SIMULATION OF MICROSTRIP BAND PASS FILTERS BASED ON ADS..... | 909 |
| <i>M. Zhang, Y. Zhao, W. Zhang</i> | |
| THE USE OF CURL-CONFORMING BASIS FUNCTIONS FOR THE MAGNETIC-FIELD INTEGRAL EQUATION WITH MLFMA ALGORITHM | 913 |
| <i>L. Guo, Z. Nie, S. He</i> | |

| | |
|---|-----|
| APPLICATION IN LOW-FREQUENCY GROUND-WAVE PROPAGATION OF PARALLEL FDTD BASED ON GPU | 917 |
| <i>L. Zhou, X. Xi, Y. Du</i> | |
| TIME DOMAIN ADAPTIVE INTEGRAL METHOD FOR TRANSIENT ANALYSIS OF COMPLEX CONDUCTING OBJECTS | 921 |
| <i>L. Yang, D. Na, B. Li, J. Wei, P. Tian</i> | |
| A T-ψ DECOUPLED SCHEME WITH C-N DIFFERENCE FOR A MULTIPLY CONNECTED EDDY CURRENT PROBLEM | 924 |
| <i>T. Chen, L. Wu, Y. Wang, T. Kang</i> | |
| APPLICATION OF HYBRID FEM/BIE ON ELECTROMAGNETIC SCATTERING FROM RANDOM ROUGH SURFACE: TE CASE | 928 |
| <i>R. Xu, L. Guo, F. Zheng</i> | |
| A NEW IMPLEMENTATION OF ASYMPTOTIC WAVEFORM EVALUATION FOR FAST FREQUENCY ANALYSIS | 932 |
| <i>B. Wu, Y. Liu, X. Sheng</i> | |
| A QUASI THREE-DIMENSIONAL SUBGRID TECHNIQUE FOR THE GEODESIC FDTD ALGORITHM | 936 |
| <i>Y. Wang, Q. Cao, B. Su</i> | |
| DESIGN OF MULTI-BEAM ANTENNAS WITH MU AND EPSILON-NEAR-ZERO METAMATERIALS | 939 |
| <i>J. Yang, L. Li, D. Lu, M. Huang</i> | |
| FAST CALCULATION OF RCS OVER A BROAD FREQUENCY BAND USING FDM AND AWE TECHNIQUE | 943 |
| <i>T. Sheng, Y. Sun, L. Kong</i> | |
| ANALYSIS EM CHARACTERISTICS OF TINY PERIODIC STRUCTURE WITH FDTD METHOD | 947 |
| <i>H. Xu, B. Wei, F. Wang, Z. Wu</i> | |
| A 3-D CONFORMAL MRTD SCHEME FOR ELECTROMAGNETIC SCATTERING PROBLEMS INCLUDING CURVED DIELECTRIC OBJECTS | 951 |
| <i>Q. Gao</i> | |
| ANALYSIS OF ELECTROMAGNETIC CHARACTERISTICS OF ANTENNA ARRAYS BASED ON THE CHARACTERISTIC BASIS FUNCTION METHOD | 955 |
| <i>M. Wu, Y. Sun, G. Wang</i> | |
| LASER NARROW PULSE TARGET TRANSIENT RESPONSE SIMULATION MODEL | 958 |
| <i>Y. Hou, J. Jiao, W. Yan, H. Su</i> | |
| APPLICATION OF THE GENETIC ALGORITHM TO THE DESIGN OPTIMIZATION OF MILLIMETER WAVE SPACE-BORNE FREQUENCY SELECTIVE SURFACE | 962 |
| <i>B. Xia, D. Zhang, Y. Zhao, J. Meng</i> | |
| APPLICATION OF CFIE WITH HIERARCHICAL VECTOR BASIS FUNCTIONS FOR EM SCATTERING FROM HYBRID METAL-DIELECTRIC OBJECTS WITH MLFMA | 967 |
| <i>P. Yang, Z. Nie, X. Que, S. He</i> | |
| RESEARCH ON RETRIEVING THE LIQUID CONTENT OF CLOUDS BY GROUND-BASED MICROWAVE RADIOMETER | 971 |
| <i>H. Han, T. Shu, L. Guo, Z. Zhao, J. Li, L. Lin</i> | |
| CHARACTERISTICS ANALYSIS OF HIGH-ORDER FDTD METHOD | 975 |
| <i>M. Zhu, Q. Cao</i> | |
| A STUDY OF EM SCATTERING CHARACTERISTICS OF COMPLEX CONDUCT TARGET BASED ON THE PHYSICAL OPTICS METHOD OF PLANE CELL | 979 |
| <i>W. Ye, H. Li, Z. Wu</i> | |
| SIMULATION OF WEM USING ELF MODELING OF LOCAL AREA AND MODIFIED UPML | 983 |
| <i>B. Su, Y. Wang, Q. Cao</i> | |
| TIME-DOMAIN PHYSICAL OPTICS METHOD FOR THE ANALYSIS OF WIDE-BAND EM SCATTERING FROM TWO DIMENSIONAL CONDUCTING ROUGH SURFACE | 987 |
| <i>C. Jia, L. Guo, J. Li, P. Yang</i> | |
| AN ARBITRARY HIGH-ORDER HEXAHEDRONS GENERATION TECHNOLOGY FOR DGTD ALGORITHM | 991 |
| <i>L. Kou, D. Peng, X. Li, H. Yang</i> | |
| A FAST VISUALIZED COMPUTATION METHOD FOR LRCS | 995 |
| <i>L. Jin, L. Li, Y. Wang, H. Ren</i> | |
| FAST CALCULATION OF BISTATIC RCS FOR CONDUCTING OBJECTS USING THE ADAPTIVE CROSS APPROXIMATION ALGORITHM | 999 |
| <i>L. Chen, Y. Sun, S. Yang</i> | |

| | |
|---|-------------|
| PARALLEL SPATIALLY DISPERSIVE FINITE-DIFFERENCE TIME-DOMAIN METHOD BASED ON GPU | 1003 |
| <i>W. Song, M. Bao, X. Sheng</i> | |
| FAST RANGE PROFILE SIMULATION USING SHOOTING AND BOUNCING RAY TECHNIQUE UNDER ARBITRARY RADAR SIGNAL | 1008 |
| <i>H. Ding, P. Gao, X. Xiang, H. Lin</i> | |
| IMPROVEMENT OF THE MESH GENERATION FOR FAST ITERATIVE PHYSICAL OPTICS CALCULATION | 1012 |
| <i>H. Ding, B. Li, P. Gao, H. Lin</i> | |
| NEAR-FIELD INTERPOLATION SCHEME FOR GENERATING VIE-MOM/MLFMA MATRICES IN FREQUENCY SWEEPS | 1017 |
| <i>W. Wang, J. Xu</i> | |
| DIRECT SOLUTION OF ELECTROMAGNETIC SCATTERING USING CBFM WITH ACA ALGORITHM | 1021 |
| <i>X. Chen, C. Gu, Z. Niu, Z. Li</i> | |
| STUDY ON THE DUST PARTICLES PARAMETER WITH ROCKET DETECTION IN EARTH'S MESOPAUSE | 1026 |
| <i>H. Li</i> | |
| 2D SIMULATION OF A SIGE HBT BASED ON ENERGY BALANCE MODEL | 1029 |
| <i>X. Wu, Z. Du</i> | |
| IPRM ALGORITHM EMPLOYED TO REMOVE GIBBS PHENOMENON IN F-PSTD | 1033 |
| <i>X. Li, Q. Liu, K. Yang</i> | |
| ANALYSIS OF ZENITH ANGLE INFLUENCE ON THE SCATTERING PROPERTIES BY THE SPHEROID PARTICLE UPON WAFER | 1037 |
| <i>G. Lei, Z. Wu</i> | |
| DEVELOPMENT AND APPLICATION OF ELECTROMAGNETIC COMPUTING SOFTWARE BASED ON THE FDTD ALGORITHM | 1041 |
| <i>C. Zhang, Z. Luo, H. Li</i> | |
| EMC PRE-DESIGN RESEARCH BASED ON SYSTEM ENGINEERING APPROACH | 1044 |
| <i>Y. Dong, J. Liu, X. Ma</i> | |
| INFLUENCE OF DEVELOPING VELOCITY OF LIGHTNING LEADER ON THE ELECTRIC FIELD DISTRIBUTION | 1048 |
| <i>H. Wei, L. Wang, Y. Wang</i> | |
| NUMERICAL STUDY OF THE SHIELDING EFFECTIVENESS OF A RECTANGULAR ENCLOSURE WITH ELLIPTIC APERTURES | 1052 |
| <i>X. Wang, D. Liu</i> | |
| ANTI-JAMMING PERFORMANCE SIMULATION OF TACTICAL DATA LINK COMMUNICATION SYSTEM | 1056 |
| <i>D. Xie, N. Wu, C. Wang, Q. Liu</i> | |
| THE TOPSIDE EMC PRE-DESIGN METHOD FOR SHIP PLATFORM | 1060 |
| <i>Q. Liu, X. Xi, C. Fang, Q. Zhang, D. Xie, J. Liu</i> | |
| STUDY OF SYSTEM-LEVEL ELECTROMAGNETIC COMPATIBILITY INDICATOR PROCESS BASED ON QFD | 1064 |
| <i>X. Xue, L. Wu, Y. Liu, Y. Li, Z. Chen</i> | |
| ON THE ANALYSIS OF THE LOAD RESPONSE OF TRANSMISSION LINE NETWORK BASED ON ELECTROMAGNETIC TOPOLOGY-COG | 1069 |
| <i>W. Wang, Y. Qin, P. Liu</i> | |
| AN UNUNIFORM PERIODIC SLOTTED LEAKY COAXIAL CABLE USED IN THE SPECIFIC WIRELESS COMMUNICATION SYSTEM OF SUBWAY | 1073 |
| <i>J. Wei, C. Ji, Y. Yang</i> | |
| ACTIVE CIRCUIT MACRO MODELING BASED ON RATIONAL FUNCTION | 1077 |
| <i>Z. Wu, Y. Jia, C. Li</i> | |
| DESIGN OF A NEW TYPE OF THE DAMPED FILTER FOR SYSTEM STABILITY OF DC-DC CONVERTER | 1082 |
| <i>Z. Qiu, H. Lu, Y. Cui, Y. Mei</i> | |
| BAND-PASS FILTER USING DUAL MAGNETIC RESONANCES | 1086 |
| <i>M. Li, L. Guo, B. Xiao, H. Yang</i> | |
| SHIELDING EFFECTIVENESS CALCULATION OF METALLIC ENCLOSURE WITH APERTURE ARRAY | 1090 |
| <i>C. Yang, Z. Qiu, X. Zhao</i> | |

| | |
|--|-------------|
| STUDY ON BEHAVIORAL MODEL OF ELECTRONIC EQUIPMENTS AND ITS APPLICATION IN EMC | 1095 |
| <i>C. Jian, P. Liu</i> | |
| THE ELECTROMAGNETIC ENVIRONMENT ASSESSMENT OF NUCLEAR MAGNETIC RESONANCE DEVICE IN HOSPITAL | 1099 |
| <i>L. Fu, Z. Yan, G. Shi</i> | |
| THE DAMAGEABLE EFFECT AND CORRESPONDING TACTICS FOR FIGHTING SYSTEM UNDER COMPLEX ELECTROMAGNETIC ENVIRONMENT | 1103 |
| <i>S. Huang, Y. Li, S. Zheng, Y. Xuanyuan</i> | |
| THE FUZE DOPPLER ECHO ALGORITHM OF NEAR-FIELD ELECTROMAGNETIC SCATTERING MODEL | 1107 |
| <i>X. Li, J. Li, T. Li</i> | |
| RADIO FUSE ECHO CEM MODEL BASED ON PO-MOM ALGORITHM | 1112 |
| <i>B. Tian, D. Cui, Y. Yu, T. Li</i> | |
| THE CIRCUIT-LEVEL SIMULATION OF CONTINUOUS WAVE DOPPLER FUZE DETECTOR BASED ON ADS | 1116 |
| <i>X. Gou, H. Su, T. Li, L. Li</i> | |
| DESIGN OF AN ELECTROMAGNETIC COMPATIBILITY TESTING SYSTEM USED FOR ONSITE MEASUREMENT | 1120 |
| <i>G. Li, H. Wang, P. Liu, Y. Jiang</i> | |
| STRICT FORMULAS OF ANGULAR GLINT LINEAR DEVIATION OF COMPLEX TARGET WITH POLARIZATION CONSIDERATION | 1124 |
| <i>H. Mu, K. Guo, X. Sheng, H. Yu</i> | |
| APPLICATION OF WEAK SIGNAL EXTRACTION TECHNOLOGY IN COMPUTER VIDEO LEAKING MEASUREMENT SYSTEM | 1128 |
| <i>Y. Tang, C. Huang</i> | |
| MODELLING AND ANALYSIS OF ELECTROMAGNETIC INTERFERENCES FOR A 32-BIT DIGITAL SIGNAL CONTROLLER..... | 1132 |
| <i>C. Zhou, J. Wang, X. Pan, F. Gao, D. Yu</i> | |
| MODELLING OF ELECTROMAGNETIC FIELD COUPLING FROM ESD EMP TO PCB..... | 1136 |
| <i>F. Gao, C. Zhou, J. Wang, X. Hou</i> | |
| A NOVEL SLOT ARRAYS FOR BANDPASS SHIELDING ENCLOSURE | 1140 |
| <i>B. Wang, Z. Yang, Y. Liu, J. Zhou</i> | |
| ON THE RADIATION NEAR-FIELD COMPUTATIONAL MODEL OF PHASED ARRAY ANTENNA BASED ON MUTUAL IMPEDANCE | 1144 |
| <i>C. Wang, W. Song, D. Xie</i> | |
| FAST EMP RESPONSE CALCULATION OF DIPOLE ANTENNAS BASED ON EQUIVALENT CIRCUIT | 1147 |
| <i>K. Zhang, D. Su, Y. Liao, Y. Liu, Y. Li</i> | |
| RESEARCH ON ELECTRICAL FAST TRANSIENT/BURST IMMUNITY TEST TECHNOLOGY FOR ELECTRICITY METER | 1150 |
| <i>L. Ming, J. Yang, J. Zheng, X. Peng</i> | |
| THE ANALYSIS OF SATELLITE CABIN INDUCED CURRENT BASED ON TD-MOM..... | 1153 |
| <i>C. Zhang, Y. Yin, B. Qian, B. Li</i> | |
| APPLICATION OF PHYSICAL OPTICS FOR SCATTERING CALCULATION IN MMWSS..... | 1156 |
| <i>H. Zhao, L. Guo, J. Ma</i> | |
| RESEARCH OF COMMUNICATION EQUIPMENTS MUTUAL INTERFERENCE IN COMPLICATED ELECTROMAGNETIC ENVIRONMENT | 1160 |
| <i>H. Li, B. Pei, S. Du</i> | |
| ELECTROMAGNETIC SITUATION REPRESENTATION BASED ON PARALLEL COORDINATES AND RADIAL COORDINATES | 1163 |
| <i>T. Zhou, X. Wang, J. Zhang, X. Zhang</i> | |
| THE ANALYSIS OF RELATIONSHIPS BETWEEN EMI AND EMC INDICATORS BASED ON SUPER NETWORK..... | 1167 |
| <i>X. Xue, D. Su, Y. Liu, S. Ouyang</i> | |
| ANALYSIS OF INCOHERENT SCATTERING ION LINE SPECTRA UNDER ABNORMAL DISTURBANCE IN IONOSPHERE REGION | 1172 |
| <i>H. Tian, Z. Wu, Z. Yu, H. Li, J. Wu</i> | |
| USE GREY SYSTEM THEORY TO ANALYZE EMI HARMONIC SPECTRUM..... | 1177 |
| <i>T. Zhou, X. Wang, J. Zhang, X. Zhang</i> | |
| DESIGN OF LOW NOISE AND FAST LOCK PLL BY USING SWITCH MATRIX..... | 1181 |
| <i>T. Zhang</i> | |

| | |
|--|------|
| PROFILING ATMOSPHERIC TEMPERATURE USING TEMPERATURE WEIGHTING FUNCTIONS..... | 1184 |
| <i>T. Shu, H. Han, L. Guo, L. Lin, Z. Zhao, J. Li</i> | |
| THE THZ EMISSION PROPERTIES OF GAAS PHOTOCONDUCTIVE ANTENNA WITH STRONG ELECTRIC FIELDS | 1188 |
| <i>H. Xue</i> | |
| WIDEBAND CRLH-TRANSMISSION LINE BANDSTOP FILTER..... | 1192 |
| <i>K. Song, T. Pan, Y. Fan, C. Zhong</i> | |
| SLOW TIME RANDOM PHASE-CODED WAVEFORMS IN MIMO OTHR | 1195 |
| <i>Z. Zhao, J. Chen, Z. Bao</i> | |
| PERFORMANCE ANALYSIS OF THE ULTRAWIDEBAND IMPULSE RADAR PULSES AND ECHOES DISTRIBUTED OVER FIBER..... | 1199 |
| <i>J. Yan, X. Yan, X. Yao</i> | |
| THE NEW DEFINITION OF THE ASYMMETRIC FACTOR OF ASYMMETRIC COPLANAR WAVEGUIDE..... | 1203 |
| <i>H. Chen, S. Fang</i> | |
| A MAGNETICALLY RESONANT COUPLING SYSTEM FOR WIRELESS POWER TRANSMISSION | 1205 |
| <i>J. Liu, L. Wang, Y. Pu, J. Li, K. Kang</i> | |
| A TRI-PORT ATTENUATOR FOR THE TEST SYSTEM OF WIRELESS KEYBOARDS..... | 1210 |
| <i>Y. Peng, X. Liu, H. Gao, Y. Wang, X. Yang, E. Wu</i> | |
| PARALLEL ALGORITHM FOR THE EFFECTIVE ELECTROMAGNETIC PROPERTIES OF HETEROGENEOUS MATERIALS ON 3D RC NETWORK MODEL | 1214 |
| <i>J. Sun, J. Peng, M. Huang, Z. Xiao, J. Yang</i> | |
| APPLICATION OF ITERATIVE ALGORITHM IN TARGET SIMULATOR CHANNEL CALIBRATION..... | 1219 |
| <i>J. Zhou, N. Chen, M. Wei</i> | |
| THE SIMULATION RESEARCH OF MANIPULATING ELECTROMAGNETIC WAVE POLARIZATIONS BY METAMATERIAL..... | 1223 |
| <i>Q. Ye, Y. Nie, R. Gong, B. Xiao, H. Yang</i> | |
| WIDE STOPBAND BANDPASS FILTER BASED ON DGS SLOT STRUCTURE..... | 1227 |
| <i>B. Xu, R. Li, Y. Yin, J. Wang</i> | |
| ADAPTIVE INTERFERENCE CANCELLATION SYSTEM FOR TD-SCDMA NETWORKS..... | 1229 |
| <i>L. Kong, Y. Sun, T. Sheng</i> | |
| IMPROVEMENT OF 2-D DOA ESTIMATION BASED ON L-SHAPED ARRAY..... | 1233 |
| <i>Q. Cheng, Y. Zhao, J. Yang</i> | |
| THE CALCULATION OF INFRARED RADIANCE OF ROUGH SEA SURFACE..... | 1237 |
| <i>Y. Wang, L. Li, H. Ren, L. Jin</i> | |
| STUDY ON REDUCED-RAND ALGORITHMS FOR SPACE-TIME IN GPS RECEIVER..... | 1241 |
| <i>L. Wang, B. Kang, X. Xi, Y. Du</i> | |
| A COMPACT UWB BPF DESIGN USING SILICON-BASED IPD TECHNOLOGY..... | 1245 |
| <i>X. Zhang, W. Zhang, L. Sun, L. Huang</i> | |
| A COMPARATIVE STUDY ON THE EXIT APERTURE IN SHOOTING AND BOUNCING RAY METHOD..... | 1248 |
| <i>W. Gao, B. Li, Y. Tang</i> | |
| A DELAYED POWER-ON SWITCH DESIGNED FOR HMC609 APPLICATION CIRCUITS..... | 1251 |
| <i>Z. Ma, J. Zhao, M. Xue</i> | |
| MODELLING ON THE SIGNAL BER OF COMMUNICATION SYSTEM FOR HIGH-SPEED RAILWAY | 1255 |
| <i>C. Liu, Y. Zhao, J. Zou, R. Jin, B. Ai</i> | |
| RESEARCH AND IMPLEMENTATION OF DISTRIBUTED TESTING SYSTEM BASED ON JINI TECHNOLOGY | 1260 |
| <i>Z. Rui, Y. Jun, D. Ge</i> | |
| FULL-CONTROLLED DEVICES AND SCR CONSISTING OF THE MIXED H BRIDGE SWITCH CIRCUIT..... | 1264 |
| <i>L. Xin</i> | |
| THE ANALYSIS OF HF-INDUCED ABNORMAL ENHANCEMENT OF PLASMA LINE | 1267 |
| <i>M. Cheng, B. Xu, Z. Wu, Z. Xu, J. Li, Z. Wang</i> | |
| MILLIMETRE-WAVE ALL SYMMETRIC EDGE-COUPLED BANDPASS FILTER | 1271 |
| <i>G. Mehdi, A. Hu, J. Miao</i> | |

| | |
|---|-------------|
| A METHOD FOR DETERMINING OPTIMAL DECOMPOSITION SCALE IN WAVELET THRESHOLD DE-NOISING | 1275 |
| <i>H. Tang, Z. Liu, X. Li</i> | |
| MEERKAT AND SKA PHASE 1..... | 1279 |
| <i>D. Davidson</i> | |
| TOWARDS SUPER-RESOLUTION MICROWAVE IMAGING: GENERAL FRAMEWORK..... | 1283 |
| <i>L. Li, X. Xu, F. Li</i> | |
| RADIATION CHARACTERISTICS OF LEAKY CABLES WITH PERIODIC SLOTS UNDER SNOW ENVIRONMENT | 1287 |
| <i>C. Zhang, J. Wang</i> | |
| Author Index | |