

13th European Symposium on Improved Oil Recovery 2005

**Budapest, Hungary
25-27 April 2005**

ISBN: 978-1-62276-890-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2005) by by the European Association of Geoscientists & Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact by the European Association of Geoscientists & Engineers
at the address below.

EAGE
PO Box 59
3990 DB Houten
The Netherlands

Phone: +31 88 995 5055
Fax: +31 30 634 3524

eage@eage.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

FRACTURED RESERVOIR MODELLING – RECENT PROGRESS AND PROMISING PERSPECTIVES	1
<i>B. Bourbiaux, R. Basquet, A. Lange, L. Y. Hu</i>	
RESTARTING A HISTORY-MATCHING STUDY FOR AN EXISTING RESERVOIR MODEL	9
<i>Mickaele Le Ravalec-Dupin, Frederic Roggero</i>	
USING SEISMIC VELOCITIES TO IMPROVE PERMEABILITY ESTIMATION OF A CARBONATE RESERVOIR	17
<i>E. Hassanzadeh, I. Maddahi, F. Talebi</i>	
PORE-TO-FIELD MULTI-PHASE UPSCALING FOR A DEPRESSURIZATION PROCESS	22
<i>Thomas Gorm Theting, Alf Birger Rustad, Thomas Rage Lerdahl, Jan Age Stensen, Troy Boassen, Pal-Eric Oren, Stig Bakke, Philip Ringrose</i>	
UPSCALING FOR IMPROVED OIL RECOVERY	30
<i>P. Zhang, G. E. Pickup, M. A. Christie</i>	
FLEXIBLE UPSCALING USING PERTURBED BOUNDARY CONDITIONS	38
<i>L. Ricard, M. Leravalet-Dupin, Y. Gueguen</i>	
ESTIMATION OF WATER SATURATION FROM TRACER DATA	46
<i>S. O. Stalheim, R. Kleven</i>	
OPTIMISATION OF SAGD PROCESSES BY INJECTION OF LIGHT/HEAVY HYDROCARBONS	55
<i>Gilles Darche</i>	
IMPROVED THERMAL-STEAM TREATMENT OF HIGH-VISCOSITY OIL POOLS BY CO₂ GENERATING SYSTEMS	63
<i>L. Altunina, V. Kuvshinov</i>	
WETTABILITY ALTERATION AND IMBIBITION EFFECTS IN STEAM RECOVERY FROM MATRIX BLOCKS IN FRACTURED RESERVOIRS	71
<i>Siyavash Motealleh, Bert-Rik De Zwart, Hans Bruining</i>	
THERMAL MODELING ANALYSIS FOR COMPLETION DESIGN OF DEEP OFFSHORE HEAVY OIL RESERVOIRS	79
<i>Felix A. Ascanio, Lanny G. Schoeling</i>	
SELECTION OF OPTIMUM THERMAL RECOVERY METHOD FOR A HEAVY OIL RESERVOIR OF IRAN	87
<i>Behnam Sedaee Sola, Fariborz Rashidi</i>	
LOW SALINITY OIL RECOVERY – THE ROLE OF RESERVOIR CONDITION COREFLOODS	95
<i>K. J. Webb, C. J. J. Black, I. J. Edmonds</i>	
IMPROVED OIL RECOVERY BY WETTABILITY ALTERATION	102
<i>Y. C. Araujo, M. Araujo</i>	
LINKED POLYMER SOLUTIONS FOR IMPROVED OIL RECOVERY BY WATERFLOODING	110
<i>Morten G. Aarra, Magny Bjorsvik, Harald Hoiland, Tore Skodvin, Dag Standes, Arne Skauge</i>	
A COMPARATIVE EVALUATION OF FRACTURING TECHNIQUES, RELATING ECONOMIC BENEFITS TO ALTERNATIVE APPROACHES IN ZONAL ISOLATION AND SELECTIVITY	118
<i>John Fothergill, Kenji Furui</i>	
GEL TREATMENT OF INJECTORS –THEORY AND PRACTICE	126
<i>K. M. Fedorov, N. E. Pavlov, V. E. Andreev</i>	
SHALLOW PERFORATION SHUT-OFF WITH A NEW GEL-CEMENT SYTEM	134
<i>Jip Van Eijden, Fred Arkesteijn, Diederik Van Batenburg, Paul McGinn, Jacques Vna Vliet</i>	
WATER SHUTOFF USING OIL-SOLUABLE CHEMICALS - AN X-RAY CT STUDY	142
<i>Koenraad Elewaut, Pacelli L. J. Zitha</i>	
SCALES, SCALING AND SCALE-UP	150
<i>Larry W. Lake</i>	
DISPLACEMENT OF HIGH-VISCOSITY OIL USING MICROORGANISMS	151
<i>L. Altunina, V. Ovsyannikova, L. Svarovskaya</i>	
INTERPRETATION OF MICROBIAL OIL RECOVERY FROM LABORATORY EXPERIMENTS	158
<i>E. Kowalewski, I. Rueslatten, E. Gilje, E. Sunde, G. Bodtker, B. L. P. Lillebo, T. Torsvik, J. A. Stensen, B. Bjorkvik, K. A. Strand</i>	
LABORATORY STUDY OF “SUPER” SURFACTANTS AS CANDIDATES IN SURFACTANT FLOODING	166
<i>I. Lakatos, J. Toth, Z. Bedo, J. Lakatos-Szabo, M. Hlatki, S. Puskas, P. D. Berger, C. Lee</i>	

SUCCESSFUL APPLICATION OF HYDROCARBON MICROTREMOR ANALYSIS (HYMAS) FOR THE IDENTIFICATION OF HYDROCARBON RESERVOIRS.....	178
<i>R. Holzner, P. Eschle, H. Zurcher, M. Lambert, R. Graf, S. Dangel, P. F. Meier</i>	
THERMAL METHOD OF GAS HYDRATE FIELDS DEVELOPMENT	186
<i>K. Basniev, A. Nifantov, A. Shchebetov</i>	
EFFECTS TO BE CONSIDERED WHEN PLANNING LATE STAGE DEPRESSURISATION	194
<i>Dag Standnes, Arne Skauge, Oystein Pettersen</i>	
DOWNHOLE GASIFICATION FOR IMPROVED OIL RECOVERY	202
<i>M. Greaves, T. X. Xia, R. R. Rathbone, A. H. Bentaher</i>	
WATERFLOODING OF FRACTURED CARBONATE RESERVOIRS	210
<i>Tor Austad, Skule Strand, Eli J. Hognesen, Peimao Zhang</i>	
QUALITATIVE AND QUANTITATIVE STUDY OF ASPHALTENES PRECIPITATION DURING A GAS INJECTION PROJECT.....	220
<i>S. Sfakiotakis, N. Pasadakis, N. Varotsis, H. P. Hjermstad</i>	
WATERFLOOD EFFICIENCY FOR DIFFERENT PORE CLASSES IN CARBONATE RESERVOIRS	228
<i>Arne Skauge, Kristine Spildo, Arve Lonoy, Geir Njoten, Bard Ottesen</i>	
IMPROVED PROCEDURE FOR CALCULATING UNSTEADY-STATE RELATIVE PERMEABILITY	236
<i>A. S. Lackner, O. Torsæter</i>	
CONTACT ANGLE DETERMINATION USING LOGS AND CAPILLARY PRESSURES FOR A CARBONATE RESERVOIR	244
<i>Behnam Sedaei Sola, Fariborz Rashidi</i>	
CHARACTERIZATION OF SULFUR IN RESERVOIR ROCKS BY ROCK-EVAL ANALYSIS.....	251
<i>Francois Lorant, Roland Antonas, Jean Espitalie</i>	
INTERPRETATION OF DISPLACEMENT DATA OBTAINED FROM UNSTEADY-STATE RADIAL FLUID FLOW SYSTEMS.....	259
<i>Tibor Bodi, Janos Toth, Peter Szucs, Faruk Civan</i>	
EXPERIMENTAL EVALUATION OF H₂S YIELDS IN RESERVOIR ROCKS SUBMITTED TO STEAM INJECTION.....	269
<i>Violaine Lamoureux-Var, Francois Lorant</i>	
MISCIBLE GAS INJECTION ISSUES IN A THICK CARBONATE VOLATILE OIL RESERVOIR	277
<i>Patrick Denby, Loris Tealdi, Michel Vert, Luigi Francia</i>	
THREE-PHASE RELATIVE PERMEABILITIES AND CAPILLARY PRESSURE BY UPSCALING	284
<i>A. Lohne, G. A. Virnovsky, A. Hlorth</i>	
APPLICATION OF A NEW UPSCALING TECHNIQUE TO A MISCIBLE GAS INJECTION FIELD STUDY	296
<i>Mun-Hong Hui, Louis J. Durlofsky, Xian-Huan Wen</i>	
NUMERICAL AND EXPERIMENTAL INVESTIGATION INTO THE MECHANISMS OF FIRST CONTACT MISCIBLE SIMULTANEOUS AND SLUG WAG INJECTION	304
<i>H. Al-Shuraiqi, A. Muggeridge, C. A. Grattoni</i>	
FLUID FLOW PROPERTIES OF WAG INJECTION PROCESSES	312
<i>Elisabeth Iren Dale, Arne Skauge</i>	
CO₂ INJECTION FOR IOR AND STORAGE – OPPORTUNITIES AND CHALLENGES FOR THE NORTH SEA.....	320
<i>F. Gozalpour, S. R. Ren, B. Tohidi</i>	
A REVIEW OF THE CHALLENGING RESERVOIR ENGINEERING ASPECTS OF MODELING THE RECOVERY FROM A LIGHT OIL, FRACTURED RESERVOIR BY AIR INJECTION	328
<i>Maruro Okamoto, Bernard Bourbiaux</i>	
AIR INJECTION INTO LIGHT OIL RESERVOIRS – OXIDATION KINETICS AND SIMULATION.....	336
<i>M. Greaves, A. H. Bentaher, R. R. Rathbone</i>	
PROBLEMS AND PROSPECTS OF GAS METHODS FOR ENHANCING THE RESERVOIR HYDROCARBON RECOVERY	344
<i>R. M. Ter-Sarkisov</i>	
FLUID FLOW BEHAVIOUR OF GAS-CONDENSATE AND NEAR-MISCIBLE FLUIDS AT THE PORE SCALE.....	352
<i>Richard A. Dawe, Carlos A. Grattoni</i>	
INVESTIGATION OF PRODUCTION POTENTIAL OF THE „HOSSZÚPÁLYI-SOUTH” GASFIELD SUPPOSING DIFFERENT DRIVING MECHANISMS. CASE STUDY	360
<i>Zsolt Bihari</i>	

A STUDY OF IOR BY CO₂ INJECTION IN THE GULLFAKS FIELD, OFFSHORE NORWAY	368
<i>H. Agustsson, G. H. Grinestaff</i>	
NUMERICAL SIMULATION OF TERTIARY CO₂ INJECTION AT IVANIC OIL FIELD, CROATIA	382
<i>D. Domitrovic, S. Sunjerga, J. Jelic-Balta</i>	
LESSONS FROM TRINIDAD'S CO₂ IMMISCIBLE PILOT PROJECTS 1973-2003	390
<i>Lorna J. Mohammed-Singh, K. Ashok</i>	
ENHANCED OIL RECOVERY BY IN-SITU COMBUSTION PROCESS IN SANTHAL FIELD OF CAMBAY BASIN, MEHSANA, GUJARAT, INDIA - A CASE STUDY	400
<i>S. K. Chattopadhyay, Binay Ram, R. N. Bhattacharya, T. K. Das</i>	
IOR AND EOR – CHANCES FOR INCREASE OF OIL PRODUCTION AND RECOVERIES IN EXISTING, MATURE RESERVOIRS	412
<i>Josip Secen</i>	
LEAN GAS INJECTION INTO AN EXTRA LIGHT OIL RESERVOIR- INITIAL RESULTS AND FURTHER STEPS	420
<i>Lajos Benedek, Gyorgy Palasthy, Istvan Papp, Andrea Lovei, Veronika Pipicz</i>	
THE MODERN TRENDS IN ESTIMATION OF EOR/IOR TECHNOLOGIES PROFITABILITY	428
<i>A. Y. Khavkin</i>	
EOREFFICIENCY – MYTH OR REALITY?	436
<i>R. R. Ibatullin, R. S. Khisamov, A. I. Frolov, E. D. Podymov, N. A. Lebedev, G. V. Romanov</i>	
A CHEMICAL SOLUTION TO INCREASING OIL PRODUCTION WHILST MINIMISING WATER PRODUCTION USING POLYMERIC SELECTIVE WATER SHUT OFF GELS	445
<i>J. J. Wylde, G. D. M. Williams, G. D. Williams, H. Frampton, J. Morgan</i>	
TAMPEN IOR	453
<i>Arild Hesjedal, Stein Rune Jakobsen</i>	
POSSIBILITY TO IMPROVE THE EFFICIENCY OF GEOLOGICAL SURVEY IN FRACTURED GRANITIC BASEMENT	461
<i>Tr. L. Dong, Tr. V. Hoi, V. K. Utoplennikov, V. E. Korablinov, F. A. Kireev</i>	
IMPLEMENTATION OF SCAL DATA FOR A CAPILLARY TRANSITION ZONE	469
<i>Kristine Spildo, Arne Skauge</i>	
COMBINATION OF COMPUTED TOMOGRAPHY AND PETROGRAPHY IN RESERVOIR CHARACTERIZATION	477
<i>Remeysen Katleen, Swennen Rudy</i>	
A NEW GENETIC ALGORITHM (GA)-BASED TECHNIQUE TO MODEL THE EFFECTS OF CO₂ INJECTION ON CRUDE OIL PROPERTIES	485
<i>Mohammed K. Emera, Hemantia K. Sarma</i>	
CO₂ PILOT INJECTION AT IVANIC OIL FIELD – NUMERICAL SIMULATION	512
<i>Martina Tuschl, Snjezana Sunjerga, Dragutin Domitrovic</i>	
WETTABILITY EFFECTS ON CYCLIC WATERFLOODING – EXPERIMENTAL SANDPACK STUDY	520
<i>Stephen Booth, Mariela Araujo</i>	
CASE STUDY OF INTEGRATED SOLUTIONS USED TO LOCATE AND EXTRACT BYPASSED HYDROCARBONS IN THE MATURE RESERVOIRS OF THE ALGYÖ FIELD, HUNGARY	527
<i>Veronika Pipicz, Lajos Benedek, Ilona Vargane Toth, Jozsef Toth, Jeff Olson</i>	
EFFECT OF FRACTURE SPACING ON GRAVITY DRAINAGE FOR VARIOUS KM/KF RATIO	536
<i>R. Ghanbarnezhad Moghanloo, M. A. Emadi, M. Tabibi</i>	
EVALUATION OF MISCIBLE GAS INJECTION IN OIL RESERVOIRS BY MONITORING THE ASPHALTENES CONCENTRATION – MOREOIL	545
<i>A. K. Stubos, T. Aurdal, H. P. Hjermstadt, J. A. Stensen, N. Varotsis, P. Adler, J. Muller, O. P. Bjorlykke, S. Puskas</i>	
AN ITERATIVE METHOD FOR THE REPRESENTATION OF TWO-PHASE FAULT ROCK PROPERTIES IN RESERVOIR SIMULATORS	550
<i>Attila Z. Vaszi, Simon D. Harris, Bader Al-Busafi, Quentin J. Fisher</i>	
ASYMMETRY OF FLUID EXCHANGE IN DEFORMABLE FRACTURED RESERVOIR - INFLUENCE ON EFFICIENCY OF PETROLEUM RESERVOIR CYCLIC STIMULATION	558
<i>A. A. Shchipanov</i>	
SIMULATION OF THE RESERVOIR BV2 WITH MULTIBRANCH WELLS, NONG-EGANSKOE OIL FIELD	566
<i>A. M. Sartakov, A. V. Biakov, I. V. Perevozkin</i>	
CAPILLARY EFFECTS IN RESERVOIR SIMULATION	571
<i>A. M. Sartakov, A. V. Byakov, I. Yu. Azhgibetsova</i>	
A METHODOLOGY FOR THE OPTIMISATION OF HEAVY OIL PRODUCTION STRATEGIES	578
<i>R. F. Martini, J. S. A. Cavalcante Filho, D. J. Schiozer</i>	

VIBROSEISMIC OIL STIMULATION METHOD – EFFICIENCY AND THERMODYNAMIC FEATURES OF THE OIL RECOVERY MECHANISM.....	586
<i>E. M. Simkin</i>	
APPLICATION OF DOE TO STUDY IMPACT OF DISPERSION AND MISCIBILITY IN WAG	594
<i>A. Asheghi Hossein, T. E. H. Esmail, C. P. J. W. Van Kruijsdijk</i>	
EXPERIMENTAL INVESTIGATION OF ASPHALTENE PRECIPITATION DURING OIL-SOLVENT FLOW IN CORE SAMPLES.....	602
<i>N. I. Papadimitriou, G. E. Romanos, A. K. Stubos, Th. A. Steriotis, C. Chatzichristos, T. Aurdal</i>	
MODELS OF NOT TRADITIONAL COLLECTORS – RESERVE STOCK OF THE GAS AND OIL	610
<i>V. V. Berkovska</i>	
PECULIARITY OF RESERVES PRODUCTION AND OIL RECOVERY OF OIL AND GAS FIELDS.....	617
<i>N. A. Cheremisin, P. A. Efimov, A. A. Klimov, R. A. Bulatov</i>	
EXPERIMENTAL STUDY OF WATER INJECTION IN ASMARI LIMESTONE FRACTURED ROCK	625
<i>H. Karimaie, O. Torsaeter, M. R. Esfahani</i>	
INFLUENCE OF GAS MICROBUBBLES ON THE GAS FLOODING IN THE PRESENCE OF A SURFACTANT	632
<i>D. Mikhaylov, V. Nikolaevskiy, G. Stepanova</i>	
JET AND INJECT TOOL AND ITS APPLICATION FOR DIRECTIONAL HYDRAULIC MULTIFRACTURING.....	640
<i>K. Tagirov</i>	
FIELD-SCALE CO₂ GAS FLOODING IN SANDSTONE AND LIMESTONE RESERVOIRS	646
<i>Z. Biro, K. Lovonyak, L. Paczuk</i>	
A NEW GLOBAL WELL-LOGGING INVERSION METHOD FOR CHARACTERIZATION OF HYDROCARBON FORMATIONS.....	654
<i>M. Dobroka, P. N. Szabo, B. Kiss, T. Krasznavolgyi</i>	
Author Index	