

**Society of Exploration
Geophysicists International
Exposition and 82nd Annual
Meeting 2012**

(SEG Las Vegas 2012)

**Las Vegas, Nevada, USA
4-9 November 2012**

Volume 1 of 6

ISBN: 978-1-62276-945-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by the Society of Exploration Geophysicists
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact the Society of Exploration Geophysicists
at the address below.

Society of Exploration Geophysicists
P. O. Box 702740
Tulsa, Oklahoma 74170-2740

Phone: (918) 497-5554
Fax: (918) 497-5557

www.seg.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

ACQUISITION AND SURVEY DESIGN

| | |
|---|-----|
| SEISMIC ACQUISITION AND PROCESSING OF ONSHORE DUAL FIELDS BY A RECIPROCAL EXPERIMENT | 1 |
| <i>Flavio Poletto, Lorenzo Petronio, Fabio Meneghini, Andrea Schleifer</i> | |
| IS DE-GHOSTING NECESSARY WITH MULTICOMPONENT DATA? | 6 |
| <i>Joakim O. Blanch</i> | |
| COMBINATION OF MULTICOMPONENT STREAMER PRESSURE AND VERTICAL PARTICLE VELOCITY: THEORY AND APPLICATION TO DATA | 11 |
| <i>Philippe Caprioli, Kemal Özdemir, Dirk-Jan Van Manen, Shipra Mahat, Ali Özbek, Ed Kragh, Phil Christie</i> | |
| PREMIGRATION DEGHOSTING FOR MARINE TOWED STREAMER DATA USING A BOOTSTRAP APPROACH | 16 |
| <i>Ping Wang, Can Peng</i> | |
| SEISMIC ACQUISITION TESTS IN COOK INLET, ALASKA | 21 |
| <i>Mike Yates, Steve Adiletta, Dennis Yanchak</i> | |
| ESTIMATING AND RECOVERING THE LOW-FREQUENCY SIGNALS IN GEOPHONE DATA | 26 |
| <i>Yimeng Zhang, Zhihui Zou, Hua-Wei Zhou</i> | |
| MULTICOMPONENT (4C) TOWED-STREAMER DESIGN FOR HIGH SIGNAL FIDELITY RECORDING | 31 |
| <i>N. Goujon, Ø. Teigen, K. Özdemir, B. A. Kjellesvig, S. Rentsch, J. A. Robertsson</i> | |
| SPATIAL SAMPLING, COHERENT NOISE, AND SUBSURFACE RESOLUTION: CONCLUSIONS FROM FIELD EXPERIMENTS | 36 |
| <i>David C. Henley, Malcolm B. Bertram, Kevin W. Hall</i> | |
| AN OVERVIEW OF BP'S MARINE INDEPENDENT SIMULTANEOUS SOURCE FIELD TRIALS | 41 |
| <i>Ray Abma, Qie Zhang, Adeyemi Arogunmati, Gerard Beaudoin</i> | |
| FINITE DIFFERENCE WAVE-EQUATION ILLUMINATION: A DEEPWATER CASE STUDY | 46 |
| <i>Jason Gardner, Cintia Lapilli, Chuyuan Xu, Alfonso González</i> | |
| VIBROSEIS AS AN IMPULSIVE SEISMIC SOURCE: 3D FIELD TESTING PERMIAN BASIN TEXAS | 50 |
| <i>J. W. Thomas, Dana M. Jurick, Dwight Osten</i> | |
| COMPRESSIVE SEISMIC IMAGING | 55 |
| <i>Charles C. Mosher, Erik Keskula, Sam T. Kaplan, Robert G. Keys, Chengbo Li, Elias Z. Ata, Larry C. Morley, Joel D. Brewer, Frank D. Janiszewski, Peter M. Eick, Robert A. Olson, Sanjay Sood</i> | |
| A MODEL STUDY INVESTIGATING ENHANCED SUBSURFACE IMAGING AND FAULT DETECTION USING MULTIPLE-WELL 3D VSP ACQUISITION, MIGRATION, AND COHERENCY ANALYSIS | 60 |
| <i>Zhiyong Jiang, Brian Hornby, Doug Stauber</i> | |
| MULTIVESSEL COIL SHOOTING ACQUISITION WITH SIMULTANEOUS SOURCES | 65 |
| <i>Nick Moldoveanu, Craig Beasley, Ying Ji</i> | |
| AN EXTRA 10%: IMPROVING THE PRODUCTIVITY OF VIBROSEIS SURVEYS THROUGH ADVANCED FLEET MANAGEMENT | 70 |
| <i>Timothy Dean</i> | |
| ESTABLISHING THE LIMITS OF VIBRATOR PERFORMANCE: EXPERIMENTS WITH PSEUDORANDOM SWEEPS | 75 |
| <i>Timothy Dean</i> | |
| IMAGING BELOW SHALLOW GAS WITH FULL-AZIMUTH ACQUISITION: A CASE STUDY | 80 |
| <i>Mike Branston, Michelle Tham, Paul Baltensperger, Marty Wysocki, Matthew Choo</i> | |
| A NEW SIMULTANEOUS SOURCE SEPARATION ALGORITHM USING FREQUENCY-DIVERSE FILTERING | 85 |
| <i>Ying Ji, Ed Kragh, Phil Christie</i> | |
| A FAST SEISMIC ILLUMINATION ANALYSIS BASED ON PLANE-WAVE SOURCE | 90 |
| <i>Hu Shanzheng, Li Yaling, Jin Longjiang, He Guangming</i> | |
| UTILIZING DISPERSED SOURCE ARRAYS IN BLENDED ACQUISITION | 95 |
| <i>A. J. Berkhout, G. Blacquièrre</i> | |
| DEBLENDING OF DISPERSED SOURCE ARRAY DATA | 100 |
| <i>G. Blacquièrre, A. Mahdad</i> | |
| A METHOD FOR IMPROVING THE ACCURACY OF OBC RECEIVER LOCATION IN COMPLEX SHALLOW WATERS | 105 |
| <i>Zhang Hongjun, Chen Haolin, Ye Yuanquan, Liu Jun, Liu Renwu, Liu Yuanying, Ni Chengzhou, Li Xiaodong</i> | |
| SURVEY DESIGN FOR HIGH-DENSITY, HIGH-PRODUCTIVITY, BROADBAND VIBROSEIS POINT-SOURCE AND RECEIVER ACQUISITION: A CASE STUDY | 110 |
| <i>Peter Van Baaren, Roger May, Alexander Zarkhidze, David Morrison, John Quigley, Abdulla Al Qadi</i> | |
| FULL-WAVEFIELD, TOWED-MARINE SEISMIC ACQUISITION AND APPLICATIONS | 115 |
| <i>David Halliday, Ivan Vasconcelos, Robert Laws, Johan O. A. Robertsson, Dirk-Jan Van Manen, Kemal Özdemir, Halvor Grønnaas</i> | |
| EXTENDING THE VIBROSEIS BANDWIDTH TO LOW FREQUENCIES | 120 |
| <i>Zhouhong Wei, Thomas F. Phillips</i> | |

| | |
|---|-----|
| IMPROVING S/N RATIO ON VIBROSEIS SOURCE SIGNATURE AT LOW FREQUENCIES | 124 |
| <i>Zhouhong Wei, Thomas F. Phillips</i> | |
| A METHOD OF ACQUIRING FULL AZIMUTH DATA FOR CARBONATE RESERVOIRS EXPLORATION IN TARIM BASIN, WESTERN CHINA | 129 |
| <i>Yimou Liu, Xianghao Liang, Yi Zhou, Yanfeng Wang, Xueqiang Chen</i> | |
| RECEIVER COMPARISON FOR A NONREPEATABLE EARTHQUAKE SOURCE ON A LOW-FREQUENCY SEISMIC REFLECTION EXPERIMENT | 134 |
| <i>Kevin W. Hall, Gary F. Margrave, Malcolm B. Bertram</i> | |
| IMAGING IMPROVEMENTS FROM WIDELINE DATA IN A NOISY TRANSITION ZONE ENVIRONMENT | 139 |
| <i>Michael Hall, David Lopez, Gael Janex, Keith Rosindell</i> | |
| OPTIMAL SURVEY DESIGN FOR MARINE BOREHOLE SEISMICS | 144 |
| <i>Darrell Coles, Hugues Djikpesse, Michael Prange, Yi Yang, Konstantin Osypov</i> | |
| SEISMIC ACQUISITION DESIGN USING 3D TARGET-ORIENTED VISIBILITY ANALYSIS | 149 |
| <i>Jun Cao, Chuck Mosher, Joel Brewer</i> | |
| ATTEMPTS OF SINGULAR VALUE DECOMPOSITION IN THE SEPARATION OF THE SIMULTANEOUS VIBROSEIS SWEEP DATA | 154 |
| <i>Ni Yudong, Lei Yunshan, Wang Jingfu, Li Yangsheng, Lv Zhejian, Ma Weining</i> | |
| CROSS-HARMONIC NOISE REMOVAL ON SLIP-SWEEP VIBROSEIS DATA | 159 |
| <i>Wang Baobin, Li Hequn, Zhao Bo, Huang Zhi, Zhang Mugang, Mei Lulu</i> | |
| PLANNING FOR SUCCESS: THE TRIDACNA 3D SEISMIC SURVEY, SCOTT REEF, WESTERN AUSTRALIA; OCEAN BOTTOM CABLE SEISMIC ACQUISITION IN A SENSITIVE AND REMOTE OFFSHORE ENVIRONMENT | 164 |
| <i>Ralph Weiss, Jeremy Fitzpatrick, Mark Taylor</i> | |
| OPTIMUM PSEUDO-RANDOM SWEEPS FOR VIBRATORY SURVEYS TO REDUCE RISK OF DAMAGING BUILDINGS | 169 |
| <i>Péter Scholtz</i> | |
| WIRELESS VERSUS WIRELINE LAND 3D SEISMIC IN NORTH ITALY | 174 |
| <i>M. Pellegrino, N. Pajola, G. Tortini, A. Esposito, P. Follino, A. Di Lecce</i> | |
| AN ITERATIVE SVD METHOD FOR DEBLENDING: THEORY AND EXAMPLES | 179 |
| <i>Margherita Maraschini, Richard Dyer, Kent Stevens, Dave Bird, Simon King</i> | |
| APPLICATION OF A WIDE LINE AND GEOPHONE CONTINUOUS ARRAY SEISMIC ACQUISITION TECHNIQUE IN THE MOUNTAINOUS YING XIONGLING AREA OF THE Q Aidam BASIN | 184 |
| <i>Wu Yongguo, Ning Hongxiao, Wang Haili, Hu Jie</i> | |
| THE PRINCIPLE OF USING COMPLEMENTARY ACQUISITION COMPONENTS TO ACHIEVE BROADBAND SEISMIC | 189 |
| <i>Stian Hegna, Gregg Parkes</i> | |
| CHARACTERIZATION OF NOISE MODES IN MULTICOMPONENT (4C) TOWED STREAMERS | 194 |
| <i>Øyvind Teigen, Ahmet Kemal Özdemir, Bent Kjellesvig, Nicolas Goujon, Jahir Pabon</i> | |
| DIRECT MEASUREMENT OF WATER VELOCITY AND TIDAL VARIATIONS IN MARINE SEISMIC ACQUISITION | 199 |
| <i>Kanglin Wang, Paul Hatchell, Carsten Udengaard, Ken Craft, Shaun Dunn</i> | |
| MARINE SIMULTANEOUS SOURCE OBS SURVEY SUITABILITY FOR 4D ANALYSIS | 204 |
| <i>Tadas Krupovnickas, Ken Matson, Chris Corcoran, Ruben Pascual</i> | |
| ADVANCED MODELING AND IMAGING FOR SEISMIC ACQUISITION: A GOM SUBSALT EXAMPLE | 209 |
| <i>Xianhuai Zhu, Jun Cao, Don Ashabranner, Sanjay Sood, Joel Brewer, Chuck Mosher</i> | |
| MONITORING THE STABILITY OF AIRGUN SOURCE ARRAY SIGNATURE | 214 |
| <i>Yuan Ni, Cheikh Niang, Risto Siliqi</i> | |
| | |
| <u>ANISOTROPY</u> | |
| ELASTIC MODULI'S RELATION TO MICROSTRUCTURE PROPERTIES IN POROUS MEDIA USING GSA MODELING | 219 |
| <i>Tao Jiang, Evgeny M. Chesnokov</i> | |
| EVALUATION AND JOINT INVERSION OF TTI VELOCITY MODELS WITH WALK-AWAY VSP | 224 |
| <i>Jiming Zhu, Pranab Sen, Richard Perkins, Sharon Howe, Ewan Hillier, James Clough</i> | |
| FLUID-FILLED CRACKS AND SEISMIC ANISOTROPY: AN EXPERIMENTAL STUDY | 229 |
| <i>Bode Omoboya, Emrah Pacal, Nikolay Dyauro, Robert R. Stewart, J. J. S. De Figueiredo</i> | |
| PROPAGATING PURE WAVE MODES IN 3D GENERAL ANISOTROPIC MEDIA: PART II-SV AND SH WAVE | 234 |
| <i>Wei Kang, Jiubing Cheng</i> | |
| REMOVING ANISOTROPIC OVERBURDEN EFFECT FOR RELIABLE RESERVOIR FRACTURE CHARACTERIZATION | 239 |
| <i>Mohammed Alhussain, Mrinal K. Sen</i> | |
| VTI MIGRATION VELOCITY ANALYSIS USING RTM | 244 |
| <i>Yunyue Li, Peng Shen, Colin Perkins</i> | |
| ATTENUATION ANALYSIS FOR HETEROGENEOUS TRANSVERSELY ISOTROPIC MEDIA | 250 |
| <i>Bharath Shekar, Ilya Tsvankin</i> | |

| | |
|---|-----|
| DETERMINATION OF THE STIFFNESS TENSOR OF A FRACTURED MEDIUM USING FINITE-ELEMENT SIMULATIONS | 256 |
| <i>Juan E. Santos, Jose M. Carcione, Stefano Picotti</i> | |
| GLOBALLY OPTIMIZED FINITE-DIFFERENCE EXTRAPOLATOR FOR STRONGLY VTI MEDIA | 261 |
| <i>Jin-Hai Zhang, Zhen-Xing Yao</i> | |
| MAPPING OF MOVEOUT APPROXIMATIONS IN TI MEDIA | 267 |
| <i>A. Stovas, T. Alkhalifah</i> | |
| MODELING OF PSEUDO-ACOUSTIC P-WAVES IN ORTHORHOMBIC MEDIA WITH LOW-RANK APPROXIMATION | 272 |
| <i>Xiaolei Song, Tariq Alkhalifah</i> | |
| SALT EMPLACEMENT-INDUCED AZIMUTHAL ANISOTROPY IN GARDEN BANKS, GULF OF MEXICO | 278 |
| <i>Hao Shen, Guang Chen, Tianjiang Li</i> | |
| I-CRS: A NEW MULTIPARAMETER STACKING OPERATOR FOR AN/ISOTROPIC MEDIA | 283 |
| <i>C. Vanelle, M. Bobsin, P. Schemmert, B. Schwarz, D. Gajewski, B. Kashan</i> | |
| PROPAGATING PURE WAVE MODES IN GENERAL ANISOTROPIC MEDIA, PART I: P-WAVE PROPAGATOR | 288 |
| <i>Jiubing Cheng, Wei Kang</i> | |
| THE ANALYSIS OF THE AZIMUTHAL VARIATION OF PS CONVERTED WAVES IN HTI MEDIA: A SYNTHETIC STUDY | 294 |
| <i>Weining Liu, Hengchang Dai, Xiangyang Li</i> | |
| RAY-BASED PRESTACK DEPTH MIGRATION FOR ORTHORHOMBIC MEDIA | 299 |
| <i>Xin Cheng, Jun Tang, Olga Zdraveva, Can Evren Yarman, James Hobro</i> | |
| VALIDATE TARGET-ORIENTED VVAZ WITH FORMATION MICROIMAGING LOGS | 304 |
| <i>Stephen K. Chiu, Jason A. Stein, Jack Howell, Samik Sil, Michael Davidson, Jeff Malloy</i> | |
| IMAGING FOR UNCONVENTIONAL RESOURCE PLAYS USING AN ORTHORHOMBIC VELOCITY MODEL | 309 |
| <i>Shaowu Wang, David Wilkinson</i> | |
| MULTIPARAMETER TTI TOMOGRAPHY OF P-WAVE REFLECTION AND VSP DATA | 314 |
| <i>Xiaoxiang Wang, Ilya Tsvankin</i> | |
| ANISOTROPY ESTIMATION FOR A SIMULATED FRACTURED MEDIUM USING TRAVELTIME INVERSION: A PHYSICAL MODELING STUDY | 319 |
| <i>Faranak Mahmoudian, G. F. Margrave, P. F. Daley, J. Wong</i> | |
| PURE MODE MODELING AND REVERSE-TIME MIGRATION OF P-WAVE IN HTI AND ORTHORHOMBIC MEDIA | 325 |
| <i>Tengfei Wang, Jiubing Cheng, Wei Kang</i> | |

AVO

| | |
|--|-----|
| ZEOPPRITZ-BASED JOINT AVO INVERSION OF PP AND PS WAVES IN RAY PARAMETER DOMAIN | 330 |
| <i>Tiansheng Chen, Xiucheng Wei</i> | |
| FLUID IDENTIFICATION USING FREQUENCY-DEPENDENT AVO INVERSION IN DISSOLUTION CAVED CARBONATE RESERVOIR | 335 |
| <i>Sam Zandong Sun, Shan Jiang, Xuekai Sun, Haijun Yang, Jianfa Han, Yandong Li</i> | |
| AVO CROSSPLOT ANALYSIS IN UNCONSOLIDATED SEDIMENTS CONTAINING GAS HYDRATE AND FREE GAS: GREEN CANYON 955, GULF OF MEXICO | 340 |
| <i>Zijian Zhang, Daniel R. McConnell, De-Hua Han</i> | |
| AVOZ INVERSION USING LIMITED AZIMUTHAL DATA ON THE PREDICTION OF FRACTURED DOLOMITE RESERVOIR: A CASE STUDY IN LEIJIA AREA, LIAOHE WESTERN DEPRESSION | 345 |
| <i>Sam Zandong Sun, Dongxiao Yin, Xi Xiao, Xiaoguang Li, Juxing Zhang</i> | |
| DETAILED AVA ANALYSIS OF A CLASS IIP RESERVOIR IN PRESENCE OF VTI SHALE ANISOTROPY: A CASE STUDY FROM OFFSHORE WEST AFRICA | 350 |
| <i>Gabriel Chao, Thierry Cadoret, Christian Deplante, Oliver Gratzer</i> | |
| AN APPLICATION OF STRUCTURAL FILTER AND GABOR DECONVOLUTION FOR AVO PROCESSING | 355 |
| <i>Jiangbo Yu, Dong Liu</i> | |
| AVO INVERSION USING THE ZEOPPRITZ EQUATION FOR PP REFLECTIONS | 359 |
| <i>Xinfa Zhu, George McMechan</i> | |
| INVERSION FOR ASYMMETRIC FRACTURE PARAMETERS USING SYNTHETIC AVOA DATA | 364 |
| <i>Mehdi E. Far, Colin M. Sayers, Leon Thomsen</i> | |
| AN ALTERNATIVE AMPLITUDE ANALYSIS THEORY | 369 |
| <i>Joseph H. Higginbotham, Cosmin Macesanu, Morgan P. Brown, Oscar Ramirez, Cathy Joanne</i> | |
| A PRACTICAL LAND DATA PRECONDITIONING SCHEME FOR AVO INVERSION BASED ON ABSORPTION COMPENSATION IN TIME-FREQUENCY DOMAIN | 374 |
| <i>Chun-Cheng Liu, Yu-Xiang Wang, Kai Yang</i> | |
| FREQUENCY-DEPENDENT REFLECTION PROPERTIES OF DIFFUSIVE VISCOUS WAVES | 379 |
| <i>Haixia Zhao, Jinghuai Gao, Wei Zhao</i> | |
| PROBABILISTIC PETROPHYSICAL PROPERTIES ESTIMATION INTEGRATING VISCOELASTIC AVA INVERSION WITH STATISTICAL ROCK PHYSICS | 384 |
| <i>Long Teng, Shixing Wang, Jiubing Cheng</i> | |

| | |
|--|------------|
| A PRESTACK BASIS PURSUIT SEISMIC INVERSION | 389 |
| <i>Rui Zhang, Sanjay Srinivasan, Mrinal K. Sen</i> | |
| ESTIMATION OF IN-SITU STRESS FIELDS FROM P-WAVE SEISMIC DATA | 394 |
| <i>Debraj Mukherjee, Subhashis Mallick, Luke Shafer, Erin Campbell-Stone</i> | |
| SEISMIC AZIMUTHAL ANISOTROPIC AVO ANALYSIS AT STYBARROW FIELD, NW SHELF, AUSTRALIA..... | 399 |
| <i>Lisa Jade Gavin, David Lumley</i> | |
| OIL AND BRINE DISCRIMINATION FOR CAVERN CARBONATE RESERVOIRS USING AVO | 404 |
| <i>Yan Zhang, Yandong Li, Xiaodong Zheng, Xiaoyu Ma</i> | |
| AVAZ INVERSION FOR ELASTIC PARAMETER AND FRACTURE FLUID FACTOR | 409 |
| <i>Huaizhen Chen, Guangzhi Zhang, Xingyao Yin</i> | |
| ADAPTIVE STEP LENGTH FOR ROBUST AVO INVERSION | 414 |
| <i>Songfeng Lv, Jiashu Zhang, Guangmin Hu, Zhenhua He</i> | |
| TRANSFORMATION OF SS-WAVE FROM PS-WAVE AND SS-WAVE RAY ELASTIC IMPEDANCE..... | 419 |
| <i>Xue-Ping Gong, Feng Zhang, Xiang-Yang Li</i> | |
| AZIMUTHAL AVO OVER A SIMULATED FRACTURED MEDIUM: A PHYSICAL MODELING EXPERIMENT | 424 |
| <i>Faranak Mahmoudian, Joe Wong, Gary F. Margrave</i> | |
| FLUID IDENTIFICATION IN FRACTURED MEDIA BASED ON P-WAVE AZIMUTHAL AVO | 429 |
| <i>Sam Zandong Sun, Xi Xiao, Zhaoming Wang</i> | |

BOREHOLE GEOPHYSICS

| | |
|--|------------|
| IMPROVED RESERVOIR CHARACTERIZATION THROUGH OPTIMIZED 3D VSP PROCESSED DATA: KUWAIT CASE STUDY | 434 |
| <i>Srinivasa Rao Narhari, Samar Al-Ashwak, Vijaya Kumar Kidambi, Bashar Al-Qadeeri, Kamran Laiq, Hari Kurniawan, Les Nutt</i> | |
| AN EFFICIENT MULTIBOUNDARIES DETERMINATION METHOD FOR GEOSTEERING COMPLEX RESERVOIRS | 439 |
| <i>Yumei Tang, Wenshan Yu, Michael Bittar, Dagang Wu</i> | |
| OPTIMIZED 3D VSP PROCESSING FOR IMPROVED STRUCTURAL DEFINITION: KUWAIT CASE STUDY | 444 |
| <i>Narhari Srinivasa Rao, Samar Al-Ashwak, Vijaya Kumar Kidambi, Kamran Laiq, Hari Kurniawan, Shujaat Ali, Al Campbell, Henry Menkiti, Les Nutt</i> | |
| PREDICTING STRESS-INDUCED ANISOTROPY AROUND A BOREHOLE..... | 449 |
| <i>Xinding Fang, Michael Fehler, Zhenya Zhu, Stephen Brown, M. Nafi Toksoz, Tianrun Chen, Arthur Cheng</i> | |
| ROBUST NONLINEAR PARAMETRIC GAUSS-NEWTON INVERSION FOR WELL-LOGGING APPLICATIONS..... | 454 |
| <i>Michael Thiel, Dzevat Omeragic, Tarek Habashy</i> | |
| JOINT INVERSION OF BOREHOLE ELECTROMAGNETIC AND SONIC MEASUREMENTS | 459 |
| <i>G. Gao, A. Abubakar, T. M. Habashy</i> | |
| NUMERICAL SIMULATION OF RADIATION, REFLECTION, AND RECEPTION OF ELASTIC WAVES FROM A BOREHOLE | 465 |
| <i>Zhou-Tuo Wei, Xiao-Ming Tang</i> | |
| INFLUENCE OF ANISOTROPIC STRESS AND FORMATION PROPERTY USE IN WELLBORE STABILITY ANALYSIS AND FIELD DEVELOPMENT PLANS: A CASE STUDY FOR WEST KAZAKHSTAN FIELD | 470 |
| <i>Tlek Kadyrov, Azra N. Tutuncu</i> | |
| 4D MONITORING WITH PERMANENT BOREHOLE SEISMIC SENSORS: PROGRESS, CHALLENGES, AND THE ROAD AHEAD..... | 475 |
| <i>Brian E. Hornby, Olav Barkved, Hans Sugianto, Jay Nahm</i> | |
| ENHANCED DISPERSION ANALYSIS OF BOREHOLE ARRAY SONIC MEASUREMENTS WITH AMPLITUDE AND PHASE ESTIMATION METHOD | 480 |
| <i>Wei Li, Rui Guo, Guo Tao, Hua Wang, Carlos Torres-Verdin, Jun Ma, Chicheng Xu</i> | |
| HYDROFRACTURE DIAGNOSIS IN OPEN-HOLE AND STEEL-CASED WELLS USING BOREHOLE RESISTIVITY MEASUREMENTS | 485 |
| <i>David Pardo, Carlos Torres-Verdin</i> | |
| SCHEMES FOR IMPROVING EFFICIENCY OF PIXEL-BASED INVERSION ALGORITHMS FOR ELECTROMAGNETIC LOGGING- WHILE-DRILLING MEASUREMENTS | 491 |
| <i>Y. Lin, A. Abubakar, T. M. Habashy, G. Pan, M. Li, V. Druskin, L. Knizhnerman</i> | |
| STOCHASTIC CONNECTIVITY ANALYSIS AND VOLUME ESTIMATION AT THE MALLIK GAS HYDRATE RESERVOIR, MACKENZIE DELTA, CANADA | 496 |
| <i>Camille Dubreuil-Boisclair, Erwan Gloaguen, Gilles Bellefleur, Denis Marcotte</i> | |
| FLUID SUBSTITUTION ANALYSIS TO CORRECT BOREHOLE GEOPHYSICAL MEASUREMENTS ACQUIRED IN GAS-BEARING FORMATIONS INVADED BY OIL-BASE MUD | 502 |
| <i>Chicheng Xu, Carlos Torres-Verdin, Jun Ma, Wei Li</i> | |
| THEORETICAL ESTIMATE OF TUBE-WAVE MODULUS IN ARBITRARILY ANISOTROPIC MEDIA: COMPARISONS BETWEEN SEMI-ANALYTICAL, FEM, AND APPROXIMATE SOLUTIONS | 507 |
| <i>Romain Prioul, Florian Karpfinger, Jeroen Jocker</i> | |

| | |
|---|-----|
| INTEGRATION OF CROSSWELL REFLECTION SEISMIC WITH WELL LOGS USING COKRIGING FOR MAPPING CONDUITS | 513 |
| <i>Jorge O. Parra, Jonathan S. Parra</i> | |
| FORMATION VELOCITY MEASUREMENTS USING MULTIPOLE SEISMOELECTRIC LWD: EXPERIMENTAL STUDIES | 518 |
| <i>Zhenya Zhu, M. Nafiz Toksöz</i> | |
| SENSITIVITY ANALYSIS OF 3D SURFACE-BOREHOLE CSEM FOR A SAUDI ARABIAN CARBONATE RESERVOIR | 524 |
| <i>Daniele Colombo, Daniele McNeice, Garrett Kramer</i> | |
| PARTICLE SWARM OPTIMIZATION IN MULTILAYER PERCEPTRON LEARNING FOR WELL LOG DATA INVERSION | 529 |
| <i>Kou-Yuan Huang, Kai-Ju Chen, Ming-Che Huang, Liang-Chi Shen</i> | |
| FAST MODELING OF BOREHOLE NEUTRON MEASUREMENTS WITH A NEW TRANSPORT-DIFFUSION APPROXIMATION | 534 |
| <i>Olabode Ijasan, Carlos Torres-Verdín, William Preeg</i> | |
| EFFECT OF TIME-DEPENDENT CHANGES IN PORE PRESSURE ON GEOMECHANICAL AND ACOUSTIC PROPERTIES OF SHALE FORMATIONS | 539 |
| <i>Mehdi Mokhtari, Azra N. Tutuncu</i> | |
| WAVEFIELD SIMULATION AND ANALYSIS WITH FEM FOR ACOUSTIC LWD IN HORIZONTAL AND DEVIATED WELLS | 544 |
| <i>Hua Wang, Guo Tao, Kuo Zhang, Wei Li</i> | |
| HIGH-RESOLUTION SEISMIC IMAGING FROM A SINGLE BOREHOLE TO DETECT A NEARBY WELL | 549 |
| <i>Mike Jervis, Andrey Bakulin, Thierry-Laurent Tonellot, Ibrahim Ghamdi, Ahmed Shabbir, Hiroaki Yamamoto</i> | |

EM EXPLORATION

| | |
|--|-----|
| MARINE TIME-DOMAIN ELECTROMAGNETIC FIELDS FROM A VERTICAL TRANSMITTER | 553 |
| <i>Hangilro Jang, Hannuree Jang, Ki Ha Lee, Hee Joon Kim</i> | |
| ELECTRICAL CONDUCTIVITY OF FRACTURED MEDIA: A COMPUTATIONAL STUDY OF THE SELF-CONSISTENT METHOD | 558 |
| <i>Pål Næverlid Sævik, Inga Berre, Morten Jakobsen, Martha Lien</i> | |
| DISPERSION REDUCING FINITE-DIFFERENCE COEFFICIENTS FOR MARINE CONTROLLED-SOURCE ELECTROMAGNETIC APPLICATION | 563 |
| <i>Damir Pasalic, Michal Okoniewski, Ray McGarry</i> | |
| FULL TIME-DOMAIN WAVEFORM INVERSION OF CONTROLLED-SOURCE ELECTROMAGNETIC EXPLORATION OF SUBMARINE MASSIVE SULPHIDES | 568 |
| <i>Naoto Imamura, Tada-Nori Goto, Junichi Takekawa, Hitoshi Mikada</i> | |
| MARINE EM INVERSION USING UNSTRUCTURED GRIDS: A 2D PARALLEL ADAPTIVE FINITE ELEMENT ALGORITHM | 574 |
| <i>Kerry Key</i> | |
| THREE-DIMENSIONAL JOINT PETROPHYSICAL INVERSION OF ELECTROMAGNETIC AND SEISMIC DATA | 579 |
| <i>G. Gao, A. Abubakar, T. M. Habashy, G. Pan</i> | |
| 2D INVERSIONS OF 3D MARINE CSEM DATA | 585 |
| <i>Hung-Wen Tseng, Lucy Macgregor, Rolf V. Ackermann</i> | |
| A PARALLEL FINITE-ELEMENT SOLUTION OF TRANSIENT ELECTROMAGNETIC DIFFUSION EQUATION | 590 |
| <i>Yingqiao Wang, Tengpeng Wei, Haohuan Fu, Evan Schankee Um</i> | |
| RESOLUTION OF SHALLOW-WATER MARINE CSEM DATA TO DEEP THIN RESISTORS, INFERRED FROM 3D INVERSION | 595 |
| <i>Yutaka Sasaki</i> | |
| 3D INVERSION OF DC/IP DATA USING ADAPTIVE OCTREE MESHES | 600 |
| <i>E. Haber, D. Oldenburg, R. Shekhtman, J. Granek, D. Marchant, E. Holtham</i> | |
| 3D CONSTRAINED INVERSION OF CSEM DATA WITH ACOUSTIC VELOCITY USING FULL WAVEFORM INVERSION | 605 |
| <i>Nuno Vieira Da Silva, Joanna Morgan, Mike Warner, Adrian Umpleby, Ivan Stek</i> | |
| 3D MODELING OF IP EFFECTS ON ELECTROMAGNETIC DATA IN THE TIME DOMAIN | 610 |
| <i>David Marchant, Eldad Haber, Laurens Beran, Douglas W. Oldenburg</i> | |
| INTEGRATED ANALYSIS OF WELL LOG, SEISMIC, AND CSEM DATA FOR PROSPECT APPRAISAL: A CASE STUDY FROM WEST AFRICA | 615 |
| <i>Slim Bouchrara, Lucy Macgregor, James Tomlinson, Uwe Strecker, Jianping Fan, Xuefeng Ran, Gang Yu</i> | |
| MUTUAL COUPLING OF CONDUCTIVE, PERMEABLE TARGETS AND ITS EFFECTS ON THE CSEM RESPONSE | 620 |
| <i>Souvik Mukherjee, Mark E. Everett, Alfonso I. Benavides, Roland Fernandes</i> | |
| CSEM UNCERTAINTIES AND INVERSION | 626 |
| <i>David Myer, Steven Constable, Kerry Key</i> | |
| BAYESIAN INVERSION OF TIV ANISOTROPIC CSEM DATA | 631 |
| <i>Anandaroop Ray, Kerry Key</i> | |

| | |
|---|-----|
| JOINT INVERSION OF SEISMIC AND MAGNETOTELLURIC DATA WITH A DIFFERENTIAL STRUCTURAL CONSTRAINT | 636 |
| <i>Dmitry M. Molodtsov, Vladimir N. Troyan, Yuri V. Roslov</i> | |
| MAGNETIC REFERENCE TECHNIQUE AND CORRECTION METHOD IN 3D CSAMT | 641 |
| <i>Liangjun Yan, Xingbing Xie, Xianzhong Luo, Zhengwei Xu</i> | |
| THE APPLICATION OF 3D MT EXPLORATION IN THE IDENTIFICATION OF BURIED COARSE GRAVELS | 646 |
| <i>Sun Weibin, Hu Zuzhi, Li Dechun, Yang Shujiang</i> | |
| JOINT INVERSION OF TIME-LAPSE CROSSWELL ELECTROMAGNETIC, SEISMIC, AND PRODUCTION DATA FOR RESERVOIR MONITORING AND CHARACTERIZATION | 650 |
| <i>L. Liang, A. Abubakar, T. M. Habashy</i> | |
| FREQUENCY-DOMAIN EM MODELING OF 3D ANISOTROPIC MAGNETIC PERMEABILITY AND ANALYTICAL ANALYSIS | 657 |
| <i>Jiuping Chen, Michael Tompkins, Ping Zhang, Michael Wilt, Randall Mackie</i> | |
| SURFACE TOWING VERSUS DEEP TOWING IN MARINE CSEM | 662 |
| <i>D. V. Shantsev, F. Roth, H. Ramsfjell</i> | |
| AIRBORNE INDUCED POLARIZATION | 667 |
| <i>Terence Kratzer, James Macnae</i> | |
| INTEGRATED INTERPRETATION OF A CSEM ANOMALY ON THE NORDLAND RIDGE, NORWEGIAN CONTINENTAL SHELF | 673 |
| <i>Stein Fanavoll, Pål T. Gabrielsen</i> | |
| NOISE REDUCTION AND ERROR ANALYSIS FOR A TOWED EM SYSTEM | 678 |
| <i>Johan Mattsson, Peter Lindqvist, Robert Juhasz, Erik Björnemo</i> | |
| FEASIBILITY OF ELECTROMAGNETIC METHODS FOR SUBBASALT EXPLORATION | 683 |
| <i>Jostein Herredsvela, Arnout Colpaert, Stig-Kyrre Foss, Anh Kiet Nguyen, Ketil Hokstad, Jan Petter Morten, Claudia Twarz, Stein Fanavoll, Frida Mrope</i> | |
| A 2.5D INVERSION OF AIRBORNE ELECTROMAGNETIC DATA | 688 |
| <i>Wing Wa Yu, Eldad Haber</i> | |
| SALT FLANK EXPLORATION: 3D CSEM IMAGING IN THE SEAM MODEL | 693 |
| <i>Jan Petter Morten, Krishna Kumar</i> | |
| BACKGROUND RESISTIVITY MODEL FROM SEISMIC VELOCITIES | 698 |
| <i>Dieter Werthmüller, Anton M. Ziolkowski, David A. Wright</i> | |
| ANISOTROPIC INVERSION OF CSEM DATA FROM OFFSHORE MALAYSIA | 703 |
| <i>Liam Ó Súilleabháin, Mark Rosenquist, Jeff Johnson, René-édouard Plessix, Pieter Van Rensbergen, Deddy Sebayang</i> | |

VOLUME 2

| | |
|--|-----|
| COMPARISON OF ITERATIVE AND DIRECT SOLVERS FOR 3D CSEM MODELING | 708 |
| <i>Alexander Grayver, Rita Streich</i> | |
| REDATUMING BOREHOLE-TO-SURFACE ELECTROMAGNETIC DATA USING STRATTON-CHU INTEGRAL TRANSFORMS | 714 |
| <i>Michael S. Zhdanov, Hongzhu Cai</i> | |
| THE FIRST PRACTICAL 3D INVERSION OF TOWED STREAMER EM DATA FROM THE TROLL FIELD TRIAL | 719 |
| <i>Michael S. Zhdanov, Martin Cuma, Masashi Endo, Leif H. Cox, Glenn A. Wilson, Johnathan Linfoot</i> | |
| 3D LITHOLOGICAL INVERSION OF GEOPHYSICAL DATA | 724 |
| <i>Leif H. Cox, Glenn A. Wilson, Michael S. Zhdanov, Julian Vrbancich</i> | |
| CONTROLLED-SOURCE ELECTROMAGNETIC DATA INVERSION USING THE MODEL COMPRESSION SCHEME | 729 |
| <i>Yun Lin, Maokun Li, Aria Abubakar, Tarek M. Habashy</i> | |
| INDUCTIVE SOURCE INDUCED POLARIZATION | 735 |
| <i>David Marchant, Eldad Haber, Douglas W. Oldenburg</i> | |
| AN ADAPTIVE MESH METHOD FOR ELECTROMAGNETIC INVERSE PROBLEMS | 740 |
| <i>E. Haber, D. Oldenburg, C. Schwarzbach, R. Shekhtman, E. Holtham, J. Granek, D. Marchant</i> | |
| MAPPING SHALLOW GEOLOGICAL STRUCTURE WITH TOWED MARINE CSEM RECEIVERS | 746 |
| <i>Steven Constable, Peter Kannberg, Kelly Callaway, David Ramirez Mejia</i> | |
| LARGE-SCALE GAUSS-NEWTON INVERSION OF TRANSIENT CONTROLLED-SOURCE ELECTROMAGNETIC DATA USING THE MODEL REDUCTION FRAMEWORK APPROACH | 751 |
| <i>Mikhail Zaslavsky, Vladimir Druskin, Aria Abubakar, Tarek Habashy</i> | |
| THREE-DIMENSIONAL FINITE-ELEMENT FORWARD MODELING OF ELECTROMAGNETIC DATA USING POTENTIALS AND UNSTRUCTURED MESHES | 757 |
| <i>Seyedmasoud Ansari, Colin G. Farquharson</i> | |
| 3D FREQUENCY-DOMAIN ELECTROMAGNETICS MODELING USING DECOUPLED SCALAR AND VECTOR POTENTIALS | 762 |
| <i>Trevor Irons, Yaoguo Li, Jason R. McKenna</i> | |
| MCSEM INVERSION FOR CO₂ SEQUESTRATION MONITORING AT A DEEP BRINE AQUIFER IN A SHALLOW SEA | 768 |
| <i>Seogi Kang, Soon Jee Seol, Joongmoo Byun</i> | |

GRAVITY AND MAGNETICS

| | |
|---|-----|
| NEW SATELLITE GEODETIC MISSIONS PROMISE RENAISSANCE IN MARINE GRAVITY DATA FOR HYDROCARBON EXPLORATION | 773 |
| <i>Chris M. Green, J. Derek Fairhead, Kirsten M. U. Fletcher</i> | |
| ARCTIC MARINE GRAVITY FIELD - A NEW ERA WITH CRYOSAT-2 SAR ALTIMETRY | 778 |
| <i>Ole B. Andersen, P. Knudsen, L. Stenseng, S. C. Kenyon, J. K. Factor, N. Markiel, S. Ingalls</i> | |
| 3D INVERSION OF GRAVITY DATA FOR LARGE REGIONS IN SPHERICAL COORDINATES: EARLY RESULTS FOR THE AUSTRALIAN REGION | 783 |
| <i>Qing Liang, Chao Chen, Jinsong Du, Richard Lane, Yaoguo Li</i> | |
| DIRECTION TO MAGNETIC SOURCE ANALYSIS OF SINGLE STRING OF DOWN-HOLE MAGNETIC TENSOR DATA | 787 |
| <i>Dean Hillan, Clive Foss, James Austin, Dave Clark, Phil Schmidt</i> | |
| LOCAL HOMOGENEITY OF POTENTIAL FIELDS AND FRACTIONAL HOMOGENEOUS FUNCTIONS: A NEW THEORY FOR IMPROVED SOURCE PARAMETER ESTIMATION | 792 |
| <i>Maurizio Fedi, Giovanni Florio, Valeria Paoletti</i> | |
| ON THE ESTIMATION OF STRUCTURAL INDEX FROM LOW-PASS FILTERED MAGNETIC DATA | 797 |
| <i>Giovanni Florio, Maurizio Fedi, Roman Pasteka</i> | |
| THREE-DIMENSIONAL JOINT INVERSION OF GRAVITY AND MAGNETIC ANOMALIES BASED ON DENSITY-MAGNETIZATION RELATIONSHIP | 802 |
| <i>Yosuke Teranishi, Hitoshi Mikada, Tada-Nori Goto, Junichi Takekawa</i> | |
| ACLAS: A NEW AUTOMATIC METHOD OF DEFINING POTENTIAL FIELD LINEAMENTS USING COHERENCY ANALYSIS | 807 |
| <i>Lorenzo Cascone, Simon Campbell, Chris Green, Ahmed Salem, Derek Fairhead</i> | |
| PROJECT SCALE EXPLORATION USING GRACE SATELLITE GRAVITY DATA: TWO CASE STUDIES | 813 |
| <i>Clark Jorgensen</i> | |
| CURVATURE ANALYSIS FOR GEOLOGICAL MAPPING AND MINERAL RESOURCE ASSESSMENT | 818 |
| <i>Madeline Dana Lee, Bill Morris, George Leblanc, Jeff Harris</i> | |
| ON THE COHERENCE BETWEEN US AND AUSTRALIAN MAGNETIC COMPILATIONS AND CHAMP SATELLITE MAGNETIC MEASUREMENTS | 823 |
| <i>Stefan Maus, Ryan Paynter, Ed Biegert, Michael Buriannyk, Cara G. Schiek</i> | |
| PHYSICALLY CONSISTENT INTERPOLATION OF SPARSE POTENTIAL-FIELD DATA | 828 |
| <i>R. Saleh, R. C. Bailey</i> | |
| QUANTITATIVE ESTIMATION OF ERROR LEVEL IN AMPLITUDE INVERSION | 833 |
| <i>Camriel Coleman, Yaoguo Li</i> | |
| THE STRUCTURAL INDEX IN GRAVITY AND MAGNETIC INTERPRETATION: ERRORS, USES, AND ABUSES | 838 |
| <i>Alan Reid, Jeffrey Thurston</i> | |
| GRAVITY ANOMALY CHARACTERIZATION OVER BALLINALACK ZN-PB DEPOSIT, IRELAND | 844 |
| <i>Anthony Luby</i> | |
| A ROBUST APPROACH TO ESTIMATION OF MAGNETIZATION DIRECTION FROM INTERPRETATION OF MAGNETIC FIELD DATA | 849 |
| <i>Clive Foss, Dean Hillan, K. Blair McKenzie</i> | |
| ADAPTIVE SAMPLING OF POTENTIAL-FIELD DATA: A DIRECT APPROACH TO COMPRESSIVE INVERSION | 854 |
| <i>Leon Foks, Richard Krahenbuhl, Yaoguo Li</i> | |
| FORGOTTEN TRUTHS, MYTHS, AND SACRED COWS OF POTENTIAL FIELDS GEOPHYSICS II | 859 |
| <i>Alan Reid</i> | |
| DETECTION OF HYDROCARBON SEEPAGE AND INTEGRATED PREDICTION OF BIOGENETIC GAS IN THE SANHU AREA, Q Aidam BASIN, NW CHINA | 862 |
| <i>Hui Yang, Youyan Zhang, Baihong Wen, Shiyong Yu, Xiaoping Qi, Guangzhi Li, Changqing Sun</i> | |
| USE OF THE FISHAPE-OF-ANOMALYFL DATA MISFIT IN 3D INVERSION BY PLANTING ANOMALOUS DENSITIES | 867 |
| <i>Leonardo Uieda, Valeria C. F. Barbosa</i> | |
| APPLICATION OF MARINE MAGNETIC AND GRAVITY DATA IN MAPPING BASEMENT AND SEDIMENTARY HORIZONS IN THE ROVUMA BASIN, MOZAMBIQUE | 873 |
| <i>I. Kivior, S. Damte, S. L. Markham, S. K. Chandola, L. P. Kin, S. F. B. M. Zohdi</i> | |
| RECENT ADVANCES IN 3D GENERALIZED INVERSION OF POTENTIAL-FIELD DATA | 878 |
| <i>Yaoguo Li</i> | |
| NONSEISMIC METHODS FOR TAR SANDS EVALUATION, BEMOLANGA, MADAGASCAR | 885 |
| <i>An Price, C. Legorjus, Semm Logging, A. Colla, R. Miller</i> | |
| INTERPRETATION OF THE MAGNETIC GRADIENT TENSOR AND NORMALIZED SOURCE STRENGTH APPLIED TO THE TALLAWANG MAGNETITE SKARN DEPOSIT, NEW SOUTH WALES, AUSTRALIA | 889 |
| <i>David A. Clark</i> | |
| GEOPHYSICAL INVERSION FOR CONTACT SURFACES | 894 |
| <i>Peter G. Lelievre, Polina Zheglova, Tomasz Danek, Colin G. Farquharson</i> | |
| 3D MAGNETIZATION VECTOR INVERSION FOR SQUID-BASED FULL TENSOR MAGNETIC GRADIOMETRY | 899 |
| <i>Michael S. Zhdanov, Martin Cuma, Glenn A. Wilson, Louis Polomé</i> | |

| | |
|--|-------------|
| A NEW METHOD OF TERRAIN CORRECTING AIRBORNE GRAVITY GRADIOMETRY DATA USING 3D CAUCHY-TYPE INTEGRALS..... | 904 |
| <i>Michael S. Zhdanov, Glenn A. Wilson, Xiaojun Liu</i> | |
| FULL TENSOR INTERPOLATION: EVALUATION OF THE EFFECT OF LINE SPACING AND NOISE..... | 909 |
| <i>James Brewster</i> | |
| A STABLE DOWNWARD CONTINUATION AND ITS APPLICATION FOR MINERAL EXPLORATION..... | 914 |
| <i>Henglei Zhang, Xiangyun Hu</i> | |
| FEASIBILITY ANALYSIS OF TIME-LAPSE GRAVITY GRADIOMETRY FOR RESERVOIR MONITORING..... | 918 |
| <i>Anya Reitz, Richard A. Krahenbuhl, Yaoguo Li, Dan DiFrancesco</i> | |
| THE BENEFIT OF BOREHOLE GRAVITY IN HORIZONTAL MONITORING WELLS FOR TIME-LAPSE APPLICATIONS..... | 923 |
| <i>Richard A. Krahenbuhl, Yaoguo Li, Chris Nind</i> | |
| MITIGATING REMANENT MAGNETIZATION EFFECTS IN MAGNETIC DATA USING THE NORMALIZED SOURCE STRENGTH..... | 928 |
| <i>Mark Pilkington, Majid Beiki</i> | |
| POLYNOMIAL EQUIVALENT LAYER..... | 932 |
| <i>Vanderlei C. Oliveira Jr., Valéria C. F. Barbosa</i> | |
| DEEP-PASS: AN AEROMAGNETIC DATA FILTER TO ENHANCE DEEP FEATURES IN MARGINAL BASINS..... | 937 |
| <i>Darcicléa F. Santos, João B. C. Silva, Valéria C. F. Barbosa, Luiz F. S. Braga</i> | |
| POTENTIAL FIELD INTERPRETATION BY TOTAL GRADIENT INVERSION USING ANT COLONY OPTIMIZATION..... | 942 |
| <i>Debanjan Datta, Shalivahan Srivastava, B. N. P. Agarwal</i> | |
| LINEAR TENDENCIES INTRINSIC TO THE BOUGUER ANOMALIES IN AREAS OF TOPOGRAPHIC RELIEF..... | 948 |
| <i>Ján Mikuska* And Ivan Marusiak, Roman Pasteka, Miroslav Bielik</i> | |
| STRUCTURAL RECONSTRUCTION USING POTENTIAL FIELD DATA IN HYDROCARBON EXPLORATION..... | 953 |
| <i>F. Coraggio, P. Bernardelli, G. Gabbriellini</i> | |
| NORMALIZED SOURCE STRENGTH AND IT APPLICATION TO ESTIMATE MAGNETIC SOURCE LOCATION IN THE PRESENCE OF REMANENT MAGNETIZATION..... | 959 |
| <i>Majid Beiki, James Austin, Clive Foss, David Clark</i> | |
| DEPTH ESTIMATION OF MAGNETIC AND GRAVITY SOURCES USING NORMALIZED SOURCE STRENGTH CALCULATED FROM GRADIENT TENSOR..... | 964 |
| <i>Majid Beiki, Pierre Keating, David Clark</i> | |
| <u>HUMANITARIAN APPLICATIONS</u> | |
| POSTEARTHQUAKE SEISMIC REFLECTION SURVEY, CHRISTCHURCH, NEW ZEALAND..... | 969 |
| <i>Don C. Lawton, Malcolm B. Bertram, Kevin W. Hall, Kevin L. Bertram, Jarg Pettinga</i> | |
| TIME-LAPSE RESISTIVITY AND GEOPHYSICAL MEASUREMENTS AT DAYSRING CHILDREN'S VILLAGE..... | 974 |
| <i>Susan J. Webb, David Ngobeni, Sally-Anne Lee, Obone Sepato, Michael Jones, Tamiru Abiye, Madeline D. Lee, Louise Pellerin, Darren Burrows</i> | |
| 3D REFLECTION SEISMIC INVESTIGATION OVER A QUICK-CLAY LANDSLIDE SCAR IN LILLA EDET, SOUTHWESTERN SWEDEN..... | 979 |
| <i>Emil Lundberg, Alireza Malehmir, Christopher Juhlin, Mehrdad Bastani</i> | |
| <u>INTERPRETATION</u> | |
| ENHANCEMENT OF LARGE FAULTS WITH A WINDOWED 3D RADON TRANSFORM FILTER..... | 984 |
| <i>Trond Hellem Boe</i> | |
| STRATIGRAPHIC FEATURES WITHIN THE RATAWI SHALE MEMBER OF THE LOWER CRETACEOUS RATAWI FORMATION AND THEIR HYDROCARBON PROSPECTIVITY IN SUDAIRA: ABDALI AREA, NORTH KUWAIT..... | 989 |
| <i>Raju T. Arasu, Prabir K. Nath, Badruzzaman Khan, Maitham Ebrahim, Mafizrah Rahaman, Sara Bader, Ali Faleh Naser Abu-Ghneej</i> | |
| INTEGRATED WORKFLOW FOR EXPLORATION IN FRONTIER AREAS..... | 994 |
| <i>Andreas Laake, Kristijan Kornpohl, Andrew Bishop</i> | |
| POWER OF SEISMIC ATTRIBUTES: DECODING FAULT FRAMEWORK AND FRACTURE POTENTIAL IN DEEPER ZONE OF KUWAIT..... | 999 |
| <i>Nikhil C. Banik, Heyam Al-Ammar, Manowar Ahmed, Al-Owihan Hanan, Subrata Kumar Bhukta, Ahmad Homoud Al-Otaibi</i> | |
| PRESALT HYDROCARBON PROSPECTIVITY IN THE KWANZA AND BENGUELA BASINS OF OFFSHORE ANGOLA..... | 1004 |
| <i>Jennifer Greenhalgh, Ron Borsato, Frances Mathew, George Duncan-Jones, Idima Primenta, Jandira Marques Da Silva, Luis Narciso Da Silva</i> | |

| | |
|---|------|
| ALL-REFLECTOR-TRACKING-BASED 3D SEISMIC SEQUENCE ANALYSIS FOR SHALE GAS RESERVOIR PREDICTION: CASE STUDY FROM THE LOWER SILURIAN LONGMAXI FORMATION, SOUTHERN SICHUAN BASIN, SOUTHWEST CHINA | 1008 |
| <i>Mengjie Wu, Guangfa Zhong, Yalin Li, Xiao Yang</i> | |
| USING POROVISCOELASTIC FORWARD MODELING TO REDUCE EXPLORATION RISKS IN FRONTIER BASINS | 1013 |
| <i>Mathieu J. Duchesne, Virginia I. Brake, Kezhen Hu, Bernard Giroux, Emilie Walker</i> | |
| APPLICATION OF GEOELECTRIC AND REMOTE SENSING METHODS FOR OIL AND GAS PROSPECTING AND EXPLORATION IN SIBERIAN REGION | 1018 |
| <i>Nikolay Yakymchuk, Sergey Levashov, Ignat Korchagin</i> | |
| A METHOD FOR GENERATING A SEISMIC WHEELER VOLUME VIA A RELATIVE GEOLOGIC TIME VOLUME | 1023 |
| <i>Xinming Wu, Guangfa Zhong</i> | |
| PROSPECTIVITY OF THE EQUATORIAL CONJUGATE MARGINS OF AFRICA AND SOUTH AMERICA | 1028 |
| <i>S. J. Wells, R. Borsato, J. Greenhalgh, R. Roberson, C. Fontes</i> | |
| 3D SEISMIC ATTRIBUTE-ASSISTED FRACTURE DETECTION IN THE MIDDLE DEVONIAN MARCELLUS SHALE, SOUTHWESTERN PA, CENTRAL APPALACHIAN BASIN | 1033 |
| <i>Albert Babarsky, Dengliang Gao</i> | |
| HORIZON INDICATOR ATTRIBUTES AND APPLICATIONS | 1038 |
| <i>Pedro Mário Silva, Leonardo Martins, Marcelo Gattass</i> | |
| SEISMIC ATTRIBUTE EXPRESSION OF DIFFERENTIAL COMPACTION | 1044 |
| <i>Satinder Chopra, Kurt J. Marfurt</i> | |
| ENHANCED INTERPRETER-AIDED SALT BOUNDARY EXTRACTION USING SHAPE DEFORMATION | 1049 |
| <i>Yang Zhang, Adam D. Halpert</i> | |
| SHALE GAS RESERVOIR CHARACTERIZATION WORKFLOWS | 1054 |
| <i>Satinder Chopra, Ritesh K. Sharma, James Keay, Kurt J. Marfurt</i> | |
| UNFAULTING AND UNFOLDING 3D SEISMIC IMAGES | 1059 |
| <i>Simon Luo, Dave Hale</i> | |
| NEW ATTRIBUTE FOR DETERMINATION OF LITHOLOGY AND BRITTLINESS | 1065 |
| <i>Ritesh K. Sharma, Satinder Chopra</i> | |
| SEISMIC INTERPRETATION OF TECTONO-SEDIMENTARY FRAMEWORK OF A CONTINENTAL RIFT BASIN: A CASE STUDY OF ED3 MEMBER, DONGYING FORMATION, PALEOGENE, IN QHD29-2 BLOCK, BOHAI BAY, CHINA | 1070 |
| <i>Hongtao Zhu, Hongliu Zeng, Yawen He</i> | |
| NIOBRARA FRACTURE PROSPECTING THROUGH INTEGRATED STRUCTURAL AND AZIMUTHAL SEISMIC INTERPRETATION, SILO FIELD AREA, WYOMING | 1075 |
| <i>Galen Treadgold, Gloria Eisenstadt, John Maher, Joe Fuller, Bruce Campbell</i> | |
| 3D SEGMENTATION OF SALT USING TEXTURE ATTRIBUTES | 1080 |
| <i>Angelique Berthelot, Anne H. S. Solberg, Erlend Morisbak, Leiv-J. Gelius</i> | |
| INTERESTING DIRECTIONS BEING PURSUED IN SEISMIC CURVATURE ATTRIBUTE ANALYSIS | 1085 |
| <i>Satinder Chopra, Kurt J. Marfurt</i> | |
| IMPROVING RESERVOIR GEOMETRY BY INTEGRATING CONTINUOUS WAVELET TRANSFORM SEISMIC ATTRIBUTES | 1091 |
| <i>Marcilio Castro De Matos, Oswaldo Davogustto, Carlos Cabarcas, Kurt Marfurt</i> | |
| IMAGING FAULTS IN 3D SEISMIC VOLUMES | 1096 |
| <i>Geoffrey A. Dorn, Benjamin Kadlec, Patty Murtha</i> | |
| NEW PROSPECTIVE PLAYS OFFSHORE UKRAINE AS RESULT OF 3D GEOMODELING AND GEOPHYSICAL INVERSION | 1101 |
| <i>Oleksandr Petrovskyy, Tetyana Fedchenko, Oleksandr Kitchka</i> | |
| SEISMIC EVENT DETECTION BASED ON SEISMIC CUSP CATASTROPHE OF ANALYTIC SIGNAL | 1106 |
| <i>Li Meng, Zheng Xiaodong, Li Jinsong</i> | |
| CALIBRATION OF SURFACE SEISMIC ATTRIBUTES TO NATURAL FRACTURES USING HORIZONTAL IMAGE LOGS, MISSISSIPPIAN LIME, OSAGE COUNTY, OKLAHOMA | 1111 |
| <i>Henry White, Ben Dowdell, Kurt J. Marfurt, Ze'Ev Reches</i> | |
| INTERPRETATION OF MULTIPATH-ANALYSIS LOCALIZATIONS OF MICROSEISMIC DATA: AN ALBERTA MONTNEY SHALE EXAMPLE | 1117 |
| <i>Brad Culver, Rainer Augsten, Sean Coffin, Yoomi Hur, Jonathan S. Abel, Adam Westlake</i> | |
| PETROLEUM PLAYS IN THE INTRACRATONIC HUDSON BAY BASIN, NORTHERN CANADA: INSIGHTS FROM SEISMIC REFLECTION DATA | 1122 |
| <i>James Dietrich, Denis Lavoie, Nicolas Pinet</i> | |
| SEISMIC GEOMETRIC ATTRIBUTES AND INFORMATION INTEGRATION TECHNIQUES FOR INTERPRETATION OF SMALL FAULTS | 1126 |
| <i>Wanhui Liu, Yawen He</i> | |
| STRATIGRAPHIC INTERFACES IDENTIFICATION BASED ON WAVELET TRANSFORM | 1131 |
| <i>Wei Liu, Zheng Wang, Siyuan Cao</i> | |
| SILVER QUEEN, A NEW STOCKWORK PORPHYRY DISCOVERY USING THE TITAN 24 DCIP AND MT | 1136 |
| <i>Nasreddine Bournas, Rob Hearst, Ellen Clements</i> | |
| SEISMIC INTERPRETATION UPLIFT OF ANISOTROPIC PRESTACK TIME MIGRATION IN THE BIG HORN BASIN, WYOMING | 1141 |
| <i>Jonathan P. Parker, Christopher L. Liner</i> | |

| | |
|---|------|
| QUANTITATIVE CORRELATION OF FLUID FLOW TO CURVATURE LINEAMENTS | 1146 |
| <i>Guo Yanxia, Zhang Kui, Kurt J. Marfurt</i> | |
| FLUID IDENTIFICATION BASED ON SHORT-TIME FRACTIONAL FOURIER TRANSFORM AND ITS APPLICATION | 1151 |
| <i>Zhang Dongjun, Zou Wen, Tao Zhengxi, Zhang Yue</i> | |
| DIACHRONIC CENOZOIC WRENCHING AND AN EOCENE UNCONFORMITY IN SOUTHWEST OF THE COLOMBIAN BASIN | 1156 |
| <i>S. Estaban Alfaro, Diego F. Barrera, Eduardo Rossello</i> | |
| ANALYSIS OF STRIKE-SLIP FAULT ZONE USING MULTIAZIMUTH 3D SEISMIC DATA: A CASE STUDY ON THE WESTERN OFFSHORE BOHAI BAY | 1161 |
| <i>Zhiqiang Zhang, Donghong Zhou, Liqun Jiang, Wenxu Peng, Deying Wang, Tian Jin</i> | |
| SEISMIC SEDIMENTOLOGY OF NONCLINOFORMAL DELTAIC SYSTEMS IN LACUSTRINE QIJIA DEPRESSION, SONGLIAO BASIN, CHINA | 1166 |
| <i>Hongliu Zeng, Xiaomin Zhu, Rukai Zhu, Qingshi Zhang</i> | |
| PHASE ATTRIBUTES BY CONSIDERING LOCAL 3D STRUCTURE ORIENTATION | 1171 |
| <i>Anne H. S. Solberg, Are Charles Jensen, Leiv-J. Gelius, Michael Heeremans</i> | |
| SEISMIC INSTANTANEOUS FREQUENCY REGULARIZATION VIA STOCKWELL TRANSFORM | 1176 |
| <i>Qiang Li, Jinghui Gao, Xiaokai Wang</i> | |
| A DIP-SPREADING METHOD FOR HORIZON TRACKING BASED ON PLANE-WAVE DESTRUCTION TECHNIQUE | 1181 |
| <i>Chen Maoshan, Zhan Shifan, Wan Zhonghong, Xu Shaobo, Shao Yongmei</i> | |
| A FAULTS IDENTIFICATION METHOD USING DIP GUIDED FACET MODEL EDGE DETECTOR | 1186 |
| <i>Jianguo Song, Zhe Li, Yongzhuang Sun, Xing Mu, Changjiang Wang</i> | |
| STRUCTURAL MAPPING WITH SPECTRAL ATTRIBUTES | 1191 |
| <i>Andreas Laake</i> | |
| FAULT CHARACTERIZATION USING VOLUMETRIC CURVATURE FROM CONTINUOUS PHASE SPECTRUM | 1196 |
| <i>Hussain Syed Kazmi, Sohaib Ahmad, Arsalan Shafiq, Aftab Alam</i> | |
| HYDROCARBON DETECTION FOR CAVERN CARBONATE RESERVOIR USING LOW- AND HIGH-FREQUENCY ANOMALIES IN SPECTRAL DECOMPOSITION | 1201 |
| <i>Li Fangyu, Lu Wenkai, Li Yandong, Zhang Yan, Zheng Xiaodong</i> | |
| COMPLETE ENSEMBLE EMPIRICAL MODE DECOMPOSITION FOR SEISMIC TIME-FREQUENCY ANALYSIS | 1206 |
| <i>Jiajun Han, Mirko Van Der Baan</i> | |
| USING AN HSV COLOR MAP TO VISUALIZE SPECTRAL PHASE AND MAGNITUDE INFORMATION FOR AN INCISED VALLEY SYSTEM IN THE ANADARKO BASIN, OKLAHOMA, USA | 1211 |
| <i>Bradley C. Wallet, Oswaldo Davogusto, Kurt J. Marfurt, Ralph Daber</i> | |
| SPECTRAL RECOMPOSITION USING SEPARABLE NONLINEAR LEAST SQUARES | 1217 |
| <i>Yihua Cai, Sergey Fomel, Hongliu Zeng</i> | |
| IDENTIFYING COAL MINE COLLAPSE COLUMNS AND GOBS UTILIZING 3D SEISMIC INTERPRETATION | 1223 |
| <i>Liu Xiaobo, Cui Jingbin, Liu Jianhong, Li Yanli, Li Quanhu, Lei Na</i> | |
| SEISMIC DNA: A NOVEL VISUALLY GUIDED SEARCH METHOD USING NONLOCAL SEARCH AND MULTIATTRIBUTE DATA SETS | 1228 |
| <i>Jan Øystein Haavig Bakke, Oddgeir Gramstad, Lars Sønneland</i> | |
| A NEW SEISMIC COHERENCE CUBE ALGORITHM: SEISMIC TEXTURE COHERENCE ALGORITHM | 1233 |
| <i>Xiaoyu Chuai, Shangxu Wang, Jinsong Shen, Wei Chen, Mengxiang Xiao</i> | |
| AN AUTOMATIC FAULT TRACKING APPROACH BASED ON ANT COLONY ALGORITHM | 1238 |
| <i>Yan Zhe, Gu Hanming</i> | |
| SEISMIC SURFACE EXTRACTION USING ITERATIVE SEISMIC DNA DETECTION | 1243 |
| <i>Oddgeir Gramstad, Jan Øystein Haavig Bakke, Lars Sønneland</i> | |
| GEOPHYSICAL APPROACH TO NATURALLY FRACTURED RESERVOIR CHARACTERIZATION AND ITS APPLICATIONS: A CASE FROM KUWAIT | 1248 |
| <i>Antonio Pico, Anjaneyulu Singavarapu, Abdul Aziz Ali Sajer, Rosmari Usta, Sayed Behbehani, Mehfarreh Al-Dkheel</i> | |
| DIRECTIONAL GUIDED SEISMIC ATTRIBUTES AND THEIR USE IN ASSISTING STRUCTURAL, STRATIGRAPHIC, AND LITHOLOGICAL INTERPRETATION | 1253 |
| <i>Ahmed A. Agrawi, Wolfgang Weinzierl, Ralph Daber, Trond H. Boe</i> | |
| FAULT SURFACES AND FAULT THROWS FROM 3D SEISMIC IMAGES | 1258 |
| <i>Dave Hale</i> | |
| SEISMIC APPLICATIONS FOR BETTER HORIZONTAL DRAIN HOLE SELECTION TO SUCCESSFUL WELL PLACEMENT | 1264 |
| <i>Srinivasa Rao Narhari, Vijaya Kumar Kidambi, Samar Al-Ashwak, Bashar Al-Qadeeri, Areej Al-Darmi, Neema Al-Ajmi</i> | |
| APPLICATION OF 3D SEISMIC ATTRIBUTE ANALYSIS TO SUBSURFACE STRUCTURE INTERPRETATION AND HYDROCARBON EXPLORATION: SOUTHWEST PENNSYLVANIA, CENTRAL APPALACHIAN BASIN | 1269 |
| <i>Thomas Donahoe, Dengliang Gao</i> | |
| IMPROVED INTERPRETABILITY BENEATH AN ACCRETIONARY SECTION IN WEST TIMOR, INDONESIA, VIA MARINE BROADBAND SEISMIC AND BEAM DEPTH MIGRATION | 1274 |
| <i>Mazin Farouki, Felice D'Alterio And Erika Gentile</i> | |

| | |
|---|------|
| A HIGH-RESOLUTION SEISMIC CHIRP INVESTIGATION OF STRUCTURE AND TECTONIC ACTIVITY IN PYRAMID LAKE, NEVADA | 1279 |
| <i>Amy Eisses, Annie Kell, Graham Kent, John Louie, Neal Driscoll, Robert Karlin, Rob Baskin, Satish Pullammanappallil</i> | |
| RESOLUTION IMPROVEMENT AND STRATIGRAPHIC INTERPRETATION FOR THE THIN TURBIDITIC SANDS IN OFFSHORE SABAH, MALAYSIA: A PILOT STUDY | 1285 |
| <i>Gary Yu, Neeraj Shah, Mark Robinson, Nguyen Huu Nghi, Achmad Aprayoga Nurhono, Goh Sing Thu</i> | |
| GABOR DECONVOLUTION: HYPERBOLIC SMOOTHING IN LOGARITHMIC MAGNITUDE SPECTRUM | 1290 |
| <i>Xuekai Sun, Sam Zandong Sun, Tao Peng, Shiyang Wu, Xiaoguang Li, Juxing Zhang</i> | |
| MULTIDIMENSIONAL HIGH RESOLUTION IMAGING FOR ACCURATE INTERPRETATION AND RESERVOIR CHARACTERIZATION | 1295 |
| <i>Gary Yu, Mike Smith, Bob Wojslaw, Jaime Stein</i> | |
| HIGH-RESOLUTION SEMBLANCE USING CONTINUOUS AMPLITUDE AND PHASE SPECTRA | 1300 |
| <i>Hussain Syed Kazmi, Sohaib Ahmad, Aftab Alam</i> | |
| FLUID DISCRIMINATION USING A NEW FLUID-IDENTIFYING FACTOR | 1305 |
| <i>Miao Liu, Tongju Gong</i> | |
| SEISMIC DETECTION OF FAULT ZONE HYDROCARBON CONDUIT-SEAL POTENTIAL USING Q ANALYSIS: LA CONCEPCION FIELD, LAKE MARACAIBO VENEZUELA EXAMPLE | 1310 |
| <i>Ahmed Alahdal</i> | |
| AN INTEGRATED APPROACH FOR OVERBURDEN DRILLING HAZARD MAPPING: KUWAIT CASE STUDY | 1315 |
| <i>Srinivasa Rao Narhari, Samar Al-Ashwak, Arif Al-Doheim, Vijaya Kumar Kidambi, Bashar Al-Qadeeri, Hermann Franz Stelzer, Kamran Laiq</i> | |

MINING AND GEOTHERMAL

| | |
|---|------|
| DETECTABILITY OF 3D SULPHIDE TARGETS WITH AFMAG | 1320 |
| <i>Randall Mackie, M. Donald Watts</i> | |
| 3D INVERSION OF AIRMT AFMAG DATA | 1324 |
| <i>Alexander V. Gribenko, Michael S. Zhdanov, Jean Legault, Shengkai Zhao, Leif H. Cox, Glenn A. Wilson, Keith Fisk</i> | |
| TEN YEARS OF PASSIVE AIRBORNE AFMAG EM DEVELOPMENT FOR MINERAL EXPLORATION | 1329 |
| <i>Jean M. Legault</i> | |
| LABORATORY-BASED GEMTIP ANALYSIS OF SPECTRAL IP DATA FOR MINERAL DISCRIMINATION | 1335 |
| <i>Michael S. Zhdanov, Vladimir Burtman, Masashi Endo, Glenn A. Wilson</i> | |
| THREE-DIMENSIONAL ELECTROMAGNETIC AND ELECTRICAL INVERSIONS OVER THE ANTONIO GOLD DEPOSIT IN PERU | 1340 |
| <i>Michael S. G. McMillan, Douglas W. Oldenburg</i> | |
| GRAVITY GRADIOMETRY PROCESSING AND INTERPRETATION AT THE KAURING TEST SITE | 1345 |
| <i>Cerica Martinez, Yaoguo Li</i> | |
| A SEISMIC SURVEY IN A PERMAFROST ENVIRONMENT: CHALLENGES IN IMAGING SEDIMENT-HOSTED MASSIVE SULPHIDE ZN-PB DEPOSITS | 1350 |
| <i>Laura Quigley, Emmanuel Bongajum, Bernd Milkereit</i> | |
| LITHOLOGY DIFFERENTIATION BASED ON INVERSION OF FULL WAVEFORM INDUCED POLARIZATION DATA FROM NEWMONT DISTRIBUTED IP DATA ACQUISITION SYSTEM (NEWDAS) | 1355 |
| <i>Jiajia Sun, Yaoguo Li, Misac Nabighian</i> | |
| APPLICATION OF 3D MAGNETIC AMPLITUDE INVERSION TO FE OXIDE/CUCU/EAU DEPOSITS AT LOW MAGNETIC LATITUDES: A CASE STUDY FROM CARAJÁS MINERAL PROVINCE, BRAZIL | 1360 |
| <i>Marcelo Leão Santos, Yaoguo Li, Roberto Moraes</i> | |
| ZTEM AND VTEM AIRBORNE EM SURVEY RESULTS OVER THE MAYVILLE CU-NI-PGM INTRUSIVE SYSTEM, SOUTHEASTERN MANITOBA | 1365 |
| <i>Marta Orta, Jean M. Legault, Shengkai Zhao, Carlos Izarra, Timothy Eadie, Carey Galeschuk</i> | |
| NEW ELECTROMAGNETIC SENSORS FOR MAGNETOTELLURIC AND INDUCED POLARIZATION GEOPHYSICAL SURVEYS | 1370 |
| <i>Andrew Hibbs, Todor Petrov, Joseph Pendleton, Steven Milberger, George Eiskamp, Glenn A. Wilson</i> | |
| INTEGRATED GEOPHYSICAL EXPLORATION OF A KNOWN GEOTHERMAL RESOURCE: NEAL HOT SPRINGS | 1375 |
| <i>Clinton Colwell, Kasper Vanwijk, Lee Liberty, Ian Warren, André Revil</i> | |
| THE MODELING OF ZTEM DATA WITH 2D AND 3D ALGORITHMS | 1380 |
| <i>Daniel Sattel, Ken Witherly</i> | |
| A MULTIPLE TRANSMITTER/RECEIVER SYSTEM: THE ADVANTAGE OF SUMMING RESPONSES FROM MULTIPLE TRANSMITTERS | 1385 |
| <i>Joshua Lymburner, Richard Smith</i> | |
| USING SPATIAL GRADIENTS OF ELECTROMAGNETIC DATA TO MAP LATERAL VARIATIONS IN MINE TAILINGS | 1390 |
| <i>Michal Kolaj, Richard Smith</i> | |
| ASSESSMENT OF FALCON AIRBORNE GRAVITY GRADIOMETER DATA FROM THE ATHABASCA BASIN, SASKATCHEWAN, CANADA | 1395 |
| <i>Ken Witherly, Peter Diorio</i> | |
| QUALITATIVE GEOPHYSICAL INTERPRETATION OF THE SUDBURY STRUCTURE | 1400 |
| <i>Oladele Olaniyan, Richard S. Smith, W. A. Morris</i> | |

| | |
|---|------|
| INTEGRATING GEOLOGICAL CONSTRAINTS IN GEOPHYSICAL MODELS | 1406 |
| <i>W. A. Morris, B. Spicer, P. Tschirhart, V. Tschirhart, M. D. Lee, H. Ugalde</i> | |
| INVERSION OF MAGNETIC ANOMALY AFFECTED BY STRONG REMANENT MAGNETIZATION OVER RUGGED TERRAIN: A CASE STUDY FROM DAYE, CHINA | 1411 |
| <i>Shu-Ling Li, Yaoguo Li</i> | |
| IRON ORE INTERPRETATION USING GRAVITY-GRADIENT INVERSIONS IN THE CARAJÁS, BRAZIL | 1416 |
| <i>Dionísio Uendro Carlos, Leonardo Uieda, Valéria C. F. Barbosa, Yaoguo Li, Marco A. Braga, Glauco Angeli, Guilherme Peres</i> | |
| A FINITE-DIFFERENCE MODELING ANALYSIS OF MODE-CONVERTED SCATTERING FROM MASSIVE SULFIDE DEPOSITS, BATHURST MINING CAMP, CANADA | 1421 |
| <i>Gilles Bellefleur, Alireza Malehmir, Christof Müller</i> | |
| CONSTRAINED GEOPHYSICAL INVERSION ON UNSTRUCTURED MESHES | 1426 |
| <i>Peter G. Lelievre, Cassandra J. Tycholiz, Colin G. Farquharson</i> | |
| THREE-DIMENSIONAL INVERSION OF SQUID TEM DATA AT LALOR LAKE VMS DEPOSIT | 1432 |
| <i>Dikun Yang, Douglas W. Oldenburg</i> | |
| ADVANCED SEISMIC IMAGING FOR GEOTHERMAL DEVELOPMENT | 1437 |
| <i>John N. Louie, Satish K. Pullammanappallil, William Honjas</i> | |

MULTICOMPONENT SEISMIC

| | |
|---|------|
| ESTIMATION OF OBC COUPLING TO THE SEAFLOOR USING 4C SEISMIC DATA | 1443 |
| <i>Marcus Landschulze, Rolf Mjelde, Leon Løvheim</i> | |
| PS WAVE IMAGING IN 3D ELASTIC REVERSE-TIME MIGRATION | 1448 |
| <i>Qizhen Du, Xufei Gong, Yitong Zhu, Gang Fang, Qiang Zhang</i> | |
| SEISMIC LITHOLOGY DISCRIMINATION IN COMPLEX FLUVIAL STRATIGRAPHY: TENERIFE 3D 3C SURVEY, MIDDLE MAGDALENA VALLEY (COLOMBIA) | 1452 |
| <i>William Agudelo, Ricardo Gómez, Jairo Guerrero, Ingrid Tatiana Cabrejo, Nelson Rojas, Saul Guevara</i> | |
| IMPROVING OBC DATA QUALITY OF THE GEOPHONE COMPONENTS IN SHALLOW-WATER PERSIAN GULF THROUGH ADVANCED TIME-FREQUENCY ANALYSIS | 1457 |
| <i>Zhao Zhang, Yuefeng Sun, Karl Berteussen</i> | |
| PRESTACK ELASTIC GENERALIZED-SCREEN MIGRATION FOR UNSEPARATED MULTICOMPONENT DATA | 1462 |
| <i>Byoung Yeop Kim, Soon Gee Seol, Joomoo Byun</i> | |
| VP/VS CHARACTERIZATION OF A SHALE GAS BASIN, NORTHEAST BRITISH COLUMBIA, CANADA | 1467 |
| <i>Liliana M. Zuleta, Don C. Lawton</i> | |
| LIFETIME STABILITY AND RELIABILITY OF FIBRE-OPTIC SEISMIC SENSORS FOR PERMANENT RESERVOIR MONITORING | 1472 |
| <i>Carl Berg, Jan Langhammer, Philip Nash</i> | |
| ZERO CROSSINGS, THE ELASTIC BREWSTER'S ANGLE AND PHYSICAL INSIGHT INTO SHEAR-WAVE REFLECTIONS | 1477 |
| <i>Robert H. Tatham, Paul M. Krail</i> | |
| SS-WAVE REFLECTIONS FROM P-WAVE SOURCES IN AZIMUTHALLY ANISOTROPIC MEDIA | 1482 |
| <i>James Gaiser, Richard Verm</i> | |
| ANALYSIS OF DIFFERENT WELL LOG AND SEISMIC DATA FOR ESTIMATING SHEAR WAVE POLARIZATION DIRECTION | 1487 |
| <i>Naser Tamimi, Paritosh Singh</i> | |

VOLUME 3

| | |
|--|------|
| MULTICOMPONENT PRESTACK WAVEFORM INVERSION FOR ISOTROPIC ELASTIC MEDIA PARAMETERS USING A NONDOMINATED SORTING GENETIC ALGORITHM | 1492 |
| <i>Amit Padhi, Subhashis Mallick</i> | |
| MULTICOMPONENT PRESTACK WAVEFORM INVERSION FOR VTI MEDIA PARAMETERS USING A NONDOMINATED SORTING GENETIC ALGORITHM | 1497 |
| <i>Amit Padhi, Subhashis Mallick</i> | |
| MULTICOMPONENT INVESTIGATION OF FRACTURING IN A POTASH MINING REGION IN SASKATCHEWAN, CANADA | 1503 |
| <i>Andrew Nicol, Don C. Lawton</i> | |
| LIMITS ON RESOLUTION ENHANCEMENT FOR MULTICOMPONENT DATA | 1508 |
| <i>Chuck Ursenbach, Peter Cary, Mike Perz</i> | |
| FULL-WAVEFORM INVERSION OF MULTICOMPONENT DATA FOR LAYERED VTI MEDIA | 1513 |
| <i>Nishant Kamath, Ilya Tsvankin</i> | |
| CROSS-CORRELATION-FUNCTION METHOD FOR SEPARATION OF SHEAR WAVES S_1 AND S_2 IN AZIMUTHALLY ANISOTROPIC MEDIA AND AN EXAMPLE OF ITS APPLICATION WITH REAL DATA | 1518 |
| <i>T. Chichinina, I. Obolentseva, S. Gorshkalev, W. Karsten, I. Korsunov</i> | |
| 3D MODELING OF TIME-HARMONIC ELASTIC WAVES IN ANISOTROPIC MEDIA USING A DIRECT HELMHOLTZ SOLVER | 1524 |
| <i>Shen Wang, Maarten V. De Hoop, Jianlin Xia, Xiaoye Li</i> | |
| A VELOCITY TOMOGRAPHY METHOD IN THE ANGLE DOMAIN FOR ELASTIC VECTOR WAVEFIELD | 1529 |
| <i>Ning Qin, Zhenchun Li, Kai Zhang</i> | |

| | |
|---|------|
| SHEAR WAVE BIREFRINGENCE ANALYSIS: AN INTEGRATIVE SCHEME | 1534 |
| <i>Changjun Zhang</i> | |
| CONVERTED-WAVE CONTROLLED-BEAM MIGRATION FOR VECTOR-OFFSET VOLUMES | 1539 |
| <i>Lorenzo Casasanta, Sergio Grion</i> | |
| SPARSE τ-P Z-NOISE ATTENUATION FOR OCEAN-BOTTOM DATA | 1544 |
| <i>Gordon Poole, Lorenzo Casasanta, Sergio Grion</i> | |
| CHARACTERIZING TIGHT SAND GAS RESERVOIRS USING 3D3C SEISMIC DATA IN SULIGE GAS FIELD | 1549 |
| <i>Daxing Wang, Yuhua Zhao, Mengbo Zhang, Yonggang Wang, Xinwei He, Zhiliang Ming, Shipeng Liu</i> | |
| CORRECTIONS FOR POLARIZATION DISTORTION IN REFLECTED SHEAR-WAVES AND POSSIBLE EXTENSIONS TO THE ALFORD ROTATION AT NONNORMAL INCIDENCE ANGLES AND APPLICATIONS | 1554 |
| <i>Terence Campbell, Robert H. Tatham</i> | |
| JOINT MIGRATION VELOCITY ANALYSIS OF PP- AND PS-WAVES FOR VTI MEDIA | 1559 |
| <i>Pengfei Cai, Ilya Tsvankin</i> | |

NEAR SURFACE

| | |
|--|------|
| IMPROVING MULTIPLE-POINT-BASED A PRIORI MODELS FOR INVERSE PROBLEMS BY COMBINING SEQUENTIAL SIMULATION WITH THE FREQUENCY MATCHING METHOD | 1565 |
| <i>Knud S. Cordua, Thomas M. Hansen, Katrine Lange, Jan Frydendall, Klaus Mosegaard</i> | |
| STUDENT-BASED FIELD CAMP: INTEGRATED GEOPHYSICAL SURVEYS AT ARCHAEOLOGICAL SITE MEDIANA, NIS, SERBIA | 1570 |
| <i>Marko Vanic, Spomenko Mihajlovic, Miroslav Starcevic, Milena Cukavac, Cezar Jacob</i> | |
| INTEGRATED GEOPHYSICAL ARCHAEOLOGICAL PROSPECTION RESULTING IN THE DISCOVERY OF THE SCHOOL OF GLADIATORS IN THE ROMAN TOWN OF CARNUNTUM IN AUSTRIA | 1575 |
| <i>Matthias Kucera, Wolfgang Neubauer, Michael Doneus, Immo Trinks, Erich Nau, Geert Verhoeven, Sirri Seren, Alois Hinterleitner, Klaus Löcker, Michael Pregesbauer, Timothy Saey, Philippe De Smedt, Marc Van Meirvenne</i> | |
| TIME-LAPSE CHANGE IN NEAR-SURFACE SHEAR-WAVE VELOCITIES CAUSED BY RAINFALL AND LARGE EARTHQUAKES DETECTED BY APPLYING SEISMIC INTERFEROMETRY TO EARTHQUAKE DATA | 1580 |
| <i>Nori Nakata, Roel Snieder</i> | |
| LARGE-SCALE HIGH-RESOLUTION NEAR-SURFACE GEOPHYSICAL PROSPECTION FOR THE INVESTIGATION OF ARCHAEOLOGICAL LANDSCAPES | 1586 |
| <i>Michael Pregesbauer, Immo Trinks, Matthias Kucera, Erich Nau, Klaus Löcker, Alois Hinterleitner, Michael Doneus, Wolfgang Neubauer</i> | |
| GEOPHYSICAL INVESTIGATIONS OF THE MOUND CITY BORROW PITS, ROSS COUNTY, OHIO | 1591 |
| <i>Blair Benson, George Tsoflias, Rolfe Mandel</i> | |
| EFFECTS OF SUBSURFACE PERMEABILITY STRUCTURE ON SELF-POTENTIAL DISTRIBUTION | 1596 |
| <i>Yusuke Ozaki, Hitoshi Mikada, Tada-Nori Goto, Junichi Takekawa</i> | |
| IMPROVED TIME AND ANISOTROPIC DEPTH IMAGING IN THE APPALACHIAN FOOTHILLS | 1601 |
| <i>Duryodhan Epili, Becky Miller, Raheel Malik, Jun Cai</i> | |
| NONINTRUSIVE SEISMIC MONITORING OF HIGH-LEVEL RADIOACTIVE WASTE REPOSITORIES | 1606 |
| <i>Hansruedi Maurer, Stefano Marelli, Edgar Manukyan, Alan G. Green, Stewart A. Greenhalgh</i> | |
| APPLICATION OF 2D RESISTIVITY IMAGING TECHNIQUE TO INSPECT SUBSURFACE CAVITIES FOR GEOTECHNICAL INVESTIGATION AT OGBUNIKE COMMUNITY, NIGERIA | 1611 |
| <i>David O. Anommeze, Bernard I. Odoh, Gillkenny K. Okonkwo, Promise O. Anizoba</i> | |
| EXPLORING NONLINEARITY AND NONUNIQUENESS IN SURFACE-WAVE INVERSION FOR NEAR-SURFACE VELOCITY ESTIMATION | 1616 |
| <i>Huub Douma, Matthew Haney</i> | |
| IMAGING INTERNAL EROSION USING ELECTRICAL RESISTIVITY TOMOGRAPHY | 1622 |
| <i>Brent Putman, Yaoguo Li, Ryan North</i> | |
| ESTIMATION OF NEAR-SURFACE SHEAR-WAVE VELOCITY USING CMP CROSSCORRELATION OF SURFACE WAVES (CCSW) | 1627 |
| <i>Roohollah Askari, Kristof Demeersman, Robert J. Ferguson</i> | |
| EL MAPO GRANDE: A GEOPHYSICAL INVESTIGATION OF THE SAN MARCOS PUEBLO, NM | 1632 |
| <i>Caleb Joiner, John Ferguson, Jordan Nolan, Patricia Gillies, Mairi Litherland, Greg Johnston, Darcy K. McPhee, Louise Pellerin</i> | |
| FREE GAS MAPPING WITH A NEW MARINE DC RESISTIVITY TECHNIQUE | 1637 |
| <i>Pascal Tarits, Agathe Hussher, Jean-François D'Eu, Kevin Balem, Sophie Hautot, Robert Girault</i> | |
| TUNNEL DETECTION USING NEAR-SURFACE SEISMIC METHODS | 1642 |
| <i>Steven D. Sloan, Jason R. McKenna, Seth W. Broadfoot, Owen M. Metheny, Shelby L. Peterie, Richard D. Miller, Julian Ivanov</i> | |
| GPR PRESTACK AMPLITUDE RECOVERY FOR RADIATION PATTERNS USING A FULL WAVE-EQUATION, REVERSE-TIME MIGRATION ALGORITHM | 1647 |
| <i>John H. Bradford</i> | |
| CESIUM VAPOR MAGNETOMETERS IN EVALUATING ARCHAEOLOGICAL SITE CONDITIONS | 1652 |
| <i>Daniel P. Bigman, Kevin Hurley</i> | |
| 3D ACOUSTIC WAVEFORM INVERSION OF LAND DATA: A CASE STUDY FROM SAUDI ARABIA | 1657 |
| <i>Joseph McNeely, Timothy Keho, Thierry Tonellot, Robert Ley, Jing Chen</i> | |

| | |
|--|------|
| DISPERSION INTERPRETATION FROM SYNTHETIC SEISMOGRAMS AND MULTICHANNEL ANALYSIS OF SURFACE WAVES (MASW) | 1662 |
| <i>J. Tyler Schwenk, Richard Miller, Julian Ivanov, Steve Sloan, Jason McKenna</i> | |
| HIGH RESOLUTION SEISMIC REFLECTION IMAGING OF THE EMIGRANT PEAK FAULT AND ASSOCIATED ALLUVIAL MATERIAL, FISH LAKE VALLEY, NEVADA | 1670 |
| <i>Brian E. Miller, Ross Black, George P. Tsoflias</i> | |
| SHALLOW P- AND S-WAVE REFLECTIONS TO CHARACTERIZE THE NEAR-SURFACE | 1675 |
| <i>Richard D. Miller, Bevin Bailey, Shelby L. Peterie, Julian Ivanov, Richard D. Markiewicz</i> | |
| AIRBORNE ELECTROMAGNETIC AND MAGNETIC INTERPRETATION OF THE ALASKA HIGHWAY CORRIDOR | 1679 |
| <i>M. Andy Kass, Burke J. Minsley, Bruce D. Smith, Jared D. Abraham, Laurel E. Burns</i> | |
| POTENTIALS OF APPLYING SURFACE-WAVE METHODS FOR IMAGING SUBSURFACE PROPERTIES IN PERMAFROST SOILS | 1684 |
| <i>Shan Dou, Jonathan Ajo-Franklin</i> | |
| BUILDING A MULTIPLE LAYER MODEL FOR NEAR-SURFACE STATIC CORRECTIONS | 1693 |
| <i>Abdulaziz Al-Saad, Ralph Bridle, Asad A. Ali, Mohammad Waseem Akhtar</i> | |
| INTEGRATING GPR AND RESISTIVITY SURVEYS ON AN ANCIENT ARCHAEOLOGICAL SITE AT JURILOVCA, ROMANIA | 1698 |
| <i>Gabriela Trandafir, Alina Marasescu, Mihai Furnica, Razvan Orza, Cezar Iacob</i> | |
| STUDY OF THE STATIC CORRECTION METHOD FOR NEAR-SURFACE ANOMALOUS AREAS | 1703 |
| <i>Cui Hongliang, Bai Xuming, Yuan Shenghui, Tang Chuanzhang, Zhang Shu, Chen Jingguo</i> | |
| LANDSLIDE INVESTIGATION AT A HYDROELECTRIC DAM PROJECT SITE | 1708 |
| <i>Oz Yilmaz</i> | |
| A PRACTICAL APPROACH TO CONSTRUCT NEAR-SURFACE VELOCITY STRUCTURE FOR OVERTHRUST DATA BASED ON SIMULATED ANNEALING ALGORITHM | 1713 |
| <i>Bao-Shu Chen, Kai Yang, Yu-Xiang Wang, Zhen-Wei Li</i> | |
| MULTIGEOPHYSICS JOINT INVERSION FOR COMPLEX LAND SEISMIC IMAGING IN SAUDI ARABIA | 1718 |
| <i>Daniele Colombo, Gary McNeice, Robert Ley</i> | |
| 2D TOMOGRAPHY OF FIRST ARRIVALS USING THE GENETIC ALGORITHM WITH ELITISM | 1723 |
| <i>Rodrigo Bijani, Cosme F. Ponte Neto, Saulo S. Martins, Jandyr M. Travassos</i> | |
| NEAR-SURFACE, MARINE SEISMIC-REFLECTION DATA DEFINE POTENTIAL HYDROGEOLOGIC CONFINEMENT BYPASS IN THE CARBONATE FLORIDAN AQUIFER SYSTEM, SOUTHEASTERN FLORIDA | 1729 |
| <i>Kevin J. Cunningham, Richard L. Westcott, Cameron Walker</i> | |
| FRACTURE ZONES OR MAFIC SILLS? SEISMIC WAVEFORM TOMOGRAPHY AT THE FORSMARK SPENT NUCLEAR FUEL REPOSITORY, EASTERN CENTRAL SWEDEN | 1735 |
| <i>Fengjiao Zhang, Christopher Juhlin</i> | |
| DEFORMABLE LAYER TOMOSTATICS WITH 3D GRADIENT VELOCITY MODELS | 1740 |
| <i>Hua-Wei Zhou, Peiming Li</i> | |
| THE SOLUTION OF THE NEAR-SURFACE PROBLEM BY 3D NEAR-SURFACE LAYER REPLACEMENT | 1745 |
| <i>Yimin Sun, D. J. Verschuur</i> | |
| UTILIZING SHORT OFFSET DATA FROM A 3D EXPLORATION SURVEY FOR REGIONAL SEABED MORPHOLOGY AND GEOHAZARD MAPPING IN MAKASSAR STRAITS, INDONESIA | 1750 |
| <i>Mazin Farouki, Francesco Paone, Andrea Marceglio, Francesca Felappi, Claudia Monti, Davide Della Moretta, Nikolay Nenov</i> | |
| ANISOTROPIC EFFECTS ON THE NEAR-SURFACE SEISMIC IMAGING | 1755 |
| <i>Lina Zhang, Jie Zhang, Wei Zhang</i> | |
| NEAR-SURFACE GEOPHYSICAL IMAGING OF BARRINGER (METEOR) CRATER, ARIZONA | 1760 |
| <i>Soumya Roy, Robert R. Stewart, Arkadiusz Turowski</i> | |
| PASSIVE SEISMIC | |
| SIMULTANEOUS MICROSEISMIC EVENT LOCALIZATION AND SOURCE MECHANISM DETERMINATION | 1765 |
| <i>O. Zhebel, L. Eisner</i> | |
| MULTIPLER BASED EXTRACTION OF GEOLOGICAL STRUCTURES | 1770 |
| <i>Karsten Stuermer, Joern Kummerow, Serge A. Shapiro</i> | |
| MODELING DETECTION THRESHOLDS OF MICROSEISMIC MONITORING NETWORKS | 1775 |
| <i>Alex Goertz, Nima Riahi, Toni Kraft, Marc Lambert</i> | |
| STATISTICALLY OPTIMAL TECHNIQUE OF SIMULTANEOUS EVENT LOCATION AND FOCAL MECHANISM DETERMINATION OF WEAK MICROSEISMICITY USING SURFACE ARRAYS | 1781 |
| <i>Ilya Driccker, Paul Friberg, Alexey Epiphansky, Alexander Kushmir, Mikhail Rozhkov, Alexander Varypaev</i> | |
| EVALUATING THE QUALITY OF MICROSEISMIC EVENT LOCATION | 1786 |
| <i>Chang Li, Ted Dohmen, Scott Morton, Keith Katahara, Kristin Hayles, Steve Checkles, J. P. Blangy</i> | |
| MICROSEISMIC USING A NEAR-SURFACE ARRAY: A CASE STUDY IN THE HAYNESVILLE SHALE, EAST TEXAS | 1791 |
| <i>Abhijit Gangopadhyay, Rodney Johnston, Jennifer Lucas, Jaime Ramirez, Travis Gillham, Victor Peña, Fabian Wirnkar</i> | |
| SEISMIC IMAGING OF HYDRAULICALLY STIMULATED FRACTURES: A NUMERICAL STUDY OF THE EFFECT OF THE SOURCE MECHANISM | 1797 |
| <i>Andrey H. Shabelansky, Alison Malcolm, Mike Fehler, Sudhish K. Bakku</i> | |

| | |
|---|------|
| MULTISOURCE MULTIRECEIVER MICROSEISMIC REFLECTION IMAGING: CASE STUDY BASEL | 1803 |
| <i>A. Reshetnikov, J. Kummerow, S. A. Shapiro, H. Asanuma, M. Haring</i> | |
| COMPARISON OF MICROEARTHQUAKE LOCATIONS USING SEISMIC INTERFEROMETRY PRINCIPLES | 1808 |
| <i>Gabriela Melo, Alison Malcolm, Michael Fehler</i> | |
| MICROSEISMICITY LOCATION AND SIMULTANEOUS ANISOTROPIC TOMOGRAPHY WITH DIFFERENTIAL TRAVELTIMES AND DIFFERENTIAL BACK AZIMUTHS | 1813 |
| <i>Junlun Li, William Rodi, M. Nafi Toksöz, Haijiang Zhang</i> | |
| PERMEABILITY FIELD IMAGING USING MICROSEISMIC | 1818 |
| <i>Charles Sicking, Jan Vermilye, Peter Geiser, Alfred Lacazette, Laird Thompson</i> | |
| ALIGNMENT INTENSITY FOR DISCRIMINATING GOOD, BAD, AND UGLY MICROSEISMIC HYPOCENTERS | 1823 |
| <i>Peter C. Luh, Charles Sicking, Stu Nelan, Ivan Rabak</i> | |
| HUNTING FOR MICROSEISMIC REFLECTIONS USING MULTIPLETS | 1828 |
| <i>Noha S. Farghal, Stewart A. Levin</i> | |
| AN AUTOMATIC METHOD FOR MICROSEISMIC EVENTS DETECTION BASED ON EARTHQUAKE PHASE PICKERS | 1833 |
| <i>Juan I. Sabbione, Danilo R. Velis</i> | |
| MICROSEISMIC IMAGING WITH COMBINED SURFACE AND DOWNHOLE ARRAYS | 1838 |
| <i>Michael Thornton, Peter Duncan</i> | |
| IMPROVING THE SOURCE CHARACTERIZATION OF SEISMICITY ASSOCIATED WITH UNDERGROUND WASTEWATER DISPOSAL: A CASE STUDY FROM THE 2008 DALLAS-FORT WORTH EARTHQUAKE SEQUENCE | 1843 |
| <i>Delaine Reiter, Mark Leidig, Kevin Mayeda, Seung-Hoon Yoo</i> | |
| FULL WAVEFORM BASED MICROSEISMIC SOURCE MECHANISM STUDIES IN THE BARNETT SHALE USING DUAL ARRAY DATA | 1848 |
| <i>Fuxian Song, M. Nafi Toksöz</i> | |
| MICROSEISMIC DETECTABILITY FROM STACKING SIGNALS ON NEAR-SURFACE ARRAYS | 1854 |
| <i>Adam M. Baig, Ted I. Urbancic</i> | |
| EFFECTIVENESS OF UTILIZING DOWNHOLE HORIZONTAL ARRAYS FOR MONITORING MICROSEISMICITY | 1859 |
| <i>Katherine Buckingham, Adam Baig, Ted Urbancic, Melissa Hoy</i> | |
| MICROEARTHQUAKES ASSOCIATED WITH LONG PERIOD, LONG DURATION SEISMIC EVENTS DURING STIMULATION OF A SHALE GAS RESERVOIR | 1864 |
| <i>Indrajit Das, Mark D. Zoback</i> | |
| DOUBLE DIFFERENCE TOMOGRAPHY: METHOD AND IMPLEMENTATION | 1869 |
| <i>Akash Adwani, Deepanshu Melana, Jean Virieux</i> | |
| BEYOND FIRST ARRIVALS: IMPROVED MICROSEISMIC EVENT LOCALIZATION USING BOTH DIRECT-PATH AND HEAD-WAVE ARRIVALS | 1874 |
| <i>Sean Coffin, Yoomi Hur, Jonathan S. Abel, Brad Culver, Rainer Augsten, Adam Westlake</i> | |
| AMBIENT SEISMIC NOISE CORRELATIONS FOR RESERVOIR MONITORING | 1879 |
| <i>Sjoerd De Ridder</i> | |
| PASSIVE SEISMIC MONITORING OF THE ENHANCED OIL RECOVERY AT DELHI FIELD, LOUISIANA | 1884 |
| <i>Isabel White, Thomas Davis</i> | |
| INTERACTION OF HYDRAULIC AND NATURAL FRACTURE NETWORKS INFERRED BY INTEGRATING MICROSEISMIC AND GEOMECHANICAL TECHNIQUES | 1889 |
| <i>Andreas Wuestefeld, Ted Urbancic, J-Michael Kendall</i> | |
| ACOUSTIC EMISSION AND SEM ANALYSES OF HYDRAULIC FRACTURES UNDER TRIAXIAL STRESS CONDITIONS | 1894 |
| <i>Akash Damani, Abhishek Sharma, Carl Sondergeld, Chandra Rai</i> | |
| INFLUENCE OF ELASTIC HETEROGENEITY ON FRACTURE STRENGTH DISTRIBUTION IN ROCKS | 1899 |
| <i>Cornelius Langenbruch, Serge A. Shapiro</i> | |
| LOCATING MICROSEISMIC EVENTS USING MIGRATION-BASED DECONVOLUTION | 1904 |
| <i>J. B. U. Haldorsen, M. B. Farmani, M. Milenkovic, N. Brooks, C. Crowell</i> | |
| INTEGRATION OF PASSIVE SEISMIC AND 3D REFLECTION SEISMIC IN AN UNCONVENTIONAL SHALE GAS PLAY: RELATIONSHIP BETWEEN ROCK FABRIC AND SEISMIC MOMENT OF MICROSEISMIC EVENTS | 1909 |
| <i>Martin Haeghe, Shawn Maxwell, Lars Sonneland, Mark Norton</i> | |
| SPECTRAL ANALYSIS FOR EARTHQUAKE CLUSTER DETECTION | 1914 |
| <i>Deborah Fagan, Kasper Van Wijk, James Rutledge</i> | |
| STABILITY OF SOURCE MECHANISMS INVERTED FROM P-WAVE AMPLITUDE MICROSEISMIC MONITORING DATA ACQUIRED AT SURFACE | 1920 |
| <i>František Stanek, Leo Eisner, Tijmen Jan Moser</i> | |
| DETECTION OF PERFORATION SHOTS IN SURFACE MONITORING: THE ATTENUATION EFFECT | 1925 |
| <i>David Einspigel, Leo Eisner</i> | |
| PATH EFFECTS FOR OBLIQUE WAVEFIELD PROPAGATION IN SUBSURFACE MICROSEISMIC MONITORING | 1930 |
| <i>Chad Hogan, David Eaton</i> | |
| SHEAR-WAVE ARRIVALS IN SURFACE MICROSEISMIC DATA | 1935 |
| <i>Ben Witten, Summer Montgomery, Brad Artman</i> | |

| | |
|---|------|
| NOVEL HYBRID ANN AUTOPICKER FOR HYDROFRAC DATA: A COMPARATIVE STUDY | 1940 |
| <i>Debotyam Maity, Fred Aminzadeh, Martin Karrenbach</i> | |
| HIGH-ACCURACY RELATIVE EVENT LOCATIONS USING A COMBINED MULTIPLER ANALYSIS AND THE DOUBLE-DIFFERENCE INVERSION | 1945 |
| <i>Fernando Castellanos, Mirko Van Der Baan</i> | |
| CARDIUM FORMATION HYDRAULIC | 1950 |
| <i>John L. J. Duhault</i> | |
| MICROSEISMIC LOCATION UNCERTAINTY DURING FLUID INJECTION | 1955 |
| <i>Valeri Korneev, Thomas Daley</i> | |
| MICROSEISMIC MONITORING FIELD TEST USING SURFACE, SHALLOW GRID, AND DOWNHOLE ARRAYS | 1960 |
| <i>Julian Drew, Paolo Primiero, Keith Brook, Daniel Raymer, Tony Probert, Ahyi Kim, David Leslie</i> | |
| ONGOING SEISMICITY IN THE DALLAS-FORT WORTH AREA | 1965 |
| <i>Eva Janská, Leo Eisner</i> | |

RESERVOIR CHARACTERIZATION

| | |
|--|------|
| ESTIMATION OF UNCERTAINTIES ASSOCIATED TO POROSITY PREDICTION FROM INVERSION | 1970 |
| <i>Sandrine Ortet, Olivier Vidal, Frédérique Fournier, Daniel Guillemot, Michel Hayet, Béatrice Yven</i> | |
| SEISMIC QUALITY MONITORING DURING PROCESSING: WHAT SHOULD WE MEASURE? | 1975 |
| <i>Alexandre Araman, Benoit Paternoster, Dmitry Isakov, Natalia Shchukina</i> | |
| CO₂-EOR: A FEASIBILITY STUDY OF AN INDIAN OIL FIELD | 1980 |
| <i>Ravi Prakash Srivastava, Nimisha Vedanti, Idar Akervol, Per Bergmo, R. S. Biram, V. P. Dimri</i> | |
| POTENTIAL BENEFITS OF 3D-3C SEISMIC DATA FOR THE RESERVOIR CHARACTERIZATION OF AN EXTRA-HEAVY OIL RESERVOIR AND ITS SEISMIC SURVEY DESIGN | 1985 |
| <i>Simon Ramos, Yaraixa Perez, Pedro Alvarez, David Vidal</i> | |
| IMPROVING POROSITY-VELOCITY RELATIONS USING CARBONATE PORE TYPES | 1989 |
| <i>Tingting Zhang, Qifeng Dou, Yuefeng Sun, Hanrong Zhang</i> | |
| CRS-BASED GAS MONITORING AND RESERVOIR CHARACTERIZATION FROM 3D SEISMIC DATA | 1994 |
| <i>Guido Gierse, Juergen Pruessmann, Andrea Lippmann, Peter Bergmann, Stefan Lueth</i> | |
| COMPLEX LITHOLOGICAL RESERVOIR PREDICTION THROUGH PRESTACK SIMULTANEOUS INVERSION: A CASE STUDY FROM THE LEIJIA AREA IN LIAOHE OIL FIELD, CHINA | 1999 |
| <i>Zhishui Liu, Sam Zandong Sun, Haiyang Wang, Huan Lu, Juxing Zhang</i> | |
| ANOMALY DETECTION USING DYNAMIC NEURAL NETWORKS, CLASSIFICATION OF PRESTACK DATA | 2005 |
| <i>Kamal Hami-Eddine, Pascal Klein, Loic Richard, Andrew Furniss</i> | |
| SEISMIC CHARACTERIZATION OF FRACTURED RESERVOIRS USING 3D DOUBLE BEAMS | 2010 |
| <i>Yingcai Zheng, Xinding Fang, Michael C. Fehler, Daniel R. Burns</i> | |
| ESTIMATION OF THE POROSITY AND PORE ASPECT RATIO OF THE HAYNESVILLE SHALE USING THE SELF-CONSISTENT MODEL AND A GRID SEARCH METHOD | 2016 |
| <i>Meijuan Jiang, Kyle Spikes</i> | |
| CHARACTERIZING A MISSISSIPPIAN TRIPOLITIC CHERT RESERVOIR USING 3D UNSUPERVISED SEISMIC FACIES ANALYSIS AND WELL LOGS: AN EXAMPLE FROM OSAGE COUNTY, OKLAHOMA | 2021 |
| <i>Atish Roy, Benjamin L. Dowell, Kurt J. Marfurt</i> | |
| IDENTIFICATION OF GEOHAZARDS USING MULTIATTRIBUTE DISPLAYS AND A SUPERVISED NEURAL NETWORK | 2026 |
| <i>Luis Castillo, Lennon Infante, Byron Solarte</i> | |
| STRESS ESTIMATION THROUGH SEISMIC ANALYSIS | 2031 |
| <i>Marco Perez, Bill Goodway, Greg Purdue</i> | |
| MAPPING HIGH FRACKABILITY AND HIGH TOC ZONES IN THE BARNETT SHALE: SUPERVISED PROBABILISTIC NEURAL NETWORK VERSUS UNSUPERVISED MULTIATTRIBUTE KOHONEN SOM | 2036 |
| <i>Sumit Verma, Atish Roy, Roderick Perez, Kurt J. Marfurt</i> | |
| A NEW MODEL FOR PORE PRESSURE PREDICTION | 2041 |
| <i>Fuyong Yan, De-Hua Han, Keyin Ren</i> | |
| TRANSFORMATION FROM ACOUSTIC TO RESERVOIR PROPERTIES BASED ON ANT COLONY MODEL AND EFFECTIVE MEDIUM THEORY | 2046 |
| <i>Deepak K. Gupta, Debjani Bhowmick, Uma Shankar, Kalachand Sain</i> | |
| USE OF SEISMIC-DERIVED ELASTIC PROPERTIES FOR PREDICTING RESERVOIR QUALITY IN AN UNCONVENTIONAL PLAY | 2051 |
| <i>Gorka Garcia Leiceaga, Mark Norton, Innocent Kalu, Jean-Baptiste Connault, Irina Nizkous, James Johnson, Freia Henery</i> | |
| INTEGRATED REFLECTION SEISMIC MONITORING AND RESERVOIR MODELING FOR GEOLOGIC CO₂ SEQUESTRATION | 2056 |
| <i>Raul Cabrera, Alan R. Huffman, John D. Rogers, Alberto Villarreal, Jeff Meyer, Walter Kessinger, Todd Hibbits, Freddy Obregon, Mark Sparlin</i> | |
| INCORPORATING 3C SEISMIC DATA FOR ENHANCED DETAIL IN AN OIL SANDS RESERVOIR AND FLUID CHARACTERIZATION | 2061 |
| <i>Laurie M. Weston Bellman</i> | |

| | |
|---|------|
| SENSITIVITY STUDY OF ROCK PHYSICS PARAMETERS FOR MODELING TIME-LAPSE SEISMIC SIGNATURE OF NORNE FIELD | 2066 |
| <i>Amit Suman, Tapan Mukerji</i> | |
| THE VALUE OF PRODUCTION LOGGING COMBINED WITH 3D SURFACE SEISMIC IN UNCONVENTIONAL PLAYS CHARACTERIZATION | 2071 |
| <i>John Henry Alzate, Roderick Perez, Deepak Devegowda, Kurt J. Marfurt</i> | |
| FRAMEWORK FOR EUR CORRELATION TO SEISMIC ATTRIBUTES IN THE BARNETT SHALE, TX | 2076 |
| <i>Melia Da Silva, Kurt Marfurt</i> | |
| SEISMIC RESERVOIR CHARACTERIZATION OF DISTRIBUTARY CHANNEL SANDSTONES IN THE LOWER CRETACEOUS PALUXY RESERVOIR, DELHI FIELD, LOUISIANA | 2081 |
| <i>Holly Robinson, Tom Davis</i> | |
| LITHOLOGY AND FLUID SUBSTITUTIONS | 2086 |
| <i>Jingye Li</i> | |
| SEISMIC ANALYSIS OF VERY THIN BEDS: WHICH ATTRIBUTE TO USE? | 2091 |
| <i>Hongliu Zeng, Xiaomin Zhu, Rukai Zhu, Qingshi Zhang</i> | |
| FRAMEWORK FOR TIME LAPSE FRACTURE CHARACTERIZATION USING SEISMIC, MICROSEISMIC, AND WELL-LOG DATA | 2096 |
| <i>Debotyam Maity, Fred Aminzadeh</i> | |
| ON THE FLUID DEPENDENCE OF THE PARAMETERS OF ANISOTROPY | 2102 |
| <i>Leon Thomsen</i> | |
| USING AUTOMATED FAULT EXTRACTION AS AN AID TO CHARACTERIZING FRACTURED RESERVOIRS: A CASE STUDY | 2107 |
| <i>Simon Emsley, Clare Slightam, Robert Trice</i> | |
| ASSESSMENT OF POROSITY UNCERTAINTY OF MAUDDUD FORMATION, WITHIN THE FIFLANKS & SADDLEFL PARTS OF RAUDHATAIN-SABIRIYAH OF NORTH KUWAIT USING GEOSTATISTICAL INVERSION TECHNIQUE | 2112 |
| <i>Mohammed Hameed, Yousef Al-Zuabi, Osman Al-Khaled, Ismail Sayed Mohammed, Denny Sulistiono</i> | |
| HEAVY OIL RESERVOIR CHARACTERIZATION USING MULTIATTRIBUTE ANALYSIS AND SPECTRAL DECOMPOSITION IN THE MATURÍN SUB-BASIN, VENEZUELA | 2117 |
| <i>Fabiola Ruiz, Milagrosa Aldana</i> | |
| VELOCITY MODELING TO DETERMINE PORE ASPECT RATIOS OF THE HAYNESVILLE SHALE | 2122 |
| <i>Kwon Taek Oh, Kyle Spikes</i> | |
| QUANTITATIVE RESERVOIR INTERPRETATION BASED ON SEISMIC HIGH RESOLUTION AND HIGH FIDELITY PROCESSING AND ROCK PHYSICS MODEL BUILT INTEGRATION: A CASE STUDY FROM B OILFIELD IN BOHAI BAY, CHINA | 2127 |
| <i>Donghong Zhou, Lixin Tian, Jian Yao</i> | |
| ADAPTIVE SPATIAL RESAMPLING AS A MARKOV CHAIN MONTE CARLO METHOD FOR STOCHASTIC SEISMIC RESERVOIR CHARACTERIZATION | 2132 |
| <i>Cheolkyun Jeong, Tapan Mukerji, Gregoire Mariethoz</i> | |
| LITHOLOGY PREDICTION USING A NONDETERMINISTIC, STATISTICAL APPROACH: METHOD OF LAST RESORT, OR PREFERRED WORKFLOW, A CASE STUDY FROM THE GREATER BURGAN FIELD, KUWAIT | 2137 |
| <i>Keith Edwards, Lin Ye, Yousef Al-Zuabi, Mohamed Hafez Abdul Razak, Aishah Al-Ghareeb, Sethu Madhavan</i> | |
| THE MAIN CONTROLLING FACTOR ANALYSIS AND COMPREHENSIVE EVALUATION ON MID-DEEP CLASTIC RESERVOIR IN QIKOU SAG, BOHAI BAY BASIN, NORTH CHINA | 2142 |
| <i>Xiugang Pu, Wenzhong Han, Lihong Zhou, Hongliu Zeng</i> | |
| A BAYESIAN FRAMEWORK FOR FRACTURE CHARACTERIZATION FROM SURFACE SEISMIC DATA | 2148 |
| <i>S. Ahmad Zamanian, Michael Fehler, Daniel Burns</i> | |
| FULL ELASTIC INVERSION OF SYNTHETIC SEISMIC DATA BASED ON AN OUTCROP MODEL (BOOK CLIFFS) | 2154 |
| <i>A. Gisolf, D. Tetyukhina, S. M. Luthi</i> | |
| SEISMIC IMPEDANCE INVERSION AND STATISTICAL ROCK PHYSICS FOR LITHOFACIES DISCRIMINATION: CASE STUDY FOR A SILICICLASTIC AND A CARBONATE RESERVOIR | 2159 |
| <i>Roberto Ruiz, Yaraixa Pérez, Pedro Álvarez</i> | |
| FRACTURE CHARACTERIZATION FROM ATTENUATION OF STONELEY WAVES ACROSS A FRACTURE | 2164 |
| <i>Sudhish K. Bakku, Michael Fehler, Daniel R. Burns</i> | |
| RESERVOIR FRACTURE CHARACTERIZATIONS FROM SEISMIC SCATTERED WAVES | 2170 |
| <i>Xinding Fang, Mike Fehler, Zhenya Zhu, Yingcai Zheng, Daniel Burns</i> | |
| CONSTRAINED LEAST-SQUARES SPECTRAL ANALYSIS: APPLICATION TO SEISMIC DATA | 2176 |
| <i>Charles I. Puryear, John P. Castagna, Oleg Portmiguine, Carlos Cobos</i> | |
| THE EXTRACTION OF INSTANTANEOUS FREQUENCY FROM SEISMIC DATA BASED ON THE GMWS | 2181 |
| <i>Ping Wang, Jinghuai Gao</i> | |
| MONITORING CO₂ MOVEMENT BY INTERPRETING TIME-LAPSE SEISMIC DATA USING ROCK PHYSICS MODELING IN THE TUSCALOOSA FORMATION, CRANFIELD, MS VALLEY | 2186 |
| <i>Ranjana Ghosh, Mrinal K. Sen, Rui Zhang, Sanjay Srinivasan</i> | |
| RESERVOIR PROPERTY PREDICTION AND FAULT MAPPING USING MULTIATTRIBUTES FROM SEISMIC | 2191 |
| <i>Ram Kumar Thakur, Kalyan Chakraborty</i> | |

| | |
|---|------|
| SEQUENTIAL BAYESIAN GAUSSIAN MIXTURE LINEAR INVERSION OF SEISMIC DATA FOR ELASTIC AND RESERVOIR PROPERTIES ESTIMATION | 2196 |
| <i>Dario Grana, Tapan Mukerji</i> | |
| AN INTEGRATED APPROACH OF FRACTURED RESERVOIR MODELING BASED ON SEISMIC INTERPRETATIONS AND DISCRETE FRACTURE CHARACTERIZATION | 2202 |
| <i>Bin Gong, Ying Shan, Jinbiao Tang, Qiangqiang Wang, Lin Deng, Junchao Li</i> | |

ROCK PHYSICS

| | |
|--|------|
| USING KERNEL PRINCIPAL COMPONENT ANALYSIS TO INTERPRET SEISMIC SIGNATURES OF THIN SHALY-SAND RESERVOIRS | 2207 |
| <i>Piyapa Dejtrakulwong, Gary Mavko, Tapan Mukerji</i> | |
| OIL SHALE ANISOTROPY MEASUREMENT AND SENSITIVITY ANALYSIS | 2212 |
| <i>Fuyong Yan, De-Hua Han, Qiuliang Yao</i> | |
| AN ELECTRICAL ROCK PHYSICS MODEL FOR PARTIALLY INTERCONNECTED FLUID INCLUSIONS/CRACKS | 2217 |
| <i>Michelle Ellis, Lucy Macgregor</i> | |
| LINKING THE PHYSICAL AND MECHANICAL PROPERTIES OF ROCKS | 2222 |
| <i>Mita Sengupta, Keith Katahara</i> | |
| EFFECT OF CONTACT LINE MOTION ON Q_p AND Q_s FOR PARTIALLY SATURATED ROCKS | 2228 |
| <i>Michael K. Broadhead</i> | |
| STUDY GEOPHYSICAL RESPONSE OF MIDDLE EAST CARBONATE RESERVOIR USING COMPUTATIONAL ROCK PHYSICS APPROACH | 2234 |
| <i>Xin Zhan, Shawn M. Fullmer, Chih-Ping Lu, Stephen E. Kaczmarek, Christopher E. Harris, Alex Martinez</i> | |
| ELASTIC PROPERTIES OF SILICA-RICH MUDROCKS: WOODFORD SHALE, ANADARKO BASIN, OKLAHOMA | 2239 |
| <i>B. Varacchi, P. Jaiswal, J. Puckette, J. Dvorkin</i> | |
| VELOCITY AND DENSITY OF CO₂ OIL MISCIBLE MIXTURES | 2246 |
| <i>De-Hua Han, Min Sun, Jiajin Liu</i> | |
| VELOCITY ANISOTROPY IN EXPERIMENTALLY COMPACTED CLAY-SILT AND CLAY-CLAY MIXTURES | 2251 |
| <i>Nazmul Haque Mondol</i> | |
| 3D MAPPING OF DEFORMATION IN AN UNCONSOLIDATED SAND: A MICRO MECHANICAL STUDY | 2256 |
| <i>Mohammad Saadatfar, Nicolas Francois, Alon Arad, Ron Cruikshank, Mehdi Alizadeh, Adrian Sheppard, Andrew Kingston, Ajay Limay, Tim Senden, Mark Knackstedt, Mahyar Madadi</i> | |
| ESTIMATION OF FRACTURE ORIENTATION THROUGH ELASTIC ULTRASONIC WAVES | 2262 |
| <i>J. J. S. Figueiredo, Jorg Schleicher, R. R. Stewart, N. Dyaaur</i> | |
| APPLICATION OF A CRACKED POROUS MEDIUM ELASTIC WAVE THEORY TO INTERPRETING ACOUSTIC LOGGING DATA FROM TIGHT FORMATIONS | 2267 |
| <i>Xiao-Ming Tang, Xue-Lian Chen, Xiao-Kai Xu</i> | |

VOLUME 4

| | |
|--|------|
| BOUNDING ELECTRICAL-ELASTIC DATA: EXAMPLE APPLICATION IN CALCAREOUS CLAYSTONE | 2272 |
| <i>Wendy Wempe, Manika Prasad</i> | |
| FLUID FLOW PROPERTY ESTIMATION FROM SEISMIC SCATTERING DATA | 2277 |
| <i>Stephen Brown, Xinding Fang</i> | |
| EXPERIMENTAL RELATIONS BETWEEN STRESS AND FRACTURE PROPERTIES ON SYNTHETIC ANISOTROPIC MEDIA | 2283 |
| <i>Paulo E. P. Marcondes, José Jadsom S. Figueiredo, Jörg Schleicher, Mehdi E. Far, Nikolay Dyaaur, Robert R. Stewart</i> | |
| A TENTATIVE APPROACH BASED ON UNIFIED ASPERITY DEFORMATION MODEL AND EFFECTIVE COMPLIANCE THEORY TO EXPLAIN THE PRESSURE-DEPENDENCE OF ANISOTROPIC VELOCITY IN SANDSTONES | 2288 |
| <i>Kai Gao, Fatimah Al-Ismail, Richard L. Gibson Jr.</i> | |
| MEASURING AND MODELING TRANSIENT FLUID PRESSURE IN A PARTIALLY SATURATED ROCK SAMPLE | 2294 |
| <i>Nicola Tisato, Beatriz Quintal,</i> | |
| EXACT AND APPROXIMATE SOLID SUBSTITUTION TRANSFORMS | 2299 |
| <i>Nishank Saxena, Gary Mavko, Tapan Mukerji</i> | |
| EXPERIMENTALLY DETERMINED ROCK PHYSICS PROPERTIES: MICROCT TO RESERVOIR SCALE | 2304 |
| <i>Alan Mur, Chris Purcell, Dustin Crandall, Grant Bromhal, Yee Soong, Robert Warzinski, William Harbert</i> | |
| RELATIONSHIP AMONG POROSITY, PERMEABILITY, ELECTRICAL, AND ELASTIC PROPERTIES | 2308 |
| <i>Zakir Hossain, Alan J. Cohen</i> | |
| CARBONATES WITH COMPLEX PORE SYSTEMS: MODELING OF ELECTRICAL PROPERTIES AND APPLICATION OF A MODIFIED ARCHIE EQUATION | 2313 |
| <i>Edith Müller, Jürgen Schön</i> | |
| ULTRASONIC P-WAVE ATTENUATION MEASUREMENT FOR HEAVY OIL | 2319 |
| <i>Ayato Kato, Shigenobu Onozuka, Fumio Kono</i> | |

| | |
|---|-------------|
| PETROPHYSICAL DESCRIPTION OF TIGHT GAS SANDS | 2324 |
| <i>Patricia Castillo, Liwei Ou, Manika Prasad</i> | |
| THE PETROPHYSICAL STUDY ON UAE CARBONATES..... | 2329 |
| <i>Anita Bhagat, Carl H. Sondergeld, Chandra S. Rai</i> | |
| THERMAL DAMAGE ON VELOCITIES OF HEAVY OIL SANDS..... | 2334 |
| <i>De-Hua Han</i> | |
| LABORATORY MEASUREMENT OF P-WAVE ANISOTROPY IN SHALES WITH LASER ULTRASONICS..... | 2338 |
| <i>Thomas E. Blum, Ludmila Adam, Kasper Van Wijk, Carl H. Sondergeld</i> | |
| EXPERIMENTAL CONFIRMATION OF "Reflections on Q"..... | 2344 |
| <i>Larry Lines, Kris Innanen, Fereidoon Vasheghani, Joe Wong, Carl Sondergeld, Sven Treitel, Tadeusz Ulrych</i> | |
| REDEFINING THE STANDARD OF MISSING LOG PREDICTION: NEURAL NETWORK WITH BAYESIAN REGULARIZATION (NNBR) WITH STRATIGRAPHIC CONSTRAINT - A CASE STUDY FROM LAMINATED SAND-SHALE RESERVOIR | 2349 |
| <i>Nattavadee Srisuthiyakorn</i> | |
| PROBING UNCONSOLIDATED GAS SANDS IN QAIDAM BASIN WITH A CONSTANT-CEMENT MODEL | 2354 |
| <i>Minghui Lu, Hong Cao, Jing Ba, Zhifang Yang, Fengchang Yao, Dade Ma</i> | |
| ROCK PHYSICS DIAGNOSTICS: HOW FAR CAN WE GO? AN APPROACH AT THE EDGE | 2359 |
| <i>Anders Draege</i> | |
| UNDERSTANDING HYDRAULIC FRACTURE VARIABILITY THROUGH A PENNY-SHAPED CRACK MODEL FOR PRE-RUPTURE FAULTS..... | 2364 |
| <i>David Cho, Gary F. Margrave, Shawn Maxwell, Mark Norton</i> | |
| A POSSIBLE EXPLANATION OF LOW FREQUENCY SHADOWS BENEATH GAS RESERVOIRS..... | 2369 |
| <i>Gennady Goloshubin, Elmira Chabyshova</i> | |
| ROCK PHYSICS MODELING AND ANALYSIS OF ELASTIC SIGNATURES FOR INTERMEDIATE TO LOW POROSITY SANDSTONES | 2374 |
| <i>Aiman Bakhorji, Husam Mustafa, Per Avseth, Tor Arne Johansen</i> | |
| A NEW VELOCITY-PRESSURE-COMPACTION MODEL FOR UNCEMENTED SEDIMENTS | 2379 |
| <i>Matthew Saul, David Lumley</i> | |
| DYNAMIC PERMEABILITY OF HETEROGENEOUS POROUS ROCKS HAVING STRONG PERMEABILITY FLUCTUATIONS AND ITS EFFECTS ON SEISMIC ATTENUATION AND VELOCITY DISPERSION..... | 2385 |
| <i>J. German Rubino, Klaus Holliger, Leonardo B. Monachesi, Luis Guarracino, Tobias M. Muller</i> | |
| COMPUTATIONAL ROCK PHYSICS: WAVE PROPAGATION VELOCITIES IN PARTIALLY SATURATED ROCKS | 2390 |
| <i>James Deeks, David Lumley, Jeffrey Shragge</i> | |
| THE EFFECT OF ADSORPTION AND DIFFUSION ON GAS PERMEABILITY OF KEROGEN | 2395 |
| <i>Adam M. Allan, Gary Mavko</i> | |
| EXPLORING THE EFFECT OF FRACTURES AND MICROSTRUCTURE ON BRITTLENESS INDEX IN THE BARNETT SHALE..... | 2401 |
| <i>Zhiqi Guo, Xiangyang Li, Mark Chapman</i> | |
| A SHALE ROCK PHYSICS MODEL AND ITS APPLICATION IN THE PREDICTION OF BRITTLENESS INDEX, MINERALOGY, AND POROSITY OF THE BARNETT SHALE | 2406 |
| <i>Zhiqi Guo, Xiangyang Li, Mark Chapman</i> | |
| PERTURBING WALTON'S MODEL FOR UNCONSOLIDATED SANDS WITH ANISOTROPIC STRESSES | 2411 |
| <i>Jeremy Gallop</i> | |
| AN EXPERIMENTAL STUDY OF ACOUSTIC RESPONSES ON THE INJECTION OF SUPERCRITICAL CO₂ INTO SANDSTONES | 2417 |
| <i>Maxim Lebedev, Vassili Mikhaltsevitch, Marina Pervukhina, Olga Bilenko, Boris Gurevich</i> | |
| OIL SANDS: ROCK PHYSICS ANALYSIS FROM WELL DATA, ALBERTA, CANADA | 2423 |
| <i>Sabrina Aliyeva, Jack Dvorkin, Weimin Zhang</i> | |
| ROCK PHYSICS MODEL FOR STATIC YOUNG'S MODULUS AND COMPRESSIVE STRENGTH OF SOFT SEDIMENTARY ROCKS..... | 2428 |
| <i>Toru Takahashi, Soichi Tanaka</i> | |
| STRESS-INDUCED ANISOTROPY MODEL FOR TRIAXIALLY STRESSED ROCKS..... | 2433 |
| <i>Olivia Collet, Mahyar Madadi, Boris Gurevich, Marina Pervukhina</i> | |
| IMPROVED ROCK-PHYSICS MODEL FOR SHALE GAS RESERVOIRS | 2439 |
| <i>Yaping Zhu, Shiyu Xu, Michael Payne, Alex Martinez, Enru Liu, Chris Harris, Kaushik Bandyopadhyay</i> | |
| MICROSTRUCTURAL CHARACTERIZATION OF GREEN RIVER SHALE FROM GSA INVERSION | 2444 |
| <i>Malleswar Yenugu, Tao Jiang</i> | |
| NUMERICAL AND LABORATORY MEASUREMENTS OF SEISMIC ATTENUATION IN PARTIALLY SATURATED ROCKS | 2449 |
| <i>Maria Kuteynikova, Nicola Tisato, Beatriz Quintal, J. Germán Rubino</i> | |
| <u>SPECIAL GLOBAL SESSION</u> | |
| FULL-AZIMUTH TOWED-STREAMER SEISMIC: AN EXPLORATION TOOL FOR PRESALT HYDROCARBON EXPLORATION OFFSHORE BRAZIL | 2455 |
| <i>Alex Cooke, Franck Le Diagon, Ricardo De Marco, Daniela Amazonas, Timothy Bunting, Nick Moldoveanu, Stephen Klug, Elaine Mattos</i> | |

| | |
|---|------|
| PRESALT PROSPECTIVITY ON REGIONAL 3D SEISMIC DATA, CAMPOS BASIN, BRAZIL | 2460 |
| <i>J. Berryman, R. Borsato, L. Hawkins, M. Martin, M. Pyett, H. Zhu</i> | |
| SEISMIC CHARACTERIZATION OF DELTA FRONT SAND BODIES IN LOWER MAGDALENA VALLEY BASIN AND THEIR POTENTIALITY AS RESERVOIRS IN CIENAGA DE ORO FORMATION, COLOMBIA | 2465 |
| <i>Emilio J. Torres, Kurt J. Marfurt, Carlos Molinares</i> | |
| HIGH-RESOLUTION TOMOGRAPHY FOR PALEO-CANYONS: A CASE STUDY IN PARA-MARANHAO BASIN, BRAZIL | 2470 |
| <i>Guang Chen, Hao Shen</i> | |
| RESULTS FROM GEOPHONE FIELD TEST COMPARISON FOR 2D SURVEY, COLOMBIA | 2476 |
| <i>Rober Yibirin, Alberto Lacruz, Jack Caldwell</i> | |
| CASE HISTORY: THE EVOLUTION OF FULL-WAVEFORM INVERSION - SOUTHERN TREND TRINIDAD | 2481 |
| <i>Susan Ladart, Jyoti Behura, Jim Mika, Uwe Albertin</i> | |
| SEISMIC INTERPRETATION IN AN ULTRAMATURE AREA: TALARA BASIN, PERU | 2486 |
| <i>Paulo H. Gulelmo De Souza, Edwar Bustamante, Jose Antonio Castillo</i> | |
| SEISMIC INVERSION AND STATISTICAL CLASSIFICATION OF LITHOLOGY AND FLUIDS AT RUBIALES FIELD, COLOMBIA | 2491 |
| <i>Miguel Bosch, Adriana Justiniano, Gabriel Alvarez, Diego Morales, Vicmar Azaque, Yohaney Gomez, Thais De Souza</i> | |
| <u>SEISMIC INVERSION</u> | |
| INITIAL VELOCITY MODELS FOR FULL WAVEFORM INVERSION | 2496 |
| <i>W. Weibull, B. Arntsen, E. Nilsen</i> | |
| PSO NONLINEAR PRESTACK INVERSION METHOD AND THE APPLICATION IN RESERVOIR PREDICTION | 2500 |
| <i>Sam Zandong Sun, Lei Chen, Yingzhe Bai, Ligu Hu</i> | |
| ANALYSIS OF PHASE VARIATION WITH RAY PARAMETER IN THE τ-P DOMAIN | 2505 |
| <i>Xinfa Zhu, George McMechan</i> | |
| JOINT MIGRATION INVERSION: COMBINING FULL WAVEFIELD MIGRATION WITH ANISOTROPIC VELOCITY ESTIMATION | 2510 |
| <i>A. J. Berkhout</i> | |
| MULTISOURCE LEAST-SQUARES MIGRATION OF MARINE DATA | 2515 |
| <i>Xin Wang, Gerard T. Schuster</i> | |
| 3D TIME-DOMAIN FULL WAVEFORM INVERSION OF A VALHALL OBC DATA SET | 2520 |
| <i>Faqi Liu, Scott A. Morton, Stuart Fairhead, Steve Checkles, Lluís Guasch, Mike Warner, Adrian Umpleby, Zhaobo Meng</i> | |
| VISCOACOUSTIC IMAGING: TOMOGRAPHIC Q ESTIMATION AND MIGRATION COMPENSATION | 2525 |
| <i>A. A. Valenciano, N. Chemingui</i> | |
| FREQUENCY-DOMAIN ELASTIC FULL WAVEFORM INVERSION USING A DENOISE FUNCTION | 2530 |
| <i>Ju-Won Oh, Dong-Joo Min</i> | |
| WEIGHTING METHOD FOR THE L1-NORM FREQUENCY-DOMAIN ELASTIC FULL WAVEFORM INVERSION | 2535 |
| <i>Ju-Won Oh, Dong-Joo Min</i> | |
| WAVEFORM INVERSION VIA NONLINEAR DIFFERENTIAL SEMBLANCE OPTIMIZATION | 2540 |
| <i>Dong Sun, William W. Symes</i> | |
| SOLVING THE MULTIMODAL PROBLEM OF 4D SEISMIC TO WELL TYING, A COMPARISON OF THREE DIFFERENT STOCHASTIC ALGORITHMS | 2547 |
| <i>Pierre Thore</i> | |
| Q TOMOGRAPHY TOWARD TRUE AMPLITUDE IMAGE AND IMPROVE SUBKARST IMAGE | 2552 |
| <i>Yang He, Jun Cai</i> | |
| THE RELIABILITY OF THE KURTOSIS-BASED WAVELET ESTIMATION | 2557 |
| <i>Yungui Xu, Pierre Thore, Sebastien Duchenne</i> | |
| QUALITY ASSURED FULL-WAVEFORM INVERSION: ENSURING STARTING MODEL ADEQUACY | 2562 |
| <i>Nikhil Shah, Mike Warner, Tenice Nangoo, Adrian Umpleby, Ivan Stekl, Jo Morgan, Lluís Guasch</i> | |
| ELASTIC 3D FULL-WAVEFORM INVERSION | 2567 |
| <i>Lluís Guasch, Mike Warner, Tenice Nangoo, Jo Morgan, Adrian Umpleby, Ivan Stekl, Nikhil Shah</i> | |
| Q ESTIMATION BY A MATCH-FILTER METHOD | 2572 |
| <i>Peng Cheng, Gary F. Margrave</i> | |
| APPROXIMATE INVERSION OF THE WAVE-EQUATION HESSIAN VIA RANDOMIZED MATRIX PROBING | 2577 |
| <i>Pierre-David Letourneau, Henri Calandra</i> | |
| COMPARISON OF 3D TIME- AND FREQUENCY-DOMAIN WAVEFORM INVERSION: BENEFITS AND INSIGHTS OF A BROADBAND, DISCRETE-FREQUENCY STRATEGY | 2583 |
| <i>Andrew J. Brenders, Uwe Albertin, Jim Mika</i> | |
| WAVEFORM INVERSION WITH ATTENUATION | 2588 |
| <i>Jianyong Bai, David Yingst, Robert Bloor, Jacques Leveille</i> | |
| UPDATING VELOCITY USING HYPERBOLIC GAMMA, TOMOGRAPHY AND FWI: A COMPREHENSIVE IN-HOUSE MODEL BUILDING WORKFLOW | 2593 |
| <i>Hongchuan Sun, Spyros Lazaratos, Jerry Krebs, Partha Routh</i> | |

| | |
|--|------|
| INTERPRETIVE FULL WAVEFORM INVERSION USING REGION CONSTRAINTS | 2598 |
| <i>Andreas Rüger, Christof Stork</i> | |
| 3D HYBRID WAVEFORM INVERSION WITH GPU DEVICES | 2603 |
| <i>Youngseo Kim, Changsoo Shin, Henri Calandra</i> | |
| JOINT INVERSION OF MULTIPLE GEOPHYSICAL DATA: A PETROPHYSICAL APPROACH USING GUIDED FUZZY C-MEANS CLUSTERING | 2608 |
| <i>Jiajia Sun, Yaoguo Li</i> | |
| FULL WAVEFORM INVERSION BY DECONVOLUTION GRADIENT METHOD | 2613 |
| <i>Fuchun Gao, Paul Williamson, Henri Houllevigue</i> | |
| SEISMIC SOURCE WAVELET ESTIMATION AND SPARSE SPIKE DECONVOLUTION | 2618 |
| <i>Zhengsheng Yao, Mike Galbraith</i> | |
| FULL WAVEFORM INVERSION WITH SIMULTANEOUS SOURCES USING THE FULL NEWTON METHOD | 2622 |
| <i>Amsalu Y. Anagaw, Mauricio D. Sacchi</i> | |
| CROSSTALK NOISE ANALYSIS OF SIMULTANEOUS-SOURCE FULL WAVEFIELD INVERSION | 2627 |
| <i>Sunwoong Lee, Dave Hinkley, Jerry R. Krebs, John E. Anderson</i> | |
| STUDYING THE EFFECT OF EXPANDING LOW OR HIGH FREQUENCY ON POSTSTACK SEISMIC INVERSION | 2632 |
| <i>Xi Xiaoyu, Ling Yun, Sun Desheng, Guo Xiangyu, Wang Huifeng</i> | |
| NONLINEAR FRÉCHET DERIVATIVE AND ITS DE WOLF APPROXIMATION | 2637 |
| <i>Ru-Shan Wu, Yingcai Zheng</i> | |
| INVERSION ON REFLECTED SEISMIC WAVE | 2643 |
| <i>Sheng Xu, Feng Chen, Gilles Lambaré, Yu Zhang, Daoliu Wang</i> | |
| FULL WAVEFORM INVERSION ALGORITHM USING COMMON SCATTER POINT (CSP) GATHERS | 2650 |
| <i>Hassan Khaniani, John C. Bancroft, Gary F. Margrave</i> | |
| PETROPHYSICAL-PROPERTIES STOCHASTIC INVERSION COMBINING GEOSTATISTICS AND STATISTICAL ROCK-PHYSICS: APPLICATIONS TO SEISMIC DATA NEAR ODP1144 | 2655 |
| <i>Wen-Long Jiang, Kai Yang</i> | |
| IMPROVEMENTS IN TIME DOMAIN FWI AND ITS APPLICATIONS | 2660 |
| <i>Kwangjin Yoon, Sang Suh, James Cai, Bin Wang</i> | |
| A WAVE-ENERGY-BASED PRECONDITION APPROACH TO FULL-WAVEFORM INVERSION IN THE TIME DOMAIN | 2665 |
| <i>Zhigang Zhang, Lianjie Huang, Youzuo Lin</i> | |
| ON NONUNIQUENESS OF THE STUDENT'S T-FORMULATION FOR LINEAR INVERSE PROBLEMS | 2670 |
| <i>Aleksandr Y. Aravkin, Tristan Van Leeuwen, Felix J. Herrmann, Kenneth Bube</i> | |
| AN INTEGRATED STUDY OF A MISSISSIPPIAN TRIPOLITIC CHERT RESERVOIR: OSAGE COUNTY, OKLAHOMA, USA | 2675 |
| <i>Benjamin L. Dowdell, Atish Roy, Kurt J. Marfurt</i> | |
| CROSSHOLE WAVEFORM INVERSION: QUANTIFYING ANISOTROPY THROUGH SIMULATED ANNEALING | 2680 |
| <i>Michael Afanasiev, R. Gerhard Pratt, Rie Kamei, Glenn McDowell</i> | |
| JOINT SEISMIC DECONVOLUTION AND GEOSTATISTICAL EXTRAPOLATION IN A BAYESIAN FRAMEWORK USING A B-SPLINE DISCONTINUOUS GALERKIN METHOD | 2685 |
| <i>Jonathan Kane, William Rodi</i> | |
| WIDE-BAND MULTIFREQUENCY WAVEFORM INVERSION IN THE LAPLACE-FOURIER DOMAIN | 2690 |
| <i>Rie Kamei, R. Gerhard Pratt</i> | |
| AMPLITUDE AND PHASE IN ANGLE-DOMAIN COMMON-IMAGE GATHERS | 2696 |
| <i>Xinfa Zhu, George McMechan</i> | |
| APPLICATION OF ACOUSTIC FULL WAVEFORM INVERSION FOR DENSITY ESTIMATION | 2702 |
| <i>Woodon Jeong, Dong-Joo Min</i> | |
| STUDY OF THE PRESALT DOLOMITE RESERVOIR PREDICTION IN THE EAST MARGIN OF PRE-CASPIAN BASIN | 2707 |
| <i>Zhang Jing, Hao Tao, Zhang Yajun, Li Guobin, Liu Wenqing, Yang Qinlin</i> | |
| SEISMIC METHODS TO DETECT BIOGENIC GAS ACCUMULATIONS, EXAMPLE FROM THE Q Aidam BASIN, CHINA | 2712 |
| <i>Yexin Liu, Liqun Wang, Yongshu Zhang, Zhiqiang Liu, Yanhua Shuai, Zhuoheng Chen</i> | |
| 3D FREQUENCY DOMAIN FULL WAVEFORM INVERSION VIA A MASSIVELY PARALLEL STRUCTURED MULTIFRONTAL SOLVER | 2717 |
| <i>Shen Wang, Maarten V. De Hoop, Jianlin Xia</i> | |
| STOCHASTIC SPARSE-LAYER INVERSION USING PARTIAL SPECTRUM | 2722 |
| <i>Jingbo Wang, Shangxu Wang, Mengxiang Xiao</i> | |
| TOMOGRAPHIC FULL WAVEFORM INVERSION (TFWI) BY COMBINING FULL WAVEFORM INVERSION WITH WAVE-EQUATION MIGRATION VELOCITY ANALYSIS | 2727 |
| <i>Biondo Biondi, Ali Almomin</i> | |
| FREQUENCY-DOMAIN ELASTIC MODELING AND FULL WAVEFORM INVERSION IN THE LOGARITHMIC GRID SET | 2732 |
| <i>Seungwoo Choi, Dong-Joo Min, Wookeun Chung, Changsoo Shin</i> | |
| THE USE OF SEISMIC ATTENUATION FOR MONITORING SATURATION IN HYDROCARBON RESERVOIRS | 2737 |
| <i>W. O. Raji, A. Rietbrock</i> | |

| | |
|--|-------------|
| APPLICATION OF IMAGE-GUIDED FULL WAVEFORM INVERSION TO A 2D OCEAN-BOTTOM CABLE DATA SET | 2743 |
| <i>Yong Ma, Jianxin Yuan, Yunqing Shen, Bin Gong</i> | |
| UNWRAPPED PHASE INVERSION FOR NEAR-SURFACE SEISMIC DATA | 2748 |
| <i>Yunseok Choi, Tariq Alkhalifah</i> | |
| PLANE-WAVE LEAST-SQUARES REVERSE TIME MIGRATION | 2753 |
| <i>Wei Dai, Gerard T. Schuster</i> | |
| HYBRID ITERATION METHOD FOR FULL WAVEFORM INVERSION | 2758 |
| <i>Yi Wang, Lianguo Dong, Benxin Chi, Zhao Xue</i> | |
| WEIGHTING SCHEMES FOR THE FREQUENCY-DOMAIN WAVEFORM INVERSION | 2763 |
| <i>Ugeun Jang, Changsoo Shin</i> | |
| INVERSION AFTER DEPTH IMAGING | 2768 |
| <i>Robin P. Fletcher, Stewart Archer, Dave Nichols, Weijian Mao</i> | |
| SEISMIC FULL-WAVEFORM INVERSION USING TRUNCATED WAVELET REPRESENTATIONS | 2773 |
| <i>Y. Lin, A. Abubakar, T. M. Habashy</i> | |
| IMAGING ELASTIC MEDIA BY CORRECTIONS TO ACOUSTIC PROPAGATION | 2779 |
| <i>Ben Veitch, James Rickett, James Hobro</i> | |
| INTEGRATED SEISMIC INVERSION TO PREDICT THIN FAN DELTA SANDSTONE AND FLUID: A FEASIBILITY STUDY CASE IN JUNGGAR BASIN, CHINA | 2784 |
| <i>Wanlong Zhang, Zandong Sun, Zhongchun Sun, Feng Zhao, Zhiliang Ming, Haihong Wang</i> | |
| INTEGRATED INVERSION OF SUBSURFACE VELOCITY STRUCTURES USING WAVE EQUATION TOMOGRAPHY AND FULL WAVEFORM INVERSION | 2789 |
| <i>Haiyang Wang, Satish C. Singh, Hanchao Jian, Henri Calandra</i> | |
| ELASTIC FULL-WAVEFORM INVERSION USING 4C DATA ACQUISITION | 2794 |
| <i>Denes Vigh, Kun Jiao, Dave Watts</i> | |
| NONLINEAR SEISMIC WAVEFORM INVERSION USING A BORN ITERATIVE T-MATRIX METHOD | 2800 |
| <i>Morten Jakobsen, Bjørn Ursin</i> | |
| BANDWIDTH ENHANCEMENT BY INVERSE-Q FILTERING OR TIME-VARYING WIENER DECONVOLUTION? | 2805 |
| <i>Mirko Van Der Baan</i> | |
| INVERSION OF WIDE-AZIMUTH SEISMIC DATA FOR FRACTURE-RELATED LAYER PROPERTIES | 2810 |
| <i>Yang Hao, Zhang Yan, Zheng Xiaodong, Li Jinsong, Li Yandong, Ma Shufang</i> | |
| SLOPE TOMOGRAPHY ASSISTED BY FINITE-FREQUENCY SENSITIVITY KERNEL | 2815 |
| <i>Yao Ni, Kai Yang</i> | |
| EFFICIENT FULL WAVEFORM INVERSION USING A CYCLIC SHOT SAMPLING METHOD | 2820 |
| <i>Wansoo Ha, Changsoo Shin</i> | |
| A NEW SCHEME FOR ELASTIC FULL WAVEFORM INVERSION BASED ON VELOCITY-STRESS WAVE EQUATIONS IN TIME DOMAIN | 2825 |
| <i>Jie Wang, Hui Zhou, Yukun Tian, Hongjing Zhang</i> | |
| EDGE-PRESERVING REGULARIZATION FOR SEISMIC TRAVELTIME TOMOGRAPHY | 2830 |
| <i>Xiong Zhang, Jie Zhang</i> | |
| MULTISCALE FULL WAVEFORM INVERSION USING GPU | 2835 |
| <i>Jian Mao, Ru-Shan Wu, Baoli Wang</i> | |
| LOW FREQUENCY MODEL BUILDING BASED ON RELATIVE IMPEDANCE INVERSION TO IMPROVE THE ACCURACY OF PRESTACK SIMULTANEOUS INVERSION: A CASE STUDY FROM R OILFIELD IN BOHAI BAY, CHINA | 2842 |
| <i>Qilong Xia, Lixin Tia, Donghong Zhou</i> | |
| APPLICATION OF FULL WAVEFORM INVERSION TO VARIABLE-DEPTH STREAMER DATA | 2847 |
| <i>Richard Jupp, Andrew Ratcliffe, Richard Wombell</i> | |
| A NEW ALGORITHM ADAPTING ENCODED SIMULTANEOUS-SOURCE FULL WAVEFORM INVERSION TO THE MARINE-STREAMER DATA | 2852 |
| <i>Woohyun Son, Changsoo Shin, Sukjoon Pyun, Donghyuk Jang, Yunhui Park</i> | |
| FULL WAVEFORM INVERSION WITHOUT LOW FREQUENCIES: A SYNTHETIC STUDY | 2857 |
| <i>Tong W. Fei, Yi Luo, Fuhao Qin, Panos G. Kelamis</i> | |
| TOWARD AN APPLICATION OF AN ELASTIC FWI FOR A MEASUREMENT BELOW GROUND IN A CRYSTALLINE ENVIRONMENT | 2862 |
| <i>Sven Heider, Stefan Jetschny, Thomas Bohlen, Rudiger Giese</i> | |
| THE VARIABLE PROJECTION METHOD FOR WAVEFORM INVERSION WITH AN UNKNOWN SOURCE FUNCTION | 2867 |
| <i>James Rickett</i> | |
| GABOR DECONVOLUTION USING REGULARIZED SMOOTHING | 2872 |
| <i>Zengbao Chen, Yanghua Wang, Xiaohong Chen</i> | |
| NONLINEAR FULL WAVEFORM INVERSION FOR HIGH-RESOLUTION QUANTITATIVE PROPERTY ESTIMATION | 2877 |
| <i>Peter Haffinger, Dries Gisolf, Peter Van Den Berg</i> | |
| GUIDED SEISMIC-TO-WELL TYING BASED ON DYNAMIC TIME WARPING | 2882 |
| <i>Roberto Henry Herrera, Mirko Van Der Baan</i> | |
| EARLY-ARRIVAL WAVEFORM INVERSION FOR NEAR-SURFACE VELOCITY AND ANISOTROPIC PARAMETER: PARAMETERIZATION STUDY | 2887 |
| <i>Xukai Shen</i> | |

| | |
|---|------|
| VTI WAVEFORM INVERSION WITH PRACTICAL STRATEGIES: APPLICATION TO 3D REAL DATA | 2892 |
| <i>Chao Wang, David Yingst, Robert Bloor, Jacques Leveille</i> | |
| A LEVEL SET APPROACH TO SALT GEOMETRY INVERSION IN FULL-WAVEFORM INVERSION | 2898 |
| <i>Winston Lewis, Bill Starr, Denes Vigh</i> | |
| ROBUST ONE-STEP (DECONVOLUTION + INTEGRATION) SEISMIC INVERSION IN THE FREQUENCY DOMAIN | 2903 |
| <i>Ivan Priezzhev, Aaron Scollard</i> | |
| BI-OBJECTIVE OPTIMIZATION FOR THE INVERSION OF SEISMIC REFLECTION DATA: COMBINED FWI AND MVA | 2908 |
| <i>Clement Fleury, Francesco Perrone</i> | |
| HOW INCOHERENT CAN WE BE? PHASE ENCODED LINEARIZED INVERSION WITH RANDOM BOUNDARIES | 2914 |
| <i>Chris Leader, Ali Almomin</i> | |
| DETERMINISTIC AND STOCHASTIC SEISMIC INVERSION METHODS FOR GAS DISCRIMINATION AT LA CRECIENTE FIELD, COLOMBIA | 2919 |
| <i>Miguel Bosch, Gustavo Bertorelli, Gabriel Alvarez, Eduardo García, Adriana Moreno, Raul Colmenares</i> | |
| ACCELERATED LARGE-SCALE INVERSION WITH MESSAGE PASSING | 2924 |
| <i>Felix J. Herrmann</i> | |
| JOINT IMAGING WITH STREAMER AND OBN DATA | 2930 |
| <i>Mandy Wong, Shuki Ronen, Biondo Biondi</i> | |
| FULL MOMENT TENSOR AND SOURCE LOCATION INVERSION BASED ON FULL WAVEFORM ADJOINT INVERSION: APPLICATION AT THE GEYSERS GEOTHERMAL FIELD | 2935 |
| <i>Christina Morency, Robert J. Mellors</i> | |
| FUNDAMENTAL ISSUES IN FULL WAVEFORM INVERSION | 2940 |
| <i>Hongbo Zhou, Lasse Amundsen, Guanquan Zhang</i> | |
| DECON IN THE LOG DOMAIN WITH VARIABLE GAIN | 2945 |
| <i>Jon Claerbout, Qiang Fu, Antoine Guitton</i> | |
| SIMULTANEOUS SOURCE FULL WAVEFORM INVERSION USING ROBUST OBJECTIVE FUNCTION | 2950 |
| <i>Woolhyun Son, Woodon Jeong, Dong-Joo Min, Sukjoon Pyun</i> | |
| APPLICATION OF PRINCIPAL COMPONENT ANALYSIS FOR FREQUENCY-DOMAIN FULL WAVEFORM INVERSION | 2956 |
| <i>Chungheng Liu, Miao Han, Liguang Han, Fei Huang, Wubing Deng</i> | |
| ANISOTROPY ESTIMATION FOR A SIMULATED FRACTURED MEDIUM USING AVAZ INVERSION: A PHYSICAL MODELING STUDY | 2961 |
| <i>Faranak Mahmoudian, Gary F. Margrave, Joe Wong</i> | |
| HYBRID BORN AND RYTOV SCATTERING SERIES AND ITS APPLICATION IN FULL WAVEFORM INVERSION | 2966 |
| <i>Benxin Chi, Yi Wang, Yuzhu Liu, Lianguo Dong</i> | |
| LEVEL SET METHOD IN SEISMIC INVERSION: 2D RECONSTRUCTION OF BOUNDARIES | 2971 |
| <i>Polina Zheglova, Colin Farquharson</i> | |
| ASSESSMENT OF 3D ACOUSTIC ISOTROPIC FULL WAVEFORM INVERSION OF WIDE-AZIMUTH OBC DATA FROM VALHALL | 2977 |
| <i>Guanghui Hu, Vincent Etienne, Clara Castellanos, Stephane Operto, Romain Brossier, Jean Virieux</i> | |
| TOMOGRAPHIC FULL WAVEFORM INVERSION: PRACTICAL AND COMPUTATIONALLY FEASIBLE APPROACH | 2983 |
| <i>Ali Almomin, Biondo Biondi</i> | |
| THE TRUNCATED NEWTON METHOD FOR FULL WAVEFORM INVERSION | 2988 |
| <i>L. Metivier, R. Brossier, J. Virieux, S. Operto</i> | |
| <u>SEISMIC MODELING</u> | |
| WAVEFIELD EXTRAPOLATION IN CAUSTIC-FREE NORMAL RAY COORDINATES | 2993 |
| <i>Xuxin Ma, Tariq Alkhalifah</i> | |
| SEISMIC MODELING OF WAVE-INDUCED FLUID FLOW IN PATCHY-SATURATED POROUS MEDIA | 2998 |
| <i>Xiaobo Li, Lianguo Dong</i> | |
| GENERALIZED ELASTIC STAGGERED GRIDS ON MULTI-GPU PLATFORMS | 3003 |
| <i>Felix Rubio, Mauricio Hanzlich, Albert Farres, Josep De La Puente, Miguel Ferrer, Jose Maria Cela</i> | |
| ELASTIC WAVE EQUATION FORWARD MODELING BASED ON PRECISE INTEGRATION METHOD | 3008 |
| <i>Yuting Duan, Tianyue Hu</i> | |
| HARMONIC COORDINATE FINITE ELEMENT METHOD FOR ACOUSTIC WAVES | 3013 |
| <i>William W. Symes, Xin Wang</i> | |
| FINITE-DIFFERENCE MODELING FOR ACQUISITION DESIGN OF AN OCEAN-BOTTOM SEISMIC SURVEY | 3018 |
| <i>Elizabeth L'Heureux, Art Lombard, Thomas Lyon</i> | |
| A COMPARISON OF IMAGING CONDITIONS USING THE CONCEPT OF BLENDED SEISMIC DATA | 3023 |
| <i>Karen Carrilho Da Silva, Josias José Da Silva, André Bulcão, Luiz Landau</i> | |
| NUMERICAL SUPPORT OF LABORATORY EXPERIMENTS: ATTENUATION AND VELOCITY ESTIMATIONS | 3028 |
| <i>Erik H. Saenger, Claudio Madonna, Marcel Frehner, Bjarne S. G. Almqvist</i> | |

| | |
|--|------|
| QUALITY FACTOR AFFECTS CHANNEL WAVE PROPAGATION IN 3D ISOTROPIC VISCOELASTIC MEDIUM | 3034 |
| <i>Hui Li, Peimin Zhu, Guangzhong Ji</i> | |
| GRID DISPERSION AND STABILITY OF THE SPECTRAL ELEMENT METHOD WITH TRIANGULAR ELEMENTS | 3039 |
| <i>Tao Liu, Xiucheng Wei, Jonás D. De Basabe, Lin Li, Tianyue Hu, Mrinal K. Sen</i> | |
| BORN SERIES MODELING SCHEMES FOR PIECEWISE HETEROGENEOUS MEDIA | 3044 |
| <i>Geng-Xin Yu, Li-Yun Fu</i> | |
| AN EFFICIENT AND SIMPLE ACOUSTIC-ELASTIC FD COUPLING FOR OFFSHORE SEISMIC SIMULATIONS | 3049 |
| <i>Leandro Di Bartolo, Cleberson Dors, Webe Joao Mansur</i> | |

VOLUME 5

| | |
|---|------|
| PHYSICAL MODELING OF A VERTICAL FAULT | 3054 |
| <i>Jessie M. Arthur, Donald C. Lawton, Joe Wong</i> | |
| APPROXIMATING CONSTANT-Q SEISMIC PROPAGATION IN THE TIME DOMAIN | 3060 |
| <i>Tieyuan Zhu, Jerry M. Harris, José M. Carcione</i> | |
| FINITE-DIFFERENCE ALGORITHM FOR ELASTIC WAVE PROPAGATION IN PRESTRESSED MEDIA | 3065 |
| <i>David F. Aldridge, Leiph A. Preston</i> | |
| RESIDUAL TIME EXTRAPOLATION OPERATORS FOR EFFICIENT WAVEFIELD CONSTRUCTION | 3070 |
| <i>Tariq Alkhalifah</i> | |
| IMPLEMENTATION OF THE DISCONTINUOUS GALERKIN METHOD FOR SOLVING THE SEISMIC WAVE EQUATION USING THE GRAPHIC PROCESSING UNIT (GPU) | 3075 |
| <i>Dawei Mu, Po Chen, Liqiang Wang</i> | |
| SUBTHRUST IMAGING ARTIFACTS ANALYSIS BY IMAGE RAY MODELING | 3081 |
| <i>Carlos Becerra, William Agudelo, German Camacho, Hector Alfonso, Wilman Beltran, Yadir Torres</i> | |
| REDATUMING OF SYNTHETIC LAND DATA WITH SHALLOW BURIED RECEIVERS USING THE VIRTUAL SOURCE METHOD | 3086 |
| <i>Dmitry Alexandrov, Andrey Bakulin, Roy Burnstad</i> | |
| AN IMPROVED BILINEAR INTERPOLATION TRAVELTIME RAY-TRACING METHOD FOR TOMOSTATICS | 3091 |
| <i>Li Peiming, Mei Shengquan, Ma Qingpo</i> | |
| THE NEAR SURFACE MODELING BASED ON THE CHAOTIC PARTICLE SWARM OPTIMIZATION ALGORITHM | 3096 |
| <i>Mei Shengquan, Li Peiming, Shi Xiaobo</i> | |
| FINITE-DIFFERENCE MODELING WITH A MINIMAL COMPUTATION COST | 3101 |
| <i>Yang Liu</i> | |
| MAPPING OF SEDIMENTS AND CRUST OFFSHORE KENYA, EAST AFRICA: A WIDE APERTURE REFRACTION/REFLECTION SURVEY | 3106 |
| <i>Jannis Makris, Joanna Papoulia, Sean McPherson, Lloyd Warner, Anadarko Houston</i> | |
| OPTIMAL 15-POINT FINITE DIFFERENCE FORWARD MODELING IN FREQUENCY-SPACE DOMAIN | 3111 |
| <i>Lu Liu, Hong Liu, Hongwei Liu, Jianhua Liu</i> | |
| APPLICATION OF PERFECTLY MATCHED LAYER FOR SCALAR ARBITRARILY WIDE-ANGLE WAVE EQUATIONS | 3116 |
| <i>Hanning Chen, Hui Zhou, He Lin, Shangxu Wang</i> | |
| EFFECTIVENESS OF SEISMIC DETECTION MODELING FOR CO₂ MIGRATION SCENARIOS NEAR THE AQUISTORE CO₂ INJECTION SITE, ESTEVAN, SASKATCHEWAN, CANADA | 3121 |
| <i>Ryan Nader, Claire Samson, Donald White</i> | |
| PRESTACK TRAVELTIMES FOR DIP-CONSTRAINED TI MEDIA | 3126 |
| <i>Pavel Golikov, Alexey Stovas, Tariq Alkhalifah</i> | |
| A LINEARIZED DISPERSION RELATION FOR ORTHORHOMBIC PSEUDO-ACOUSTIC MODELING | 3131 |
| <i>Xiaolei Song, Tariq Alkhalifah</i> | |
| MODELING REFLECTION COEFFICIENTS AT A THIN FLUID LAYER REPRESENTING A HYDRAULIC FRACTURE | 3137 |
| <i>Antonia Oelke, O. S. Kruger, S. A. Shapiro, I. Abakumov</i> | |
| EFFICIENT SURFACE-AWARE RAY TRACING BASED ON IMPLICIT MODEL REPRESENTATION | 3142 |
| <i>Jigang Li, Xianhai Meng, Qin Yang, Ru-Shan Wu</i> | |
| EFFICIENT LAPLACE-DOMAIN MODELING USING AN AXIS TRANSFORMATION TECHNIQUE | 3148 |
| <i>Wansoo Ha, Changsoo Shin, Taeyoung Ha</i> | |
| STABILITY AND PERFORMANCE OF THE SIPG AND IIPG FINITE-ELEMENT METHODS FOR WAVE PROPAGATION | 3154 |
| <i>Elena Zhebel, Sara Minisini, Alexey Kononov, Wim Mulder</i> | |
| SEPARATING WAVE-MODES OF PRESTACK ELASTIC SEISMOGRAMS USING PURE MODE WAVE PROPAGATORS IN ANISOTROPIC MEDIA | 3160 |
| <i>Chenlong Wang, Jiubing Cheng, Wei Kang</i> | |
| SEISMIC RESPONSE OF DISCRETE FRACTURES | 3165 |
| <i>Song Hou, Hengchang Dai, Xiangyang Li</i> | |

| | |
|---|-------------|
| SEISMIC MODELING IN ACOUSTIC VARIABLE-DENSITY MEDIA BY FOURIER FINITE DIFFERENCES | 3170 |
| <i>Xiaolei Song, Kurt Nihei, Joseph Stefani</i> | |
| GEOLOGIC-TO-SEISMIC MODELING FOR ELDFISK SOA RESERVOIR CHARACTERIZATION: AN INTEGRATED STUDY | 3176 |
| <i>Xianhuai Zhu, Chuck Mosher, Joel Brewer, Arild Gundersen, Claude Scheepens, Jun Cao</i> | |
| EFFECT OF ERRORS IN THE ACQUISITION OF DEEP SEISMIC REFLECTION DATA RECORDED IN MOUNTAINOUS AREAS..... | 3181 |
| <i>Ionelia Panea, Victor Mocanu, Randell Stephenson</i> | |
| A HYBRID GRID FINITE DIFFERENCE METHOD FOR ACOUSTIC WAVE PROPAGATION IN TILTED ORTHORHOMBIC MEDIA | 3186 |
| <i>Chunlei Chu</i> | |
| PURE AND PSEUDO-ACOUSTIC VTI WAVE MODELING IN THE FREQUENCY DOMAIN USING COMPACT FINITE DIFFERENCE OPERATORS | 3191 |
| <i>Chunlei Chu, Paul L. Stoffa</i> | |
| USING ROCK PHYSICS AND FULL ELASTIC MODELING TO SEISMICALLY MODEL COMPLEX LITHOLOGIES | 3196 |
| <i>John B. Sinton, Mosab Nasser, Luanxiao Zhao</i> | |
| A PARALLEL SWEEPING PRECONDITIONER FOR FREQUENCY-DOMAIN SEISMIC WAVE PROPAGATION | 3200 |
| <i>Jack Poulson, Bjorn Engquist, Siwei Li, Lexing Ying</i> | |
| FORWARD SEISMIC MODELING OF OUTCROP MODELS TO IMAGE DRAG ZONES ADJACENT TO SALT DIAPIRS | 3206 |
| <i>Liliana Vargas-Meleza, David Healy, Ian Alsop</i> | |
| THE RELATION BETWEEN FINITE DIFFERENCES IN TIME AND THE CHEBYSHEV POLYNOMIAL RECURSION | 3211 |
| <i>Reynam C. Pestana, Paul L. Stoffa, Adriano W. G. Dos Santos</i> | |
| THREE-DIMENSIONAL ELASTIC WAVE MODELING IN HETEROGENEOUS TRANSVERSELY ISOTROPIC MEDIA ON MASSIVELY PARALLEL COMPUTERS IN THE LAPLACE-FOURIER DOMAIN | 3216 |
| <i>Petr Petrov, Gregory Newman</i> | |
| 3D POROVISCOELASTIC ROTATED STAGGERED FINITE-DIFFERENCE MODELING WITH PML ABSORBING BOUNDARY CONDITIONS..... | 3222 |
| <i>Yuankai Zhang, Yang Liu</i> | |
| A HYBRID ABSORBING BOUNDARY CONDITION FOR FREQUENCY-DOMAIN VISCO-ACOUSTIC FINITE-DIFFERENCE MODELING | 3227 |
| <i>Zhiming Ren, Yang Liu</i> | |
| PRESTACK WAVEFIELD APPROXIMATIONS..... | 3232 |
| <i>Tariq Alkhalifah</i> | |
| THE APPLICATION OF UNSPLIT CONVOLUTIONAL PERFECTLY MATCHED LAYER TO THE ARBITRARY HIGH-ORDER DISCONTINUOUS GALERKIN FINITE ELEMENT..... | 3237 |
| <i>Yangyang He, Jinghui Gao</i> | |
| IMPROVING LAND SEISMIC REPEATABILITY WITH VIRTUAL SOURCE REDATUMING: SYNTHETIC CASE STUDY | 3242 |
| <i>Dmitry Alexandrov, Boris Kashtan, Andrey Bakulin, Roy Burnstad</i> | |
| <u>SEISMIC PROCESSING: INTERPOLATION AND REGULARIZATION</u> | |
| DOUBLE-SQUARE ROOT TRAVELTIME APPROXIMATION FOR CONVERTED WAVES | 3247 |
| <i>Ivan Abakumov, Boris Kashtan, Benjamin Schwarz, Claudia Vanelle, Dirk Gajewski</i> | |
| CURVELET TRANSFORM-BASED POCS IN F-K DOMAIN..... | 3253 |
| <i>Bona Kim, Soocheol Jeong, Joongmoo Byun, Soon Jee Seol</i> | |
| 4D RECONSTRUCTION OF WIDE-AZIMUTH (WAZ) DATA USING SPARSE INVERSION OF HYBRID RADON TRANSFORMS | 3258 |
| <i>Eric Verschuur, Jan Willem Vrolijk, Constantine Tsingas</i> | |
| IMPROVED QUALITY FOR COMMON FOCUSING POINT DATA REGULARIZATION..... | 3263 |
| <i>J. Cai, M. Guo, S. Dong, Z. Dong, J. Xie, G. Rodriguez, S. Sen, B. Wang, Z. Li</i> | |
| AN EFFICIENT VARIABLE-SPLITTING MULTIPLIER METHOD FOR COMPRESSIVE SENSING SEISMIC DATA RECONSTRUCTION | 3268 |
| <i>Chengbo Li, Sam T. Kaplan, Charles C. Mosher</i> | |
| INTERPOLATED COMPRESSIVE SENSING FOR SEISMIC DATA RECONSTRUCTION | 3274 |
| <i>Chengbo Li, Charles C. Mosher, Sam T. Kaplan</i> | |
| CONTRIBUTIONS OF THE HORIZONTAL AND VERTICAL COMPONENTS OF PARTICLE VELOCITY IN 3D PRESSURE WAVEFIELD RECONSTRUCTION ON DENSE RECEIVER GRIDS USING GENERALIZED MATCHING PURSUIT..... | 3280 |
| <i>Massimiliano Vassallo, Kurt Eggenberger, Dirk-Jan Van Manen, Kemal Özdemir, Johan Robertsson, Ali Özbek</i> | |
| 5D LEAKAGE: MEASURING WHAT 5D INTERPOLATION MISSES..... | 3285 |
| <i>Peter Cary, Mike Perz</i> | |
| IMPROVED POCS INTERPOLATION USING A PERCENTAGE THRESHOLDING STRATEGY AND EXCESSIVELY ZERO-PADDED FFT..... | 3290 |
| <i>Pengliang Yang, Jinghui Gao, Wenchao Chen</i> | |

| | |
|---|------|
| A COMPARISON OF 5D RECONSTRUCTION METHODS | 3296 |
| <i>Aaron Stanton, Nadia Kreimer, David Bonar, Mostafa Naghizadeh, Mauricio Sacchi</i> | |
| TWO-DIMENSIONAL FAST GENERALIZED FOURIER INTERPOLATION OF SEISMIC RECORDS | 3301 |
| <i>Mostafa Naghizadeh, K. A. Inmanen</i> | |
| MULTIDIMENSIONAL DEALIASED CADZOW RECONSTRUCTION OF SEISMIC RECORDS | 3307 |
| <i>Mostafa Naghizadeh, M. D. Sacchi</i> | |
| TENSOR COMPLETION VIA NUCLEAR NORM MINIMIZATION FOR 5D SEISMIC DATA RECONSTRUCTION | 3312 |
| <i>Nadia Kreimer, Mauricio D. Sacchi</i> | |
| INTERFEROMETRIC REDATUMING WITH SIMULTANEOUS AND MISSING SOURCES USING SPARSITY PROMOTION IN THE CURVELET DOMAIN | 3317 |
| <i>Joost Van Der Neut, Kees Wapenaar, Felix Herrmann</i> | |
| PARAMETERIZATION OF TWO-DIMENSIONAL SEISMIC VELOCITY FIELDS USING THE HAAR WAVELET | 3324 |
| <i>Helcio Moreira Perin, Wilson Mouzer Figueiró</i> | |
| MULTIDIMENSIONAL INTERPOLATION ON A VERY SPARSE 3D: AN EXAMPLE FROM EAST TEXAS | 3329 |
| <i>Kevin Ferdinand, Jaime A. Stein, Robert Wojslaw</i> | |

SEISMIC PROCESSING: MIGRATION

| | |
|--|------|
| REVERSE TIME MIGRATION SURFACE OFFSET GATHERS, PART 1: A NEW METHOD TO PRODUCE, 'CLASSICAL' COMMON | 3334 |
| <i>Matteo Giboli, Reda Baina, Laurence Nicoletis, Bertrand Duquet</i> | |
| RTM GUIDED MIGRATION VELOCITY ANALYSIS: A WEST AFRICA CASE HISTORY | 3339 |
| <i>Marco Andreolli, Clara Andreoletti, Nicola Bienati, Riccardo Brajucha, Tania Ciaccio</i> | |
| IMPROVING PRESALT IMAGING WITH VARIABLE-DEPTH STREAMER DATA | 3344 |
| <i>Thomas Rebert, Ronan Sablon, Nicolas Vidal, Pierre Charrier, Robert Soubaras</i> | |
| REVERSE TIME MIGRATION OF MARINE MODELS WITH ELASTIC WAVE EQUATION AND AMPLITUDE PRESERVATION | 3349 |
| <i>Suhas Phadke, Santosh Dhubia</i> | |
| APPLICATION OF THE VELOCITY-LESS PRESTACK TIME MIGRATION TO THE 2D MARINE LINE | 3354 |
| <i>Konstantin Tertyshnikov, Andrej Bóna, Roman Pevzner, Milovan Urosevic</i> | |
| ANISOTROPIC PRESTACK TIME MIGRATION ANGLE GATHERS OF VTI MEDIA | 3359 |
| <i>Shi Heng, Liu Hong, Ding Renwei, Li Bo</i> | |
| ANGLE-DOMAIN MIGRATION VELOCITY ANALYSIS USING WAVE-EQUATION REFLECTION TRAVELTIME INVERSION | 3364 |
| <i>Sanzong Zhang, Gerard Schuster, Yi Luo</i> | |
| EFFICIENT RTM ANGLE GATHERS USING SOURCE PROPAGATION DIRECTION AND REFLECTOR NORMAL DIRECTION | 3370 |
| <i>Lei-Zhao, Bo-Feng, Huazhong Wang</i> | |
| DIRECTIONAL IMAGING STACK (DIS) FOR SHOT BASED PRESTACK DEPTH MIGRATIONS | 3375 |
| <i>Wilfred Whiteside, Alex Yeh, Bin Wang</i> | |
| UNDERSTANDING THE REVERSE TIME MIGRATION BACKSCATTERING: NOISE OR SIGNAL? | 3380 |
| <i>Esteban Diaz, Paul Sava</i> | |
| CROSSWELL SEISMIC IMAGING USING TRANSMITTED AND REFLECTED DATA | 3386 |
| <i>Shouwei Liu, Shengchan Chen, Huazhong Wang</i> | |
| ANISOTROPY SIGNATURE IN EXTENDED IMAGES FROM REVERSE-TIME MIGRATION | 3391 |
| <i>Paul Sava, Tariq Alkhalifah</i> | |
| IMAGING THREE-WAY CLOSURES BY COMBINING A DECONVOLUTION IMAGING CONDITION WITH VECTOR OFFSET OUTPUT RTM | 3397 |
| <i>Nicolas Chazalnoel, Beng Ong, Wei Zhao</i> | |
| ACCELERATION OF THE ANISOTROPIC PSPI IMAGING ALGORITHM WITH DATAFLOW ENGINES | 3402 |
| <i>Carlo Tomas, Luca Cazzola, Diego Oriato, Oliver Pell, Daniela Theis, Guido Satta, Ernesto Bonomi</i> | |
| A PSEUDO-ANALYTICAL METHOD TO SOLVE THE ACOUSTIC WAVE EQUATION FOR MODELING AND RTM | 3407 |
| <i>Adriano W. G. Dos Santos, Reynam C. Pestana</i> | |
| COMPENSATING VISCOACOUSTIC EFFECTS IN ANISOTROPIC REVERSE-TIME MIGRATION | 3412 |
| <i>Sang Suh, Kwangjin Yoon, James Cai, Bin Wang</i> | |
| COMPLEX STRUCTURAL IMAGING IN THE TARAKAN BASIN: A CASE STUDY, OFFSHORE INDONESIA | 3417 |
| <i>J. Song, C. Reta-Tang, X. Ma, G. Rodriguez, B. Beck, N. Hokanson, J. Xu, A. Snyder</i> | |
| IMPROVING RTM IMAGES WITH ANGLE GATHERS | 3422 |
| <i>Sean Crawley, N. D. Whitmore, Armando Sosa, Mike Jones</i> | |
| REMOVE RTM ARTIFACTS USING DELAYED IMAGING TIME GATHERS | 3427 |
| <i>Jing Xie, Wilfred Whiteside, Bin Wang</i> | |
| LEAST-SQUARES REVERSE-TIME MIGRATION | 3432 |
| <i>Gang Yao, Helmut Jakubowicz</i> | |
| NONLINEAR LEAST-SQUARES REVERSE-TIME MIGRATION | 3437 |
| <i>Gang Yao, Helmut Jakubowicz</i> | |

| | |
|---|------|
| PASSIVE INTERFEROMETRIC IMAGING FOR LIMITED ILLUMINATION USING SLOWNESS DIAGNOSIS AND DIRECTIONALLY CONSTRAINED GAUSSIAN BEAM MIGRATION | 3442 |
| <i>Carlos Almagro Vidal, Joost Van Der Neut, Deyan Draganov, Kees Wapenaar, Arie Verdel</i> | |
| ITERATIVE VELOCITY MODEL BUILDING USING GPU BASED LAYER-STRIPPING TTI RTM | 3447 |
| <i>Qien Ji, Sang Suh, Bin Wang</i> | |
| LEAST-SQUARES REVERSE TIME MIGRATION: TOWARD TRUE AMPLITUDE IMAGING AND IMPROVING THE RESOLUTION | 3452 |
| <i>S. Dong, J. Cai, M. Guo, S. Suh, Z. Zhang, B. Wang, Z. Li</i> | |
| SPARSITY-PROMOTING MIGRATION ACCELERATED BY MESSAGE PASSING | 3457 |
| <i>Xiang Li, Felix J. Herrmann</i> | |
| PHASE-SPACE COMPUTATION OF MULTIARRIVAL TRAVELTIMES, PART I: THEORY AND CONCEPTS | 3463 |
| <i>Vladimir Bashkardin, Sergey Fomel, Thomas J. Browaeys, Fuchun Gao, Paul Williamson, Roman Kazinnik, Scott A. Morton, Sergey Terentyev, Alexander Vladimirovsky</i> | |
| NEWTON-MARCHENKO-ROSE IMAGING | 3469 |
| <i>Jyoti Behura, Roel Snieder, Kees Wapenaar</i> | |
| PHASE-SPACE COMPUTATION OF MULTIARRIVAL TRAVELTIMES, PART II: IMPLEMENTATION AND APPLICATION TO ANGLE-DOMAIN IMAGING | 3475 |
| <i>Vladimir Bashkardin, Sergey Fomel, Thomas J. Browaeys, Fuchun Gao, Scott A. Morton, Sergey Terentyev, Alexander Vladimirovsky</i> | |
| I-CRS: APPLICATION OF A NEW MULTIPARAMETER STACKING APPROACH TO COMPLEX MEDIA | 3481 |
| <i>B. Schwarz, C. Vanelle, D. Gajewski, B. Kashtan</i> | |
| RAPID ESTIMATES OF CONVERTED-WAVE VELOCITIES USING PRESTACK MIGRATION | 3486 |
| <i>Thais Guirigay, John C. Bancroft, Helen Isaac</i> | |
| IMAGING WITH MULTIPLES ACCELERATED BY MESSAGE PASSING | 3491 |
| <i>Ning Tu, Felix J. Herrmann</i> | |
| ENHANCING A SEISMIC IMAGE AFTER MIGRATION USING DECONVOLUTION | 3497 |
| <i>John C. Bancroft, Thais Guirigay, Helen Isaac</i> | |
| FULL WAVEFIELD MIGRATION IN MULTIDIMENSIONAL MEDIA: EXAMPLES | 3502 |
| <i>M. V. Davydenko, X. R. Staal, D. J. Verschuur</i> | |
| WAVE-EQUATION ANGLE-BASED ILLUMINATION WEIGHTING STUDY: THUNDER HORSE, GULF OF MEXICO | 3507 |
| <i>Mariana Gherasim, Uwe Albertin, Bertram Nolte, John Etgen, Phuong Vu, Petr Jilek, Matt Trout, Ken Hartman</i> | |
| IMPROVING COMPLEX STRUCTURE IMAGE BY REVERSE-TIME MIGRATION IN MOUNTAINOUS AREAS | 3512 |
| <i>Yalin Li, Guangming He, Chuanwen Sun</i> | |
| PRACTICAL USE OF KIRCHHOFF PSDM DIP-GATHER STACKING IN COMPLEX AREAS WITH LOW S/N RATIO | 3517 |
| <i>Yancang Wang, Fengqi Qin, Chuanwen Sun</i> | |
| WHAT REALLY IS THE DIFFERENCE BETWEEN TIME AND DEPTH MIGRATION? A TUTORIAL | 3522 |
| <i>John T. Etgen, Chandan Kumar</i> | |
| REVERSE TIME MIGRATION SURFACE OFFSET GATHERS, PART 2: USING THE FULL POWER OF WIDE-AZIMUTH INFORMATION | 3527 |
| <i>Laurent Lemaître, Raphael Lençerrot, Philippe-David Prat, Pierre Joussetin, Celso Gomes</i> | |
| GPU-BASED PSPI ONE-WAY WAVE HIGH-RESOLUTION MIGRATION | 3532 |
| <i>Hongwei Liu, Hong Liu, Xiaodong Shi, Renwei Ding, Jianhua Liu</i> | |
| 3D ELASTIC MIGRATION WITH TOPOGRAPHY BASED ON SPECTRAL-ELEMENT AND ADJOINT METHODS | 3537 |
| <i>Yang Luo, Jeroen Tromp, Bertrand Denel, Henri Calandra</i> | |
| OPTIMAL MIGRATION APERTURE FOR CONFLICTING DIPS | 3542 |
| <i>Alexander Klovov, Sergey Fomel</i> | |
| AVA ANALYSIS BASED ON RTM ANGLE-DOMAIN COMMON IMAGE GATHER | 3548 |
| <i>Rui Yan, Xiao-Bi Xie</i> | |
| PRESTACK EXPLODING REFLECTOR MODELING AND MIGRATION FOR ANISOTROPIC MEDIA: A PARAMETER ESTIMATION TOOL | 3554 |
| <i>Tariq Alkhalifah</i> | |
| FREQUENCY-DOMAIN REVERSE TIME MIGRATION USING THE LOGARITHM AND THE L_1-NORM OF A WAVEFIELD | 3559 |
| <i>Jeeun Lee, Youngseo Kim, Changsoo Shin</i> | |
| CRITICAL REFLECTION ILLUMINATION ANALYSIS | 3564 |
| <i>Jun Cao, Joel Brewer</i> | |
| 3D BEAMLET MIGRATION IN VTI MEDIUM | 3569 |
| <i>Jian Mao, Ru-Shan Wu, Biaolong Hua, Paul Williamson</i> | |
| COMPENSATING FOR SOURCE AND RECEIVER GHOST EFFECTS IN REVERSE TIME MIGRATION | 3575 |
| <i>Yu Zhang, Graham Roberts, Adel Khalil</i> | |
| IMPROVING SUBSALT IMAGES USING TILTED-ORTHORHOMBIC RTM IN GREEN CANYON, GULF OF MEXICO | 3580 |
| <i>Monica Thomas, Sabaesan Mothi, Patrick McGill</i> | |
| GENERALIZED PSEUDOSPECTRAL METHODS FOR ORTHORHOMBIC MODELING AND REVERSE-TIME MIGRATION | 3585 |
| <i>Paul J. Fowler, Cintia Lapilli</i> | |

| | |
|--|------|
| 3D WAVE EQUATION KIRCHHOFF MIGRATION | 3590 |
| <i>John T. Etgen</i> | |
| APPLICATIONS OF RTM INVERSE SCATTERING IMAGING CONDITIONS | 3595 |
| <i>N. D. Whitmore, Sean Crawley</i> | |
| ELASTIC MIGRATION FOR IMPROVING SALT AND SUBSALT IMAGING AND INVERSION | 3601 |
| <i>Kun Jiao, Wei Huang, Denes Vigh, Jerry Kapoor, Richard Coates, E. William Starr, Xin Cheng</i> | |
| SIGNAL ENHANCEMENT USING DIVERSITY SHOT STACKING FOR REVERSE TIME MIGRATION (DESSERT) | 3606 |
| <i>Ken H. Matson, Jim Clippard, Paul Cattermole</i> | |
| ELASTIC REVERSE-TIME MIGRATION USING THE HELMHOLTZ DECOMPOSITION IN THE TIME DOMAIN | 3611 |
| <i>Wookeun Chung, Sungryul Shin, Jungkyun Shin, Changsoo Shin</i> | |
| PYRAMID-SHAPED GRID FOR ELASTIC WAVE PROPAGATION | 3617 |
| <i>Feng Chen, Sheng Xu</i> | |
| COMMON-IMAGE GATHERS: AMPLITUDE-PRESERVATION COMPARISON OF REVERSE-TIME MIGRATION AND KIRCHHOFF MIGRATION USING PHYSICAL MODEL DATA WITH COMPLEX STRUCTURES | 3622 |
| <i>Di Wang, Sam Zandong Sun, Wenbo Sun</i> | |
| | |
| <u>SEISMIC PROCESSING: MULTIPLES</u> | |
| 2D PREDICTIVE SHALLOW WATER DEMULTIPLE | 3627 |
| <i>Hongwei Wang, Yong Sun, Scott Boyer, Gary Yu, Jaime Stein, Shelley Vanreenen</i> | |
| ENHANCED SHALLOW WATER DEMULTIPLE TECHNOLOGY | 3632 |
| <i>Hongwei Wang, Yong Sun, Scott Boyer, Gary Yu, Jaime Stein, Shelley Van Reenen</i> | |
| FOCUSING INSIDE AN UNKNOWN MEDIUM USING REFLECTION DATA WITH INTERNAL MULTIPLES: NUMERICAL EXAMPLES FOR A Laterally Varying Velocity Model, Spatially Extended Virtual Source, and Inaccurate Direct Arrivals | 3637 |
| <i>Filippo Broggin, Roel Snieder, Kees Wapenaar</i> | |
| A PRACTICAL APPROACH TO PREDICTION OF INTERNAL MULTIPLES AND GHOSTS | 3642 |
| <i>Jyoti Behura, Farnoush Forghani</i> | |
| CONNECTING DECONVOLUTION AND SRME | 3647 |
| <i>Gert-Jan Van Groenestijn, Warren Ross, Gunaseelan Nandan Cumaran</i> | |
| INTEGRATED MIGRATION AND INTERNAL MULTIPLE ELIMINATION | 3652 |
| <i>Kees Wapenaar, Jan Thorbecke, Joost Van Der Neut, Evert Slob, Filippo Broggin, Jyoti Behura, Roel Snieder</i> | |
| MULTIPLE SUPPRESSION IN THE T-X-P DOMAIN | 3657 |
| <i>Shaunak Ghosh, Sergey Fomel</i> | |
| MODEL-BASED WATER-LAYER DEMULTIPLE (MWD) FOR SHALLOW WATER: FROM STREAMER TO OBS | 3663 |
| <i>Hongzheng Jin, Ping Wang</i> | |
| SRME AND ESTIMATION OF PRIMARIES BY SPARSE INVERSION: A HYBRID APPROACH | 3668 |
| <i>G. Lopez, D. J. Verschuur</i> | |
| ADAPTIVE MULTIPLE SEPARATION BASED ON INFORMATION MAXIMIZATION | 3673 |
| <i>Kuang-Hung Liu, William H. Dragoset</i> | |
| MULTIPLE ATTENUATION USING MULTICHANNEL PREDICTIVE DECONVOLUTION IN RADIAL DOMAIN | 3679 |
| <i>Zhipeng Liu, Wei Zhao, Zhenyu Zhu</i> | |
| UNARY ADAPTIVE SUBTRACTION OF JOINT MULTIPLE MODELS WITH COMPLEX WAVELET FRAMES | 3684 |
| <i>Sergi Ventosa, Sylvain Le Roy, Irène Huard, Antonio Pica, Hérald Rabeson, Laurent Duval</i> | |
| MULTIPLE SUPPRESSION BASED ON POLYNOMIAL FITTING | 3689 |
| <i>Zou Zhen, Ling Yun, Wang Yong Jun, Gao Jun</i> | |
| A FAST BUTTERFLY ALGORITHM FOR THE HYPERBOLIC RADON TRANSFORM | 3694 |
| <i>Jingwei Hu, Lexing Ying, Sergey Fomel, Laurent Demanet</i> | |
| AN APPROACH TO OPTIMIZE THE MULTIPLE CONTRIBUTION GATHER APERTURE | 3699 |
| <i>Ke Benxi, Li Peng, Fang Yunfeng, Huang Zhi</i> | |
| PREDICTING MULTIPLES USING A REVERSE TIME DEMIGRATION | 3704 |
| <i>Yu Zhang, Lian Duan</i> | |
| INTERNAL DEMULTIPLE METHODOLOGY WITHOUT IDENTIFYING THE MULTIPLE GENERATORS | 3709 |
| <i>Barry Hung, Min Wang</i> | |
| TARGETING 3D INTERNAL MULTIPLES FOR ELIMINATION | 3714 |
| <i>Simon King, Richard Dyer</i> | |
| HIGH-RESOLUTION MOVEOUT TRANSFORM: A ROBUST TECHNIQUE FOR MODELING STACKABLE SEISMIC EVENTS | 3719 |
| <i>Hassan Masoomzadeh, Anthony Hardwick</i> | |
| IMAGING WITH MULTIPLES USING LINEARIZED FULL-WAVE INVERSION | 3724 |
| <i>Mandy Wong, Biondo Biondi, Shuki Ronen</i> | |
| MULTIPLES PREDICTION FROM MIGRATED SECTION | 3729 |
| <i>Carlo Fortini, Vincenzo Lipari, Nicola Bienati</i> | |

| | |
|--|------|
| SHALLOW WATER DEMULTIPLE WITH SEAFLOOR REFLECTION MODELING USING MULTICHANNEL PREDICTION OPERATOR | 3734 |
| <i>Kunlun Yang, Barry Hung</i> | |

SEISMIC PROCESSING: NOISE ATTENUATION

| | |
|--|------|
| PRESTACK DEGHOSTING FOR VARIABLE-DEPTH STREAMER DATA | 3739 |
| <i>Robert Soubaras</i> | |
| COMMON-OFFSET CRS FOR ADVANCED IMAGING IN COMPLEX GEOLOGICAL SETTINGS | 3744 |
| <i>Miriam Spinner, Carlo Tomas, Paolo Marchetti, Claudio Gallo, Shams Arfeen, Eni Pakistan Lim</i> | |
| SEPARATION OF SIGNAL AND NOISE BY SIGNATURE DECONVOLUTION | 3749 |
| <i>Anton Ziolkowski</i> | |
| BEAM FORMING BY LEAST-SQUARE INVERSION WITH RADON SPECTRUM CONSTRAINTS | 3754 |
| <i>Jiangtao Hu, Xiongwen Wang, Huazhong Wang</i> | |
| EFFECTIVE SEISMIC INTERFERENCE ELIMINATION ENABLED BY MULTICOMPONENT DATA FROM MARINE ACQUISITIONS | 3759 |
| <i>Massimiliano Vassallo, Kurt Eggenberger, Dirk-Jan Van Manen, Susanne Rentsch, Wouter Brouwer, Ali Özbek</i> | |
| EDGE-PRESERVING SMOOTHING FOR SEGMENTATION OF SEISMIC IMAGES | 3764 |
| <i>Adam D. Halpert</i> | |
| SUPPRESSING HARMONICS BASED ON SINGULAR VALUE DECOMPOSITION IN TIME FREQUENCY DOMAIN | 3769 |
| <i>Xia Jianjun, Yan Jie, Guo Yong, Cai Xiling</i> | |
| 3D NONLINEAR STACK ENHANCEMENT: CORRELATION-BASED STACKING | 3774 |
| <i>Stefan Compton, Christof Stork</i> | |
| OPTIMAL STACKING | 3779 |
| <i>Madhav Vyas, Arvind Sharma</i> | |
| GREEN'S THEOREM DERIVED DEGHOSTING: FUNDAMENTAL ANALYSIS, NUMERICAL TEST RESULTS, AND IMPACT ON ISS FREE-SURFACE MULTIPLE ELIMINATION | 3784 |
| <i>Zhiqiang Wang, Arthur B. Weglein, James D. Mayhan, Paolo Terenghi, Christian Rivera</i> | |
| ROBUST RANK-REDUCTION FILTERING FOR ERRATIC NOISE | 3789 |
| <i>Stewart Trickett, Lynn Burroughs, Andrew Milton</i> | |
| INTEGRATION OF DEBLENDING AND SURFACE-RELATED MULTIPLE ELIMINATION: APPLICATION TO MARINE DATA | 3794 |
| <i>Panagiotis Doulgeris, Gerrit Blacquièrè, Eric Verschuur</i> | |
| NOISE SUPPRESSION AND DATA INTERPOLATION WITH 3D CRS-OIS | 3800 |
| <i>Yao Ni, Kai Yang, Yu-Xiang Wang</i> | |
| SUBSALT ILLUMINATION ANALYSIS USING RTM 3D DIP GATHERS | 3805 |
| <i>Zhengxue Li, Bing Tang, Shuo Ji</i> | |
| SEISMIC DATA DECOMPOSITION INTO SPECTRAL COMPONENTS USING REGULARIZED NONSTATIONARY AUTOREGRESSION | 3811 |
| <i>Sergey Fomel</i> | |
| FX PLUS DECONVOLUTION FOR SEISMIC DATA NOISE REDUCTION | 3817 |
| <i>Mike Galbraith, Zhengsheng Yao</i> | |
| SEISMIC EVENT PARAMETERIZATION IN THE FRACTIONAL FOURIER TRANSFORM DOMAIN | 3821 |
| <i>Khalid H. Miah, David K. Potter</i> | |
| NOISE SUPPRESSION IN SURFACE MICROSEISMIC DATA BY T-P TRANSFORM | 3826 |
| <i>Farnoush Forghani-Arani, Mike Batzle, Jyoti Behura, Mark Willis, Seth Haines, Michael Davidson</i> | |

VOLUME 6

| | |
|---|------|
| NOISE SUPPRESSION USING PRECONDITIONED LEAST-SQUARES PRESTACK TIME MIGRATION: APPLICATION TO THE MISSISSIPPIAN LIMESTONE | 3831 |
| <i>Shiguang Guo, Bo Zhang, Kurt J. Marfurt, Alejandro Cabrales-Vargas</i> | |
| REDUCING RANDOM NOISE IN VECTOR FIELD USING VECTOR MEDIAN FILTER | 3837 |
| <i>Yike Liu, Yi Luo</i> | |
| A DIRECT COMPARISON OF SIGNAL QUALITY BETWEEN DENSE POINT-RECEIVER AND SIMULATED CONVENTIONAL 2D LINE DATA OVER THE BAKKEN FORMATION IN NORTH DAKOTA | 3842 |
| <i>Niranjan Banik, Antoun Salama, Adam Koesoemadinata, George El-Kaseeh, Mark Egan, Alfonso Gonzalez</i> | |
| A GPU BASED 3D COMMON REFLECTION SURFACE STACK ALGORITHM WITH THE OUTPUT IMAGING SCHEME (3D-CRS-OIS) | 3847 |
| <i>Yao Ni, Kai Yang</i> | |
| A FAST RANK REDUCTION METHOD FOR F-X-Y NOISE ATTENUATION | 3852 |
| <i>Jianjun Gao, David C. Bonar, Mauricio D. Sacchi, Zhipeng Liu</i> | |
| NOISE REDUCTION BASED ON WAVELET THRESHOLD FILTERING AND ENSEMBLE EMPIRICAL MODE DECOMPOSITION | 3858 |
| <i>Wei Chen, Shangxu Wang, Xiaoyu Chuai, Zhen Zhang</i> | |
| COHERENT NOISE ESTIMATION BY ADAPTIVE HANKEL MATRIX RANK REDUCTION | 3863 |
| <i>Nirupama Nagarajappa</i> | |

| | |
|--|------|
| BLIND DECONVOLUTION OF SEISMIC DATA BASED ON KAGAN DIVERGENCES | 3868 |
| <i>Wei Zhao, Zhenyu Zhu, Bing Zhang, Jinghui Gao</i> | |
| FAST AND ROBUST DEBLENDING USING APEX SHIFTED RADON TRANSFORM | 3873 |
| <i>Daniel Trad, Risto Siliqi, Gordon Poole, Jean-Luc Boelle</i> | |
| MULTISCALE NOISE ATTENUATION OF MULTICOMPONENT (4C) TOWED-STREAMER DATA | 3878 |
| <i>Ahmet Kemal Özdemir, Bent Kjellesvig, Ali Özbek, James Martin</i> | |
| FIRST APPLICATION OF GREEN'S THEOREM DERIVED SOURCE AND RECEIVER DEHOSTING ON DEEP WATER GULF OF MEXICO SYNTHETIC (SEAM) AND FIELD DATA | 3883 |
| <i>James D. Mayhan, Arthur B. Weglein, Paolo Terenghi</i> | |
| SEISMIC SPECTRAL DECOMPOSITION AND DENOISING WITH IN-CROWD ALGORITHM | 3888 |
| <i>Li Han, Ligu Han</i> | |
| CHARACTERIZING AND SUPPRESSING A VERY LOW FREQUENCY OBC NOISE | 3893 |
| <i>John F. Parrish, M. Lee Bell, Richard W. Verm</i> | |
| SUCCESSFUL IMAGING OF LAND HYDROPHONE AND DUAL SENSOR DATA IN A DRY DESERT ENVIRONMENT | 3898 |
| <i>Roy Burnstad, Andrey Bakulin, Mike Jervis, Dmitry Alexandrov</i> | |
| AN EFFECTIVE F-K DOMAIN RANDOM NOISE SUPPRESSION TECHNIQUE APPLIED TO A LAND DATA SET | 3903 |
| <i>Fuhao Qin, Roy M. Burnstad, Pierre C. Leger</i> | |
| SEPARATING SOURCES IN MARINE SIMULTANEOUS SHOOTING ACQUISITION: METHOD AND APPLICATIONS | 3908 |
| <i>Rolf Baardman, Roald Van Borselen</i> | |
| MULTIDIMENSIONAL DECONVOLUTION OF SEISMIC-INTERFEROMETRY ARCTIC DATA | 3913 |
| <i>Flavio Poletto, Cinzia Bellezza</i> | |

SPECIAL SESSION

| | |
|---|------|
| MAXIMIZING THE VALUE OF SINGLE-SENSOR MEASUREMENTS, KUWAIT EXPERIENCE | 3918 |
| <i>Adel El-Emam, Sayed Khalil</i> | |
| EXPERIENCE FROM USING 3D CSEM IN THE MEXICAN DEEPWATER EXPLORATION PROGRAM | 3923 |
| <i>José Antonio Escalera Alcocer, Marco Vázquez García, Humberto Salazar Soto, Friedrich Roth, Daniel Baltar, Pål T. Gabrielsen, Valente Ricoy Paramo</i> | |
| SEISMIC DIFFRACTION: WHERE'S THE VALUE? | 3928 |
| <i>Evgeny Landa</i> | |
| SHOULD ONE HONOR OR IGNORE POLARITY DURING GATHER FLATTENING | 3932 |
| <i>Necati Gulunay</i> | |
| SIMULTANEOUS SOURCES: THE INAUGURAL FULL-FIELD, MARINE SEISMIC CASE HISTORY | 3937 |
| <i>Craig Beasley, Ian Moore, David Monk, Lawrence Hansen</i> | |
| FIRST FIELD DATA EXAMPLES OF INVERSE SCATTERING SERIES DIRECT DEPTH IMAGING WITHOUT THE VELOCITY MODEL | 3942 |
| <i>Arthur B. Weglein, Fang Liu, Xu Li, Paolo Terenghi, James D. Mayhan, Zhiqiang Wang, Hong Liang, Lin Tang, Shih-Ying Hsu, Joachim Mispel, Lasse Amundsen, Ed Kragh</i> | |
| TOWARD BROADER BANDWIDTH AND HIGHER CHANNEL COUNTS | 3948 |
| <i>Guido Baeten, Jay Hwang, Wim Walk</i> | |
| HOW LONG SHOULD THE SWEEP BE? | 3953 |
| <i>Julien Meunier, Thomas Bianchi</i> | |
| A BROADBAND FULL-AZIMUTH LAND SEISMIC CASE STUDY FROM SAUDI ARABIA USING A 100,000 CHANNEL RECORDING SYSTEM AT 6 TERABYTES PER DAY: ACQUISITION AND PROCESSING LESSONS LEARNED | 3958 |
| <i>Peter I. Pecholcs, Riyadh Al-Saad, Muneer Al-Sannaa, John Quigley, Claudio Bagaini, Alexander Zarkhidze, Roger May, Mohamed Guellili, Sokol Sinanaj, Mohamed Membrouk</i> | |
| THE FEASIBILITY AND VALUE OF LOW-FREQUENCY DATA COLLECTED USING CO-LOCATED 2 HZ AND 10 HZ GEOPHONES | 3963 |
| <i>Stephen K. Chiu, Peter Eick, Michael Davidson, Jeff Malloy, Jack Howell</i> | |
| A LOW-FREQUENCY SEISMIC FIELD EXPERIMENT | 3968 |
| <i>G. F. Margrave, M. B. Bertram, K. L. Bertram, K. W. Hall, K. A. H. Innanen, D. C. Lawton, L. E. Mewhort, T. M. Phillips, M. Hall</i> | |
| A BROADBAND FULL-AZIMUTH LAND SEISMIC CASE STUDY FROM SAUDI ARABIA: INTERPRETATION AND INVERSION LESSONS LEARNED | 3973 |
| <i>Brian P. Wallick, Luis Giroldi, Husam Mustafa, Ayman Suleiman, Dominic Lowden, Karim Elsadany, Mukarram Ahmed, Roberto Fairstein</i> | |
| LAND SEISMIC LOW FREQUENCIES: ACQUISITION, PROCESSING AND FULL WAVE INVERSION OF 1.5 - 86 HZ | 3978 |
| <i>S. Mahrooqi, S. Rawahi, S. Yarubi, S. Abri, A. Yahyai, M. Jahdhami, K. Hunt, J. Shorter</i> | |
| COMPARISON OF TIME-LAPSE GPR DATA COLLECTED UNDER NATURAL AND FORCED INFILTRATION CONDITIONS TO ESTIMATE VADOSE ZONE HYDRAULIC PARAMETERS | 3983 |
| <i>M. Scholer, J. Irving, K. Holliger, M. Looms, L. Nielsen</i> | |
| A PSEUDO-SPECTRAL METHOD FOR SIMULATING POROELASTIC SEISMIC WAVE PROPAGATION IN COMPLEX BOREHOLE ENVIRONMENTS | 3988 |
| <i>Rolf Sidler, Klaus Holliger, Jose M. Carcione</i> | |

| | |
|---|------|
| ELECTRICAL RESISTIVITY IMAGING AND FLUID MODELING OF FREE CONVECTION IN A COASTAL SABKHA | 3994 |
| <i>Remke L. Van Dam, Brian P. Eustice, Warren W. Wood, David W. Hyndman, Craig T. Simmons</i> | |
| MONITORING TRACERS WITH TIME-LAPSE ELECTRICAL METHODS: ISSUES WITH REACTIONS AND SURFACE CONDUCTANCE | 4000 |
| <i>Kamini Singha, Li Li, Frederick D. Day-Lewis, Aaron B. Regberg</i> | |
| MONITORING INFILTRATION IN 3D USING MULTICHANNEL GROUND-PENETRATING RADAR | 4006 |
| <i>Adam R. Mangel, Stephen M. J. Moysey, Andrea Creighton, Alex Smolka, Matthew Finley</i> | |
| IMPROVED IMAGING OF ELECTRICALLY CONDUCTIVE SOLUTE PLUME USING A NEW STRATEGY FOR PHYSICS-BASED REGULARIZATION OF RESISTIVITY IMAGING PROBLEMS | 4011 |
| <i>Erasmus Oware, Stephen Moysey, Taufiqar Khan</i> | |
| A BRUTE-STRENGTH APPROACH TO IMPROVING THE QUALITY OF SEISMOELECTRIC DATA | 4017 |
| <i>Timothy Dean, Christian Dupuis, Jason Valuri, Rolf Herrmann</i> | |
| SEISMIC INVERSION IN THE BARNETT SHALE SUCCESSFULLY PINPOINTS SWEET SPOTS TO OPTIMIZE WELL-BORE PLACEMENT AND REDUCE DRILLING RISKS | 4023 |
| <i>Roxana Varga, Alex Pachos, Ted Holden, John Pendrel, Roberto Lotti, Junio Marini, Elena Spadafora</i> | |
| ROCK PHYSICS OF ORGANIC SHALE AND ITS APPLICATIONS | 4028 |
| <i>Lev Vernik, Shihong Chi, Julia Khadeeva</i> | |
| CHARACTERIZATION OF SHALE GAS RESERVOIRS USING SEISMIC AND WELL DATA AT HORN RIVER, CANADA | 4030 |
| <i>Matthew Davie, Yaping Zhu, Olga Rehkopf, Kaushik Bandyopadhyay</i> | |
| PSDM FOR UNCONVENTIONAL RESERVOIRS? A NIOBRARA SHALE CASE STUDY | 4035 |
| <i>Morgan P. Brown, Joseph H. Higginbotham, Cosmin M. Macesanu, Oscar E. Ramirez, Dave List, Chris Lang</i> | |
| INTEGRATED STUDY OF AN EAGLE FORD SHALE PLAY USING A VARIETY OF SEISMIC ATTRIBUTES | 4040 |
| <i>Joanne Wang, Duane Dopkin, Richard Kelvin</i> | |
| INDUCED SEISMICITY: MONITORING TO MITIGATION | 4043 |
| <i>Peter M. Duncan</i> | |
| INCORPORATING STRESS ANISOTROPY IN DETERMINING TIME-DEPENDENT ROCK PROPERTIES DURING PRODUCTION OPTIMIZATION AND ENVIRONMENTAL MONITORING IN SHALE RESERVOIRS | 4045 |
| <i>Azra N. Tutuncu</i> | |
| ROCK PROPERTY INVERSION IN ORGANIC-RICH SHALES: UNCERTAINTIES, AMBIGUITIES, AND PITFALLS | 4047 |
| <i>Kaushik Bandyopadhyay, Ramanabha Sain, Enru Liu, Chris Harris, Alex Martinez, Michael Payne, Yaping Zhu</i> | |
| MODEL REDUCTION AND INTERPOLATION METHODS IN UNCERTAINTY QUANTIFICATION | 4052 |
| <i>Paul G. Constantine</i> | |
| INTEGRATED UNCERTAINTY ASSESSMENT: FROM SEISMIC AND WELL LOGS TO FLOW SIMULATION | 4054 |
| <i>Emmanuel Gringarten</i> | |
| SPARSE, ACCURATE SEISMIC-TOMOGRAPHIC RESIDUAL-COVARIANCE MATRICES USING ORTHOGONAL WAVELETS | 4056 |
| <i>Aime Fournier, Yi Yang, Yu You, Konstantin Osypov</i> | |
| RELATIVE EVENT LOCALIZATION IN UNCERTAIN VELOCITY MODEL | 4062 |
| <i>Oleg V. Poliannikov, Alison Malcolm, Michael Prange, Hugues Djikpessé</i> | |
| DATA INVERSION UNDER GEOLOGICAL SCENARIO UNCERTAINTY | 4064 |
| <i>Jef Caers</i> | |
| EFFICIENT ESTIMATION OF POLYNOMIAL CHAOS PROXIES USING GENERALIZED SPARSE QUADRATURE | 4066 |
| <i>M. J. Tompkins, M. Prange</i> | |
| <u>SEISMIC THEORY</u> | |
| DATA-DRIVEN TIME IMAGING OF 2D ACOUSTIC MEDIA WITHOUT A VELOCITY MODEL | 4071 |
| <i>Ernesto Bonomi, Gianluigi Caddeo, Antonio M. Cristini, Paolo Marchetti</i> | |
| MARINE BROADBAND SEISMIC: IS THE EARTH RESPONSE HELPING THE RESOLUTION REVOLUTION? | 4076 |
| <i>N. Woodburn, A. Hardwick, R. Herring</i> | |
| QUANTITATIVE COMPARISON OF SIMULATIONS OF SEISMIC WAVE PROPAGATION IN HETEROGENEOUS POROELASTIC MEDIA INVOLVING FLUID-SOLID INTERFACES AND IN EQUIVALENT VISCOELASTIC SOLIDS | 4081 |
| <i>Rolf Sidler, J. German Rubino, Klaus Holliger</i> | |
| GENERALIZED WINDOWED TRANSFORMS FOR SEISMIC PROCESSING AND IMAGING | 4087 |
| <i>Charles C. Mosher</i> | |
| TIME-SERIES ANALYSIS OF INTERFEROMETRY IN DIFFUSIVE SYSTEMS | 4092 |
| <i>Sharmin Shamsalsadati, Chester J. Weiss</i> | |
| MODELING CROSSCORRELATIONS FOR PASSIVE SOURCE, CONTROLLED SOURCE, AND DRILL BIT INTERFEROMETRY | 4098 |
| <i>Ryan Modrak, Yang Luo, Jeroen Tromp</i> | |

| | |
|--|------|
| SEISMIC SCANNING TUNNELING MACROSCOPE: THEORY | 4103 |
| <i>Gerard T. Schuster, Sherif M. Hanafy, Yunsong Huang</i> | |
| COMPARISON OF DIFFERENT SCALING METHODS OF RECEIVER WAVEFIELD FOR WAVE EQUATION MIGRATION | 4108 |
| <i>Yi Tao, Mrinal K. Sen</i> | |
| AVO THEORY FOR LARGE CONTRAST ELASTIC AND ANELASTIC TARGETS IN PRECRITICAL REGIMES | 4114 |
| <i>K. A. Inmanen</i> | |
| A METHOD TO ESTIMATE SEISMIC HETEROGENEITY THROUGH SP-WAVES AND FREQUENCY DEPENDENT QUALITY FACTOR Q ANALYSES: A CASE STUDY IN SOUTHEASTERN OFFSHORE OF HOKKAIDO, JAPAN | 4120 |
| <i>Yohei Nishitsuji, Issei Doi</i> | |
| 2D PRE- AND POSTSTACK DIFFRACTION SEPARATION AND IMAGING | 4125 |
| <i>Endrias G. Asgedom, Leiv J. Gelius, J. H. Faccipieri, Martin Tygel</i> | |
| CREATING A VIRTUAL SOURCE INSIDE A MEDIUM FROM REFLECTION DATA WITH INTERNAL MULTIPLES: A STATIONARY-PHASE ANALYSIS | 4130 |
| <i>Filippo Broggin, Roel Snieder, Kees Wapenaar</i> | |
| EIKONAL EQUATION ON THE UNSTRUCTURED GRIDS USING QUADRATIC INTERPOLATION | 4135 |
| <i>Anton Zaicenco</i> | |
| ENHANCED IMAGING USING BANDWIDTH EXTENDING OPERATORS AND PRESTACK Q-INVERSION OVER THE NORTHWEST EUROPEAN VOLCANIC MARGIN | 4140 |
| <i>Anthony Hardwick, Nick Woodburn, James Whittaker</i> | |
| <u>SEISMIC VELOCITY ESTIMATION</u> | |
| BENEFITS OF CONSTRAINTS FOR VELOCITY MODELING A FAULT SHADOW: A CASE STUDY | 4145 |
| <i>Derek Quigley, Angus Mann, Alexis Fitzpatrick, August Lau, Kyle Stewart, Chuan Yin</i> | |
| NULL SPACE OF JOINT REFLECTION AND DIVING RAY TOMOGRAPHY IN TI MEDIA | 4150 |
| <i>Jacopo Panizzardi, Nicola Bienati</i> | |
| EFFICIENT REFLECTION TOMOGRAPHY WITH RAY TAKE-OFF DIRECTIONS COLLECTED FROM BEAM MIGRATION | 4155 |
| <i>Qie Zhang, Petr Jilek, John Eigen, Uwe Albertin, Richard Clarke, Bertram Nolte</i> | |
| BUILDING A ROBUST DEPTH IMAGING VELOCITY MODEL IN NORTH SEA | 4160 |
| <i>Mathieu Reinier, Alexandre Cavalie, Patrice Guillaume, Gilles Lambaré, Frits Blom</i> | |
| PORE-PRESSURE ESTIMATION AHEAD OF THE BIT WHILE DRILLING BY SEISMIC AND WELL DATA INTEGRATION | 4165 |
| <i>Cengiz Esmersoy, Yi Yang, Chirag Parekh, Marta Woodward, Konstantin Osypov, Sherman Yang, Yangjun Liu, Colin M. Sayers</i> | |
| VELOCITY MODEL BUILDING FOR TILTED ORTHORHOMBIC DEPTH IMAGING | 4170 |
| <i>Yunfeng Li, Weishan Han, Chuen-Song Chen, Tony Huang</i> | |
| FULL-WAVEFORM INVERSION FOR NEAR-SURFACE HETEROGENEITIES IN A SHALLOW MARINE ENVIRONMENT | 4175 |
| <i>Steve Kelly, Boris Tsimelzon, Jaime Ramos-Martinez, Zuihong Zou</i> | |
| TIME-LAPSE IMAGE-DOMAIN VELOCITY ANALYSIS USING ADJOINT-STATE METHODS | 4179 |
| <i>Jeffrey Shragge, Tongning Yang, Paul Sava</i> | |
| A SENSITIVITY CONTROLLABLE TARGET-ORIENTED TOMOGRAPHY ALGORITHM | 4184 |
| <i>Wenyi Hu, Carey Marcinkovich</i> | |
| INTERACTIVE VELOCITY MODEL VALIDATION (IVMV) | 4189 |
| <i>Imtiaz Ahmed, Ryan Faerber, Chandan Kumar, Frederic Billette</i> | |
| WAVEFORM TOMOGRAPHY BASED ON LOCAL IMAGE CORRELATIONS | 4194 |
| <i>Francesco Perrone, Paul Sava</i> | |
| IMPROVEMENTS IN THE SUBSURFACE IMAGING OF A DEEPWATER OFFSHORE ANGOLA PROSPECT: A REVIEW OF THE VARIOUS DEPTH IMAGING PROJECTS FROM ISOTROPIC TO TTI PRESTACK DEPTH MIGRATION | 4200 |
| <i>Jinming Zhu, Mark Greenwood, Richard Perkins, Pranab Sen, Phil Christian</i> | |
| BENEFITS OF FWI IN PRESTACK DEPTH IMAGING OF ONSHORE DATA: A GULF COAST EXAMPLE | 4205 |
| <i>Sabaresan Mothi, Hongbo Bi, Abel Yang</i> | |
| VELOCITY ESTIMATION USING INTERNAL MULTIPLES | 4211 |
| <i>X. R. Staal, D. J. Verschuur</i> | |
| THE DIAGONALATOR: INVERSE DATA SPACE FULL WAVEFORM INVERSION | 4216 |
| <i>Peyman Poor Moghaddam, Wim A. Mulder</i> | |
| AN RTM-BASED AUTOMATIC MIGRATION VELOCITY ANALYSIS IN IMAGE DOMAIN | 4222 |
| <i>Peng Shen</i> | |
| MULTIPLE REGULARIZATION CONSTRAINTS IN TOMOGRAPHIC INVERSION: APPLICATION TO SYNTHETIC MODEL WITH SHALLOW GAS CLOUDS OVERLYING DEEP RESERVOIR | 4227 |
| <i>Jaewoo Park, Brent Mechem, Paul Farmer</i> | |
| A NEW WAVEFORM INVERSION WORKFLOW: APPLICATION TO NEAR-SURFACE VELOCITY ESTIMATION IN SAUDI ARABIA | 4231 |
| <i>Xukai Shen, Thierry Tonellot, Yi Luo, Tim Keho, Robert Ley</i> | |

| | |
|---|------|
| 3D FULL-WAVEFORM INVERSION AT MARINER: A SHALLOW NORTH SEA RESERVOIR | 4236 |
| <i>Marianne Houbiers, Joachim Mispel, Bjørn-Egil Knudsen, Mark Thompson, Edward Wiarda, Dmitry Nikolenko, Denes Vigh, David Hill</i> | |
| PRESALT IMAGING OFFSHORE ANGOLA: THE VALUE OF INCLUDING GEOLOGICAL UNDERSTANDING AND WELL CONSTRAINTS IN COMPLEX VELOCITY MODEL BUILDING | 4241 |
| <i>Adrian Merry, Anders Oerskov Madsen, Mark Crawley, Mark Trayfoot</i> | |
| CONSTRAINED SIMULTANEOUS AUTOMATIC PICKING FOR VVAZ ANALYSIS | 4246 |
| <i>Yi Tao, Sergey Fomel, Michael Davidson, Herbert Swan, Jeff Malloy, Jack Howell, Stephen Chiu, Robert Olson</i> | |
| AUTOMATIC SEISMIC VELOCITY PICKING | 4251 |
| <i>Ahmed M. Almarzoug, Ferhan Y. Ahmed</i> | |
| ESTIMATING LATERAL VARIATIONS IN SEABED VELOCITY USING NORMAL MODES | 4256 |
| <i>Martin Landrø, Paul Hatchell, Ole Eiesland</i> | |
| RESIDUAL MOVEOUT-BASED WAVE-EQUATION MIGRATION VELOCITY ANALYSIS | 4261 |
| <i>Yang Zhang, Biondo Biondi, Yaxun Tang</i> | |
| IMPROVED PRESALT IMAGING IN KWANZA BASIN BY TTI MODEL BUILDING WITH GEOLOGICAL CONSTRAINTS | 4266 |
| <i>Olga Zdraveva, Marta Woodward, Saeeda Hydal, Rafik Derbala</i> | |
| IMPROVED IMAGING AND RESOLUTION OF OVERBURDEN HETEROGENEITY BY COMBINING AMPLITUDE INVERSION WITH TOMOGRAPHY | 4271 |
| <i>J. C. Mathewson, D. Evans, C. Leone, M. Leathard, J. Dangerfield, S. A. Tønning</i> | |
| POLARIZATION-BASED WAVE-EQUATION MIGRATION VELOCITY ANALYSIS IN ACOUSTIC MEDIA | 4276 |
| <i>Qunshan Zhang, George A. McMechan</i> | |
| INTERFEROMETRY WITH A DENSE 3D DATA SET | 4282 |
| <i>Fan-Chi Lin, Dunzhu Li, Robert W. Clayton, Dan Hollis</i> | |
| MIGRATION VELOCITY ANALYSIS FOR NONLINEAR REVERSE-TIME MIGRATION | 4288 |
| <i>Clement Fleury</i> | |
| MULTIAZIMUTH PSDM PROCESSING IN THE PRESENCE OF ORTHORHOMBIC ANISOTROPY: A CASE HISTORY OFFSHORE NORTH WEST AUSTRALIA | 4294 |
| <i>Sergey Birdus, Jason Sun, Wenting Sun, Yi Xie, Marco Gazzoli, Marco Andreolli, Alex Ursulic</i> | |
| THE RESEARCH ON RUGGED SURFACE TOMOGRAPHIC VELOCITY INVERSION | 4299 |
| <i>Kai Zhang, Zhenchun Li, Ning Qin</i> | |
| ILLUMINATION COMPENSATION FOR SUBSALT IMAGE-DOMAIN WAVEFIELD TOMOGRAPHY | 4304 |
| <i>Tongning Yang, Paul Sava, Jeffrey Shragge</i> | |
| AUTOMATIC ANISOTROPIC MIGRATION VELOCITY ANALYSIS FOR REVERSE-TIME MIGRATION | 4310 |
| <i>Wiktor Weibull, Børge Arntsen, Marianne Houbiers, Joachim Mispel</i> | |
| MULTILAYER TOMOGRAPHY AND ITS APPLICATION FOR IMPROVED DEPTH IMAGING | 4315 |
| <i>Patrice Guillaume, Steve Hollingworth, Xiaoming Zhang, Anthony Prescott, Richard Jupp, Gilles Lambaré, Owen Pape</i> | |
| A NUMERICAL APPROACH FOR MIGRATION VELOCITY ANALYSIS IN SUPERGATHERS | 4320 |
| <i>Momoe Sakamori, Ricardo Biloti</i> | |
| VELOCITY EVALUATION USING LEAST SQUARES PRESTACK MIGRATION | 4325 |
| <i>Abdolnaser Yousefzadeh, John C. Bancroft</i> | |
| PRESTACK FIRST-BREAK TRAVELTIME TOMOGRAPHY USING THE DOUBLE-SQUARE-ROOT EIKONAL EQUATION | 4330 |
| <i>Siwei Li, Sergey Fomel, Alexander Vladimirovsky</i> | |
| EVALUATION OF EXTENDED CORRELATION ON SHALLOW VIBROSEIS DATA | 4336 |
| <i>Bevin L. Bailey, Don Steeples, Richard D. Miller, Shelby Peterie, Julian Ivanov, Richard Markiewicz</i> | |
| APPLICATION OF FULL-WAVEFORM INVERSION FOR SALT SEDIMENT INCLUSION INVERSION | 4341 |
| <i>Wei Huang, Kun Jiao, Denes Vigh, Jerry Kapoor, David Watts, Hongyan Li, David Derharoutian, Xin Cheng</i> | |
| SIMULTANEOUS DETERMINATION OF ANISOTROPIC PARAMETERS IN PSTM | 4346 |
| <i>Kevin Hellman, Scott Boyer, Jaime A. Stein</i> | |
| ANISOTROPIC TOMOGRAPHY AND UNCERTAINTY ANALYSIS WITH ROCK PHYSICS CONSTRAINTS: GREEN CANYON CASE STUDY | 4351 |
| <i>Yi Yang, Konstantin Osypov, Ran Bachrach, Marta Woodward, Olga Zdraveva, Yangjun Liu, Aimé Fournier, Yu You</i> | |
| HIGH DEFINITION TOMOGRAPHY BRINGS VELOCITIES TO LIGHT | 4356 |
| <i>Saverio Sioni, Patrice Guillaume, Gilles Lambaré, Anthony Prescott, Xiaoming Zhang, Gregory Culianez, Jean-Philippe Montel</i> | |

TIME LAPSE

| | |
|---|------|
| FULL WAVEFIELD INVERSION OF TIME-LAPSE DATA FOR IMPROVED IMAGING AND RESERVOIR CHARACTERIZATION | 4361 |
| <i>Partha Routh, Gopal Palacharla, Ivan Chikichev, Spyros Lazaratos</i> | |
| WATS ON NATS TIME-LAPSE: GULF OF MEXICO CASE STUDY, KING AND HORN MOUNTAIN FIELDS | 4367 |
| <i>Jean-Paul Van Gestel, Samarjit Chakraborty, Pierre O. Ariston, Gary Murphy, Kurt Tollestrup, Bunni Elebiju</i> | |
| SUPPRESSING 4D-NOISE BY WEIGHTED STACKING OF UP-GOING AND DOWN-GOING MIGRATIONS | 4372 |
| <i>Paul Hatchell, Maria Tatanova, Andrew Evans</i> | |
| MONITORING A WATER FLOOD OF MODERATE SATURATION CHANGES WITH CROSSWELL ELECTROMAGNETICS (EM): A CASE STUDY FROM DOM JOAO, BRAZIL | 4377 |
| <i>Michael Wilt, Ping Zhang, Jorge Maeki, Paulo Netto, Jorge L. S. Queiroz, Jaciara B. Santos, Valterlene Oliveira</i> | |

| | |
|--|------|
| TIME-LAPSE AVO ON DEEPWATER OBN SEISMIC AT THE MARS FIELD | 4382 |
| <i>Maria Tatanova, Paul Hatchell</i> | |
| STRESS FIELD MONITORING USING SEISMIC SCATTERING | 4387 |
| <i>Kyosuke Okamoto, Hitoshi Mikada, Tada-Nori Goto, Junichi Takekawa</i> | |
| TARGET-ORIENTED TIME-LAPSE WAVEFORM INVERSION USING VIRTUAL SURVEY | 4392 |
| <i>Di Yang, Yingcai Zheng, Michael Fehler, Alison Malcolm</i> | |
| PROCESSING AND INTERPRETATION OF TIME-LAPSE SEISMIC DATA FROM A HEAVY OIL FIELD, ALBERTA, CANADA | 4397 |
| <i>Byron Kelly, Don C. Lawton</i> | |
| TIME-LAPSE RESERVOIR DESCRIPTION BASED ON PSEUDO-MULTICHANNEL MATCHING PROCESSING METHOD | 4402 |
| <i>Zhu Zhenyu, Wang Xiaoliu</i> | |
| ESTIMATION OF 4D SIGNAL IN COMPLEX MEDIA: A FAST TRACK APPROACH | 4407 |
| <i>Pierre Thore, Eoin McManus, Cyril Colin De Verdere</i> | |
| FEASIBILITY OF INVERTING COMPACTION-INDUCED TRAVELTIME SHIFTS FOR RESERVOIR PRESSURE | 4412 |
| <i>Steven Smith, Ilya Tsvankin</i> | |
| LAND SEISMIC RESERVOIR MONITORING: WHERE IS THE STEAM GOING? | 4418 |
| <i>Julien Cotton, Eric Forgues, J. C. Hornman</i> | |
| TIME-LAPSE WAVE-EQUATION MIGRATION VELOCITY ANALYSIS | 4423 |
| <i>Jeffrey Shragge, David Lumley</i> | |
| IMPROVED IMAGING AND 4D COMPARISON USING A DUAL-SENSOR STREAMER OFFSHORE WEST AFRICA | 4428 |
| <i>Per Eivind Dhelie, Chad Hintz, Surinder Sahai, Jessica Schwark, Steven Mondziel, Steve Checkles</i> | |
| MONITORING CO₂ INJECTION INTO A SALINE AQUIFER: OTWAY PROJECT FEASIBILITY STUDY | 4433 |
| <i>Roman Pevzner, Robert J. Galvin, Mahyar Madadi, Milovan Urosevic, Eva Caspari, Boris Gurevich, David Lumley, Valeriya Shulakova, Yildiray Cinar, Vladimir Tcheverda</i> | |
| TIME-LAPSE (4D) SEISMIC: RESERVOIR SENSITIVITY TO STRESS AND WATER SATURATION | 4438 |
| <i>Sunday O. Amoyedo, Kurt J. Marfurt, Roger M. Slatt</i> | |
| OCEAN BOTTOM NODE SEISMIC: LEARNINGS FROM BONGA, DEEPWATER OFFSHORE NIGERIA | 4444 |
| <i>Rocco Detomo Jr., Edwin Quadt, Carlos Pirmez, Reginald Mbah, Samuel Olotu</i> | |
| DUAL-DEPTH HYDROPHONES FOR GHOST REDUCTION IN 4D LAND MONITORING | 4449 |
| <i>Julien Cotton, Eric Forgues</i> | |
| APPLICATION OF SEISMIC WAVEFORM INVERSION FOR TIME-LAPSE MONITORING OF CO₂ INJECTION: A REAL DATA EXAMPLE FROM KETZIN, GERMANY | 4454 |
| <i>Fengjiao Zhang, Chritopher Juhlin, Monika Ivandic</i> | |
| CROSSCORRELATION TIME-LAPSE STATIC CORRECTIONS VERSUS REFRACTION STATIC CORRECTIONS ON 4D LAND SEISMIC CO₂ MONITORING AT KETZIN, GERMANY | 4459 |
| <i>Peter Bergmann, Stefan Lüth, Alexandra Ivanova, Artem Kashubin, Monika Ivandic, Christopher Juhlin, Emil Lundberg, Fengjiao Zhang</i> | |
| INNOVATIVE QCS FOR MORE EFFECTIVE 4D PROCESSING | 4464 |
| <i>Cyril Saint Andre, Benoit Blanco, Christian Hubans, Benoit Paternoster</i> | |
| TIME-LAPSE IMAGING USING REGULARIZED FWI: A ROBUSTNESS STUDY | 4469 |
| <i>Amir Asnaashari, Romain Brossier, Stephane Garambois, Jean Virieux, Francois Audebert, Pierre Thore</i> | |
| ON THE PREDICTION OF REPEATABILITY NOISE IN MARINE TIME-LAPSE SURVEYS | 4474 |
| <i>Juan Cantillo</i> | |
| TIME-LAPSE SEISMIC OBSERVATIONS OF REGIONAL GAS BLOWDOWN AT TEAL SOUTH | 4479 |
| <i>Mohamed A. Ezawi, Wayne D. Pennington, Nayyer Islam</i> | |
| CLOSING THE LOOP VIA SCENARIO MODELING IN A TIME-LAPSE STUDY OF AN EOR TARGET IN OMAN | 4484 |
| <i>Tania Mukherjee, Robert R. Stewart, Kurang Mehta, Jorge Lopez</i> | |
| SURFACE-CONSISTENT MATCHING FILTERS FOR TIME-LAPSE PROCESSING | 4489 |
| <i>Mahdi H. Almutlaq, Gary F. Margrave</i> | |
| TIME LAPSE PRESSURE-SATURATION DISCRIMINATION FOR CO₂ STORAGE AT THE SNØHVIT FIELD | 4494 |
| <i>Sissel Grude, Martin Landrø, Bård Osdal</i> | |
| TIME-LAPSE SEISMIC IMAGING BY LINEARIZED JOINT INVERSION: A VALHALL FIELD CASE STUDY | 4499 |
| <i>Gboyega Ayeni, Biondo Biondi</i> | |
| THE FIDELITY OF 3D WAVEFIELD RECONSTRUCTION FROM A FOUR-COMPONENT MARINE STREAMER AND ITS IMPLICATIONS FOR TIME-LAPSE SEISMIC MEASUREMENTS | 4505 |
| <i>Kurt Eggenberger, Philip Christie, Dirk-Jan Van Manen, Massimiliano Vassallo, Ali Özbek, Smaine Zeroug</i> | |
| ANALYSIS OF TIME LAPSE SEISMIC SIGNAL FOR AN EOR AND CCS SITE, CRANFIELD, MS | 4510 |
| <i>Julie Dütkof, Tip Meckel, Susan Hovorka, Eva Caspari, Roman Pevzner, Milovan Urosevic</i> | |
| EFFECTS OF COMPLEX NEAR SURFACE ON 4D ACQUISITION WITH BURIED SOURCE AND RECEIVER | 4515 |
| <i>Cécile Berron, Eric Forgues, Andrey Bakulin, Roy Burnstad, Michael Jervis</i> | |
| SUITABILITY OF VIBRATORS FOR TIME-LAPSE MONITORING IN THE MIDDLE EAST | 4520 |
| <i>Mike Jervis, Andrey Bakulin, Roy Burnstad, Cecile Berron, Eric Forgues</i> | |

| | |
|--|------|
| EVALUATING PERMANENT SEISMIC MONITORING WITH SHALLOW BURIED SENSORS IN A DESERT ENVIRONMENT | 4525 |
| <i>Andrey Bakulin, Roy Burnstad, Mike Jervis, Panos Kelamis</i> | |

VSP

| | |
|--|------|
| WELL TRAJECTORY IMAGING USING BOREHOLE SEISMIC TO GUIDE THE HORIZONTAL DRILL BIT: A JUST-IN-TIME HAYNESVILLE CASE STUDY | 4530 |
| <i>Richard Van Dok, Brian Fuller, Larry Walter, Ela Wojcik, Jeff Reagan</i> | |
| ORIENTATION ANALYSIS OF BOREHOLE GEOPHONES: CALIBRATION CONSISTENCY | 4535 |
| <i>Peter Gagliardi, Don C. Lawton</i> | |
| MULTIWELL WALKAWAY-VSP TO RESOLVE STRUCTURAL UNCERTAINTY IN THE HAYNESVILLE SHALE PLAY | 4540 |
| <i>Ali Sayed, Indro Lawu, Andrew Fryer, Robert Stewart</i> | |
| OFFSET VSP P-WAVE AND CONVERTED S-WAVE SALT PROXIMITY MIGRATION STUDY | 4545 |
| <i>Han Wu, Yingping Li, Ben Hewett</i> | |
| IMAGING FIRST ORDER MULTIPLES IN VSP DATA: A DETAILED FIELD STUDY | 4550 |
| <i>M. Bagher Farmani, Brian Atkinson, Juri Muzi, Nick Brooks, Tor Hilton, John O'Brien</i> | |
| 3D ANISOTROPIC CALCULATION OF SALT-FACE EXIT POINTS FOR VSP SALT PROXIMITY SURVEYS | 4555 |
| <i>Min Lou, Dongjie Cheng, Fran Doherty</i> | |
| ADJUSTMENT OF DRILLING TRAJECTORY ONSITE USING MULTIOFFSET VSP TECHNOLOGY | 4560 |
| <i>Du Jinling, Zhang Qinghong, Fu Jinghui, Chen Yuanzhong, Wang Jing, Shi Songqun</i> | |
| BASELINE PROCESSING OF A DUAL-WELL 3D VSP: A CASE STUDY FROM MONITORING STEAM-ASSISTED GRAVITY DRAINAGE IN THE CANADIAN OIL SANDS | 4565 |
| <i>Stefan Dümmon, Richard Tøndel, Andrew Barrett, Allan Campbell, Les Nutt, Robert Godfrey</i> | |
| RESOLUTION AND STABILITY ANALYSIS OF OFFSET VSP ACQUISITION SCENARIOS WITH APPLICATIONS TO FULL-WAVEFORM INVERSION | 4570 |
| <i>I. Silvestrov, D. Neklyudov, V. Tcheverda, M. Puckett</i> | |
| VSP IMAGING USING ALL MULTIPLES: FULL WAVEFIELD MIGRATION APPROACH | 4575 |
| <i>Alok K. Soni, Xander Staal, Eric Verschuur</i> | |
| ADVANCES IN DISTRIBUTED ACOUSTIC SENSING (DAS) FOR VSP | 4581 |
| <i>A. Mateeva, J. Mestayer, B. Cox, D. Kiyashchenko, P. Wills, J. Lopez, S. Grandi, K. Hornman, P. Lumens, A. Franzen, D. Hill, J. Roy</i> | |
| DEVELOPMENT OF A DOWNHOLE SPARKER SOURCE WITH ADJUSTABLE FREQUENCIES | 4586 |
| <i>Werner M. Heigl, Robert P. Radtke, Robert H. Stokes, David A. Glowka</i> | |
| VSP EXTENSION OF THE GENERALIZED FOMEL-STOVAS APPROXIMATION | 4591 |
| <i>Emil Blas</i> | |
| ESTIMATION OF ATTENUATION FROM ZERO-OFFSET VSP DATA: CO2CRC OTWAY PROJECT CASE STUDY | 4596 |
| <i>Roman Pevzner, Robert J. Galvin, Boris Gurevich, Tobias M. Müller</i> | |
| RIGID CORRUGATED BAFFLE SYSTEM FOR TUBE-WAVE SUPPRESSION IN DEEP BOREHOLES | 4602 |
| <i>Andrew Greenwood, J. Christian Dupuis, Haitham Abdulal, Anton Kepic</i> | |

WORKSHOP

| | |
|--|------|
| 3D VSP FOR AFFORDABLE PERMANENT RESERVOIR MONITORING ONSHORE AND OFFSHORE | 4607 |
| <i>J. L. Lopez, D. Kiyashchenko, A. Mateeva, J. Mestayer, W. Berlang, P. Wills, B. Cox, G. Rocco, R. Adawi, D. Hill, P. Martin, J. Roy</i> | |

Author Index