

15th International Conference of the International Society for Terrain Vehicle Systems 2005

(ISTVS 2005)

**Hayama, Japan
25-29 September 2005**

ISBN: 978-1-62748-292-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2005) by the International Society for Terrain Vehicle Systems
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact the International Society for Terrain Vehicle Systems
at the address below.

International Society for Terrain Vehicle Systems
Meiersgasse 3
D-53347 Alfter
Germany

Phone: +49 171 744 5128
Fax: +49 421 24420 120

<http://www.istvs.org>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

THE SOHNE-HATA-JURECKA AWARD

| | |
|---|---|
| Modeling and Simulation of Off-Road Vehicles | 1 |
| <i>Junya Yamakawa</i> | |

SESSION 1: ENVIRONMENTAL PROTECTION

Chair: H. Nakashima, Co-Chair: J. Li

| | |
|--|----|
| Development of a New Type Electric Off-Road Vehicle by Means of Microwave Power Transmission in the Air | 8 |
| <i>Akira Oida, Hiroshi Nakashima, Juro Miyasaka, Katsuaki Ohdoi, Hiroshi Matsumoto, Naoki Shinohara</i> | |
| Development of a Sand Gun System to Construct an Artificial Watertable | 23 |
| <i>G. Guo, K. Araya, K. Ohmiya, J. Matsuda</i> | |
| The Cutting Protection of Off Road Tire Sidewall | 31 |
| <i>Tadaomi Eguchi, Tatsuro Muro</i> | |
| Application of Terramechanics to Simulate Line Motion of Rockfall on Soil Slope | 41 |
| <i>Soichiro Kawahara</i> | |
| Cone Resistance Mapping by Handheld Cone Penetrometer and GIS Software | 50 |
| <i>Kazuhiko Ohmiya, Yu Esaki</i> | |
| Optimization of Earthmoving Works through Concurrent Engineering with Information Technology | 57 |
| <i>Kazuyoshi Tateyama, Nobuo Omae</i> | |
| New Type of Reinforcement of Alpine Temporary Roads | 67 |
| <i>Iwan Wasterlund</i> | |

SESSION 2: TERRAIN EVALUATION

Chair: H. D. Kutzbach, Co-Chair: Y. Nakajima

| | |
|--|-----|
| Cone Penetration Resistance of a “Mesoscopic” Soil Model | 72 |
| <i>Takayuki Konishi, Akira Oida, Hiroshi Nakashima, Yoshituki Kawase</i> | |
| Image Analysis of Aggregate Fineness | 80 |
| <i>H. Itoh, K. Kitazawa, A. Oida, H. Nakashima, J. Miyasaka, T. Izumi</i> | |
| Prediction of Soil Collapse by Lunar Surface Operations in Reduced Gravity Environment | 93 |
| <i>Taizo Kobayashi, Hidetoshi Ochiai, Noriyuki Yasufuku, Kiyoshi Omine</i> | |
| An Evaluation of Crawler Shoe Pattern on Off-Road by Particle Element Method | 102 |
| <i>Keisuke Uemura, Nobutaka Tsujiuchi, Takayuki Koizumi, Hirosuke Horii</i> | |
| Texture Analysis of Underground Image from Real-Time Soil Sensor using 2-D Fast Fourier Transform | 112 |
| <i>T. Okayama, S. Shibusawa, H. Umeda</i> | |
| On-the-Go Multi-Spectral Soil Sensor for Precision Agriculture | 118 |
| <i>S. Shibusawa, K. Ehara, T. Okayama, H. Umeda, S. Hirako</i> | |
| Numerical Simulation of Soil-Water Interaction Using Smoothed Particle Hydrodynamics (SPH) Method | 126 |
| <i>Ha H. Bui, Kazumari Sako, Ryoichi Fukagawa</i> | |
| Validation of Mobility Prediction Methods using Scale Model Testing | 141 |
| <i>John G. Hetherington, David Simmer, Richard A. Barnes</i> | |
| Trench Power Requirement for Jaagaru Heavy Soil | 150 |
| <i>Koichiro Fukami, Mituho Sugimoto, Yoshiaki Shinzato, Tohru Akachi</i> | |

SESSION 3-A: SOIL-VEHICLE INTERACTION AND DYNAMICS

Chair: V. M. Salokhe, Co-Chair: H. Itoh

| | |
|---|-----|
| Soil Sliding Resistance of Plates with Geometrical and Chemical Uneven Surfaces | 162 |
| <i>Jianqiao Li, Luquan Ren, Bingcong Chen</i> | |
| Study About the Desert Mobility of Tyre with Wide Cross-Section and Low Inflation Pressure | 170 |
| <i>Weigao Qiao</i> | |
| A Novel Tire-Soil Interaction Model for Simulation of Off-Road Vehicles | 176 |
| <i>B.J. Chan, N. Thompson, C. Sandu, H. Dankowicz</i> | |
| Addition to Analysis of the Wear Process of Agricultural Machinery Working Elements | 191 |
| <i>D. Ercegovic, D. Raicevic, D. Vukic, V.M. Oljaca, N.L. Ruzicic</i> | |

| | |
|--|-----|
| Finite Element Simulation of Tire-Snow Interaction under Combined Longitudinal and Lateral Slip Condition | 201 |
| <i>Tinggang Zhang, Jonah H. Lee, Qing Liu</i> | |
| Upper Bound Indentation Theory for Snow-Depth Dependent Sinkage Calculation | 212 |
| <i>Jonah H. Lee, Qing Liu</i> | |
| Measuring Method of Compacted Soil Density in a High Lifted Compaction using Tracked Vehicle | 228 |
| <i>Tadaomi Eguchi, Yasukumi Honda, Yasuhide Oiki, Tatsuro Muro</i> | |
| The Effect of Wheel Vibration by Ground Displacement on Traction | 241 |
| <i>Alex Keen</i> | |
| Inferences of Strength of Martian Soil Deposits along MER Mars Rover Traverses from Evaluations of Vehicle Sinkages as Observed in Wheel Tracks | 257 |
| <i>L. Richter, Robert C. Anderson, Rongxing Li, Randel Lindemann</i> | |
| The Field Performance of a Lateral Inclined Mole Plough | 258 |
| <i>S. H. Aday</i> | |

SESSION 3-B: SOIL-VEHICLE INTERACTION AND DYNAMICS

Chair: S. Shibusawa, Co-Chair: D. Rubinstein

| | |
|---|-----|
| Vibratory Pneumatic Tire Roller | 295 |
| <i>Yukinori Nose, Yasutsugu Kanamori, Keiichi Uchiyama, Jun Makabe, Kiyotaka Shiogama, Kiyomichi Doi</i> | |
| Optimal Tread Design of a Moon Rover Running on Lunar Terrain | 308 |
| <i>Takahisa Shigematsu, Tatsuro Muro, Takeshi Ohchi, Koji Shimooka</i> | |
| Energy Determination of Vertical Soil Deformation in Case of Tractor Wheels and Soft Soil | 315 |
| <i>Peter Kiss, Lajos Laib</i> | |
| A Detailed Single-Link Track Model for Multi-Body Dynamic Simulation of Crawlers | 323 |
| <i>Dror Rubinstein, James Coppock</i> | |
| Finite Element Analysis for Tire-Soil Contact Profile | 339 |
| <i>Tatsuo Hiroma</i> | |
| Experimental Study on Rover Mobility on Lunar Simulant Terrain | 348 |
| <i>Kojiro Iizuka, Hiroshi Kanamori, Takashi Kubota</i> | |
| Ground Contact Ratio of the Track for Better Trafficability and Turnability | 360 |
| <i>Lenny Saulia, Nobutaka Ito</i> | |
| Design and Function of Seat Suspension for Small Forest Forwarder | 370 |
| <i>Toshio Nitami, Bomjin Park, Kazuhiro Aruga, Jun Kashima, Seiko Sato</i> | |
| MOVE!' - Development of an Ocean-Floor Vehicle with Metallic Flexible Wheels and Characterization of its Performance | 379 |
| <i>L. Richter, C. Waldmann, Markus Bergenthal, A. Grzesik</i> | |

SESSION 4: TERRAIN-VEHICLE AND INFORMATION TECHNOLOGY NEW PRODUCT DEVELOPMENT

Chair: G. Korlath, Co-Chair: K. Aruga

| | |
|---|-----|
| Study on Task Planning for Autonomous Scooping of Crushed Rocks by an Intelligent Wheel Loader with a Stereo Vision System | 380 |
| <i>Hiroshi Takahashi, Hazumu Abe</i> | |
| Development of a New Agricultural Tractor - Trailer Hitching Mechanism for Greenhouse | 394 |
| <i>Joel M. Alcaraz, Jun Yamashita, Kazunobu Satou</i> | |
| Tracked Vehicle's Performance of Active Suspension with Preview System | 406 |
| <i>Hiroshi Suzuki, Tomoaki Mori, Shuichiro Koga, Tomohisa Inagaki, Yasunari Tounai, Yukio Inoue, Masakazu Matuno, Futoshi Wakui, Yoshiteru Kita</i> | |
| An Innovation and In-Situ Test of a Trench Excavator Crushing Effectively a Hard Rock Mass | 416 |
| <i>Tatsuro Muro, Kazuhiro Fujiwara, Takahisa Shigematsu, Yoichi Sakuhara</i> | |
| Design of a New Rock Shaft Excavator for Hard Rock Mass | 432 |
| <i>Tatsuro Muro, Takahisa Shigematsu, Sachiko Kaida, Tomoaki Iwata</i> | |
| Automatic Control and Path Planning for GPS Guided Machinery | 447 |
| <i>Albert Stoll, Heinz Dieter Kutzbach, Stefan Böttinger</i> | |
| The Control System of Sensorless Brushless DC Motors Based on Infineon XC164CM | 458 |
| <i>Le Zhimei, Xiangping Li</i> | |
| A Digitized Realization of Vector Control Project for PMSM based on Infineon XC164CM | 466 |
| <i>Ying Yin, Shixiong Li</i> | |
| TRD Method - A Study on Wear at the Expendable Parts: Diaphragm Slurry Wall Method by Trenching and Mixing | 472 |
| <i>Minoru Aoi, Keisuke Tsujimoto, Kazuyoshi Tateyama, Shigeki Ashida</i> | |

| | |
|--|-----|
| Proposal of New Driving System for High Speed Tracked Vehicle | 482 |
| <i>E. Teramoto, F. Yabe, Y. Yabe</i> | |
| Development of Heavy Demining Machine | 492 |
| <i>Dinko Mikulic, Vladimir Koroman</i> | |

SESSION 5-A: MODELING AND SIMULATION

Chair: K. U. Kim, Chair: Professor Ohmiya

| | |
|--|-----|
| Six-Wheeled Vehicle Steering | 504 |
| <i>Olof Noréus</i> | |
| Simulation of Electric Transmission for Off-Road Vehicle | 520 |
| <i>Olof Noreus</i> | |
| Dynamic Longitudinal Model for Agricultural Tyres | 531 |
| <i>Bojan Ferhadbegovic, Christian Brinkmann, Heinz Dieter Kutzbach</i> | |
| The Model of Coordinated-Control for Expressway Network And Urban Traffic System | 544 |
| <i>Zhang Junyou, Mao Enrong, Yun Qun</i> | |
| Determination of Discrete Element Model Parameters for Soil-Bulldozer Blade Interaction | 550 |
| <i>Yaron Franco, Dror Rubinstein, Itzhak Shmulevich</i> | |
| Determination of Discrete Element Model Parameters Using In-Situ Tests and Inverse Solution Techniques | 566 |
| <i>Zvi Asaf, Dror Rubinstein, Itzhak Shmulevich</i> | |
| A Method of Torque Control for Independent Wheel Drive Vehicles on Rough Terrain | 581 |
| <i>Junya Yamakawa, Akira Kojima, Keiji Watanabe</i> | |
| CFD Simulations of Dynamic Soil-Tool Interaction | 596 |
| <i>Subrata Karmakar, R. Lal Kushwaha</i> | |
| The Simulation of Vehicle Dynamic Using ADAMS | 606 |
| <i>Wang Shufeng, Zhang Junyou, Yun Qun</i> | |
| Effect of Design Parameters of Vibrating Wide Subsoiler on its Performance Simulated by the Distinct Element Method | 612 |
| <i>Hiroaki Tanaka, Akira Oida, Masamichi Daikoku, Osamu Sumikawa, Hiroshi Nakashima, Takeshi Kuroyanagi</i> | |

SESSION 5-B: MODELING AND SIMULATION

Chair: A. Keen, Co-Chair: Y. Nose

| | |
|--|-----|
| Dynamic Simulation of Off-Road Vehicle with Hydro-Pneumatic Suspension | 623 |
| <i>Tian Jinyue, Yu Ying, Yu Hui, Gao Xingfang</i> | |
| Mobility Analysis of Off-Road Vehicles Benefits for Development, Procurement and Operation | 633 |
| <i>Guido Korlath</i> | |
| Multibody Dynamic Simulation of Off-Road Vehicles for Mobility and Load Prediction | 649 |
| <i>Dick Kading, Nohoon Ki</i> | |
| Application of 3D Distinct Element Method to Track Shoe Model | 663 |
| <i>Yosuke Shigeta, Kazuhiro Aruga</i> | |
| Application of 3D Distinct Element Method to Soil Deformation Caused by Leg Motions | 678 |
| <i>Kazuhiro Aruga, Yosuke Shigeta</i> | |
| High Fidelity R & D Simulator for Tracked and Wheeled Combat Vehicles | 691 |
| <i>Akihiko Shimura, Futoshi Wakui, Youichiro Shiwa, Yukio Inoue, Shigeki Mori, Keisuke Uemura</i> | |
| Track-Soil Modeling for Real Time Simulation | 700 |
| <i>Futoshi Wakui, Akihiko Shimura, Youichiro Shiwa, Yukio Inoue, Shigeki Mori, Keisuke Uemura</i> | |
| Simulation of Soil-Tire System Interaction by a Combined Finite Element-Discrete Element Method | 709 |
| <i>Hiroshi Nakashima, Akira Oida, Yoshiyuki Kawase</i> | |
| Indoor Experiments on Soil Cutting Reaction by Using Non-Smooth Surface Blade | 719 |
| <i>Naoki Adachi, Akira Oida, Hiroshi Nakashima</i> | |
| Author Index | |