

11th IFAC Conference on Programmable Devices and Embedded Systems

(PDES 2012)

Held jointly with IEEE

**Brno, Czech Republic
23-25 May 2012**

Editors:

**Zdenek Bradac
Frantisek Zezulka**

Frantisek Bradac

ISBN: 978-1-62748-323-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by Elsevier Limited
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact the publisher, Elsevier Limited
at the address below.

Elsevier Limited
The Boulevard, Langford Lane
Kidlington OX5 1GB, United Kingdom

Phone: +44 (0)1865 844640
Fax: +44 (0)1865 843912

Email: eurobkinfo@elsevier.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

CONTENTS

| | |
|---|-----|
| Formal Reasoning in Logic Design of Reconfigurable Controllers..... <i>M. Adamski, J. Tkacz</i> | 1 |
| Generic droop correction IIR filter design algorithm | 7 |
| <i>S. Adhikari, F. Schupfer, C. Grimm</i> | |
| Inertial measurement unit – data fusion and visualization using MATLAB | 12 |
| <i>R. Baranek</i> | |
| A wireless low latency control system for harsh environments..... <i>M. Bergblomma, M.C.Ekström, M. Björkman, M. Ekström, C. Gerdtsman, M. Linden</i> | 17 |
| Phase unwrapping algorithm based on priorities setting..... <i>M. Bogusz, K. Staszek</i> | 23 |
| Basic Properties of Teletraffic Networks..... <i>A. Borys, M. Aleksiewicz</i> | 29 |
| Use of Leftover Service Curve in Admission Control in Ad Hoc Networks | 32 |
| <i>A. Borys, M. Aleksiewicz</i> | |
| Towards Energy-Efficient Functional Configuration in WSNs..... <i>C. Brandoles, W. Fornaciari, L. Rucco, D. Zoni</i> | 37 |
| Assembling a formula for current transferring by using a summary graph and transformation graphs..... <i>B. Brtník</i> | N/A |
| Low-delay and Ultra-Low-Delay coding in MPEG-4 AAC | 47 |
| <i>G. Brzuchalski, M. Wieczorek</i> | |
| Application of Image Processing in Intelligent Transport Systems | 53 |
| <i>E. Bubeníková, L. Muzíkárová, J. Halgaš</i> | |
| Logic Synthesis for FPGAs of Interpreted Petri Net with Common Operation Memory | 57 |
| <i>A. Bukowiec, M. Adamski</i> | |
| Unified Storage for Laser Scanner Data | 63 |
| <i>F. Burian, L. Zalud, T. Florian, T. Jilek</i> | |
| Aspect-Oriented SystemC-Based Performance Evaluation of Real-Time Embedded Software | 67 |
| <i>S. Denizia, K. Kurczyna</i> | |
| A Scanning Method for Industrial DMC Marked on Cylindrical Surfaces | 73 |
| <i>I.C. Dita, F. Quint, M. Oteseanu</i> | |
| Variable Regularized Square Root Recursive Least Square Method..... <i>J. Dokoupil, V. Burlak</i> | 78 |
| Adaptive Estimation of OEMA Model via Variable Regularized Recursive Least Squares Method | 83 |
| <i>J. Dokoupil, F. Gogol</i> | |
| Behavioral specification of the logic controllers by means of the hierarchical configurable Petri nets..... <i>M. Doligalski</i> | 87 |
| On the Complexity and Optimization of Branching Programs for Decision Diagram Machines | 91 |
| <i>V. Dvořák</i> | |
| Distributed Receding Horizon Coverage Control for Multiple Non-holonomic Mobile Robots..... <i>F. Mohseni, A. Doustmohammadi, M. B. Menhaj</i> | 97 |
| Distributed Receding Horizon Formation Control by Multiple Mobile Robots Using Voronoi-Based Coverage | 103 |
| <i>F. Mohseni, A. Doustmohammadi, M. B. Menhaj</i> | |
| Small Exploration Robot Accessories | 109 |
| <i>T. Florian, F. Burian, L. Zalud</i> | |
| Sensor System Development for the Novel Spontaneous Active Breathing Lung Simulator, i-Lung..... <i>M. Forjan, K. Stiglbrunner, T. Steiner, Z. Bureš, A. Drauschke</i> | 113 |

| | |
|---|-----|
| MATLAB - m-file based computation algorithm for determination of temperature distribution of electronic system .. | 119 |
| <i>P. Špánik, M. Frivaldský, J. Čuntala, P. Drgoňa, A. Simonová</i> | |
| Rationalized procedures of FDWT/IDWT basic operations execution for DB4, DB6 and coif6 filters | 124 |
| <i>M. Gliszczynski, G. Cariowa, A. Cariow</i> | |
| On Use of Node-attached Modules with Ancestry Tracking in Genetic Programming | 128 |
| <i>M. Gregor, J. Spalek</i> | |
| Hardware Behavioural Modelling, Verification and Synthesis with UML 2.x Activity Diagrams | 134 |
| <i>M. Grobelny, I. Grobelna, M. Adamski</i> | |
| Intelligent PID Control for Linear SISO System with Random Communication Delay by Using Online Genetic Algorithms | 140 |
| <i>A. B. Hanchevici, I. Dumitache</i> | |
| Monitoring of Driver's Fatigue – Statistical Analysis of Test Driver Trajectories in Various Environments and in Different Driver Stress Degrees..... | 146 |
| <i>M. Havlikova, S. Sediva</i> | |
| The Dynamic Properties Investigation of the PLC CPU Implemented in FPGA | 151 |
| <i>M. Chmiel, E. Hrynkiewicz</i> | |
| Considerations of the recovery in 2-out-of-3 safety-related control system | 157 |
| <i>J. Ilavský, K. Rástočný</i> | |
| I2C Interface Design for Hardware Master Devices | 163 |
| <i>L. Plachno, M. Oleksiak, D. Koscielnik, M. Jableka</i> | |
| Security of remote management of embedded systems running MikroTik RouterOS operating system using proprietary protocols | 169 |
| <i>T. Jílek, L. Žalud</i> | |
| Closed Control Loop Implementation for Single Robot Axis on FPGA Platform | 174 |
| <i>D. Ž. Jokic, S. D Lubura, M. M. Šoja</i> | |
| Electric vehicles charger as a part of home area network | 180 |
| <i>V. Kaczmarczyk, P. Fiedler, R. Štohl, Z. Bradáč</i> | |
| System for Vehicles Classification and Emergency Vehicles Detection | 186 |
| <i>O. Karpis</i> | |
| Fuzzy models based operating reliability analysis method | 191 |
| <i>M. Kosinskiy, V. Shikhin</i> | |
| Interoperability through ontologies | 196 |
| <i>M. Kupčík, M. Štr, Z. Bradáč</i> | |
| Reliability and Safety Issues of FPGA Based Designs | 201 |
| <i>M. Kvas, S. Valach, P. Fiedler</i> | |
| HartOS - a Hardware Implemented RTOS for Hard Real-time Applications..... | 207 |
| <i>A. B. Lange, K. H. Andersen, U. P. Schultz, A. S. Sørensen</i> | |
| Fast Multilevel & Always Cancelation-free Method for Large Electric Networks Exact Symbolic Analysis | 214 |
| <i>S. Lasota</i> | |
| IPv6 protocol – Base principles, deployment and industrial applications | 220 |
| <i>T. Macho</i> | |
| A Modified Current-Differencing Transconductance Amplifier and Its Applications | 226 |
| <i>A. Malcher, P. Falkowski</i> | |
| A distributed orbital measurement instrument for link quality assurance..... | 232 |
| <i>L. Mehnen, B. Preindl</i> | |
| High Level Synthesis Design Methodologies for Rapid Prototyping Digital Control Systems..... | 238 |
| <i>I. Mhadhbi, A. Achballah, S. B. Saoud</i> | |
| Analysis of the compensation algorithm stability of disturbance for the phase control systems | 244 |
| <i>D. Gabriska, G. Michalconok, P. Tanuska, T. Skulavik</i> | |
| Mapping of DSP48 Units for Arithmetic Operation in Reconfigurable Logic Controllers | 249 |
| <i>A. Milik</i> | |

| | |
|---|-----|
| Internet Based Teleoperations With Using Wave variables | 255 |
| <i>E. Mujčić, A. Oračević</i> | |
| Embedded Sensors System for Real Time Biomedical Data Acquisition and Analysis | 261 |
| <i>T. Otahalova, Z. Slanina, D. Vala</i> | |
| Dynamic Optimization Case Studies in Matlab&Simulink and Dynopt..... | 265 |
| <i>S. Ozana, P. Wagner, M. Pies</i> | |
| Analysis of GF (2^233) multipliers regarding Elliptic Curve Cryptosystem application | 271 |
| <i>D. Pamula, E. Hrynkiewicz, A. Tisserand</i> | |
| Real Time Implementation of Dynamic 3D Sound Sources in a Digital Signal Processor..... | 277 |
| <i>P. Pełczynski, M. Bochenska</i> | |
| Controllable Current and Voltage Power sources using FPGA | 283 |
| <i>V. Koucký, J. Lahoda, Z. Petránková</i> | |
| Investigation of chained analog signal processors in Programmable Analog Computer | 289 |
| <i>A. K. Piłat, J. Klocek</i> | |
| Improving Detection of Short Broadband Probe Signals..... | 294 |
| <i>W. Pogribny, I. Rozhankivskyy, T. Leszczynski.</i> | |
| Hardware Co-Simulation of the BPSK and QPSK Systems on FPGA..... | 299 |
| <i>S. Popescu, A. Gontean, G. Budura</i> | |
| Dynamic Rescheduling of Tasks in Time Predictable Embedded Systems..... | 305 |
| <i>A. Pulka, A. Milik</i> | |
| Emulation of a digital Process-Oriented Real-time Communication Circuit..... | 311 |
| <i>T. Rudloff, A. Fink, M. Voß, D. Telschow, M. Flügge , K. P. Kirchner, T. Heimbold, H. Beikirch</i> | |
| Control Systems of Single-Phase Voltage Source Inverters for a UPS | 316 |
| <i>Z. Rymarski</i> | |
| Analysis of the Effect of Body Shape of Multiport Averaging Pitot Tube on Permanent Pressure Loss Using ANSYS/FLUENT | 322 |
| <i>S. Sediva, M. Uher</i> | |
| Scheduling problems in embedded real-time systems | 327 |
| <i>P. Shestov, V. Kostenko, V. Balashov</i> | |
| Use ontology in the diagnostic system..... | 332 |
| <i>M. Sir, Z. Bradac, M. Kupcik, I. Vesely</i> | |
| GPS Synchronisation for FPGA Devices | 337 |
| <i>Z. Slanina, V. Kasik, K. Musil</i> | |
| Multi-Processor System-on-Chip Power Estimation Model At the CABA Level | 341 |
| <i>H. Slimani, A. Jemai, A. C. Ammari</i> | |
| Remote Motor Control with netX500 | 347 |
| <i>J. Špale</i> | |
| Simple Fringe Pattern Normalization Algorithm..... | 353 |
| <i>K. Staszek, M. Bogusz</i> | |
| Industrial communication in distillation column model | 357 |
| <i>R. Štohl, V. Kaczmarczyk</i> | |
| Safety through Common Industrial Protocol | 362 |
| <i>R. Štohl, K. Stibor</i> | |
| Experimenting with Modified Smith Predictors Using B&R Automation Studio Target for Simulink | 366 |
| <i>P. Tapak, M. Huba</i> | |
| Unified Sensor Gateway Interconnection of sensor Networks | 372 |
| <i>R. Trchalík, M. Švédá</i> | |
| Confirmation of Hertz Theory during Solid Particle Flow Measurement | 378 |
| <i>M. Uher, S. Šedivá</i> | |

| | |
|--|-----|
| Temperature Measurement in Boreholes by Programmable Logic Controller B&R and Temperature Sensors 1-Wire | 382 |
| <i>T. Vavrla, J. Koziorek</i> | |
| Problems of SITL: Testing the Simulink model by CompactRIO | 388 |
| <i>I. Vesely, M. Sir, D. Zamecnik</i> | |
| Using TRT for determining the essential thermal parameters of rock massif..... | 393 |
| <i>P. Vojcinak, R. Hajovsky, J. Koziorek</i> | |
| Using Methodology for MATLAB Designing the First-Order Chebyshev Analogue and IIR Digital Filters..... | 399 |
| <i>P. Vojcinak, M. Pies, J. Koziorek</i> | |
| Microprocessor Control of an Ultrasonic Scanning Device | 406 |
| <i>Y. C. Yu, S. Shrestha, A. Nawroj, M. Sotomayor, R. Koplin</i> | |
| Complexity of linear model predictive current controller for induction machine..... | 412 |
| <i>D. Zamecnik, I. Vesely</i> | |
| Experimental Smart Grid..... | 416 |
| <i>F. Zezulka, O. Sajdl, Z. Bradac, J. Sembera</i> | |
| Segmentation and 3D modeling of liver vessel system | 420 |
| <i>P. Zimmermann, I. Pirner</i> | |
| Co-design of Real-time Embedded Systems under Reliability Constraints..... | 424 |
| <i>D. A. Zorin, V. A. Kostenko</i> | |