

Proceedings of the SiliconPV 2011 Conference

**(1st International Conference on
Crystalline Photovoltaics)**

Energy Procedia Volume 8

**Freiburg, Germany
7-20 April 2011**

Editors:

**S. Glunz
R. Brendel
G. Hahn
R. Sinton**

**A. Aberle
A. Cuevas
J. Poortmans
A. Weeber**

**ISBN: 978-1-62748-410-7
ISSN: 1876-6102**

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2011) by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com



Available online at www.sciencedirect.com



Energy Procedia 8 (2011) iii–vi

Energy

Procedia

SiliconPV: 17–20 April 2011, Freiburg, Germany

Contents

Editorial to the Proceedings of the 1st International Conference on Crystalline Silicon Photovoltaics (SiliconPV 2011)	1
S. Glunz	1
Latest Trends in Development and Manufacturing of Industrial, Crystalline Silicon Solar-Cells	2
P. Wawer, J. Müller, M. Fischer, P. Engelhart, A. Mohr and K. Petter	2
Development towards 20% Efficient Si MWT Solar Cells for Low-cost Industrial Production	9
N. Guillevin, B.J.B. Heurtault, L.J. Geerligs and A.W. Weeber	9
Highly Efficient All-screen-printed Back-contact Back-junction Silicon Solar Cells with Aluminum-alloyed Emitter	17
R. Woehl, J. Krause, F. Granek and D. Biro	17
<i>Ab initio</i> Study of the Diffusion Barriers for Iron and Chromium Impurities in Silicon	23
S.Zh. Karazhanov, M.V. Syre, B.R. Olaisen and A.O. Holt	23
Classification of Recombination Active Defect Structures in Multicrystalline Silicon Solar Cells	28
D. Lausch, K. Petter, B. Henke, R. Bakowskie, S. Schweizer and C. Hagendorf	28
Towards Specifications of n-type Silicon Purified via the Metallurgical Route	35
T. Schutz-Kuchly, V. Sanzone, O. Palais, J. Kraiem and Y. Veschetto	35
A Fast and Easily Implemented Method for Interstitial Oxygen Concentration Mapping through the Activation of Thermal Donors in Silicon	41
J. Veirman, S. Dubois, N. Enjalbert and M. Lemiti	41
Impact of Hydrogen Concentration on the Regeneration of Light Induced Degradation	47
G. Krugel, W. Wolke, J. Geilker, S. Rein and R. Preu	47
Investigation of Degradation in Solar Cells from Different mc-Si materials	52
J. Junge, A. Herguth, G. Hahn, D. Kreßner-Kiel and R. Zierer	52
Correlation between Different Carrier Lifetime Measurement Methods for Si Blocks	58
J. Lich and M. Turek	58
Spatially Resolved Carrier Lifetime Calibrated via Quasi-steady-state Photoluminescence	64
J.A. Giesecke, B. Michl, F. Schindler, M.C. Schubert and W. Warta	64
Novel Noncontact Approach to Monitoring the Field-effect Passivation of Emitters	71
M. Wilson, A. Savtchouk, J. Lagowski, F. Korsos, A. Toth, R. Kopecek, V. Mihailetti, R. Petres and T. Boescke	71
Towards 20.5% Efficiency PERC Cells by Improved Understanding through Simulation	78
K. Van Wiechelen, L. Tous, A. Tiefenauer, C. Allebé, T. Janssens, P. Choulat, JL. Hernández, E. Cornagliotti, M. Debucquoy, A. Ruocco, J. John, P. Verlinden, F. Dross and K. Baert	78
In-depth Analysis of Transient Errors of Inline IV Measurements	82
T. Roth, D. Wichmann, K. Meyer and M. Orlob	82
Approaches to an Improved IV and QE Characterization of Bifacial Silicon Solar Cells and the Prediction of their Module Performance	88
C. Duran, H. Deuser, R. Harney and T. Buck	88
Modelling Silicon Characterisation	94
A. Cuevas	94
Development of Tunable Close Match LED Solar Simulator with Extended Spectral Range to UV and IR	100
D. Kolberg, F. Schubert, N. Lontke, A. Zwigart and D.M. Spinner	100
Influence of Slow Surface States on Effective Lifetime Measurements	106
J. Seiffe, M. Hofmann, J. Rentsch and R. Preu	106
Recombination at Metal-Emitter Interfaces of Front Contact Technologies for Highly Efficient Silicon Solar Cells	115
T. Fellmeth, A. Born, A. Kimmerle, F. Clement, D. Biro and R. Preu	115
Accurate Characterisation of Silicon Nitride Films on Rough Silicon Surfaces by Ellipsometry	122
S.C. Siah, B. Hoex, A.G. Aberle	122
QSS- μ PCD Measurement of Lifetime in Silicon Wafers: Advantages and New Applications	128
M. Wilson, A. Savtchouk, J. Lagowski, K. Kis-Szabo, F. Korsos, A. Toth, R. Kopecek and V. Mihailetti	128
Statistical Approach to the Description of Random Pyramid Surfaces using 3D Surface Profiles	135
E. Wefringhaus, C. Kesnar and M. Löhnemann	135
In-depth Analysis of Front Surface Passivation Properties for n-type IBC Silicon Solar Cells using Advanced Simulation	141
C. Gong, K. Van Wiechelen, E. Cornagliotti, N.E. Posthuma, J. Poortmans and R. Mertens	141
Determination of the Collection Diffusion Length by Electroluminescence Imaging	147
C. Schinke, D. Hinken, K. Bothe, C. Ulzhöfer, A. Milsted, J. Schmidt and R. Brendel	147
Properties of High Efficiency Silicon Heterojunction Cells	153
D.L. Bätzner, Y. Andrault, L. Andreatta, A. Büchel, W. Frammelsberger, C. Guerin, N. Holm, D. Lachenal, J. Meixenberger, P. Papet, B. Rau, B. Strahm, G. Wahli and F. Wünsch	153
Intrinsic Effects of Double Side Collecting Silicon Solar Cells	160
J. Greulich, M. Glatthaar, F. Fertig, F. Clement, B. Thaidigsmann, A. Fallisch, D. Biro, M. Rüdiger, M. Hermle and S. Rein	160

Solar Cell Emitter Design with PV-tailored Implantation T. Ohrdes, S. Steingrube, H. Wagner, C. Zechner, G. Letay, R. Chen, S.T. Dunham and P.P. Altermatt	167
Key Issues for Accurate Simulation of a-Si:H / c-Si Heterojunction Solar Cells J. Coignus, M. Baudrit, J. Singer, R. Lachaume, D. Muñoz and P. Thony	174
Optical Simulation of Low Aspect Ratio Hemisphere Array Surface Texturing for Crystalline Si Film Solar Cells J. Li, H.Y. Yu and Y. Li	180
Analysis of the Diffused Front Surface Field of <i>n</i> -type Silicon Solar Cells with a-Si/c-Si Heterojunction Rear Emitter M. Bivour, M. Rüdiger, C. Reichel, K.-U. Ritzau, M. Hermle and S.W. Glunz	185
Quantum Efficiency Analysis of Highly Doped Areas for Selective Emitter Solar Cells U. Jäger, B. Thaidigsmann, M. Okanovic and R. Preu	193
Further Analysis of Aluminum Alloying for the Formation of <i>p</i> ⁺ Regions in Silicon Solar Cells M. Rauer, C. Schmiga, J. Krause, R. Woehl, M. Hermle and S.W. Glunz	200
Influence of ITO Deposition and Post Annealing on HIT Solar Cell Structures D. Zhang, A. Tavakoliyarakci, Y. Wu, R.A.C.M.M. van Swaaij and M. Zeman	207
Analysis of Laser-doped Phosphorus Emitters B. Paviet-Salomon, S. Gall, R. Monna, S. Manuel and A. Slaoui	214
Characterization of Height-selective Emitters P. Ferrada, R. Harney, E. Wefringhaus, U. Jaeger, A. Wolf, D. Biro, M. Weiss and J. Lossen	220
Optimisation of Doped Amorphous Silicon Layers Applied to Heterojunction Solar Cells S. Martín de Nicolás, D. Muñoz, A.S. Ozanne, N. Nguyen and P.J. Ribeyron	226
Investigation of Emitter Homogeneity on Laser Doped Emitters S. Germershausen, L. Bartholomäus, U. Seidel, N. Hanisch, A. Schieferdecker, K.H. Küsters, M. Kittler, M. Ametowobla, F. Einsele and G. Dallmann	232
Optical Absorption Enhancement by Mechanical Twins Grown Using Low Temperature Silicon Epitaxy D. Lai, Y.H. Tan and C.S. Tan	238
Advanced Loss Analysis Method for Silicon Wafer Solar Cells A.G. Aberle, W. Zhang and B. Hoex	244
Comprehensive Characterization of Advanced Cell Concepts with Sub-Micron Resolution P. Gundel, M. Drießen, J. Bartsch, U. Jäger, D. Suwito, F.D. Heinz, W. Warta and M.C. Schubert	250
Dissolution and Gettering of Iron during Contact Co-firing J.-F. Lelièvre, J. Hofstetter, A. Peral, I. Hoces, F. Recart and C. del Cañizo	257
Loss Analysis and Improvements of Industrially Fabricated Cz-Si Solar Cells by Means of Process and Device Simulations S. Steingrube, H. Wagner, H. Hannebauer, S. Gatz, R. Chen, S.T. Dunham, T. Dullweber, P.P. Altermatt and R. Brendel	263
Etching of a-Si:H on <i>c</i> -Si Absorber Monitored by <i>in situ</i> Photoluminescence Measurements S.M. Greil, N. Mingirulli, L. Korte, K. Hartmann, A. Schöpke, J. Rappich and B. Rech	269
Modelling Carrier Recombination in Highly Phosphorus-doped Industrial Emitters A. Kimmerle, A. Wolf, U. Belledin and D. Biro	275
Impact of Fermi-level Dependent Defect equilibration on V _{oc} of Amorphous/Crystalline Silicon Heterojunction Solar Cells T.F. Schulze, C. Leendertz, N. Mingirulli, L. Korte and B. Rech	282
Investigation on the Impact of Metallic Surface Contaminations on Minority Carrier lifetime of a-Si:H Passivated Crystalline Silicon F. Sevenig, L. Breitenstein, A. Oltersdorf, K. Zimmermann and M. Hermle	288
Development of Interdigitated Back Contact Silicon Heterojunction (IBC Si-HJ) Solar Cells T. Desrues, S. De Vecchi, F. Souche, D. Diouf, D. Muñoz, M. Gueunier-Farret, J.-P. Kleider and P.-J. Ribeyron	294
High-rate Atomic Layer Deposition of Al ₂ O ₃ for the Surface Passivation of Si Solar Cells F. Werner, W. Stals, R. Götzken, B. Veith, R. Brendel and J. Schmidt	301
Comparison of the Thermal Stability of Single Al ₂ O ₃ Layers and Al ₂ O ₃ /SiN _x Stacks for the Surface Passivation of Silicon B. Veith, F. Werner, D. Zielke, R. Brendel and J. Schmidt	307
R&D Pilot Line Production of Multi-crystalline Si Solar Cells Exceeding Cell Efficiencies of 18% P. Engelhart, J. Wendt, A. Schulze, C. Klenke, A. Mohr, K. Petter, F. Stenzel, S. Hörlein, M. Kauert, M. Junghänel, B. Barkenfels, S. Schmidt, D. Rychtarik, M. Fischer, J.W. Müller and P. Wawer	313
Analysis of Local Al-doped Back Surface Fields for High-efficiency Screen-Printed Solar Cells S. Gatz, K. Bothe, J. Müller, T. Dullweber and R. Brendel	318
Metal Pinning through Rear Passivation Layers: Characterization and Effects on Solar Cells P. Saint-Cast, J. Haunschmid, C. Schwab, E. Billot, M. Hofmann, J. Rentsch and R. Preu	324
Distribution of Silicon in the Aluminum Matrix for Rear Passivated Solar Cells E. Urrejola, K. Peter, H. Plagwitz and G. Schubert	331
Recombination at Local Aluminum-alloyed Silicon Solar Cell Base Contacts by Dynamic Infrared Lifetime Mapping J. Müller, K. Bothe, S. Gatz, H. Plagwitz, G. Schubert and R. Brendel	337
Surface Passivation of Phosphorus-diffused Emitters by Inline Thermal Oxidation S. Mack, C. Wufka, A. Wolf, U. Belledin, D. Scheffler and D. Biro	343
Electrical Properties of Boron, Phosphorus and Gallium Co-doped Silicon E. Fourmonda, M. Forster, R. Einhaus, H. Lauvray, J. Kraiem and M. Lemiti	349
Effect of Thermal History on Iron Precipitation in Crystalline Silicon A. Haarahiltunen, M. Yli-Koski and H. Savin	355
Atmospheric Components and Dopant Carry-Over Influence during Laser Ablation V. Schütz, O. Haupt and U. Stute	360
Long Term Stability of Solar Modules Made from Compensated SoG-Si or UMG-Si Solar Cells K. Petter, M.B. Strobel, D. Buss, M. Mette, Y. Ludwig, S. Malik, S. Rupp and P. Wawer	365

Growth and Characterization of Multicrystalline Silicon Ingots by Directional Solidification for Solar Cell Applications R.B. Ganesh, B. Ryningen, M. Syvertsen, E. Øvrelidb, I. Saha, H. Tathgar and G. Rajeswaran	371
Non-destructive Testing of Crystalline Silicon Photovoltaic Back-contact Module D. Veldman, I.J. Bennett, B. Brockholz and P.C. de Jong	377
PV Module Durability Testing under High Voltage Biased Damp Heat Conditions Z. Xiong, T.M. Walsh and A.G. Aberle	384
Large Area Solar Cells with Efficiency Exceeding 19% in Pilot Series Designed for Conventional Module Assembling A. Mohr, S. Wanka, A. Stekolnikov, M. Scherff, R. Seguin, P. Engelhart, C. Klenke, J.Y. Lee, S. Tardon, S. Diez, J. Wendt, B. Hintze, R. Hoyer, S. Schmidt, J.W. Müller and P. Wawer	390
Study on Long Term Reliability of Photo-Voltaic Modules and Analysis of Power Degradation using Accelerated Aging Tests and Electroluminescence Technique R. Khatri, S. Agarwal, I. Saha, S. Kumar Singh and B. Kumar	396
Metallographic Preparation of Solar Cell Samples for Quality Assurance and Material Evaluation P. Schmitt, D. Eberlein, P. Voos, M. Tranitz and H. Wirth	402
Eco-friendly Minimodules Made of <i>n</i> -type Aluminum Rear Emitter Solar Cells A. Halm, M. Löscher, J. Theobald, E. Lemp, P. Hering, L. Popescu, R. Kopecek and K. Peter	409
Physical Properties of Industrial 19% Rear Side Passivated Al-LBSFR-Solar Cells K.A. Münzer, J. Schöne, A. Teppe, M. Hein, R.E. Schlosser, M. Hanke, K. Varner, H. Mackel, S. Keller and P. Fath	415
Results on <i>n</i> -type IBC Solar Cells using Industrial Optimized Techniques in the Fabrication Processing G. Galbiati, V.D. Mihailescu, A. Halm, R. Roescu and R. Kopecek	421
High-efficiency Bifacial Solar Cell Developed on Monocrystalline Si and Transferred to Multicrystalline Si N. Auriac, B. Grange, R. Cabal, A. Maris-Froelich and P.J. Ribeyron	427
Updates on Some Technologies for c-Si Based Solar Cells Manufacturing W.K.W. Huang, T.-S. Chen, C.-T. Tsai, M.-C. Kuo, K.-S. Chang, H.-M. Lin, Y.-K. Chiou, C.-C. Wang, M.-C. Lin, C.-S. Wu, Z.-J. Chen, Y.-C. Chen and M.-Y. Tsai	435
Cost Model for LIMA device M.A. Vázquez, J.P. Connolly, O. Cubero, G. Daly, A. Halm, R. Kopecek, V.D. Mihailescu, E. Pérez, G. Pucker, G. Sánchez and L. Pavesi	443
Investigations of Thick-Film-Paste Rheology for Dispensing Applications M. Pospischil, K. Zengerle, J. Specht, G. Birkle, P. Koltay, R. Zengerle, A. Henning, M. Neidert, C. Mohr, F. Clement and D. Biro	449
Quantitative Comparison of Simulated and Experimental Silver Crystal Formation at the Interface of Silver Thick Film Contacts on <i>n</i> -type Silicon S. Konermann, A. Ruf and R. Preu	455
Influence of Thickness Deviation on Crystalline Silicon Solar Cell Performance K. Carstens, M. Reuter, J. Cichoszewski, P. Gedeon and J.H. Werner	461
Laser Ablation of Silicon Dioxide on Silicon using Femtosecond Near Infrared Laser Pulses T. Rublack, M. Muchow, S. Hartnauer and G. Seifert	467
Characterization and Module Integration of Full Electroplated Contacts on Silicon Solar Cells N. Bay, G. Cimiotti, J. Burschik, N. Fritz, O. Lühn, M. Sieber, D. Kray, H.H. Kuehnlein and H. Nussbaumer	473
Towards Industrial <i>n</i> -type PERT Silicon Solar Cells: Rear Passivation and Metallization Scheme A. Richter, J. Benick, A. Kalio, J. Seiffe, M. Hörteis, M. Hermle and S.W. Glunz	479
Influence of the Front Surface Passivation Quality on Large Area <i>n</i> -Type Silicon Solar Cells with Al-Alloyed Rear Emitter F. Book, T. Wiedemann, G. Schubert, H. Plagwitz and G. Hahn	487
Improving Screen Printed Metallization for Large Area Industrial Solar Cells based on <i>n</i> -type Material A. Edler, V. Mihailescu, R. Kopecek, R. Harney, T. Böscke, D. Stichtenoth, J. Lossen, K. Meyer, R. Hellriegel, T. Aichele and H.-J. Krokoszinski	493
HIP-MWT: A Simplified Structure for Metal Wrap through Solar Cells with Passivated Rear Surface B. Thaidigsmann, F. Clement, A. Wolf, E. Lohmüller, F. Fertig, D. Biro and R. Preu	498
Outdoor Monitoring of the Energy Yield and Electrical Parameters of Standard Polysilicon Based and New umg-Si PV Modules E. Sánchez, J. Torreblanca, T. Carballo, V. Parra, J. Bullón, J.M. Míguez, J. Gutiérrez, J. García, I. Guerrero, R. Ordás and J. Izard	503
High Quality Ion Implanted Boron Emitters in an Interdigitated Back Contact Solar Cell with 20% Efficiency N. Bateman, P. Sullivan, C. Reichel, J. Benick and M. Hermle	509
Efficiency Improvement by Deeper Emitter with Lower Sheet Resistance for Uniform Emitters Y. Komatsu, M. Koorn, A.H.G. Vlooswijk, P.R. Venema and A.F. Stassen	515
Formation of Locally Aluminum-doped <i>p</i> -type Silicon Regions by In-line High-rate Evaporation C. Mader, R. Bock, J. Müller, J. Schmidt and R. Brendel	521
Accurate Modeling of Aluminum-doped Silicon M. Rüdiger, M. Rauer, C. Schmiga, M. Hermle and S.W. Glunz	527
Influence of the Dopant on the Contact Formation to <i>p</i> ⁺ -type Silicon S. Riegel, F. Mutter, G. Hahn and B. Terheiden	533
Current Transport in Thick Film Ag Metallization: Direct Contacts at Silicon Pyramid Tips? E. Cabrera, S. Olibet, J. Glatz-Reichenbach, R. Kopecek, D. Reinke and G. Schubert	540
Advanced Metallization of Rear Surface Passivated Metal Wrap through Silicon Solar Cells E. Lohmüller, B. Thaidigsmann, J. Bartsch, C. Harmel, J. Specht, A. Wolf, F. Clement, M. Hörteis and D. Biro	546
Low Temperature Laser Metallization for Silicon Solar Cells T.C. Röder, E. Hoffmann, B. Konrad and J.R. Köhler	552

Economic Evaluation of Two-Step Metallization Processes for Silicon Solar Cells M. Kamp, J. Bartsch, S. Nold, M. Retzlaff, M. Hörteis and S.W. Glunz	558
The Origin of Background Plating S. Braun, A. Zuschlag, B. Raabe and G. Hahn	565
Metallization of <i>n</i> -Type Silicon Solar Cells using Fine Line Printing Techniques A. Kalio, A. Richter, M. Hörteis and S.W. Glunz	571
Layer Selective Laser Ablation for Local Contacts to Thin Emitters F. Haase, E. Garralaga Rojas, K. Bothe and R. Brendel	577
Front-Side Metallization by Means of Flexographic Printing M. Freya, F. Clement, S. Dilfer, D. Erath and D. Biro	581
Finite Element Simulation of Laser-Induced Diffusion in Silicon G. Poulaïn, D. Blanc, B. Semmache, Y. Pellegrin and M. Lemiti.	587
Investigation of Ablation Mechanisms for Selective Laser Ablation of Silicon Nitride Layers G. Heinrich, M. Bähr, K. Stolberg, T. Wütherich, M. Leonhardt and A. Lawerenz.	592
Efficiency Gain in c-Si Cells through Selective Emitter and Double Printing D. Tonini, C. Bottosso, G. Cellere, V. Furin, M. Galiazzo, P. Kumar, D. Tanner and A. Voltan	598
Screen Printable Silver Paste For Silicon Solar Cells with High Sheet Resistance Emitters Y. Yang, S. Seyedmohammadi, U. Kumar, D. Gnizak, E. Graddy and A. Shaikh	607
Influence of Pulse Duration in Picosecond Laser Ablation of Silicon Nitride Layers M. Schulz-Ruhtenberg, D. Trusheim, J. Das, S. Krantz and J. Wieduwilt	614
Novel Front and Back Side Screen Designs for Improved Cost/Performance Ratio E. Kurtz and W. Zhang	620
Improving Front Contacts of <i>n</i> -type Solar Cell J.A. Silva, M. Gauthier, C. Boulord, C. Oliver, A. Kaminski, B. Semmache and M. Lemiti.	625
Metal Assisted Surface Texture for String Ribbon Solar Cells and Modules J. Cichoszewski and M. Reuter	635
Variation of the Layer Thickness to Study the Electrical Property of PECVD Al ₂ O ₃ / c-Si Interface P. Saint-Cast, Y.-H. Heo, E. Billot, P. Olwal, M. Hofmann, J. Rentsch, S.W. Glunz and R. Preu.	642
Nanoimprint Lithography for Honeycomb Texturing of Multicrystalline Silicon H. Hauser, B. Michl, V. Kübler, S. Schwarzkopf, C. Müller, M. Hermle and B. Bläsi	648
High Surface Passivation Quality and Thermal Stability of ALD Al ₂ O ₃ on Wet Chemical Grown Ultra-thin SiO ₂ on Silicon S. Bordihn, P. Engelhart, V. Mertens, G. Kesser, D. Köhn, G. Dingemans, M.M. Mandoc, J.W. Müller and W.M.M. Kessels	654
Passivation of Si Wafers by ALD-Al ₂ O ₃ Films with Different Surface Conditioning T. Lüder, G. Hahn and B. Terheiden	660
Low Surface Recombination Velocity using Amorphous Silicon on Industrial-type Cleaned Surfaces S. Gloger, N. Brinkmann and B. Terheiden	666
Effect of Al Contact Pitch on Rear Passivated Solar Cells I. Cesar, A.A. Mewe, P. Manshanden, I.G. Romijn, L. Janßen and A.W. Weeber	672
Silicon Surface Passivation by Al ₂ O ₃ : Effect of ALD Reactants P. Repo, H. Talvitie, S. Li, J. Škarp and H. Savin	681
Using Design of Experiments Approach to Optimize Custom Emitter Clean Process used in PV Manufacturing I. Saha, N. Jain and S. Kumar	688
New Measurement Method for the Investigation of Space Charge Region Recombination Losses Induced by the Metallization of Silicon Solar Cells R. Hoenig, M. Glatthaar, F. Clement, J. Greulich, J. Wildeb and D. Biro	694
Laser Doping using Phosphorus-doped Silicon Nitrides B. Paviet-Salomon, S. Gall, R. Monna, S. Manuel, A. Slaoui, L. Vandroux, R. Hida and S. Dechenaux	700
High Efficiency Selective Emitter Cells using Patterned Ion Implantation C.E. Dubé, B. Tsefrikas, D. Buzby, R. Tavares, W. Zhang, A. Gupta, R.J. Low, W. Skinner and J. Mullin	706
Photon Management Structures Originated by Interference Lithography B. Bläsi, H. Hauser, O. Höhn, V. Kübler, M. Peters and A.J. Wolf	712