

2013 Optical Fiber Communication Conference and Exposition and the National Fiber Optic Engineers Conference

(OFC/NFOEC 2013)

**Anaheim, California, USA
17 - 21 March 2013**

Pages 1-838



**IEEE Catalog Number: CFP13OFC-POD
ISBN: 978-1-4799-0457-0**

TABLE OF CONTENTS

Effective Flow Protection in OpenFlow Rings.....	1
<i>A. Sgambelluri, A. Giorgetti, F. Cugini, F. Paolucci, P. Castoldi</i>	
Γ-Robust Network Design for Mixed-Line-Rate-Planning of Optical Networks	4
<i>S. Duhovnikov, A. Koster, M. Kutschka, F. Rambach, D. Schupke</i>	
Packet Switched Optical Mobile Network – Architecture Design and Performance Analysis.....	7
<i>Q. Wei, J. Bazzi, K. Kazuyuki, M. Lott</i>	
Analysis of 32GBaud DP-QPSK Transmission over Mixed Dispersion Managed/Unmanaged Transparent Domains.....	10
<i>G. Bruno, J. Nijhof, E. Riccardi, A. Rossaro</i>	
Next-Generation Optical Transport Network TCO Analysis for 100G Strategic Deployment Inflection Point.....	13
<i>M. Mezhoudi, C. Miculescu</i>	
High accurately synchronized λ-tunable WDM/TDM-PON using timestamps based time and frequency synchronization for mobile backhaul	16
<i>G. Yazawa, N. Yuki, J. Terada, S. Kimura, N. Yoshimoto</i>	
Fast Fault Monitoring Technique for Reliable WDM PON: Achieving Significant Operational Saving.....	19
<i>J. Chen, P. Urban, L. Wosinska</i>	
Demonstration of Fully Functional MIMO Wireless LAN Transmission over GI-MMF for In-building Networks.....	22
<i>J. Zou, H. Chen, F. Huijskens, Z. Cao, E. Tangdiongga, T. Koonen</i>	
3.5 W optical power delivery over 5 km single-mode fiber using C-band amplified spontaneous emission light source	25
<i>L. Ma, K. Tsujikawa, N. Hanzawa, F. Yamamoto</i>	
Differential Mode Attenuation in MMFs and its Impact on DMD and EMB Measurements	28
<i>B. Kose, R. Pimpinella, J. Castro, B. Lane</i>	
A Seven-core Photonic Crystal Fiber with High Beam Quality	31
<i>H. Wei, G. Zhang, P. Yan, J. Li, X. Zhang, W. Tong, J. Luo, J. Li, K. Chen</i>	
Nonlinear Tolerance of Few-mode Fiber Based Transmission Systems with Random Mode Coupling.....	34
<i>A. Li, X. Chen, W. Shieh</i>	
FOPA with Flat 21-dB Gain and NF less than 4-dB using Alternately Concatenated Pump-Phase Shifters and HNLFs.....	37
<i>S. Takasaka, Y. Mimura, H. Matsuura, M. Morimoto, M. Takahashi, R. Sugizaki</i>	
Multi-channel Optical Frequency-locked Multi-carrier Source Generation based on Multi-channel Recirculation Frequency Shifter Loop.....	40
<i>J. Zhang, J. Yu, Z. Dong, N. Chi, X. Li</i>	
Theoretical Study of Crosstalk Characteristics for Multi-core Optical Fiber Amplifiers	43
<i>M. Yamada, H. Ono, N. Sakai, K. Takenaga, S. Matsuo</i>	
Magneto-optic Four-wave Mixing in Fibers: Theory and Experiment	46
<i>F. Wen, B. Wu, S. Li, Z. Li, K. Qiu</i>	
Using SBS Loop for Extinction Ratio Enhancement and Flatness Improvement in Optical Comb Generation	49
<i>J. Du, Y. Dai, G. Lei, C. Shu</i>	
Experimental Characterization of a Ring-Profile Few-Mode Erbium-Doped Fiber Amplifier enabling Gain Equalization	52
<i>E. Ip, M. Li, K. Bennett, A. Korolev, K. Koreshkov, W. Wood, C. Montero, J. Linares</i>	
100GHz Grid-Aligned Reconfigurable Polarization Insensitive Black-Box Wavelength Converter	55
<i>V. Rancano, F. Parmigiani, P. Petropoulos, D. Richardson</i>	
Influence of Hydrogen Loading on Active Fibers	58
<i>A. Bazakutsa, O. Butov, K. Golant</i>	
Multi mode optical amplifiers with flexible wavelength and spatial channel count	61
<i>S. Akhtari, P. Krummrich</i>	
Entanglement-Preserving Photonic Switching: Demonstration of Full Cross-Bar Operation with 25- GHz Capability	64
<i>N. Oza, Y. Huang, P. Kumar</i>	
Pulse shaping by phase-modulated fiber gratings in transmission	67
<i>M. Preciado, X. Shu, K. Sugden</i>	

Novel optical switch using manual guide-pin slide method based on MT multifiber connector technique	70
<i>T. Shimizu, M. Kihara, H. Izumita, T. Kurashima</i>	
The First Demonstration of Silicon Waveguide Optical Circulator	73
<i>K. Mitsuya, Y. Shoji, T. Mizumoto</i>	
A Compact and CMOS Compatible MMI Coupler with Very Low Excess Loss	76
<i>Z. Sheng, Z. Wang, C. Qiu, L. Li, A. Pang, A. Wu, X. Wang, S. Zou, F. Gan</i>	
Ultra-compact CMOS Compatible TE-Pass Polarizer for Silicon Photonics	79
<i>Y. Huang, S. Zhu, H. Zhang, T. Liow, P. Lo</i>	
Terabit Optical OFDM demultiplexer in Silicon Photonics	82
<i>A. Rahim, S. Schwarz, J. Bruns, C. Schaffer, K. Petermann</i>	
Four Channel DFB Laser Array Based on the Reconstruction-Equivalent-Chirp Technique for 1.3μm CWD Systems	85
<i>L. Lu, Y. Shi, X. Chen</i>	
Reflective Silicon Mach Zehnder Modulator With Faraday Rotator Mirror effect for self-coherent transmission	88
<i>S. Menezes, B. Charbonnier, G. Farias, D. Thomson, P. Grosse, A. Myko, J. Fedeli, B. Bakir, G. Reed, A. Lebreton</i>	
Analytical Investigation of Operating Conditions for Simultaneous Intensity and Phase Noise Suppression using Phase Sensitive Semiconductor Optical Amplifiers.....	91
<i>K. Saito, H. Uenohara</i>	
QAM Synthesis by Direct Modulation of Semiconductor Lasers under Injection Locking	94
<i>R. Slavik, J. Kakande, R. Phelan, J. O'Carroll, B. Kelly, D. Richardson</i>	
Wavelength conversion bandwidth enhancement through quasi-phase-matching in a width modulated silicon waveguide	97
<i>Y. Huang, S. Gao, S. Kalyoncu, E. Tien, Q. Song, Q. Zhao, R. Torun, O. Boyraz</i>	
Linear and Nonlinear Properties of SiGe Waveguides at Telecommunication Wavelengths.....	100
<i>K. Hammani, M. Ettabib, A. Bogris, A. Kapsalis, D. Syvridis, M. Brun, P. Labeye, S. Nicoletti, D. Richardson, P. Petropoulos</i>	
Nonlinear interaction between signal and amplified spontaneous emission in coherent systems	103
<i>D. Foursa, O. Sinkin, A. Lucero, J. Cai, G. Mohs, A. Pilipetskii</i>	
Generation and Performance Investigation of Polarization-Alternated QPSK Format.....	106
<i>S. Zhang, F. Yaman, T. Wang, Y. Inada, T. Inoue, T. Ogata, Y. Aoki</i>	
512Gb/s DP-BPSK Superchannel Transmission over 7,200km DMF Link with 1.43b/s/Hz Spectral Efficiency	109
<i>D. Qian, F. Yaman, Y. Huang, S. Zhang, E. Mateo, T. Inoue, Y. Inada, A. Habisawa, T. Ogata, T. Wang</i>	
Frequency Domain M-shaped Pulse for SPM Nonlinearity Mitigation in Coherent Optical Communications	112
<i>X. Xu, B. Chatelain, Q. Zhuge, M. Morsy-Osman, M. Chagnon, M. Qiu, D. Plant</i>	
Spectrally-Efficient 448-Gb/s dual-carrier PDM-16QAM channel in a 75-GHz grid.....	115
<i>E. Silva, L. Carvalho, C. Franciscangelis, J. Diniz, A. Bordonalli, J. Oliveira</i>	
First Experimental Demonstration of a 3-Dimensional Simplex Modulation Format Showing Improved OSNR Performance Compared to DP-BPSK	118
<i>A. Dochhan, H. Griesser, M. Eiselt</i>	
An Experimental Study of Nonlinear Effects on 43 Gb/s Electronic Pre-equalized Transmission	121
<i>K. Uto, T. Sugihara, T. Yoshida, T. Fujimori, H. Goto, K. Ishida</i>	
8 x 120 Gb/s Transmission over 80.8 dB / 480.4 km Unrepeated Span	124
<i>D. Chang, P. Patki, S. Burtsev, W. Pelouch</i>	
An Ultralow Complexity Algorithm for Frame Synchronization and IQ Alignment in CO-OFDM Systems	127
<i>K. Puntisri, O. Jan, A. Al-Bermani, C. Wordehoff, D. Sandel, S. Hussin, M. Panhwar, R. Noe, U. Ruckert</i>	
Blind Adaptive Equalization Algorithm Based on Constellation Transformation for DP 16-QAM Systems	130
<i>M. Rezaei, J. Ke, A. Karar, Y. Gao, J. Cartledge</i>	
Feasibility Study of SOA-preamplified Coherent Reception for 112 Gb/s DP-QPSK Unamplified Link	133
<i>M. Nielsen, L. Molle, T. Richter, C. Schubert</i>	
Adaptive Maximum Likelihood Sequence Detection in 100-Gb/s Coherent Optical Communication Systems	136
<i>Z. Xu, B. Zhang, C. Yu, P. Kam</i>	
Filter-less Multi-Tone Coherent Orthogonal Detection for Multi-Channel Reception of Super-Channel/OFDM signals	139
<i>T. Sakamoto, G. Lu, T. Kawanishi</i>	

Investigation of Receiver DSP Carrier Phase Estimation Rate for Self-homodyne Space-division Multiplexing Communication Systems	142
<i>J. Mendinueta, B. Puttnam, J. Sakaguchi, R. Luis, W. Klaus, Y. Awaji, N. Wada, A. Kanno, T. Kawanishi</i>	
A Novel Polarization Division Multiplexed OFDM System with a Direct-Detection BLAST-Aided Receiver	145
<i>C. Wei, C. Lin, C. Wang, F. Wu</i>	
Modified Gardner Phase Detector for Nyquist Coherent Optical Transmission Systems.....	148
<i>N. Stojanovic, C. Xie, Y. Zhao, B. Mao, N. Gonzalez, J. Qi, L. Binh</i>	
Real-Time Elastic Coherent Muxponder Enabling Energy-Proportional Optical Transport.....	151
<i>F. Vacondio, A. Falou, A. Voicila, C. Bouette, J. Tanguy, C. Simonneau, E. Dutisseuil, J. Pamart, L. Schoch, O. Rival</i>	
Signal-LO Frequency Offset Tolerance under Tight Filtering for PM-QPSK Using All-Digital Compensation	154
<i>M. Arabaci, C. Malouin, B. Zhang, P. Thomas, T. Schmidt, R. Marcoccia</i>	
Suppression of Chaos in Integrated Coupled DFB Lasers for Millimeter-wave Generation	157
<i>D. Liu, C. Sun, B. Xiong, Y. Luo</i>	
A Novel Multi-channel Digital Pre-distortion Technique for Subcarrier Multiplexed Radio-over-Fiber System.....	160
<i>Y. Pei, K. Xu, J. Li, J. Wen, Y. Dai, Y. Ji, J. Lin</i>	
Nonlinearity and Phase Noise Tolerant 75-110 GHz Signal over Fiber System Using Phase Modulation Technique	163
<i>L. Deng, X. Pang, X. Zhang, X. Yu, D. Liu, I. Monroy</i>	
DWDM Fiber-Wireless Access System with Centralized Optical Frequency Comb-based RF Carrier Generation.....	166
<i>X. Pang, M. Beltran, J. Sanchez, E. Pellicer, J. Olmos, R. Llorente, I. Monroy</i>	
Bidirectional direct detection mode multiplexing scheme for optical short link communications.....	169
<i>R. Herschel, A. Kuhne, C. Schaffer</i>	
Multiformat Wavelength Swapping in Periodically Poled Lithium Niobate Waveguide	172
<i>G. Berrettini, A. Malacarne, E. Lazzeri, G. Meloni, A. Bogoni</i>	
Suppression of Radio over Fiber System Nonlinearity Using a Semiconductor Optical Amplifier and Mixed Polarization	175
<i>B. Hraimel, X. Zhang</i>	
Photonic Microwave Channelizer with Improved Channel Characteristics Based on Spectrum-Controlled Stimulated Brillouin Scattering.....	178
<i>X. Zou, W. Li, W. Pan, L. Yan, J. Yao</i>	
Energy and Deployment Efficiency of a Millimeter-Wave Radio-on-Radio-over-Fiber System for Railways	181
<i>P. Dat, A. Kanno, T. Kawanishi</i>	
Multi-Flow Virtual Concatenation Triggered by Path Cascading Degree in Flexible Spectrum Optical Networks.....	184
<i>H. Yang, J. Zhang, Y. Zhao, S. Wang, W. Gu, J. Han, Y. Lin, Y. Lee</i>	
Energy-Efficient Protection Designs for Translucent Optical Networks Using Mixed Regenerator Placement	187
<i>X. Chen, F. Ji, Z. Zhu</i>	
Optical Link Planning Guidelines for a Hybrid Packet and Circuit Integrated Network.....	190
<i>R. Luis, H. Furukawa, S. Shinada, N. Wada</i>	
RWA for Network Virtualization in Optical WDM Networks	193
<i>Q. Zhang, W. Xie, Q. She, X. Wang, P. Palacharla, M. Sekiya</i>	
Measurements-based Power Control - A Cross-layered Framework.....	196
<i>B. Birand, H. Wang, K. Bergman, G. Zussman</i>	
PAPR Reduction Using Contiguous-tone Tone Reservation Technique in Optical OFDM IMDD Transmissions	199
<i>T. Truong, H. Lin, B. Jahan, M. Arzel, M. Jezequel</i>	
5-Gb/s Broadcast Overlay for WDM-PON Employing Noise-Suppressed Mutually Injected Fabry-Perot Laser Diodes.....	202
<i>S. Yoo, J. Kim, C. Lee</i>	
SNR Optimization through Digital Frequency-Domain Pre-Emphasis for Extending Transmission Distances in DML-Based OFDM-PON Systems.....	205
<i>S. Kim, J. Terada, N. Yoshimoto</i>	
20-Gbps WDM-PON Transmissions Employing Weak-resonant-cavity FPLD with OFDM and SC-FDE Modulation Formats	208
<i>I. Lu, H. Chen, C. Wei, Y. Chi, Y. Lee, D. Hsu, G. Lin, J. Chen</i>	

Flexible WDM/FTDM Passive Optical Network with RZ-Seeded All-Optical Sub-Wavelength Grid Engine	211
<i>B. Schrenk, V. Katopodis, J. Bauwelinck, J. Lazaro, X. Yin, P. Bakopoulos, M. Spyropoulou, X. Qiu, H. Avramopoulos</i>	
Combined Self-Seeding and Carrier Remodulation Method for Reflective Transmitters in WDM-PON	214
<i>U. Duarte, R. Penze, J. Rosolem, F. Pereira, F. Padela, M. Romero</i>	
477 Mbit/s visible light transmission based on OOK-NRZ modulation using a single commercially available visible LED and a practical LED driver with a pre-emphasis circuit	217
<i>N. Fujimoto, H. Mochizuki</i>	
26.75 Gb/s Short-Reach Transmission over up to 15 m of large-core PMMA Polymer Optical Fiber for Next-Generation 100 GbE.....	220
<i>S. Loquai, F. Winkler, R. Kruglov, J. Vinogradov, C. Bunge, O. Ziemann, B. Schmauss, E. Hartl</i>	
Ultra Low Power VCSEL for 35-Gbps 500-m OM4 MMF Transmissions Employing FFE/DFE Equalization for Optical Interconnects	223
<i>I. Lu, J. Shi, H. Chen, C. Wei, S. Tsai, D. Hsu, Z. Wei, J. Wun, J. Chen</i>	
Improvement of transmission distance of a 25-Gb/s FPC-OE with polymer waveguide by a microlens-imprinted film	226
<i>T. Shiraishi, T. Yagisawa, Y. Tsunoda, M. Sugawara, T. Ikeuchi, S. Ide, K. Tanaka</i>	
Coherent 40 Gb/s SP-16QAM and 80 Gb/s PDM-16QAM in an Optimal Supercomputer Optical Switch Fabric	229
<i>F. Karinou, R. Borkowski, D. Zibar, I. Roudas, I. Monroy</i>	
Availability Analytical Model for Permanent Dedicated Path Protection in Service Differentiated WDM Networks	232
<i>Y. Li, W. Ni, H. Zhang, N. Hua, Y. Li, X. Zheng</i>	
Dynamic Packet Offload Tuning in Packet-Optical Network Scenarios.....	235
<i>P. Iovanna, G. Bottari, G. Cossu</i>	
k-regular and k-(edge)-connected Protection Structures in Optical Transport Networks.....	238
<i>X. Li, S. Huang, J. Zhang, Y. Zhao, W. Gu</i>	
An Almost-Optimal Approach for Minimizing the Number of Required Wavelengths for Large-Scale Optical Networks	241
<i>G. Shen, C. Wu, J. Dong</i>	
Experimental Study of Intra- vs. Inter-Superchannel Spectral Equalization in Flexible Grid Systems	244
<i>S. Kumar, R. Egorov, K. Croussore, M. Allen, M. Mitchell, B. Basch</i>	
Analysis of the SSMF Zero-dispersion Wavelength Location and its Influence on High Capacity 1310 nm Transmission.....	247
<i>J. Turkiewicz</i>	
Coordinated Operations between IP and Transport Network Management Systems in Multi-vendor Settings	250
<i>M. Yannuzzi, V. Lopez, F. Munoz, A. Azanon, O. Gonzalez, J. Palacios, R. Serral-Gracia, C. Brunn, X. Masip-Bruin</i>	
ONT Reflection for additional Maintenance by OTDRMeasurements in FTTH Networks.....	253
<i>A. Ehrhardt, L. Schuerer, F. Escher, B. Nagel, H. foisel</i>	
Spectral Management in Flexible Multiwavelength PONs.....	256
<i>A. Teixeira, A. Shahpari, J. Reis, M. Lima</i>	
32-Channel Integrated Receiver Module for WDM-PON Applications.....	259
<i>R. Jones, K. Yadav, S. Yang, M. Pearson, S. Bidnyk, A. Balakrishnan, W. Lin, Y. Nam, J. Song, H. Rhy</i>	
Fiber Fuse Propagation Modes in Typical Single-mode Fibers	262
<i>S. Todoroki</i>	
Investigation of Offset-Launch Characteristics for Two-Mode Optical Fiber using FE-BPM	265
<i>R. Maruyama, N. Kuwaki, S. Matsuo, K. Sato, M. Ohashi</i>	
SPM Spectral Broadening Compensation Using Organic Dyes with Negative n_2	268
<i>S. Shahin, K. Kieu, S. Marder, R. Norwood, N. Peyghambarian</i>	
Infrared Tube-Leaky Optical Fibers with Microstructured Glass Supports.....	271
<i>S. Kobayashi, T. Katagiri, Y. Matsuura</i>	
Stand-Alone High-Power Broadly Tunable Optoelectronic Frequency Comb Generator	274
<i>A. Metcalf, V. Torres-Company, D. Leaird, A. Weiner</i>	
Multicore EDFA for DWDM Transmission in Full C-band	277
<i>Y. Tsuchida, K. Maeda, K. Watanabe, T. Ito, K. Fukuchi, M. Yoshida, Y. Mimura, R. Sugizaki, M. Nakazawa</i>	
Energy-efficient optical quantization scheme with orthogonal spectral slicing by AWG for OFDM.....	280
<i>T. Kodama, R. Matsumoto, A. Maruta, K. Kitayama</i>	

Less than 0.5-dB Gain Excursion AGC-EDFA with a High Speed FB/FF-controlled VOA for a wide operation range	283
<i>N. Shiga, N. Sato, K. Ota, S. Petit, Y. Oikawa</i>	
Broadband Fluorescence Enhancement in Cr-doped Fibers	286
<i>C. Liu, Y. Huang, Y. Lin, J. Wang, F. Lo, W. Wang, T. Chou, P. Huang, S. Huang, W. Cheng</i>	
Measuring the Spectra of Advanced Optical Signals with an Extension of an Electrical Network Analyzer	289
<i>S. Treff, S. Preubler, T. Schneider</i>	
Parametric Amplification of a 640 Gbit/s RZ-DPSK Signal	292
<i>Z. Lali-Dastjerdi, M. Galili, H. Mulvad, H. Hu, L. Oxenlowe, K. Rottwitt, C. Peuchert</i>	
106km fully-distributed fiber-optic fence based on P-OTDR with 2nd-order Raman amplification	295
<i>F. Peng, Z. Wang, Y. Rao, X. Jia</i>	
Ultra-Broadband Wavelength Conversion Based on Four-Wave Mixing in a Raman DFB Fiber Laser	298
<i>J. Shi, S. Alam, M. Ibsen</i>	
Multimode EDFA performance in mode-division multiplexed transmission systems	301
<i>Y. Jung, V. Sleiffer, B. Inan, M. Kuschnerov, V. Veljanovski, B. Corbett, R. Winfield, Q. Kang, A. Dhar, J. Sahu, F. Poletti, S. Alam, D. Richardson</i>	
Structured Directional Coupler Pair for Multiplexing of Degenerate Modes	304
<i>B. Huang, C. Xia, G. Matz, N. Bai, G. Li</i>	
A Collinear Nondegenerate Source of Entangled Photon Pairs in PM Fiber	307
<i>E. Meyer-Scott, J. Bourgoin, L. Shalm, B. Higgins, T. Jennewein, V. Roy</i>	
Aberration correction in Spatial Light Modulator based mode multiplexers	310
<i>J. Carpenter, T. Wilkinson</i>	
High sensitivity micro Sagnac loop interferometer based on tightly twisted micro fiber tapers	313
<i>N. Chen, G. Cheng</i>	
Space-Division Multiplexing of Coherent Beams by Diffractive Optical Elements	316
<i>M. Golub, S. Shwartz, S. Ruschin</i>	
Adaptive Spectral Filtering for Nyquist-WDM Generation with Extremely High Resolution Photonic Spectral Processor	319
<i>D. Sinefeld, S. Ben-Ezra, D. Marom</i>	
Manufacturing tolerance analysis of an InP, 4x4 MMI-based 90° optical hybrid for integrated coherent receivers	322
<i>J. Fandino, P. Munoz, J. Capmany</i>	
Detailed experimental phase noise characterization of Y-branch lasers for use in coherent communication systems	325
<i>R. Watts, K. Shi, Y. Yu, L. Barry</i>	
High-Speed Directly-Modulated Lasers with Photon-Photon Resonance	328
<i>M. Dumitrescu, A. Laakso, J. Viheriälä, M. Kamp, P. Melanen, P. Uusimaa</i>	
Efficient Dynamic Wideband Model for Reflective Semiconductor Optical Amplifier	331
<i>Z. Vujicic, N. Pavlovic, A. Shahpari, A. Teixeira</i>	
Photonic Multiwavelength Transmitters with DBR Laser Array for Optical Access Networks	334
<i>K. Lawniczuk, M. Wale, P. Szczepanski, R. Piramidowicz, M. Smit, X. Leijtens</i>	
Quantum dot Comb Laser with the Integrated DBR Section for DWDM Optical Interconnects	337
<i>A. Gubenko, S. Mikhram, I. Krestnikov, D. Livshits</i>	
Experimental Comparison of Terabit Nyquist Superchannel Transmissions Based on High and Low Baud Rates	340
<i>Y. Zhu, J. Wang, Q. Guo, Y. Cui, C. Li, F. Zhu, Y. Bai</i>	
Large PMD Tolerant 1.28 Tbit/s/ch Transmission over 525 km with 640 Gbaud Optical Nyquist Pulses	343
<i>K. Harako, P. Ruan, T. Hirooka, M. Nakazawa</i>	
Transmission of 4-D Modulation Formats at 28-Gbaud	346
<i>H. Bulow, T. Rahman, F. Buchali, W. Idler, W. Kuebart</i>	
Transmission of 130-Gb/s PDM-QPSK over 5,760-km with Co-Propagating 10-Gb/s OOK Channels in Dispersion-Managed NZDSF Spans with Soft-Decision LDPC Coding	349
<i>C. Xie, L. Salamanca, R. Urbanke, B. Zhu</i>	
Self-Coherent Differential Phase Detection for Optical Physical-Layer Secure Communications	352
<i>S. Wang, R. Lipa, D. Reilly, G. Kanter</i>	
Influence of channel correlation on the scintillation performance of receiver diversity systems for free-space optical communications	355
<i>Z. Chen, S. Yu, L. Jiang, G. Wu, W. Gu</i>	

Nonlinear Compensation and Inter-channel Crosstalk Suppression for 4×160.8Gb/s DWDM PDM-QPSK signal with Heterodyne Coherent Detection	358
<i>J. Zhang, J. Yu, Z. Dong, N. Chi, X. Li, G. Chang</i>	
Colorless Flexible Signal Generator for Elastic Networks and Rapid Prototyping	361
<i>J. Schroder, L. Du, M. Morshed, B. Eggleton, A. Lowery</i>	
Efficient, Non-Data-Aided Chromatic Dispersion Estimation via Generalized, FFT-Based Sweep	364
<i>C. Malouin, M. Arabaci, P. Thomas, B. Zhang, T. Schmidt, R. Marcoccia</i>	
Tracking Excess Noise from a Monolithic Tunable Laser in Coherent Communication Systems.....	367
<i>T. Huynh, W. Ng, A. Nguyen, L. Nguyen, L. Rusch, L. Barry</i>	
Fractionally-spaced Frequency Domain Equalization for Optical Coherent Receivers with Interleaved Samplers.....	370
<i>Y. Yasumura, Y. Yoshida, K. Kitayama</i>	
An Adaptive Decision-Feedback Channel Estimation for Coherent Optical OFDM.....	373
<i>M. Zamani, C. Li, C. Chen, Z. Zhang</i>	
PDL Compensation Using Whitening Matrix in Polarization Division Multiplexed Coherent Optical Transmission	376
<i>M. Zamani, Z. Zhang, C. Chen, C. Li</i>	
Pass-Drop Operations of 4×172Gb/s Nyquist OTDM-WDM over Cascade of WSSs Using Distributed Matched Filtering.....	379
<i>H. Tan, T. Inoue, S. Namiki</i>	
Non-Data-Aided PMD Monitoring for Optical OFDM Systems Using Low Bandwidth Coherent Receivers.....	382
<i>S. Chen, T. Anderson, D. Hewitt, A. Tran, E. Skafidas</i>	
Performance Evaluation of Coded Optical Subcarrier Index Modulation OFDM Format	385
<i>A. Amin, X. Yue, W. Shieh</i>	
Full-Range Pilot-Assisted Frequency Offset Estimation for OFDM Systems.....	388
<i>S. Cao, S. Zhang, C. Yu, P. Kam</i>	
Enhanced Performance of Four-Wave Mixing Wavelength Conversion Through Dynamic Control of Optical Phase	391
<i>L. Wang, C. Shu</i>	
All-Optical Regeneration of 40 Gb/s NRZ-DPSK Signals in a Single SOA	394
<i>C. Porzi, G. Serafino, A. Bogoni, G. Contestabile</i>	
Optical RAM Row Access and Column Decoding for WDM-formatted optical words.....	397
<i>C. Vagionas, S. Markou, G. Dabos, T. Alexoudi, D. Tsiokos, A. Miliou, N. Pleros, G. Kanellos</i>	
All-optical Wide-area Node Connections Assisted with Optical Parametric Regeneration and Wavelength Conversion	400
<i>J. Kurumida, H. Takeshita, K. Mizutani, K. Ishii, A. Tajima, S. Namiki</i>	
Demonstration of All-Optical Network Coding by using SOA-MZI based XOR Gates	403
<i>D. Hisano, A. Maruta, K. Kitayama</i>	
Downconversion and Linearization of X- and K-band Analog Photonic Links Using Digital Post-Compensation	406
<i>P. Li, R. Shi, M. Chen, H. Chen, S. Yang, S. Xie</i>	
All-optical Network Coding for DPSK signals	409
<i>Y. An, F. Ros, C. Peucheret</i>	
Nyquist filtering of 160 GBaud NRZ-like DPSK signal.....	412
<i>H. Hu, J. Wang, H. Ji, E. Palushani, M. Galili, H. Mulvad, P. Jeppesen, L. Oxenlowe</i>	
High-Speed All-Optical NOT Gate Based on Spectral Phase-Only Linear Optical Filtering	415
<i>R. Maram, M. Li, J. Azana</i>	
Virtual Optical Network Embedding Considering Mixed Transparent and Translucent Virtual Links.....	418
<i>C. Gao, J. Jue</i>	
Transmitter Optimized Optical Networks.....	421
<i>D. Ives, S. Savory</i>	
Should Like Demands be Grouped in Mixed Line Rate Networks?.....	424
<i>E. Tsardinakis, A. Lord, P. Wright, G. Liu, P. Bayvel</i>	
Link vs. Opto-Electronic Device Sleep Mode Approaches in Survivable Green Optical Networks	427
<i>J. Perello, A. Morea, S. Spadaro, M. Tornatore</i>	
Minimize Sub-carrier Re-allocation Overhead in SLICE Networks with Dynamic Traffic	430
<i>Y. Wang, X. Cao, C. Qiao</i>	
The First Single-Link Exact Model for Performance Analysis of Flexible Grid WDM Networks	433
<i>Y. Yu, J. Zhang, Y. Zhao, X. Cao, X. Lin, W. Gu</i>	
A Novel Method to Mitigate LED Nonlinearity Distortions in Optical Wireless OFDM Systems.....	436
<i>R. Mesleh, H. Elgala, T. Little</i>	

Efficient MIMO Channel Estimation for OFDM-PON Based on Polarization Interleaving and Direct Detection.....	439
<i>B. Lin, J. Li, Y. Wan, H. Yang, Y. He, Z. Chen</i>	
Highly-scalable, fully-asynchronous 16 ONUs, OCDM-based 10G-PON with a multiple access noise suppression at RN.....	442
<i>T. Kodama, N. Wada, G. Cincotti, K. Kitayama</i>	
Experimental Demonstration of a New Pilot Tone Generation Method.....	445
<i>M. Roppelt, M. Lawin, M. Eiselt</i>	
Dependence of Upstream Power Budget on the Number of ONUs in IMDD Optical OFDMA PONs.....	448
<i>X. Jin, J. Groenewald, E. Hugues-Salas, R. Giddings, J. Tang</i>	
A 1:128 High Splitting Ratio Long Reach PON Based on a Simple Receiving Design for ONU with 120-Gb/s Double-sided Multiband DDO-OFDM Signal.....	451
<i>J. Yan, Y. Chen, K. Shen, K. Feng</i>	
Demonstration of Ultra-high Bit Rate Fiber Wireless Transmission System of 108-Gb/s Data over 80-km Fiber and 2x2 MIMO Wireless Links at 100GHz W-Band Frequency.....	454
<i>X. Li, Z. Dong, J. Yu, N. Chi, Y. Shao, G. Chang</i>	
A 25-Gb/s $\times$ 4-Ch, 8 $\times$ 8 mm², 2.8-mm Thick Compact Optical Transceiver Module for On-Board Optical Interconnect.....	457
<i>N. Chujo, T. Yazaki, T. Takai, D. Kawamura, Y. Matsuoaka, Y. Lee, T. Sugawara, H. Yamashita, T. Takemoto, Y. Ishigami, K. Yamazaki, Y. Sunaga, N. Matsushima</i>	
Contention Resolution Strategy in Optical Burst Switched Datacenters.....	460
<i>M. Sowailam, D. Plant, O. Liboiron-Ladouceur</i>	
106-fJ/(bit km) 2-km OFDM OM4 MMF Transmissions for Energy Efficient Optical Interconnects.....	463
<i>I. Lu, H. Chen, C. Wei, J. Shi, S. Tsai, D. Hsu, Z. Wei, J. Wun, J. Chen</i>	
Gridless Submarine Optical Networks.....	466
<i>B. Lavallee</i>	
Toward Deeply Virtualized Elastic Optical Networks.....	471
<i>M. Jinno, A. Hirano</i>	
On the pulse shape performance of cp-qpsk signal with optimum pre-compensation in submarine systems.....	474
<i>N. Pavlovic, R. Nogueira</i>	
Impact of crosstalk on real-time coherent detection of 112 Gb/s PDM-QPSK signal in WDM transparent networks.....	477
<i>T. Zami, B. Lavigne, M. Monnier</i>	
Narrow Optical Filtering Tolerance of 127-Gb/s DP-QPSK Utilizing Real-Time DSP with 20 Cascaded 50-GHz Filters in the Presence of 40,200-ps/nm Chromatic Dispersion.....	480
<i>S. Bhandare, Z. Wang, K. Kim, M. Colyar, H. Ereifej</i>	
8 x 120 Gb/s Transmission over a Cascade of Two Spans with a Total Loss in Excess of 120 dB.....	483
<i>D. Chang, P. Patki, S. Burtsev, W. Pelouch</i>	
Field Trial of a Novel FTTH/PON Monitoring Technique Based on Unique Wavelength-Selective Mirror Combinations.....	486
<i>C. Bentz, D. Fritzsche, E. Weis, P. Krummrich</i>	
Field Evaluation of High Resolution Optical FMCW Monitoring Approaches in Passive Optical Networks.....	489
<i>S. Gade, M. Jastram, C. Schaffer, D. Fritzsche, E. Weis, D. Breuer</i>	
Operation and maintenance work using AR technology for optical access networks.....	492
<i>I. Ogushi</i>	
Fault Location in Passive Optical Networks Using T-OTDR and Wavelength-Selective Isolators.....	495
<i>G. Temporao, G. Faria, P. Urban, J. Weid</i>	
Energy Consumption Analysis of Converged Networks: Node Consolidation vs Metro Simplification.....	498
<i>B. Skubic, I. Pappa</i>	
Protection Schemes Beyond Currently Defined in FTTx.....	501
<i>T. Sakamoto</i>	
Strategic Vision for KDDI's Next Generation Packet Optical Transport Network.....	504
<i>M. Daikoku</i>	
Comparing Optical & OTN Switching Architectures in Next-Gen 100Gb/s Networks.....	507
<i>S. Melle, A. Deore, O. Turkcu, S. Ahuja, S. Hand</i>	
Cost evaluation of the integration of IP/MPLS and WDM elements.....	510
<i>R. Duque, V. Lopez, A. Gonzalez, O. Dios, J. Fernandez-Palacios</i>	
The Growing Documentary Project Creating a Collaborative Computer-Supported Story Telling Environment.....	513
<i>N. Ohta, T. Margolis, T. Cornish, J. Bhimani, A. Almahr, D. Shirai, D. O'Hara, W. McLemore</i>	

Advanced Modulation Formats for Free-Space Laser Communication	516
<i>T. Wood, X. Liu, S. Chandrasekhar, R. Tkach</i>	
Realizing the Benefits of Multi-Layer Packet-Optical Network Design	519
<i>C. Bowers</i>	
Optimized Brownfield Deployment of 100-GbE over Metro Networks using 4x25G and 10x10G Optical CFP Interfaces.....	522
<i>J. Santos, G. Lehmann, J. Pedro</i>	
Grooming Index for OTN/WDM Networks	525
<i>Y. Takita, T. Hashiguchi, K. Tajima, T. Naito</i>	
Spectral Defragmentation in Elastic Optical Path Networks using Independent Sets.....	528
<i>S. Shakya, X. Cao</i>	
Lightpath Optimization in Multi-Domain Optical Networks.....	531
<i>K. Liang, M. Peng, S. Khan, A. Rayes, N. Ghani</i>	
Valuing Flexibility in the Migration to Flexgrid Networks	534
<i>M. Tahon, S. Verbrugge, D. Colle, M. Pickavet, P. Wright, A. Lord</i>	
ODN Intelligence - Automating Fiber Deployment and Operations	537
<i>O. Gebizlioglu</i>	
Cost Optimization of Fiber Deployment for Small Cell Backhaul.....	540
<i>C. Ranaweera, P. Iannone, K. Oikonomou, K. Reichmann, R. Sinha</i>	
Fiber To The distribution point (FTTdp) architecture for single user based on hybrid fiber and copper scheme	543
<i>M. Leroux, N. Genay, H. Mariotte, F. Neddard, D. Kurz, Y. Denis, P. Chanclo, B. Capelle, B. Guyader, J. Guy</i>	
Cost and Performance Evaluation of WDM-based Access Networks	546
<i>R. Huelsermann, K. Grobe, D. Breuer</i>	
Crosstalk performance analysis of low cost 8 x 10 gb/s tunable receiver for twdm-pon.....	549
<i>R. Kumar, R. Murano, M. Cahill, J. Aufiero, G. Bartolini</i>	
Inter channel crosstalk impairment of WDM-PON long reach application with large differential path loss.....	552
<i>H. Rhy</i>	
Demonstration of a Symmetric 10 Gb/s QPSK Subcarrier Multiplexed WDM PON with IM/DD Transceivers and a Bandwidth-limited RSOA	555
<i>J. Buset, Z. El-Sahn, D. Plant</i>	
Wavelength-Reused WDM Access Network Supporting 40 Gb/s Downlink and 10 Gb/s Uplink.....	558
<i>Q. Guo, A. Tran</i>	
Experimental Demonstration of a Symmetric 40-Gb/s TWDM-PON	561
<i>Z. Li, L. Yi, M. Bi, J. Li, H. He, X. Yang, W. Hu</i>	
Investigation of Wavelength-Tunable Directly-Modulated Laser for 100-Gb/s EPON	564
<i>Z. Xu, Y. Yeo, X. Cheng, L. Zhou, X. Shao</i>	
NG-PON2 Technologies	567
<i>H. Nakamura</i>	
Carrier Strategies in Russia.....	618
<i>V. Shub</i>	
Evaluating Efficiency of Multi-Layer Switching in Future Optical Transport Networks	625
<i>S. Roy, A. Malik, A. Deore, S. Ahuja, O. Turkcu, S. Hand, S. Melle</i>	
CAPEX Benefits of Colorless Directionless ROADM in WDM Transport Networks	628
<i>Q. She, Q. Zhang, K. Rundberget</i>	
Transport Network Evolution for Advanced Services.....	631
<i>S. Thiagarajan, M. Gemelos, M. Ma</i>	
Investigation of Energy Savings in Optical Networks using Bundle Link Rightsizing Methods.....	634
<i>L. Liu, B. Ramamurthy</i>	
Virtual Network Reconfiguration in Optical Substrate Networks	637
<i>F. Gu, M. Peng, S. Khan, A. Rayes, N. Ghani</i>	
France Telecom's PON deployment, learnt lessons and next steps.....	640
<i>P. Chanclo, B. Capelle, B. Charbonnier, J. Courant, Y. Denis, N. Genay, S. Gosselin, D. Kurz, B. Landousies, E. Bris, B. Guyader, A. Pizzinat, F. Saliou</i>	
FTTH Deployments in Latin America	643
<i>N. Saito</i>	
FTTdp: Complementing FTTH in Difficult Areas.....	646
<i>R. Goodson</i>	
Cost Optimization in an FTTP Environment	649
<i>R. Tobin</i>	

Software-Defined Packet Optical Transport Networks Offering Multiple Services	652
<i>S. Ishida, I. Nishioka</i>	
Which Is More Suitable for the Control over Large Scale Optical Networks, GMPLS or OpenFlow?	655
<i>Y. Zhao, J. Zhang, H. Yang, Y. Yu</i>	
Path Computation Elements (PCE): Applications and Status	658
<i>R. Casellas, R. Munoz, R. Martinez</i>	
Survivability Strategies for PCE-based WDM Networks Offering High Reliability Performance	661
<i>J. Ahmed, C. Cavdar, P. Monti, L. Wosinska</i>	
Demonstration of a Dynamic Transparent WSON Employing Flexible Transmitter/Receiver Controlled by an OpenFlow/Stateless PCE Integrated Control Plane	664
<i>L. Liu, H. Choi, R. Casellas, T. Tsuritani, I. Morita, R. Martinez, R. Munoz</i>	
Situation-Aware Multipath Routing and Wavelength Reassignment in a Unified Packet-Circuit OpenFlow Network.....	667
<i>W. Mo, J. He, M. Karbassian, J. Wissinger, N. Peyghambarian</i>	
Multi-Stratum Resources Integration for Data Center Application based on Multiple OpenFlow Controllers Cooperation	670
<i>H. Yang, Y. Zhao, J. Zhang, S. Wang, W. Gu, J. Han, Y. Lin, Y. Lee</i>	
Activities, Drivers and Benefits of Extending PON over Other Media	673
<i>Y. Luo</i>	
WDM-FDM approach for a Multiservice Home Network	676
<i>J. Guillery, K. Chikha, A. Pizzinat, P. Guignard, B. Charbonnier, J. Etrillard, C. Algani</i>	
Indoor optical wireless Gbps link dimensioning	679
<i>H. Hajjar, B. Fracasso, D. Leroux</i>	
Bi-directional Ultra-Wideband Services over Large-Core POF-PON based Home Networks	682
<i>Y. Shi, C. Okonkwo, E. Tangdiongga, A. Koonen</i>	
Transmission Beyond 2 Gbit/s in a 100 m SI POF with Multilevel CAP Modulation and Digital Equalization	685
<i>G. Stepniak, J. Siuzdak</i>	
Next Generation Applications and Services for Ultra-fast Broadband.....	688
<i>G. Ricart</i>	
MPLS-TP: Overview and status.....	691
<i>Y. Koike</i>	
Integration of Planning and Control Plane in Packet Optical Multilayer Network.....	736
<i>P. Iovanna, A. Germoni, V. Lopez</i>	
IP-Optical Interaction during Traffic Restoration	739
<i>O. Gerstel, C. Filsfils, W. Wakim</i>	
Surveys of Emerging Control Plane Initiatives	742
<i>J. Rathke</i>	
Contention Resolution within Colorless and Directionless ROADM	749
<i>W. Way, P. Ji, A. Patel</i>	
OXC Hardware Scale Reduction Attained by Using Interconnected Subsystem Architecture	752
<i>Y. Iwai, H. Hasegawa, K. Sato</i>	
Next Generation ROADM Architecture and Design	755
<i>R. Egorov</i>	
Fault-Identification Method Based on Index Distribution of Optical Fibers for Enhanced Optical Link Monitoring.....	758
<i>W. Lee, J. Lee, S. Myong, S. Lee</i>	
Compact ROSA for 100-Gb/s (4 × 25 Gb/s) Ethernet with a PLC-based AWG demultiplexer	761
<i>Y. Doi, M. Oguma, M. Ito, I. Ogawa, T. Yoshimatsu, T. Ohno, E. Yoshida, H. Takahashi</i>	
40GBASE-SR4 Frame Error Rate Test of Chromatic Dispersion Compensating MMF	764
<i>L. Qiu, E. Lawrence, B. Ayres, M. Schumacher, A. Amezcua, D. Molin, G. Kuyt</i>	
A Novel Application of SFP+ 10GBASE-LRM Transceiver for a Low Cost Short Reach Single Mode Fiber Link.....	767
<i>C. Muzio, C. Tosetti, C. Mariotti, M. Mazzini</i>	
Energy efficiency of load-adaptively operated telecommunication networks.....	770
<i>C. Lange</i>	
Energy awareness in the design of optical core networks.....	800
<i>A. Bianco, E. Bonetto, A. Ahmad</i>	
An Analysis of Daily Power Consumption under different On-Off IP-over-WDM Translucent Design Approaches.....	803
<i>G. Rizzelli, A. Morea, M. Tornatore</i>	

Comparison of network cost and power consumption between a single-line-rate network and a flexible-bitrate network in the beyond-100-Gb/s networks era.....	806
<i>N. Yoshikane, K. Igarashi, T. Tsuritani</i>	
Real-Time 400G Superchannel Transmission using 100-GbE based 37.5-GHz Spaced Subcarriers with Optical Nyquist Shaping over 3,600-km DMF link	809
<i>Y. Huang, D. Qian, F. Yaman, T. Wang, E. Mateo, T. Inoue, Y. Inada, Y. Toyoda, T. Ogata, M. Sato, Y. Aono, T. Tajima</i>	
Field Trial Demonstration and Evaluation of Coherent 100G IP over WDM Alien Wavelength across 769km of Multiple WDM Infrastructures without Regeneration	812
<i>Y. Zhou, K. Smith, R. Payne, A. Lord, W. Wakim, J. Keens, L. Hanson</i>	
System Design Tradeoffs for XPM Mitigation in Hybrid 100G-10G Networks	815
<i>S. Searcy, S. Tibuleac</i>	
Measurement of Equivalent Zero-Dispersion Wavelength Distribution for Capacity Increase in FWM-limited Networks	818
<i>M. Filer, S. Tibuleac</i>	
Field Experiment of 112 Gb/s Dual-Carrier DQPSK Signal Transmission with Automatic Bias Control of Optical IQ Modulator	821
<i>H. Chung, S. Chang, J. Lee, J. Lee, K. Kim</i>	
Near Term Terabit Transmission Field Trial Opportunities.....	824
<i>T. Xia</i>	
Optics for Supercomputers – One Engineers Perspective.....	827
<i>P. Coteus</i>	
Multi-Tenant Data Center and Cloud Networking Evolution	830
<i>N. Bitar</i>	
Shared Mesh Restoration in ROADM Based Service Velocity Network	833
<i>I. Kim, P. Palacharla, X. Wang, Q. Zhang, D. Bihon, M. Feuer, S. Woodward</i>	
New Analytical Method to Compute Availability Non-Compliance Risks for Lambda Services.....	836
<i>D. Mello, R. Lourenco</i>	
Integrated Packet/Circuit Hybrid Network Field-Trial.....	839
<i>R. Veisllari, S. Bjornstad, K. Bozorgebrahimi</i>	
Advantages of Coherent Detection in Reflective PONs	842
<i>R. Gaudino</i>	
A Simple Carrier-Phase Estimation Technique for High-Speed RSOA-based Coherent WDM PON.....	845
<i>U. Hong, K. Cho, H. Choi, Y. Chung</i>	
Coherent Subcarrier-WDM-PON System with SSB Modulation and Wavelength Reuse	848
<i>C. Kottke, K. Habel, M. Eiselt, H. Griebner, J. Elbers</i>	
Elastic and Green Optical Access based upon Coherent Interleaved Frequency Division Multiple Access (IFDMA).....	851
<i>K. Kitayama, Y. Yoshida, A. Maruta, K. Ishii, Y. Akiyama, M. Noda, K. Koguchi, M. Nogami, K. Onohara, T. Mizuochi</i>	
Analysis of Transmission Impairments on Terabit Aggregate PONs.....	854
<i>J. Reis, A. Shahpari, R. Ferreira, F. Guiomar, D. Neves, A. Pinto, A. Teixeira</i>	
Spectral Shaping for Mitigating Backreflections in a Bidirectional 10 Gbit/s Coherent WDM-PON.....	857
<i>D. Lavery, M. Paskov, S. Savory</i>	
On the LDPC-Coded Modulation for Ultra-High-Speed Optical Transport in the Presence of Phase Noise.....	860
<i>I. Djordjevic, T. Wang</i>	
Experimental Validation of Digital Filter Back-propagation to Suppress SOA-induced Nonlinearities in 16-QAM.....	863
<i>S. Amiralizadeh, A. Nguyen, C. Park, A. Ghazisaeidi, L. Rusch</i>	
Collaborative Signal Processing with FEC in Digital Coherent Systems	866
<i>T. Sugihara, T. Yoshida, T. Mizuochi</i>	
A Spatially-coupled Type LDPC Code with an NCG of 12 dB for Optical Transmission beyond 100 Gb/s.....	869
<i>K. Sugihara, Y. Miyata, T. Sugihara, K. Kubo, H. Yoshida, W. Matsumoto, T. Mizuochi</i>	
Efficient Nonlinear Compensator for Coherent OFDM based on Volterra Series Transfer Function (VSTF) Factorization.....	872
<i>G. Shulkind, M. Nazarathy</i>	
GPU-based Parallelization of System Modeling.....	875
<i>S. Pachnicke</i>	
Employing a Single DPLL for Joint Carrier Phase Estimation in Few-Mode Fiber Transmission.....	878
<i>R. Uden, C. Okonkwo, V. Sleiffer, H. Chen, M. Kuschnerov, H. Waardt, A. Koonen</i>	

A Shared Carrier Reception and Processing Scheme for Compensating Frequency Offset and Phase Noise of Space-Division Multiplexed Signals over Multicore Fibers	881
<i>E. Gabory, M. Arikawa, Y. Hashimoto, T. Ito, K. Fukuchi</i>	
Characterization of Dynamic Evolution of Channel Matrix in Two-mode Fibers	884
<i>X. Chen, J. He, A. Li, J. Ye, W. Shieh</i>	
A Fast Convergence Frequency Domain Least Mean Square Algorithm for Compensation of Differential Mode Group Delay in Few Mode Fibers	887
<i>X. He, X. Zhou, J. Wang, Y. Weng, Z. Pan</i>	
Experimental demonstration of adaptive frequency-domain equalization for mode-division multiplexed transmission	890
<i>N. Bai, E. Ip, M. Li, T. Wang, G. Li</i>	
Demonstration of 2.1 Photon-Per-Bit Sensitivity for BPSK at 9.94-Gb/s with Rate-1/2 FEC	893
<i>D. Geisler, T. Yarnall, W. Keicher, M. Stevens, A. Fletcher, R. Parenti, D. Caplan, S. Hamilton</i>	
74.4% SSII Cancellation in an EAM-based OFDM-IMDD Transmission System.....	896
<i>D. Hsu, C. Wei, H. Chen, C. Song, I. Lu, J. Chen</i>	
Efficient Multiplier-free FPGA Demonstration of Polar-domain Multi-Symbol-Delay-Detector (MSDD) for High Performance Phase Recovery of 16-QAM.....	899
<i>A. Tolmachev, I. Tselniker, M. Meltsin, I. Sigron, M. Nazarathy</i>	
Network Services Interface: An Interface for Requesting Dynamic Inter-datacenter Networks	902
<i>T. Kudoh, G. Roberts, I. Monga</i>	
Evolution of the Architecture and Technology of Data Centers towards Exascale and Beyond.....	905
<i>A. Saleh</i>	
High-Throughput Fiber Links for Computercom Interconnects	908
<i>B. Lee</i>	
Reconfigurable Orbital-Angular-Momentum-Based Switching among Multiple 100-Gbit/s Data Channels.....	911
<i>Y. Yue, N. Ahmed, H. Huang, Y. Yan, Y. Ren, D. Rogawski, A. Willner</i>	
Optical Multicasting of a 224Gb/s PM-16QAM Signal in a Periodically-Poled Lithium Niobate Waveguide	914
<i>A. Malacarne, G. Meloni, G. Berrettini, L. Poti, A. Bogoni</i>	
Demonstration of Parametric Tunable Dispersion Compensation for WDM Channels with Mixed OOK and QPSK Formats	917
<i>T. Inoue, K. Tanizawa, S. Namiki</i>	
Wavelength Preserving Optical Serial-to-Parallel Conversion.....	920
<i>M. Galili, E. Palushani, H. Mulvad, H. Hu, L. Oxenlowe</i>	
Optical Signal Processing.....	923
<i>A. Willner</i>	
Network Energy Efficiency in the Data Center.....	962
<i>M. Bennett</i>	
35-Gb/s VCSEL-Based Optical Link using 32-nm SOI CMOS Circuits.....	965
<i>J. Proesel, B. Lee, C. Baks, C. Schow</i>	
Enabling 850nm VCSELs for 100GbE Unretimed Applications	968
<i>A. Ghiasi, F. Tang</i>	
Monolithically Integrated Silicon Nanophotonics Receiver in 90nm CMOS Technology Node	971
<i>S. Assefa, H. Pan, S. Shank, W. Green, A. Rylyakov, C. Schow, M. Khater, S. Kamlapurkar, E. Kiewra, C. Reinholm, T. Topuria, P. Rice, C. Baks, Y. Vlasov</i>	
Low-Power, Low-Penalty, Flip-Chip Integrated, 10Gb/s Ring-Based 1V CMOS Photonics Transmitter	974
<i>M. Rakowski, M. Pantouvaki, H. Yu, W. Bogaerts, K. Meyer, M. Steyaert, B. Snyder, P. O'Brien, J. Ryckaert, P. Absil, J. Campenhout</i>	
Pattern-Dependent Performance of Microring Modulators	977
<i>X. Zhu, K. Padmaraju, L. Chen, D. Logan, J. Ackert, A. Knights, M. Lipson, K. Bergman</i>	
Integrated Thermal Stabilization of a Microring Modulator	980
<i>K. Padmaraju, D. Logan, X. Zhu, J. Ackert, A. Knights, K. Bergman</i>	
High-Power High-Speed Waveguide Photodiodes and Photodiode Arrays Heterogeneously Integrated on Siliconon-Insulator	983
<i>A. Belling, A. Cross, M. Piels, J. Peters, Y. Fu, Q. Zhou, J. Bowers, J. Campbell</i>	
Ultra-Compact Coherent Receiver Based on Hybrid Integration on Silicon.....	986
<i>Y. Painchaud, M. Pelletier, M. Poulin, F. Pelletier, C. Latrasse, G. Robidoux, S. Savard, J. Gagne, V. Trudel, M. Picard, P. Poulin, P. Sirois, F. D'Amours, D. Asselin, S. Paquet, C. Paquet, M. Cyr, M. Guy, M. Morsy-Osman, Q. Zhuge, X. Xu, M. Chagnon, D. Plant</i>	
40Gbit/s Germanium Waveguide Photodiode.....	989
<i>L. Vivien, L. Viot, D. Marris-Morini, J. Hartmann, P. Crozat, E. Cassan, C. Baudot, F. Boeuf, J. Fedeli</i>	

22-Gbit/s × 16-ch WDM receiver based on a Si-Ge-silica monolithic photonic platform and its application to 40-km transmission	992
<i>H. Nishi, R. Kou, T. Hiraki, T. Tsuchizawa, H. Fukuda, Y. Ishikawa, K. Wada, K. Yamada</i>	
Integrated On-Chip Optical Links Using Photonic-Crystal Lasers and Photodetectors with Current Blocking Trenches	995
<i>K. Takeda, T. Sato, A. Shinya, K. Nozaki, H. Taniyama, M. Notomi, K. Hasebe, T. Kakitsuka, S. Matsuo</i>	
High Density Optical Interconnects Integrated with Lasers, Optical Modulators and Photodetectors on a Single Silicon Chip.....	998
<i>Y. Urino, T. Horikawa, T. Nakamura, Y. Arakawa</i>	
Differentiated Quality of Protection to Improve Energy Efficiency of Survivable Optical Transport Networks.....	1001
<i>J. Lopez, Y. Ye, V. Lopez, F. Jimenez, R. Duque, F. Musumeci, A. Pattavina, P. Krummrich</i>	
Impact of Wavelength/Waveband Convertors and the Cost Bound in Hierarchical Optical Path Networks.....	1004
<i>Z. Shen, H. Hasegawa, K. Sato</i>	
Green and Agile Petabit Optical Sub-wavelength Switching Prototype for the Future OTN Multi-Chassis Switch Cluster	1007
<i>B. Wu, S. Qiu, Z. Feng, S. Cao, H. Zhao, J. Xiang, C. Ding, G. Liu, N. Deng, Q. Xiong</i>	
On the Energy and Cost Trade-Off of Different Energy-Aware Network Design Strategies.....	1010
<i>A. Morea, G. Rizzelli, M. Tornatore</i>	
Dynamic Grouped Routing Optical Networks for Cost Effective and Agile Wavelength Services.....	1013
<i>Y. Taniguchi, H. Hasegawa, K. Sato</i>	
Estimating the Energy Consumption for Packet Processing, Storage and Switching in Optical-IP Routers	1016
<i>A. Vishwanath, J. Zhu, K. Hinton, R. Ayre, R. Tucker</i>	
Nonlinearities in space-division multiplexed transmission.....	1019
<i>A. Mecozzi, C. Antonelli, M. Shtaif</i>	
Demonstration of Broadband Inter-Modal Four-Wave Mixing in Graded-Index Few-Mode Fibers	1022
<i>R. Essiambre, M. Mestre, R. Ryf, A. Gnauck, R. Tkach, A. Chraplyvy, Y. Sun, X. Jiang, R. Lingle</i>	
Differential Mode Delay Management in Spliced Multimode Fiber Transmission Systems	1025
<i>F. Ye, S. Warm, K. Petermann</i>	
Interplay of Filtering and Nonlinear Transmission in Coherent Uncompensated DWDM System.....	1028
<i>Y. Ye, G. Goeger, E. Zhou, S. Zhang, X. Xu</i>	
Direct Measurement of Broadband FWM Induced Noise in Dispersion Uncompensated Systems.....	1031
<i>J. Cai, O. Sinkin, D. Foursa, G. Mohs, A. Pilipetskii</i>	
Experimental Investigation of the Statistics of the Interplay between Nonlinear and PDL Effects in Polarization Multiplexed Systems	1034
<i>O. Vassilieva, S. Oda, T. Hoshida, J. Rasmussen, M. Sekiya</i>	
Linear Optical IQ Modulator for High-Order Multilevel Coherent Transmission	1037
<i>H. Yamazaki, H. Takahashi, T. Goh, Y. Hashizume, S. Mino, Y. Miyamoto</i>	
Optical 64QAM Transmitter using Tandem IQ Modulators with Balanced Complexity in Electronics and Optics.....	1040
<i>G. Lu, T. Sakamoto, T. Kawanishi</i>	
Transmitter Synthesis for Advanced Modulation Formats Utilizing Silica-LiNbO3 Hybrid Integration Technology	1043
<i>S. Mino, H. Yamazaki, T. Goh, T. Saida</i>	
A New Multi-Purpose Optical Transmitter for Higher-Order QAM Generation.....	1046
<i>H. Choi, T. Tsuritani, I. Morita</i>	
Generation of 64-QAM Signals Using a Single Dual-Drive IQ Modulator Driven by 4-level and Binary Electrical Signals.....	1049
<i>S. Yan, D. Wang, Y. Gao, C. Lu, A. Lau, Y. Zhu, Y. Dai, X. Xu</i>	
Multi-Level Coded Modulation for Phase Noise Optimized Constellations	1052
<i>R. Farhodi, L. Rusch</i>	
Evaluation of FSK Light Labels Superimposed on 112 Gbps DP-QPSK Signal with Real-time Coherent Receiver and Optical Filter Based Decoder for Light Path Tracing.....	1055
<i>G. Nakagawa, S. Oda, K. Sone, Y. Aoki, K. Hironishi, T. Tanimura, T. Hoshida, J. Rasmussen</i>	
Transmission of Simultaneous 10Gb/s Ethernet and Radioover-Fibre Transmission using In-band Coding.....	1058
<i>C. Chen, M. Crisp, R. Penty, I. White</i>	
Integration of 112-Gb/s PDM-16QAM Wireline and Wireless Data Delivery in Millimeter Wave RoF System.....	1061
<i>Z. Dong, J. Yu, X. Li, Z. Cao, L. Chen, G. Chang</i>	

Wired-Wireless Services Provision in FSAN NG-PON2 Compliant Long-Reach PONs: Performance Analysis.....	1064
<i>T. Alves, M. Morant, A. Cartaxo, R. Llorente</i>	
Demonstration of 4-Band Millimeter-wave Radio-Over-Fiber System for Multi-service Wireless Access Networks	1067
<i>M. Zhu, A. Yi, Y. Hsueh, C. Liu, J. Wang, S. Shin, J. Yu, G. Chang</i>	
How to Design an Energy Efficient Fiber-Wireless Network.....	1070
<i>L. Kazovsky, T. Ayhan, A. Gowda, K. Albeyoglu, H. Yang, A. Ng'Oma</i>	
A Novel Direct-Modulation Envelope-Detection Pol-Mux MIMO RoF System based on Blind Equalization Techniques	1073
<i>C. Liu, A. Yi, M. Zhu, J. Wang, L. Zhang, S. Shin, Z. Dong, H. Chien, J. Yu, C. Su, G. Gu, A. Ng'Oma, G. Chang</i>	
A Bidirectional Multi-Band 60-GHz Wireless-over-Fiber Transmission System with Compacted Base Station and Mobile Terminal Using a Robust mm-Wave LO Free Technique.....	1076
<i>C. Ye, L. Zhang, M. Zhu, A. Yi, L. Rao, J. Yu, Y. Su, S. He, G. Chang</i>	
Role of Optical Network Infrastructure Virtualization in Data Center Connectivity and Cloud Computing.....	1079
<i>R. Nejabati, S. Peng, D. Simeonidou</i>	
WAN Virtualization: Looking beyond point-to-point circuits	1082
<i>I. Monga, E. Pouyoul, C. Guok</i>	
Extending Network Virtualization into the Optical Domain	1085
<i>J. Elbers, A. Autenrieth</i>	
Fiber Bragg Gratings in Industrial sensing	1088
<i>M. Schmitt</i>	
Fast and Distributed High Resolution Brillouin Based Fiber Optic Sensor	1155
<i>A. Motil, Y. Peled, L. Yaron, M. Tur</i>	
Distributed Brillouin sensing with sub-meter spatial resolution based on four-section pulse	1158
<i>Z. Yang, X. Hong, J. Wu, H. Guo, J. Lin</i>	
Simplified Brillouin Optical Correlation Domain Analysis Sensor based on a Chopped Microwave Applied Single Sideband Electro-Optic Modulator	1161
<i>J. Jeong, K. Lee, K. Song, J. Lee, J. Jeong, S. Lee</i>	
100 Gb/s Optical IM-DD Transmission with 10G-Class Devices Enabled by 65 GSamples/s CMOS DAC Core.....	1164
<i>W. Yan, T. Tanaka, B. Liu, M. Nishihara, L. Li, T. Takahara, Z. Tao, J. Rasmussen, T. Drenski</i>	
Two-phased Capacity Upgrade Method for NG-PON2 with Hierarchical Star 8-QAM and Square 16-QAM	1167
<i>N. Iiyama, J. Kani, J. Terada, N. Yoshimoto</i>	
Digital Multi-Wavelength Generation and Real Time Video Transmission in a Coherent Ultra Dense WDM PON	1170
<i>H. Rohde, E. Gottwald, P. Alves, C. Oliveira, I. Dedic, T. Drenski</i>	
M⁴ Services for Software-Defined Passive Optical Network and Mobile Backhaul Applications Using Multicore Fiber	1173
<i>M. Huang, D. Qian, N. Cvijetic, M. Li, R. Vodhanel, T. Wang</i>	
Real-time digital signal processing for future optical access networks	1176
<i>R. Giddings</i>	
Physical-contact conditions for multicore fiber optical connectors	1292
<i>K. Shikama, Y. Abe, S. Yanagi, T. Takahashi</i>	
Pluggable Fan-out realizing Physical-contact and low coupling loss for Multi-core fiber.....	1295
<i>O. Shimakawa, M. Shiozaki, T. Sano, A. Inoue</i>	
Recent Progress on Multi-Core Fiber and Few-Mode Fiber.....	1298
<i>S. Matsuo, Y. Sasaki, I. Ishida, K. Takenaga, K. Saitoh, M. Koshiha</i>	
Automated Alignment and Splicing for Multicore Fibers.....	1301
<i>W. Zheng</i>	
Robust Low Loss Splicing of Hollow Core Photonic Bandgap Fiber to Itself	1304
<i>J. Wooler, D. Gray, F. Poletti, M. Petrovich, N. Wheeler, F. Parmigiani, D. Richardson</i>	
Nonlinear Performance of SDM Systems Designed with Multimode or Multicore Fibers.....	1307
<i>G. Agrawal, S. Mumtaz, R. Essiambre</i>	
III-V quantum-dot laser growth on silicon and germanium	1310
<i>A. Lee, Q. Jiang, T. Wang, M. Tang, A. Seeds, H. Liu</i>	
Waveguide Germanium Photodetector with High Bandwidth and High L-band Responsivity.....	1313
<i>T. Liow, A. Lim, N. Duan, M. Yu, G. Lo</i>	
High Speed Waveguide-Integrated Ge/Si Avalanche Photodetector	1316
<i>N. Duan, T. Liow, A. Lim, L. Ding, G. Lo</i>	

III-V on Silicon Transmitters	1319
<i>G. Duan, C. Jany, A. Liepvre, M. Lamponi, A. Accard, D. Make, F. Lelarge, S. Messaoudene, D. Bordel, J. Fedeli, S. Keyvaninia, G. Roelkens, D. Thourhout, D. Thomson, F. Gardes, G. Reed</i>	
Dynamic Multi-path Routing in a Monolithic Active-Passive 16×16 Optoelectronic Switch	1322
<i>R. Stabile, A. Mejia, K. Williams</i>	
Oxide-Relief and Zn-Diffusion 850 nm Vertical-Cavity Surface-Emitting Lasers with Extremely Small Power Consumption and Large Bit Rate-Distance Product for 40 Gbit/sec Operations	1325
<i>J. Wun, J. Shi, J. Yan, J. Chen, Y. Yang</i>	
Full System Simulation of Optically Interconnected Chip Multiprocessors Using gem5	1328
<i>A. Laer, T. Jones, P. Watts</i>	
A 270 x 270 Optical Cross-connect Switch Utilizing Wavelength Routing with Cascaded AWGs	1331
<i>T. Niwa, H. Hasegawa, K. Sato</i>	
The role of optical interconnections in data-center architecture evolution.....	1334
<i>E. Roberts, L. Paraschis</i>	
An Optical Multi-ring Burst Network for a Data Center.....	1337
<i>N. Deng, Q. Xue, M. Li, G. Gong, C. Qiao</i>	
Experimental Demonstration of Reconfigurable Optical Interconnect based on Hybrid Free-Space and Multi-Mode Fiber Propagation	1340
<i>K. Wang, A. Nirmalathas, C. Lim, E. Skafidas, K. Alameh</i>	
Wavelength Blocker for Few-Mode-Fiber Space-Division Multiplexed Systems	1343
<i>N. Fontaine, R. Ryf, B. Guan, D. Neilson</i>	
Compact Fiber Grating Coupler on SOI for Coupling of Higher Order Fiber Modes.....	1346
<i>B. Wohfeil, C. Stamatiadis, L. Zimmermann, K. Petermann</i>	
Devices and Components for Space-Division Multiplexing in Few-Mode Fibers.....	1349
<i>N. Fontaine</i>	
Single Multi-mode Mask for Multi-channel Mode Division Demultiplexing.....	1352
<i>H. Chen, T. Koonen</i>	
Low-loss and broadband PLC-type mode (de)multiplexer for mode-division multiplexing transmission	1355
<i>T. Uematsu, K. Saitoh, N. Hanzawa, T. Sakamoto, T. Matsui, K. Tsujikawa, M. Koshiba</i>	
Integrated Optical Beam Steerers	1358
<i>K. Acoleyen, K. Komorowska, W. Bogaerts, R. Baets</i>	
Narrow Guard-Band Distributed Nyquist-WDM Using Fiber Frequency Conversion.....	1361
<i>T. Richter, R. Elschner, C. Schmidt-Langhorst, T. Kato, S. Watanabe, C. Schubert</i>	
Field Trial Experiment over 1200 km on a 100GHz Grid-Aligned Multi-Channel Black-Box Wavelength Converter	1364
<i>V. Rancano, F. Parmigiani, P. Petropoulos, D. Richardson</i>	
Periodically Poled Silicon (PePSi) for efficient and electronically-tuned nonlinear optics in silicon.....	1367
<i>B. Jalali, N. Hon, K. Tsia</i>	
FWM-based Wavelength Conversion in a Silicon Germanium Waveguide	1369
<i>M. Ettabib, K. Hammani, F. Parmigiani, L. Jones, A. Kapsalis, A. Bogris, D. Syvridis, M. Brun, P. Labeye, S. Nicoletti, P. Petropoulos</i>	
Wideband Wavelength Conversion of 16 Gbaud 16-QAM Signals in a Semiconductor Optical Amplifier	1372
<i>B. Fillion, S. Amiralizadeh, A. Nguyen, L. Rusch, S. LaRochelle</i>	
100 nm-Bandwidth Positive-Efficiency Wavelength Conversion for m-PSK and m-QAM signals in QD-SOA	1375
<i>G. Contestabile, Y. Yoshida, A. Maruta, K. Kitayama</i>	
Simultaneous Multichannel Transmission of Intensity- and Phase-Modulated Signals Based on Optical Phase Conjugation Using a Quantum-Dot SOA	1378
<i>M. Matsuura, N. Kishi</i>	
112Gb/s DP-QPSK Transmission Over 2427km SSMF Using Small-Size Silicon Photonic IQ Modulator and Low-Power CMOS Driver.....	1381
<i>B. Milivojevic, C. Raabe, A. Shastri, M. Webster, P. Metz, S. Sunder, B. Chattin, S. Wiese, B. Dama, K. Shastri</i>	
Hybrid Silicon Transmitter using Quantum Well Intermixing	1384
<i>S. Jain, M. Sysak, M. Piels, J. Bowers</i>	
Four-Wavelength Silicon Hybrid Laser Array with Ring-Resonator Based Mirror for Efficient CWDM Transmitter.....	1387
<i>S. Tanaka, S. Jeong, S. Sekiguchi, T. Akiyama, T. Kurahashi, Y. Tanaka, K. Morito</i>	
Thermal management in hybrid silicon lasers	1390
<i>M. Sysak, D. Liang, R. Beausoleil, R. Jones, J. Bowers</i>	

Ultracompact Si Electro-Optic Modulator Based on Horizontal Cu-Insulator-Si-Insulator-Cu Nanoplasmonic Waveguide	1393
<i>S. Zhu, G. Lo, D. Kwong</i>	
Demonstration of a novel III-V-on-Si distributed feedback laser	1396
<i>S. Keyvaninia, G. Roelkens, R. Baets, F. Lelarge, G. Duan, S. Messaoudene, J. Fedeli, D. Thourhout</i>	
Generation of 28GBaud and 32GBaud PDM-Nyquist-QPSK by a DAC with 11.3GHz Analog Bandwidth	1399
<i>J. Qi, B. Mao, N. Gonzalez, L. Binh, N. Stojanovic</i>	
Influence of Channel Misalignment of Time-interleaved DAC on Sensitivity Degradation in Coherent Optical Receivers	1402
<i>C. Han, K. Igarashi, K. Kikuchi</i>	
Jitter tolerant clock recovery for coherent optical receivers	1405
<i>C. Fludger, T. Duthel, P. Hermann, T. Kupfer</i>	
Single Chip 46 Gb/s DP-QPSK Digital Clock Recovery and Channel Equalization Performance in the Presence of CD, PMD, and Ultra-fast SOP Rotation Rates Exceeding 20 krad/s	1408
<i>S. Motaghiannezam, J. Cho, D. Tauber, M. Hueda, D. Crivelli, O. Agazzi, N. Swenson</i>	
Advances in High-Speed ADCs, DACs, and DSP for Optical Transceivers	1411
<i>C. Laperie</i>	
Home Area Networks	1441
<i>T. Koonen</i>	
Non-Directed Line-of-Sight Visible Light System providing High-Speed and Robustness to Ambient Light	1527
<i>G. Cossu, A. Khalid, R. Corsini, E. Ciaramella</i>	
875-Mb/s Asynchronous Bi-directional 64QAM-OFDM SCM-WDM Transmission over RGB-LED-based Visible Light Communication System	1530
<i>Y. Wang, Y. Shao, H. Shang, X. Lu, Y. Wang, J. Yu, N. Chi</i>	
3.22-Gb/s WDM Visible Light Communication of a Single RGB LED Employing Carrier-Less Amplitude and Phase Modulation	1533
<i>F. Wu, C. Lin, C. Wei, C. Chen, Z. Chen, H. Huang</i>	
Defining Optical Software-Defined Networks (SDN): From a Compilation of Demos to Network Model Synthesis	1536
<i>N. Cvijetic, M. Angelou, A. Patel, P. Ji, T. Wang</i>	
Experimental validation of a Multi-layer Multi-domain Hierarchical PCE architecture for OBS-WSN networks	1539
<i>O. Dios, G. Bernini, R. Casellas, F. Paolucci, J. Fernandez-Palacios, G. Landi, C. Margaria, R. Munoz, P. Castoldi</i>	
Software Defined Optical Networks Technology and Infrastructure: Enabling Software-Defined Optical Network Operations	1542
<i>D. Simeonidou, R. Nejabati, M. Channegowda</i>	
Service Fairness in Flexible Optical Networks	1545
<i>F. Callegati, L. Bonani, W. Cerroni</i>	
Software Defined Code-rate-adaptive Terabit/s based on Time-frequency Packing	1548
<i>N. Sambo, F. Paolucci, F. Cugini, M. Secondini, L. Poti, G. Berrettini, G. Meloni, F. Fresi, G. Bottari, P. Castoldi</i>	
Software-defined Transport Network for Cloud Computing	1551
<i>J. He</i>	
Predicting Structural and Optical Properties of Hollow-Core Photonic Bandgap Fibers from Second Stage Preforms	1554
<i>E. Fokoua, M. Petrovich, N. Baddela, N. Wheeler, J. Hayes, F. Poletti, D. Richardson</i>	
All-solid Photonic Bandgap Fiber with Record Mode Area	1557
<i>F. Kong, K. Saitoh, D. McClane, T. Hawkins, P. Foy, G. Gu, L. Dong</i>	
Development of Low Loss, Wide Bandwidth Hollow Core Photonic Bandgap Fibers	1560
<i>M. Petrovich, N. Baddela, N. Wheeler, E. Numkam, R. Slavik, D. Gray, J. Hayes, J. Wooler, F. Poletti, D. Richardson</i>	
OH-Free Halo-Tellurite Glass Mid-Infrared Optical Fiber	1563
<i>X. Feng, J. Shi, P. Kannan, N. White, W. Loh, X. Zhang, L. Brilland</i>	
Mechanism of Optical Losses in Bismuth-doped Silica Fibers	1566
<i>A. Zlenko, V. Mashinsky, L. Iskhakova, S. Semjonov, V. Koltashev, N. Karatun, E. Dianov</i>	
Multimaterial Functional Fibers	1569
<i>A. Stolyarov, L. Wei, A. Gumennik, O. Shapira, G. Lestoquoy, F. Sorin, B. Schell, C. Hou, W. McDaniel, A. Rose, J. Joannopoulos, Y. Fink</i>	

First Experimental Demonstration of Real-Time Adaptive Transmission of 20Gb/s Dual-band Optical OFDM Signals over 500m OM2 MMFs	1572
<i>E. Hugues-Salas, R. Giddings, J. Tang</i>	
Experimental Demonstration of OFDMA-PON Uplink-Transmission with Four Individual ONUs	1575
<i>J. Hoyningen-Huene, H. Griebner, M. Eiselt, W. Rosenkranz</i>	
Highly Efficient Data Aggregation on Single Optical Carrier through Fiber Frequency Conversion of Discrete Multi-Tone Signal	1578
<i>M. Nishihara, T. Kato, T. Tanaka, T. Takahara, S. Watanabe, L. Li, Z. Tao, J. Rasmussen</i>	
Energy-Efficient OFDMA-PON Exploiting Modular OLT/ONU Digital Signal Processing.....	1581
<i>K. Kanonakis, I. Tomkos</i>	
Differential link-loss compensation through dynamic bandwidth assignment in statistical OFDMA-PON	1584
<i>I. Cano, A. Peralta, V. Polo, X. Escayola, M. Santos, J. Prat</i>	
Bi-directional Ultra-dense Polarization-diverse OFDM/WDM PON with Laserless Colorless 1Gb/s ONUs Based on Si PICs and <417 MHz mixed-signal ICs	1587
<i>A. Agmon, M. Nazarathy, D. Marom, S. Ben-Ezra, A. Tolmachev, R. Killey, P. Bayvel, L. Meder, M. Hubner, W. Meredith, G. Vickers, P. Schindler, R. Schmogrow, D. Hillerkuss, W. Freude, J. Leuthold</i>	
Low Complexity FDM/FDMA Approach for Future PON	1590
<i>A. Lebreton, B. Charbonnier, G. Farias, P. Chanclou, R. Dong, J. Masson, S. Menezo</i>	
ROADM options in optical networks: flexible grid or not?	1593
<i>S. Woodward</i>	
Experimental Study of 16-, 32- and 64-QAM Constellation Sets in the 200-Gb/s Regime on a Data Rate Flexible System.....	1596
<i>R. Dischler</i>	
Optical Modulation Format Recognition in Stokes Space for Digital Coherent Receivers	1599
<i>R. Borkowski, D. Zibar, A. Caballero, V. Arlunno, I. Monroy</i>	
Autonomous Software-Defined Coherent Optical Receivers	1602
<i>P. Isautier, A. Stark, K. Mehta, R. Salvo, S. Ralph</i>	
Requirements for Adaptive Electronic Dispersion Compensation in Burst-Mode Systems	1605
<i>S. Porto, C. Antony, G. Talli, P. Ossieur, P. Townsend</i>	
Demonstration of WDM OSNR Performance Monitoring and Operating Guidelines for Pol-Muxed 200-Gbit/s 16-QAM and 100-Gbit/s QPSK Data Channels.....	1608
<i>M. Chitgarha, S. Khaleghi, W. Daab, M. Ziyadi, A. Mohajerin-Ariaei, D. Rogawski, M. Tur, J. Touch, V. Vusirikala, W. Zhao, A. Willner</i>	
First Endless Optical Polarization and Phase Tracker.....	1611
<i>B. Koch, R. Noe, V. Mirvoda, D. Sandel</i>	
Spectral Pre-Distortion with FPGA and DAC at 448-Gb/s DP-16QAM Improving Nonlinear Threshold Power.....	1614
<i>W. Idler, F. Buchali, K. Schuh, D. Roesener, E. Lach, A. Leven</i>	
Impact of Pulse Shaping and Transceiver Electrical Bandwidths on Nonlinear Compensated Transmission	1617
<i>T. Oyama, T. Hoshida, H. Nakashima, C. Ohshima, Z. Tao, J. Rasmussen</i>	
Advanced and Feasible Signal Processing Algorithm for Nonlinear Mitigation	1620
<i>T. Hoshida, L. Dou, W. Yan, L. Li, Z. Tao, S. Oda, H. Nakashima, C. Ohshima, T. Oyama, J. Rasmussen</i>	
Coherent Detection of a 32-Point 6PolSK-QPSK Modulation Format	1623
<i>C. Chen, C. Li, M. Zamani, Z. Zhang</i>	
Experimental Colorless Reception of 16×DP-16QAM at 28 and 30 Gbaud Using a Si-Integrated Coherent Receiver	1626
<i>M. Chagnon, M. Osman, Q. Zhuge, X. Xu, M. Poulin, Y. Painchaud, M. Pelletier, C. Paquet, D. Plant</i>	
Hardware-Efficient Chromatic Dispersion Estimator based on Parallel Gardner Timing Error Detector	1629
<i>J. Diniz, S. Ranzini, V. Ribeiro, E. Magalhaes, E. Rosa, V. Parahyba, L. Franz, E. Ferreira, J. Oliveira</i>	
A Low-complexity Digital Pre-compensation of SOA Induced Phase Distortion in Coherent QAM Transmissions	1632
<i>S. Lange, Y. Yoshida, K. Kitayama</i>	
Wideband Photonic Compressive Sampling Analog-to-Digital Converter for RF Spectrum Estimation.....	1635
<i>T. McKenna, M. Sharp, D. Lucarelli, J. Nanzer, M. Dennis, T. Clark</i>	
Ultrafast Absolute Ranging by Coherent Parametric Comb	1638
<i>V. Ataie, B. Kuo, A. Wiberg, Z. Tong, C. Huynh, N. Alic, S. Radic</i>	
Flattened Optical Comb Generation using only Phase Modulators Driven by Single Fundamental Frequency Sinusoidal Sources with Small Frequency Offset.....	1641
<i>J. Zhang, J. Yu, Z. Dong, N. Chi, X. Li</i>	

Temporal Focusing of Ultrabroadband Wireless Signals Using Photonic Radio Frequency Arbitrary Waveform Generation	1644
<i>A. Dezfolyiyan, A. Weiner</i>	
Progress in Photonic Analog-to-Digital Conversion	1647
<i>F. Kartner, A. Khilo, A. Nejadmalayeri</i>	
Angle-of-arrival Measurement of a Microwave Signal Based on Parallel Optical Delay Detector with Accuracy Monitored	1650
<i>Z. Cao, H. Boom, M. Chen, C. Okonkwo, S. Zou, E. Tangdiongga, L. Chen, A. Koonen</i>	
Failure Coverage in Optimal Virtual Networks.....	1653
<i>A. Basta, I. Barla, M. Hoffmann, G. Carle, D. Schupke</i>	
Dynamic Adaptive Virtual Optical Networks	1656
<i>A. Tzanakaki, M. Anastasopoulos, K. Georgakilas</i>	
Fault-Tolerant Virtual Network Mapping to Provide Content Connectivity in Optical Networks	1659
<i>M. Habib, M. Tornatore, B. Mukherjee</i>	
DT's Standardization Activities to achieve interoperability on 100G for Metro Applications	1662
<i>R. Kunze</i>	
Analytical Modeling of Non-Linear Propagation in Coherent Systems	1665
<i>P. Poggiolini</i>	
Fiber Figure of Merit Based on Maximum Reach	1797
<i>V. Curri, A. Carena, G. Bosco, P. Poggiolini, M. Hirano, Y. Yamamoto, F. Forghieri</i>	
Impact of broadband four-wave mixing on system characterization	1800
<i>O. Sinkin, J. Cai, D. Foursa, G. Mohs, A. Pilipetskii</i>	
Intra-channel XPM compensation for single-stage backward-propagation	1803
<i>E. Mateo, T. Inoue, F. Yaman, S. Zhang, D. Qian, T. Wang, Y. Inada, T. Ogata, Y. Aoki</i>	
Extensive Fiber Comparison and GN-model Validation in Uncompensated Links using DAC-generated Nyquist-WDM PM-16QAM Channels	1806
<i>A. Nespola, S. Straullu, A. Carena, G. Bosco, R. Cigliutti, V. Curri, P. Poggiolini, M. Hirano, Y. Yamamoto, T. Sasaki, J. Bauwelinck, K. Verheyen, F. Forghieri</i>	
The Ge-on-Si Integrated Microphotonic Platform.....	1809
<i>L. Kimerling, J. Michel</i>	
Vertical Junction Silicon Microdisk Modulators at 25Gb/s	1812
<i>E. Timurdogan, C. Sorace-Agaskar, A. Biberman, M. Watts</i>	
Ultra-Compact and Low-Loss Silica-Based Dual Polarization Optical Hybrid for Digital Coherent Receiver with Excellent Common-Mode Rejection Ratio	1815
<i>T. Mizuno, T. Saida, Y. Nasu, T. Yamada, Y. Hashizume, H. Takahashi</i>	
Heterogeneous integration of InP PDs on silica-based PLCs	1818
<i>M. Itoh, Y. Kurata</i>	
New Opportunities for Optical Phase-locked Loops in Coherent Photonics	1821
<i>L. Coldren, M. Lu, H. Park, E. Bloch, J. Parker, L. Johansson, M. Rodwell</i>	
Fast Wavelength Switching of Fully Heater-tuned CSG-DR Lasers	1824
<i>H. Matsuura, T. Kaneko, K. Tanizawa, E. Banno, K. Uesaka, H. Kuwatsuka, S. Namiki, H. Shoji</i>	
High-Accuracy, Sub-ms Wavelength Switching with Thermal Drift Suppression in Tunable Distributed Amplification (TDA-) DFB Laser Array	1827
<i>T. Kanai, N. Nunoya, T. Yamanaka, R. Iga, M. Shimokozono, H. Ishii</i>	
Monolithic Linewidth Narrowing of a Tunable SG-DBR Laser.....	1830
<i>A. Sivananthan, H. Park, M. Lu, J. Parker, E. Bloch, L. Johansson, M. Rodwell, L. Coldren</i>	
Narrow linewidth high power thermally tuned sampledgrating distributed Bragg reflector laser	1833
<i>M. Larson, Y. Feng, P. Koh, X. Huang, M. Moewe, A. Semakov, A. Patwardhan, E. Chiu, A. Bhardwaj, K. Chan, J. Lu, S. Bajwa, K. Duncan</i>	
Tunable Single Mode Laser Array Based on Slots.....	1836
<i>Q. Lu, W. Guo, A. Abdullaev, M. Nawrocka, J. O'Callaghan, M. Lynch, V. Weldon, J. Donegan</i>	
LGLC Tunable Laser with Highly Stable SMSR Against Large Filter Deviation for Full C-band Operation.....	1839
<i>A. Nakamura, K. Naoe, M. Sakai, S. Hayakawa, K. Motoda, K. Uomi, T. Suzuki, H. Arimoto, S. Tanaka</i>	
InP Photonic Integrated Circuit with On-chip Tunable Laser Source for 2D Optical Beam Steering	1842
<i>W. Guo, P. Binetti, C. Althouse, L. Johansson, L. Coldren</i>	
Flexible Optical Comb Source for Super Channel Systems	1845
<i>P. Anandarajah, R. Zhou, R. Maher, M. Pascual, F. Smyth, V. Vujicic, L. Barry</i>	
Low DMD Four LP Mode Transmission Fiber for Wide-band WDM-MIMO System	1848
<i>T. Mori, T. Sakamoto, M. Wada, T. Yamamoto, F. Yamamoto</i>	

Reduction of Influence of Inter-core Cross-talk in MCF with Bidirectional Assignment between Neighboring Cores	1851
<i>T. Ito, E. Gabory, M. Arikawa, Y. Hashimoto, K. Fukuchi</i>	
Investigation of Crosstalk Dependencies on Bending Radius of Heterogeneous Multicore Fiber	1854
<i>Y. Sasaki, Y. Amma, K. Takenaga, S. Matsuo, K. Saitoh, M. Koshiba</i>	
Leaky Modes in Trench-Assisted Bend-Insensitive MMFs	1857
<i>D. Molin, M. Bigot-Astruc, P. Sillard</i>	
Supermodes in strongly-coupled multi-core fibers	1860
<i>C. Xia, N. Bai, R. Amezcua-Correa, E. Antonio-Lopez, A. Schulzgen, M. Richardson, X. Zhou, G. Li</i>	
Weakly-coupled Few-mode Fibers for Single-mode and Mode-division-multiplexed Transmissions	1863
<i>D. Boivin, M. Bigot-Astruc, M. Travagnin, P. Sillard</i>	
3 Gbit/s LED-Based Step Index Plastic Optical Fiber Link Using Multilevel Pulse Amplitude Modulation	1866
<i>L. Geng, J. Wei, R. Penty, I. White, D. Cunningham</i>	
Transmission of 25.5-Gb/s OFDM Signal over 200-m G62.5/125 MMF Using Mode Group Diversity Multiplexing	1869
<i>J. Xu, C. Ruprecht, J. Hoyningen-Huene, W. Rosenkranz</i>	
Cascade of 4 SOAs with 448 Gbit/s (224 Gbit/s) Dual Channel Dual Polarization 16QAM (QPSK) for High-Capacity Business Paths in Converged Metro-Access Networks	1872
<i>S. Koenig, R. Bonk, R. Schmogrow, A. Josten, D. Karnick, H. Schmuck, W. Poehlmann, T. Pfeiffer, C. Koos, W. Freude, J. Leuthold</i>	
A Novel In-Building Small-Cell Backhaul Architecture for Cost-Efficient Multi-Operator Multi-Service Coexistence.....	1875
<i>C. Liu, N. Cvijetic, K. Sundaresan, M. Jiang, S. Rangarajan, T. Wang, G. Chang</i>	
Flexible QoS Differentiation in Converged OFDMA-PON and LTE Networks.....	1878
<i>W. Lim, K. Kanonakis, P. Kourtessis, M. Milosavljevic, I. Tomkos, J. Senior</i>	
Data Bandwidth Reduction based on Wireless Resource Allocation for Digitized Radio over TDM-PON System	1881
<i>N. Shibata, S. Kuwano, J. Terada, N. Yoshimoto</i>	
WSS requirements in Next-Generation Wavelength Switched Optical Networks	1884
<i>G. Rizzelli, G. Maier, A. Pattavina</i>	
Benefit of pure NxM WSS for optical multiflow application	1887
<i>T. Zami, B. Lavigne</i>	
On-Demand Spectrum and Space Defragmentation in an Elastic SDM/FDM/TDM Network with Mixed Multi- and Single-core Fiber Links	1890
<i>N. Amaya, M. Irfan, G. Zervas, R. Nejabati, D. Simeonidou, V. Rancano, F. Parmigiani, P. Petropoulos, D. Richardson, J. Sakaguchi, W. Klaus, B. Puttnam, T. Miyazawa, Y. Awaji, N. Wada, I. Henning</i>	
On-Demand Spectrum and Core Allocation for Multi-Core Fibers in Elastic Optical Network.....	1893
<i>S. Fujii, Y. Hirota, H. Tode, K. Murakami</i>	
Engineering Colorless/Directionless/Contentionless Metro/Regional Networks for 400G+	1896
<i>R. Younce, J. Larikova, Y. Wang</i>	
Dynamic Wavelength Assignment and Burst Contention Mitigation for the LOBS-over-WSOON Multilayer Networks with an OpenFlow based Control Plane	1899
<i>D. Zhang, H. Guo, L. Liu, T. Tsuritani, J. Wu, I. Morita</i>	
Striding Optical Transport Technologies to mitigate a Cyclical Capacity Crunch.....	1902
<i>J. Benson, S. Spaelter, M. Shastri</i>	
Thulium-doped Fiber Amplifier for Optical Communications at 2μm.....	1905
<i>Z. Li, A. Heidt, J. Daniel, Y. Jung, S. Alam, D. Richardson</i>	
Dose dependence of luminescence increase in H2-loaded Bi- Al co-doped optical fibers by cw 244-nm and pulsed 193-nm laser irradiation	1908
<i>G. Violakis, H. Limberger, V. Mashinsky, E. Dianov</i>	
Amplifier Technologies for Unrepeated links, Submarine Transmissions	1911
<i>H. Bissessur</i>	
300-nm Broadband Chromium-Doped Fiber Amplifiers	1914
<i>W. Cheng, Y. Huang, S. Huang, H. Taga, Y. Chiu</i>	
Demonstration of Flexible Optical Buffer based on 1×32 Optical Switches and Fiber-Sheet Delay Lines.....	1917
<i>S. Shinada, H. Furukawa, N. Wada</i>	
A Tunable Optical Tapped-Delay-Line that Simultaneously and Independently Processes Multiple Input WDM Data Signals.....	1920
<i>S. Khaleghi, M. Chitgarha, M. Ziyadi, W. Daab, A. Mohajerin-Ariaei, D. Rogawski, J. Touch, M. Tur, C. Langrock, M. Fejer, A. Willner</i>	

Photonic Processing Using Integrated Optical Filters	1923
<i>C. Madsen, Q. Chen, J. Kim, Y. Zhou</i>	
Stable Clock Recovery and Channel Identification in OTDM realized by In-band Clock distribution based on Pulse Position Modulation	1926
<i>T. Kurosu, K. Tanizawa, D. Wang, S. Set, S. Namiki</i>	
320 Gb/s all-optical clock recovery and time demultiplexing enabled by a single Quantum Dash Mode-Locked Laser Fabry-Perot Optical Clock Pulse Generator	1929
<i>N. Calabretta, J. Luo, J. Parra-Cetina, S. Latkowski, R. Maldonado-Basilio, P. Landais, H. Dorren</i>	
Quantum Dash Mode-Locked Laser based Open-Loop Optical Clock Recovery for 160 Gb/s Transmission System	1932
<i>J. Luo, J. Parra-Cetina, S. Latkowski, R. Maldonado-Basilio, P. Landais, H. Dorren, N. Calabretta</i>	
Demonstration of Edge Interoperability, Re-Shaping and Re-Timing using Hybrid Mode-Locking within a 40Gb/s Optical Packet Router.....	1935
<i>J. Garcia, K. Nguyen, T. Huffman, M. Belt, J. Barton, H. Poulsen, D. Blumenthal</i>	
400 Gbit/s 256 QAM-OFDM Transmission over 720 km with a 14 bit/s/Hz Spectral Efficiency Using an Improved FDE Technique	1938
<i>T. Omiya, M. Yoshida, M. Nakazawa</i>	
Transmission of 50-GHz-Spaced Single-Carrier Channels at 516Gb/s over 600km	1941
<i>O. Bertran-Pardo, J. Renaudier, H. Mardoyan, P. Tran, R. Rios-Muller, A. Konczykowska, J. Dupuy, F. Jorge, M. Riet, B. Duval, J. Godin, S. Randel, G. Charlet, S. Bigo</i>	
1-Tbit/s dual-carrier DP 64QAM transmission at 64Gbaud with 40% overhead soft-FEC over 320km SSMF	1944
<i>F. Buchali, K. Schuh, L. Schmalen, W. Idler, E. Lach, A. Leven</i>	
A Single-Channel, 1.6 Tbit/s 32 QAM Coherent Pulse Transmission Over 150 km With RZ-CW Conversion and FDE Techniques	1947
<i>D. Otuya, K. Kasai, T. Hirooka, M. Yoshida, M. Nakazawa, T. Hara, S. Oikawa</i>	
Higher-order Multilevel Signal Transmission using Coherent Receiver with Digital-Delay Detection.....	1950
<i>N. Kikuchi</i>	
Time Domain Hybrid QAM Based Rate-Adaptive Optical Transmissions Using High Speed DACs	1953
<i>Q. Zhuge, X. Xu, M. Morsy-Osman, M. Chagnon, M. Qiu, D. Plant</i>	
Mode-Division Multiplexing Systems: Propagation Effects, Performance and Complexity	1956
<i>J. Kahn, K. Ho</i>	
1.6-Tbit/s Muxing, Transmission and Demuxing through 1.1-km of Vortex Fiber Carrying 2 OAM Beams Each with 10 Wavelength Channels.....	1993
<i>Y. Yue, N. Bozinovic, Y. Ren, H. Huang, M. Tur, P. Kristensen, S. Ramachandran, A. Willner</i>	
Optical vortex based Mode Division Multiplexing over graded-index multimode fibre.....	1996
<i>J. Carpenter, B. Thomsen, T. Wilkinson</i>	
Orbital-Angular-Momentum-Based Reconfigurable and “Lossless” Optical Add/Drop Multiplexing of Multiple 100-Gbit/s Channels.....	1999
<i>H. Huang, Y. Yue, Y. Yan, N. Ahmed, Y. Ren, A. Willner</i>	
100 Tbit/s Free-Space Data Link using Orbital Angular Momentum Mode Division Multiplexing Combined with Wavelength Division Multiplexing	2002
<i>H. Huang, G. Xie, Y. Yan, N. Ahmed, Y. Ren, Y. Yue, D. Rogawski, M. Tur, B. Erkmen, K. Birnbaum, S. Dolinar, M. Lavery, M. Padgett, A. Willner</i>	
Compact and Power-efficient 100-Gbps CMOS-based Transceiver	2005
<i>T. Takemoto, H. Yamashita, F. Yuki, S. Tsuji, Y. Lee, K. Adachi, K. Shinoda, Y. Matsuoka, T. Sugawara, S. Nishimura, N. Chujo, M. Nido, K. Kurata, J. Baba, Y. Watanabe, N. Ikeda</i>	
A 4×25 Gbps Hybrid Integrated EML Module for 100 GbE Transmitters using Lens Positional Control by Laser Irradiation	2008
<i>T. Murao, N. Yasui, K. Mochizuki, M. Shimono, H. Kodaera, T. Yamatoya, H. Aruga</i>	
28-Gb/s Directly Modulated InGaAlAs ACPM DFB Lasers with High Mask Margin of 22% at 55° C	2011
<i>K. Nakahara, Y. Wakayama, K. Hiruma, T. Kitatani, K. Shinoda, T. Fukamachi, Y. Sakuma, S. Tanaka</i>	
High Speed 850nm VCSELs for >40Gb/s Transmission	2014
<i>J. Gustavsson, A. Larsson, A. Haglund, J. Bengtsson, P. Westbergh, R. Safaisini, E. Haglund</i>	
1.3 μm 28 Gb/s EMLs with Hybrid Waveguide Structure for Low-Power-Consumption CFP2 Transceivers	2017
<i>Y. Morita, T. Yamatoya, Y. Hokama, K. Akiyama, R. Makita, N. Yasui, D. Morita, H. Kawahara, E. Ishimura</i>	
A Miniaturized 43 Gbps EML TOSA Employing Impedance Matched FPC Connection	2020
<i>M. Shirao, N. Ohata, T. Fukao, T. Hata, H. Aruga</i>	
Ultra-small silicon polarization beam splitter based on cascaded asymmetry directional couplers	2023
<i>J. Wang, D. Dai</i>	

Wide-band Polarization Splitter and Rotator with Large Fabrication Tolerance and Simple Fabrication Process	2026
<i>Y. Ding, H. Ou, C. Peucheret</i>	
Self-Aligned InP/InGaAsP Polarization Converter for Polarization-Multiplexed Photonic Integrated Circuits	2029
<i>M. Zaitzu, T. Tanemura, A. Higo, Y. Nakano</i>	
Polarization Diversity DPSK Demodulator on the Siliconon-Insulator Platform with Simple Fabrication	2032
<i>Y. Ding, B. Huang, H. Ou, F. Ros, C. Peucheret</i>	
Silicon microring-based integrated circuit for optical labelfree biosensor with direct electrical readout.....	2035
<i>J. Song, X. Luo, J. Kee, C. Li, X. Tu, Q. Fang, H. Zhang, L. Jia, M. Park, T. Liow, M. Yu, G. Lo</i>	
Tunable Silicon Comb Filters Based on Fabry-Perot Resonators Formed by Sagnac Loop Mirrors	2038
<i>X. Sun, L. Zhou, J. Xie, Z. Zou, L. Lu, X. Li, J. Chen</i>	
Mid-Infrared Silicon Photonics	2041
<i>W. Green, B. Kuyken, X. Liu, M. Camp, S. Assefa, D. Gill, T. Barwicz, S. Shank, Y. Vlasov, R. Osgood, R. Baets, G. Roelkens</i>	
Can we use Flexible Transponders to Reduce Margins?	2044
<i>J. Auge</i>	
40/100/400 Gb/s Mixed Line Rate Transmission Performance in Flexgrid Optical Networks.....	2047
<i>L. Zong, G. Liu, A. Lord, Y. Zhou, T. Ma</i>	
Trading off Transponders for Spectrum in Flexgrid Networks.....	2050
<i>K. Christodouloupoulos, P. Soumplis, E. Varvarigos</i>	
Optical multicast at 224 Gb/s with tunable frequency conversion in a flex-grid network testbed.....	2053
<i>G. Meloni, N. Sambo, A. Malacarne, G. Berrettini, F. Cugini, L. Poti, A. Bogoni</i>	
On the Impact of Optimized Guard-Band Assignment for Superchannels in Flexible-Grid Optical Networks.....	2056
<i>A. Eira, J. Pedro, J. Pires</i>	
Dimensioning of elastic optical packet switched metro rings.....	2059
<i>Y. Pointurier, J. Antona</i>	
Fixed-length Elastic-capacity OFDM Payload Packet: Concept and Demonstration	2062
<i>Y. Yoshida, T. Kodama, S. Shinada, N. Wada, K. Kitayama</i>	
Submarine transmissions with spectral efficiency higher than 3 b/s/Hz using Nyquist pulse-shaped channels	2065
<i>O. Bertran-Pardo, J. Renaudier, P. Tran, H. Mardoyan, P. Brindel, A. Ghazisaeidi, M. Salsi, G. Charlet, S. Bigo</i>	
Unrepeated Transmission of 3.2-Tb/s (32x120-Gb/s) over 445-km fiber link with A_{eff} Managed Span.....	2068
<i>B. Zhu, P. Borel, K. Carlson, X. Jiang, D. Peckham, R. Lingle</i>	
30.58 Tb/s Transmission over 7,230 km using PDM Half 4D-16QAM Coded Modulation with 6.1 b/s/Hz Spectral Efficiency	2071
<i>H. Zhang, H. Batshon, D. Foursa, M. Mazurczyk, J. Cai, C. Davidson, A. Pilipetskii, G. Mohs, N. Bergano</i>	
12,000km Transmission of 100GHz Spaced, 8 495-Gb/s PDM Time-Domain Hybrid QPSK-8QAM Signals.....	2074
<i>X. Zhou, L. Nelson, R. Isaac, P. Magill, B. Zhu, P. Borel, K. Carlson, D. Peckham</i>	
112-Gb/s DP-QPSK Transmission over 7,860-km DMF using Phase-Conjugated Copy and Digital Phase-Sensitive Boosting with Enhanced Noise and Nonlinearity Tolerance	2077
<i>Y. Tian, Y. Huang, S. Zhang, P. Prucnal, T. Wang</i>	
Analytical OSNR Formulation Validated with 100G-WDM Experiments and Optimal Subsea Fiber Proposal	2080
<i>M. Hirano, Y. Yamamoto, V. Sleiffer, T. Sasaki</i>	
Long-Haul Transmission of PM-2PPM-QPSK at 42.8 Gbit/s.....	2083
<i>M. Sjodin, T. Eriksson, P. Anderkson, M. Karlsson</i>	
Chip and Board-scale Integrated Photonic Networks for Next-generation Computers	2086
<i>V. Stojanovic</i>	
Polymer-Based Vertically Optical Splitter with 20-Gbps Transmission Rate Realized on Silicon Substrate.....	2089
<i>C. Chen, P. Shen, C. Chang, H. Hsiao, T. Huan, T. Zhu, H. Lan, Y. Lee, Y. Lin, M. Wu</i>	
Cascade of two opposite tapers for butt-coupling between fibers and silicon photonic wires with large misalignment tolerance and low polarization dependency	2092
<i>K. Ku, M. Lee</i>	
Integration of Silicon Photonics into DRAM Process	2095
<i>D. Shin, K. Cho, H. Ji, B. Lee, S. Kim, J. Bok, S. Choi, Y. Shin, J. Kim, S. Lee, K. Cho, B. Kuh, J. Shin, J. Lim, J. Kim, H. Choi, K. Ha, Y. Park, C. Chung</i>	

High Isolation in Silicon Waveguide Optical Isolator Employing Nonreciprocal Phase Shift	2098
<i>Y. Shirato, Y. Shoji, T. Mizumoto</i>	
Optical Waveguides and Photodiodes in 0.18μm CMOS SOI with No Post-processing	2101
<i>X. Yang, A. Babakhani</i>	
Amplitude Regeneration of 80-Gb/s Polarization-Multiplexed RZ-DPSK Signals in a Dual-Orthogonal-Pump Fiber Optical Parametric Amplifier.....	2104
<i>X. Guo, G. Lei, X. Fu, H. Tsang, C. Shu</i>	
Characterization of Polarization Insensitive FOPA using a Polarization-Maintaining Highly Non-Linear Fiber	2107
<i>I. Sackey, T. Richter, C. Meuer, R. Elschner, M. Jazayerifar, K. Petermann, C. Schubert</i>	
Practical Issues of the Tunable Dispersion Compensation Using Parametric Wavelength Conversion.....	2110
<i>K. Tanizawa</i>	
Asynchronous Single-Shot Optical Sampling of High-Repetition-Rate Signals Using Temporal Magnification	2113
<i>Y. Okawachi, R. Salem, A. Johnson, K. Saha, J. Levy, M. Lipson, A. Gaeta</i>	
Few-Mode Fiber Optical Parametric Amplifier.....	2116
<i>N. Zhao, B. Huang, R. Amezcua-Correa, X. Li, G. Li</i>	
Multipulse Vector Solitons with Precessing States of Polarization.....	2119
<i>S. Sergeev, C. Mou, A. Rozhin, S. Turitsyn</i>	
Operator Perspective on Next-Generation Optical Access for High-Speed Mobile Backhaul.....	2122
<i>N. Yoshimoto</i>	
A Small Cell Augmentation to a Wireless Network Leveraging Fiber-to-the-Node Access Infrastructure for Backhaul and Power	2125
<i>P. Iannone, K. Reichmann, C. Ranaweera, M. Resende</i>	
Unified Access and Aggregation Network Allowing Fixed and Mobile Networks to Converge.....	2128
<i>D. Breuer, E. Weis, S. Gosselin, T. Mamouni, J. Torrijos</i>	
Possibility of Stack and Draw process as Fabrication Technology for Multi-Core Fiber.....	2131
<i>I. Ishida, T. Akamatsu, Z. Wang, Y. Sasaki, K. Takenaga, S. Matsuo</i>	
Nanomechanical functionality of dual-core fibres	2134
<i>Z. Lian, P. Horak, X. Feng, L. Xiao, K. Frampton, N. White, J. Tucknott, H. Rutt, D. Payne, W. Stewart, W. Loh</i>	
The Role of Anisotropy in Few-Mode Optical Fibers	2137
<i>L. Palmieri, L. Schenato, A. Galtarossa</i>	
Transverse Anderson localization in a glass optical fiber with random air-holes.....	2140
<i>S. Karbasi, T. Hawkins, J. Ballato, K. Koch, A. Mafi</i>	
Chiral Fibers: Microformed optical fibers possess unique properties that are useful for polarization control, harsh-environment sensing, dense multichannel coupling, spatial division-multiplexing and fiber amplification	2143
<i>V. Kopp</i>	
Microwave Photonics: The Past and the Future	2188
<i>K. Williams</i>	
High-Q Single-Bandpass Photonic RF Filter Overcoming Optical Third-Order Dispersion Based on Programmable Spectrum Shaping of a Broadband Optical Source.....	2259
<i>X. Xue, X. Zheng, H. Zhang, B. Zhou</i>	
A Narrow-Passband Frequency-Tunable Microwave Photonic Filter with an Improved Dynamic Range	2262
<i>W. Li, J. Yao</i>	
An Ultra-Wideband 360° Photonic-Assisted Microwave Phase Shifter	2265
<i>W. Li, W. Zhang, J. Yao</i>	
High-Resolution 3-Dimensional Radar Imaging Based on a Few-Cycle W-band Photonic Millimeter-Wave Pulse Generator.....	2268
<i>T. Tseng, J. Wun, W. Chen, S. Peng, J. Shi, C. Sun</i>	
252 Gbit/s Real-Time Nyquist Pulse Generation by Reducing the Oversampling Factor to 1.33.....	2271
<i>R. Schmogrow, M. Meyer, P. Schindler, A. Josten, S. Ben-Ezra, C. Koos, W. Freude, J. Leuthold</i>	
A Baud-Rate Sampled Coherent Transceiver with Digital Pulse Shaping and Interpolation.....	2274
<i>D. Millar, D. Lavery, R. Maher, B. Thomsen, P. Bayvel, S. Savory</i>	
Reducing Equalizer Complexity in Coherent Receivers for Nyquist Spectrally Shaped Systems with Matched Filters.....	2277
<i>J. Wang, C. Xie, Z. Pan</i>	
Joint ICI Cancellation for Superchannel Coherent Optical Systems in Nonlinear Transmission Regimes.....	2280
<i>C. Liu, J. Pan, T. Detwiler, A. Stark, Y. Hsueh, G. Chang, S. Ralph</i>	

Flexible Transceivers Using Adaptive Digital Signal Processing for Single Carrier and OFDM	2283
<i>D. Plant, Q. Zhuge, M. Morsy-Osman, M. Chagnon, X. Xu, M. Qiu</i>	
Frequency Stabilization of Multiple Semiconductor Lasers for Nyquist-WDM Transmission Systems	2286
<i>K. Igarashi, T. Tsuritani, I. Morita, K. Katoh, K. Kikuchi</i>	
Digital Clock Recovery Algorithm for Nyquist Signal.....	2289
<i>M. Yan, Z. Tao, L. Dou, L. Li, Y. Zhao, T. Hoshida, J. Rasmussen</i>	
Support Statistical Sharing in Circuit Switching WDM Optical Networks.....	2292
<i>X. Wang, Q. Zhang, I. Kim, P. Palacharla, M. Sekiya</i>	
Dynamic Cooperative Spectrum Sharing in Elastic Networks	2295
<i>E. Palkopoulou, I. Stiakogiannakis, D. Klonidis, K. Christodouloupoulos, E. Vararigos, O. Gerstel, I. Tomkos</i>	
Minimized Spectral Resource Consumption with Rescaled Failure Probability Constraint in Flexible Bandwidth Optical Networks	2298
<i>B. Chen, J. Zhang, Y. Zhao, H. Chen, S. Huang, W. Gu, J. Jue</i>	
Spectrum-Efficient Provisioning for Multi-Channel Elastic Optical Networking.....	2301
<i>M. Xia, S. Dahlfort</i>	
Ant-based Alternate Routing Algorithm in Flexible Bandwidth Optical Networks	2304
<i>J. Liu, J. Zhang, Y. Zhao, X. Yu, X. Lin</i>	
A Traffic Intensity Model for Flexgrid Optical Network Planning under Dynamic Traffic Operation.....	2307
<i>M. Ruiz, L. Velasco, J. Comellas, G. Junyent</i>	
Performance of a Real IP over DWDM Network > 1000 Nodes Regarding Elastic and Mixed-Line-Rate Scenarios on a Flexible Frequency Grid	2310
<i>A. Klekamp, U. Gebhard</i>	
How National IP/MPLS Networks can benefit from Flexgrid Optical Technology?	2313
<i>L. Velasco, P. Wright, A. Lord, G. Junyent</i>	
Experimental Transmission of Nyquist Pulse Shaped 4-D Coded Modulation using Dual Polarization 16QAM Set-Partitioning Schemes at 28 Gbaud.....	2316
<i>J. Renaudier, O. Bertran-Pardo, A. Ghazisaeidi, P. Tran, H. Mardoyan, P. Brindel, A. Voicila, G. Charlet, S. Bigo</i>	
Experimental Demonstration of 128-SP-QAM in Uncompensated Long-Haul Transmission	2319
<i>T. Eriksson, M. Sjodin, P. Andrekson, M. Karlsson</i>	
Nonlinear Transmission of 6PolSK-QPSK Signals using Coded Modulation and Digital Back Propagation.....	2322
<i>T. Tanimura, S. Alreesh, J. Fischer, C. Schmidt-Langhorst, F. Frey, C. Meuer, R. Elschner, L. Molle, C. Schubert</i>	
WDM Channel Capacity and its Dependence on Multichannel Adaptation Models	2325
<i>E. Agrell, M. Karlsson</i>	
PS-QPSK with Duobinary-Shaping and MLSD Reception for Constructing Power- and Spectrum-Efficient Superchannel	2328
<i>G. Lu, Y. Kamio, T. Kawanishi</i>	
Impact of Tight Optical Filtering on the Performance of 28 Gbaud Nyquist-WDM PDM-8QAM over 37.5 GHz Grid	2331
<i>A. Ghazisaeidi, P. Tran, P. Brindel, O. Bertran-Pardo, J. Renaudier, G. Charlet, S. Bigo</i>	
Completely Cyclic Flat-Top Optical Multi/Demultiplexer for Multi-Carrier Transceiver	2334
<i>T. Goh, Y. Hashizume</i>	
Adaptive Rate and Bandwidth WDM Optical Sampling Pulse Streams with LCoS-based Photonic Spectral Processor	2337
<i>D. Sinefeld, D. Shayovitz, O. Golani, D. Marom</i>	
Apodized and Un-Apodized Sidewall Grating Filters with Low Coupling Constants in Ultra-Low-Loss Si₃N₄ Planar Waveguides	2340
<i>M. Belt, M. Heck, J. Barton, J. Bauters, J. Bowers, D. Blumenthal</i>	
CMOS-compatible Athermal Tunable Silicon Optical Lattice Filters	2343
<i>L. Lu, L. Zhou, X. Sun, J. Xie, Z. Zou, X. Li, J. Chen</i>	
Micro-ring optical resonators fabricated by selective oxidation of refractory metals (SORM).....	2346
<i>P. Rabiei, J. Ma, S. Khan, J. Chiles, S. Fathpour</i>	
Tunable Two-Stage Self-Coupled Optical Waveguide (SCOW) Resonators	2349
<i>Z. Zou, L. Zhou, J. Xie, X. Sun, L. Lu, X. Li, J. Chen</i>	
Tunable Vernier Microring Optical Filters Using p-i-p Resistor-Based Micro-Heaters	2352
<i>X. Zhang, L. Zhou, L. Lu, J. Xie, X. Sun, X. Li, J. Chen</i>	
Carrier-induced Silicon Waveguide Bragg Grating Filter Based on Ion Implantation.....	2355
<i>Q. Fang, J. Song, X. Tu, L. Jia, X. Luo, M. Yu, G. Lo</i>	
Enhanced Multicast Performance for a 60-GHz Gigabit Wireless Service over Optical Access Network Based on 16-QAM-OFDM Hierarchical Modulation.....	2358
<i>L. Zhang, P. Cao, X. Hu, C. Liu, M. Zhu, A. Yi, C. Ye, Y. Su, G. Chang</i>	

A Transform Domain Processing based Channel Estimation Method for OFDM Radio-over-Fiber Systems	2361
<i>L. Tao, J. Yu, Y. Wang, J. Zhang, X. Li, Y. Shao, N. Chi</i>	
Study of Wireless Channel Characteristics of 2x2 60-GHz MIMO OFDM RoF System Employing Lattice Reduction aided Detection.....	2364
<i>H. Huang, C. Ho, T. Lu, C. Wang, C. Lin, C. Wei, F. Wu, Y. Chiang, S. Chi</i>	
High Speed MIMO-OFDM Wireless Data Transport in 60-GHz Radio-over-Fiber System Multiplexed by Optical TDM.....	2367
<i>M. Zhu, S. Fan, L. Zhang, C. Liu, T. Wang, G. Chang</i>	
Simple 2x2 MIMO 60-GHz OFDM RoF System with Single-Electrode MZMs Employing Beating Interference Mitigation and IQ Imbalance Compensation	2370
<i>H. Huang, Y. Chiang, C. Lin, C. Wei, C. Ho, F. Wu, Y. Chen, S. Chi</i>	
Photonics Millimeter-wave Generation in the E-band (66~88GHz) and Bi-directional Transmission.....	2373
<i>X. Li, J. Yu, Z. Dong, N. Chi, J. Zhang, Y. Shao</i>	
Coherent Optical and Radio Seamless Transmission Based on DSP-Aided Radio-over-Fiber Technology	2376
<i>A. Kanno, T. Kuri, I. Hosako, T. Kawanishi, Y. Yoshida, Y. Yasumura, K. Kitayama</i>	
4G/5G Mobile Technologies – Can They Be A Blueprint for Optical Networks?	2379
<i>A. Khayrallah</i>	
Emerging Disruptive Wireless Technologies – Prospects and Challenges for Integration with Optical Networks.....	2382
<i>D. Novak, R. Waterhouse</i>	
Radio-over-Fiber Technologies for Multi-Gb/s Wireless Applications	2385
<i>A. Ng'oma</i>	
SDN and OpenFlow for Converged Access/Aggregation Networks	2388
<i>H. Woesner, D. Fritzsche</i>	
Fiber Amplifiers for SDM Systems	2391
<i>D. Richardson</i>	
Vector Mode effects in Few Moded Erbium Doped Fiber Amplifiers.....	2455
<i>E. Lim, Q. Kang, M. Gecevicius, F. Poletti, S. Alam, D. Richardson</i>	
Design of Four-Mode Erbium Doped Fiber Amplifier with Low Differential Modal Gain for Modal Division Multiplexed Transmissions	2458
<i>Q. Kang, E. Lim, Y. Jung, F. Poletti, S. Alam, D. Richardson</i>	
Low-Loss Fused Mode Coupler for Few-Mode Transmission	2461
<i>A. Li, J. Ye, X. Chen, W. Shieh</i>	
A 50Tbps Optically-Cabled Infiniband Datacenter Switch.....	2464
<i>O. Torudbakken, A. Krishnamoorthy</i>	
A High End Routing Platform for Core and Edge Applications Based on Chip To Chip Optical Interconnect	2467
<i>K. Hasharoni, S. Benjamin, A. Geron, G. Katz, S. Stepanov, N. Margalit, M. Mesh</i>	
WMRD net: An Optical Data Center Interconnect	2470
<i>D. Karthi, G. Das</i>	
Optical Interconnect Networks for Datacom and Computercom.....	2473
<i>C. DeCusatis</i>	
Slip-Reduced Carrier Phase Estimation for Coherent Transmission in the Presence of Non-Linear Phase Noise.....	2506
<i>A. Bisplinghoff, C. Vogel, T. Kupfer, S. Langenbach, B. Schmauss</i>	
Novel Carrier Phase Estimation Scheme for Polarization Switched-QPSK-based transmission systems.....	2509
<i>A. Seck, P. Ramantanis, J. Vuong, D. Bendimerad, C. Lepers, Y. Frignac</i>	
M-QAM Carrier Phase Recovery Using the Viterbi-Viterbi Monomial-based and Maximum Likelihood Estimators	2512
<i>S. Dris, P. Bakopoulos, I. Lazarou, C. Spatharakis, H. Avramopoulos</i>	
Full-Range and Rapid-Tracking Carrier Phase and Frequency Estimator for 16-QAM Coherent Systems	2515
<i>A. Meiyappan, P. Kam, H. Kim</i>	
Low-Complexity Joint Frequency Offset and Carrier Phase Estimation Based on QPSK Partitioning for DP 16-QAM.....	2518
<i>J. Ke, K. Zhong, Y. Gao, A. Bakshali, J. Cartledge</i>	
Experimental Demonstration of Pilot-Aided Polarization Recovery, Frequency Offset and Phase Noise Mitigation	2521
<i>M. Morsy-Osman, Q. Zhuge, M. Chagnon, X. Xu, D. Plant</i>	

Dual-Stage Decision-Directed Phase Estimator Enabling Perfect Frequency-Offset Elimination in Digital Coherent Optical Receivers	2524
<i>Y. Mori, K. Kikuchi</i>	
Wide-Range, Low-Complexity Frequency Offset Tracking Technique for Single Carrier Transmission Systems	2527
<i>M. Qiu, Q. Zhuge, X. Xu, M. Chagnon, M. Morsy-Osman, D. Plant</i>	
10-Gb/s Polarization-Insensitive RSOA-based Self-Tuning transmitter for WDM-PON bridging up to 52 km	2530
<i>P. Parolari, L. Marazzi, M. Brunero, A. Gatto, M. Martinelli, R. Brenot, S. Barbet, P. Galli, G. Gavioli</i>	
10.5 Gbit/s 8-PSK Signal generated by Directly Modulating RSOA with Instantaneous Injection/Depletion Currents	2533
<i>T. Sano, A. Agata, K. Nishimura</i>	
Progress in Polymer-Based Components for Next-Generation PON Applications	2536
<i>N. Keil, C. Zawadzki, Z. Zhang, D. Felipe, A. Novo, W. Brinker, H. Klein, C. Wagner, F. Soares, M. Mohrle, N. Grote</i>	
Over bandwidth OC-192 NRZ modulation of TO-can weakresonant-cavity Fabry-Perot laser diode for DWDM-PON.....	2539
<i>S. Lin, Y. Chi, G. Lin</i>	
Flexible WDM-PON with Nyquist-FDM and 31.25 Gbit/s per Wavelength Channel Using Colorless, Low-Speed ONUs.....	2542
<i>P. Schindler, R. Schmogrow, M. Dreschmann, J. Meyer, D. Hillerkuss, I. Tomkos, J. Prat, H. Krimmel, T. Pfeiffer, P. Kourtessis, J. Becker, C. Koos, W. Freude, J. Leuthold</i>	
Demonstration of 40-Gb/s QPSK Upstream Transmission in Long-Reach RSOA-based Coherent WDM PON using offset PDM Technique	2545
<i>H. Shim, K. Cho, U. Hong, Y. Chung</i>	
25 Gb/s Operation of 1-GHz Bandwidth R-SOA by using DMT and Optical Equalization.....	2548
<i>M. Presi, G. Cossu, A. Chiuchiarrelli, F. Bottoni, R. Corsini, P. Choudhury, L. Giorgi, E. Ciaramella</i>	
25.78Gbps Data Transmission with 850nm Multimode VCSEL Packaged in QSFP Form Factor Module.....	2551
<i>M. Chacinski, N. Chitica, S. Molin, N. Lalic, O. Sahlen</i>	
25-Gb/s Transmission over 250-m MMF Using Over-Drive of 10-Gb/s VCSEL by Utilizing Asymmetric Pre-emphasis	2554
<i>Y. Tsunoda, T. Shiraishi, M. Sugawara, H. Oku, S. Ide, K. Tanaka</i>	
Chromatic Dispersion Compensated 25Gb/s Multimode VCSEL Transmission around 850nm with a MMF Jumper.....	2557
<i>X. Chen, M. Li, J. Hurley, K. Hoover, D. Powers, R. Vodhanel</i>	
Impact of Mode Partition Noise on Horizontal Eye Opening in Multimode Fiber Links.....	2560
<i>P. Pepeljugoski</i>	
A 56.1Gb/s NRZ Modulated 850nm VCSEL-Based Optical Link.....	2563
<i>D. Kuchta, C. Schow, A. Rylyakov, J. Proesel, F. Doany, C. Baks, B. Hamel-Bissell, C. Kocot, L. Graham, R. Johnson, G. Landry, E. Shaw, A. MacInnes, J. Tatum</i>	
Interoperability of Single-Mode and Multimode Data Links for Data Center and Optical Backplane Applications.....	2566
<i>W. Sorin, M. Tan</i>	
Eye-Safe High-Capacity 1-mm GI-POF Interconnects Exploiting Discrete Multitone Modulation.....	2569
<i>R. Kruglov, S. Loquai, F. Winkler, C. Bunge, B. Schmauss, O. Ziemann, K. Habel</i>	
Silicon Photonic Integrated Circuits for WDM Technology and Optical Switch	2572
<i>L. Chen</i>	
Compact Integrated Tunable Filter Utilizing AWG Routing Function and Small Switches.....	2575
<i>T. Niwa, H. Hasegawa, K. Sato, T. Watanabe, H. Takahashi, S. Soma</i>	
Transient Crosstalk in LCOS Based WSS and a Method to Suppress the Crosstalk Levels	2578
<i>H. Yang, B. Robertson, D. Chu</i>	
8×8 Space and Wavelength Selective Cross-connect for Simultaneous Dynamic Multi-wavelength Routing	2581
<i>A. Rohit, R. Stabile, K. Williams</i>	
First Demonstration of Hitless Wavelength Selective Switch Based on Quadruple Series Coupled Multiple Quantum Well Microring Resonator.....	2584
<i>H. Kamiya, T. Goto, K. Redouane, T. Arakawa, Y. Kokubun</i>	
Digitally Tunable Optical Power Equalization for Large Port Count Optical Switches	2587
<i>L. Chen, J. Hulme, A. Sohdi, J. Roth, V. Kaman, G. Fish, J. Bowers, L. Theogarajan</i>	

PAPR Reduction and Computational Complexity Analysis of Interleaved Segmentation in 60GHz OFDM-RoF System	2590
<i>Y. Shao, N. Chi, Y. Wang, J. Yu</i>	
Performance Improvement in Radio-over-Fiber Transmission Using Pre-distorted Double-Sideband Signals	2593
<i>J. Ye, A. Li, X. Chen, L. Yan, W. Shieh</i>	
Performance Improvement by Pre-equalization in W-band (75–110GHz) RoF System	2596
<i>X. Li, Z. Dong, J. Yu, J. Zhang, L. Tao, Y. Shao, N. Chi</i>	
Impact of Optical Modulators in LTE RoF System with Nonlinear Compensator for Enhanced Power Budget.....	2599
<i>T. Kanesan, W. Ng, Z. Ghassemlooy, C. Lu</i>	
Phase-Modulated Radio-over-Fiber Systems	2602
<i>V. Pagan, T. Murphy</i>	
Real-time DSP for 100+ Gb/s.....	2605
<i>C. Rasmussen, Y. Pan, M. Aydinlik, M. Crowley, J. Geyer, P. Humblet, F. Liu, B. Mikkelsen, P. Monsen, N. Nadarajah, G. Pendock, B. Shah</i>	
21 Gb/s Polarization Switched-QPSK Real-Time Coherent FPGA-based Receiver	2608
<i>E. Dutisseuil, J. Tanguy, A. Voicila, J. Renaudier, G. Charlet</i>	
Practical Limits of Coherent Receivers for Unamplified 100Gb/s Applications	2611
<i>B. Zhang, T. Schmidt, C. Malouin, J. O'Neil, R. Marcoccia, T. Broekaert, Z. Nosal, K. Nellis</i>	
Implementation of Coded Modulation and FEC.....	2614
<i>D. Chang, F. Yu, Z. Xiao, N. Stojanovic, C. Xie, L. Li, X. Xu, Q. Xiong</i>	
Transmission Improvement through Dual-Carrier FEC Gain Sharing	2617
<i>J. Rahn, K. Croussore, G. Goldfarb, S. Kumar, M. Mitchell, V. Dominic, B. Taylor, Y. Park, V. Adavani, V. Shyamsundar, M. Patil, S. Yu, P. Freeman, A. Mathur, M. Ziari, D. Welch</i>	
Impact of Interleaving on SD-FEC Operating in Highly Non-Linear XPM-Limited Regime	2620
<i>P. Leoni, V. Sleiffer, S. Calabro, V. Veljanovski, M. Kuschnerov, S. Jansen, B. Lankl</i>	
Optoelectronic Components for Higher Order Modulation Formats	2623
<i>N. Kikuchi</i>	
Compact and Low Power DP-QPSK Modulator Module with InP-Based Modulator and Driver ICs.....	2688
<i>N. Kono, T. Kitamura, H. Yagi, N. Itabashi, T. Tatsumi, Y. Yamauchi, K. Fujii, K. Horino, S. Yamanaka, K. Tanaka, K. Yamaji, C. Fukuda, H. Shoji</i>	
Uncooled (0 to 85 C) and Full C-band Operation of a 10.7 Gbit/s InP Mach-Zehnder Modulator Monolithically Integrated with SOA	2691
<i>A. Nakanishi, N. Sasada, Y. Sakuma, R. Washino, K. Okamoto, K. Naoe, H. Hayashi, H. Arimoto, S. Tanaka</i>	
Fabrication of the First High-speed GaAs IQ Electro-optic Modulator Arrays and Applicability Study for Low-Cost Tb/s Direct-Detection Optical OFDM Networks	2694
<i>L. Stampoulidis, M. O'Keefe, E. Giacomidis, R. Walker, Y. Zhou, N. Cameron, E. Kehayas, I. Tomkos, L. Zimmermann</i>	
Experimental Demonstration of Multi-level Modulation on OFDM Signals Using Integrated Silicon Modulators	2697
<i>K. Xu, J. Sung, L. Yang, Y. Chen, Z. Cheng, C. Chow, C. Yeh, H. Tsang</i>	
Cognitive Dynamic Optical Networks.....	2700
<i>I. Miguel, R. Duran, R. Lorenzo, A. Caballero, I. Monroy, Y. Ye, A. Tymecki, I. Tomkos, M. Angelou, D. Klonidis, A. Francescon, D. Siracusa, E. Salvadori</i>	
Demonstration of EDFA Cognitive Gain Control via GMPLS for Mixed Modulation Formats in Heterogeneous Optical Networks	2703
<i>J. Oliveira, A. Caballero, E. Magalhaes, U. Moura, R. Borkowski, G. Curiel, A. Hirata, L. Hecker, E. Porto, D. Zibar, J. Maranhao, I. Monroy, J. Oliveira</i>	
The LOGON Strategy for Low-Complexity Control Plane Implementation in New-Generation Flexible Networks	2706
<i>P. Poggiolini, G. Bosco, A. Carena, R. Cigliutti, V. Curri, F. Forghieri, R. Pastorelli, S. Piciaccia</i>	
An Introduction to routing and wavelength assignment algorithms for fixed flexgrid.....	2709
<i>E. Varvarigos</i>	
105Tb/s Transmission System Using Low-cost, MHz Linewidth DFB Lasers Enabled by Self-Homodyne Coherent Detection and a 19-Core Fiber.....	2764
<i>B. Puttnam, J. Mendinueta, J. Sakaguchi, R. Luis, W. Klaus, Y. Awaji, N. Wada, A. Kanno, T. Kawanishi</i>	
Combined SDM and WDM transmission over 700-km Few-Mode Fiber	2767
<i>R. Ryf, M. Mestre, S. Randel, X. Palou, A. Gnauck, R. Delbue, P. Pupalaiakis, A. Sureka, Y. Sun, X. Jiang, R. Lingle</i>	
Large-capacity transmission over a 19-core fiber	2770
<i>J. Sakaguchi, B. Puttnam, W. Klaus, J. Mendinueta, Y. Awaji, N. Wada, A. Kanno, T. Kawanishi</i>	
Enhancing data rates in graded-index multimode fibers with offset coupling and multiplexing.....	2773
<i>K. Appaiah, R. Salas, S. Vishwanath, S. Bank</i>	

30.7 Tb/s (96x320 Gb/s) DP-32QAM transmission over 19-cell Photonic Band Gap Fiber	2776
<i>V. Sleiffer, Y. Jung, P. Leoni, M. Kuschnerov, N. Wheeler, N. Baddela, R. Uden, C. Okonkwo, J. Hayes, J. Wooler, E. Numkam, R. Slavik, F. Poletti, M. Petrovich, V. Veljanovski, S. Alam, D. Richardson, H. Waardt</i>	
WDM Transmission at 2μm over Low-Loss Hollow Core Photonic Bandgap Fiber	2779
<i>N. Suibhne, Z. Li, B. Baeuerle, J. Zhao, J. Wooler, S. Alam, F. Poletti, M. Petrovich, A. Heidt, N. Wheeler, N. Baddela, E. Numkam, L. Giles, D. Giles R. Phelan, J. O'Carroll, B. Kelly, D. Murphy, B. Corbett, A. Ellis, D. Richardson, F. Gunning</i>	
First Demonstration of Multi-Span Transmission using Phase and Amplitude Regeneration in PPLN-based PSA.....	2782
<i>T. Umeki, M. Asobe, H. Takara, T. Kobayashi, H. Kubota, H. Takenouchi, Y. Miyamoto</i>	
Fundamental study on new characterization method for crosstalk property of multi-core fibers using long wavelength probe signals	2785
<i>J. Sakaguchi, Y. Awaji, N. Wada</i>	
Characterization of Space-Division Multiplexing Systems using a Swept-Wavelength Interferometer.....	2788
<i>N. Fontaine, R. Ryf, M. Mestre, B. Guan, X. Palou, S. Randel, Y. Sun, L. Gruner-Nielsen, R. Jensen, R. Lingle</i>	
Measurement of Spatial and Polarization Birefringence in Two-Mode Elliptical Core Fibers	2791
<i>T. Geisler, M. Pedersen, S. Herstrom</i>	
Digital Homodyne OTDR with Dual Polarization Optical Hybrid for PMD Distribution Measurement.....	2794
<i>T. Ozeki, T. Kudo, M. Oguma, H. Takahashi, K. Iwasaki</i>	
200-subchannel Ultra-High-Density Frequency Division Multiplexed Coherent OTDR with Nonlinear Effect Suppression	2797
<i>H. Iida, K. Toge, F. Ito</i>	
Rayleigh Backscattering Signatures of Optical Fibers - Their Properties and Applications	2800
<i>M. Froggatt, D. Gifford</i>	
Demonstration of Multi-channel Hitless Defragmentation with Fast Auto-tracking Coherent RX LOs	2803
<i>C. Qin, R. Proietti, B. Guan, Y. Yin, R. Scott, R. Yu, S. Yoo</i>	
Feasibility Demonstration of Flexible Tx/Rx for Spectrum Defragmentation in Elastic Optical Networks.....	2806
<i>H. Choi, T. Tsuritani, I. Morita</i>	
All-Optical Traffic Grooming in Elastic Optical Network.....	2809
<i>M. Anis, N. Amaya, G. Zervas, S. Pinna, M. Scaffardi, F. Fresi, A. Bogoni, R. Nejabati, D. Simeonidou</i>	
Spectrum Defragmentation Algorithms for Elastic Optical Networks using Hitless Spectrum Retuning Techniques.....	2812
<i>M. Zhang, Y. Yin, R. Proietti, Z. Zhu, S. Yoo</i>	
Fragmentation-Aware Routing, Modulation and Spectrum Assignment Algorithms in Elastic Optical Networks.....	2815
<i>Y. Yin, M. Zhang, Z. Zhu, S. Yoo</i>	
Node Handling Capacity Based Spectrum Fragmentation Evaluation Scheme in Flexible Grid Optical Networks.....	2818
<i>W. Ju, S. Huang, B. Guo, Z. Xu, Y. He, M. Zhang, J. Zhang, W. Gu</i>	
Wavelength Defragmentation Algorithm for Transparent Multi-ring Networks with Multiple Fibers per Link	2821
<i>A. Kadohata, T. Tanaka, F. Inuzuka, A. Watanabe, A. Hirano</i>	
Minimum Spectrum Block Consumption for Shared-Path Protection with Joint Failure Probability in Flexible Bandwidth Optical Networks	2824
<i>B. Chen, J. Zhang, Y. Zhao, J. Liu, S. Huang, W. Gu, J. Jue</i>	
Real-time FPGA Implementation of Efficient Filter-Banks for Digitally Sub-banded Coherent DFT-S OFDM Receiver	2827
<i>A. Tolmachev, M. Orbach, M. Meltsin, R. Hilgendorf, T. Birk, M. Nazarathy</i>	
Multiband DFT-Spread-OFDM Equalizer with Overlap-and-Add Dispersion Compensation for Low-Overhead and Low-Complexity Channel Equalization.....	2830
<i>X. Liu, P. Winzer, S. Chandrasekhar, S. Randel, S. Corteselli</i>	
Ultrahigh Spectral Efficiency Coherent Optical OFDM	2833
<i>D. Qian</i>	
Experimental Demonstration of an Optimized 16-ary Four-Dimensional Modulation Format Using Optical OFDM	2836
<i>J. Karout, X. Liu, S. Chandrasekhar, E. Agrell, M. Karlsson, R. Essiambre</i>	
Optical Inverse Fourier Transform Generated 11.2-Tbit/s No-Guard-Interval All-Optical OFDM Transmission	2839
<i>L. Du, J. Schroder, M. Morshed, B. Eggleton, A. Lowery</i>	

Experimental Demonstration of Polarization Demultiplexing in Stokes Space for Coherent Optical PDM-OFDM	2842
<i>Z. Yu, X. Yi, Q. Yang, M. Luo, J. Zhang, L. Chen, K. Qiu</i>	
Directly modulating a long weak-resonant-cavity laser diode at limited bandwidth of 5 GHz with pre-leveled 16-QAM OFDM transmission at 20 Gbit/s	2845
<i>M. Cheng, Y. Li, S. Lin, Y. Chi, G. Lin</i>	
Efficient Quadrature Squeezing of QPSK Signals by Sideband-Assisted Dual-pump Phase Sensitive Amplifier	2848
<i>M. Gao, T. Kurosu, T. Inoue, S. Namiki</i>	
Microresonator-Based Frequency Comb Generator as Optical Source for Coherent WDM Transmission	2851
<i>J. Pfeifle, M. Lauer mann, D. Wegner, J. Li, K. Hartinger, V. Brasch, T. Herr, D. Hillerkuss, R. Schmogrow, T. Schimmel, R. Holzwarth, T. Kippenberg, J. Leuthold, W. Freude, C. Koos</i>	
PPLN based phase sensitive amplifiers and their applications	2854
<i>M. Asobe, T. Umeki, H. Takenouchi</i>	
Noise Performance of a Multi-Sideband Parametric Multicasting Mixer with Normal Dispersion	2857
<i>Z. Tong, A. Wiberg, E. Myslivets, C. Huynh, B. Kuo, N. Alic, S. Radic</i>	
Phase-Sensitive Amplifiers for Optical Links.....	2860
<i>C. Lundstrom, S. Olsson, B. Corcoran, M. Karlsson, P. Andrekson</i>	
A Heterodyne Optical Phase-locked Loop for Multiple Applications	2863
<i>M. Lu, H. Park, J. Parker, E. Bloch, A. Sivananthan, Z. Griffith, L. Johansson, M. Rodwell, L. Coldren</i>	
An LD-Based Ultra-Low Phase Noise OPLL Circuit Using an Optical Voltage Controlled Oscillator	2866
<i>K. Kasai, Y. Wang, M. Nakazawa</i>	
Development of a Widely Tunable Narrow Linewidth RF Generator using a Hybrid Silicon Photonic Platform.....	2869
<i>D. Grund, G. Ejzak, G. Schneider, J. Murakowski, D. Prather</i>	
Broadband Passive InP Membrane Regenerator for Silicon-based Optical Interconnect Applications	2872
<i>M. Tassaert, H. Dorren, G. Roelkens, O. Raz</i>	
Heterogeneous Photonic Integration for Microwave Photonic Applications	2875
<i>G. Fish</i>	
High-order Photonic Differentiator using On-chip Cascaded Mach-Zehnder Interferometers	2878
<i>J. Dong, A. Zheng, D. Gao, L. Lei, X. Zhang</i>	
Compact transmitter and receiver modules for E-band wireless links	2881
<i>S. Babel, I. Flammia, A. Stohr, J. Montero-de-Paz, L. Garcia-Munoz, D. Segovia-Vargas, G. Carpintero, A. Lisauskas, O. Cojocari</i>	
Towards Athermal Nanoplasmonic Resonators Based on Cu-TiO₂-Si Hybrid Plasmonic Waveguide	2884
<i>S. Zhu, G. Lo, J. Xie, D. Kwong</i>	
CMOS-Compatible Silicon Double-etched Apodized Waveguide Grating Couplers for High Efficient Coupling	2887
<i>C. Li, H. Zhang, M. Yu, G. Lo</i>	
Subwavelength Structures in Integrated Optics	2890
<i>P. Cheben, J. Schmid, D. Xu, J. Lapointe, S. Janz, R. Ma, A. Delage, M. Vachon, M. Ibrahim, W. Ye, P. Bock, T. Hall, R. Halir, A. Ortega-Monux, C. Alonso-Ramos, A. Maese, I. Molina-Fernandez, A. Velasco, M. Calvo, J. Fedeli, L. Vivien, D. Marris-Morini</i>	
Energy Efficient 10G-EPON system	2953
<i>H. Mukai, F. Tano, J. Nakagawa</i>	
Improving Hardware Protection Switching in 10Gb/s Symmetric Long Reach PONs.....	2956
<i>S. McGettrick, D. Payne, M. Ruffini</i>	
High Performance, In-service Correlation OTDR.....	2959
<i>L. Sandstrom, D. Joffe, G. Bekken, J. Brooks, K. Schneider, R. Goodson</i>	
Burst-mode Receiver Technology for Short Synchronization.....	2962
<i>X. Qiu</i>	
Scalability and Performance of a Distributed AWGR-based All-Optical Token Interconnect Architecture	2990
<i>R. Proietti, C. Nitta, Y. Yin, V. Akella, S. Yoo</i>	
Broadband 4×4 Switch Matrix using Fifth-order Resonators	2993
<i>P. DasMahapatra, A. Rohit, R. Stabile, K. Williams</i>	
A 10 μs Hybrid Optical-Circuit/Electrical-Packet Network for Datacenters	2996
<i>N. Farrington, A. Forenchich, P. Sun, S. Fainman, J. Ford, A. Vahdat, G. Porter, G. Papen</i>	
Optical Packet Switch Node with Packet Flow Control for Flat Inter-Cluster Data Center Network.....	2999
<i>S. Lucente, J. Luo, A. Rohit, K. Williams, H. Dorren, N. Calabretta</i>	
Optical Burst-over-Circuit Switching for Multi-Granularity Traffic in Data Centers.....	3002
<i>Q. Huang, Y. Yeo, L. Zhou</i>	

Configurable Optical Interconnects for Scalable Datacenters	3005
<i>M. Schlansker, M. Tan, J. Tourrilhes, J. Santos, S. Wang</i>	
Demonstration of Cascaded Operation of Active-Passive Integrated 4×4 SOA Switches with On-Chip Monitoring for Power Control and Energy Consumption Optimization	3008
<i>K. Wang, A. Wonfor, R. Penty, L. White</i>	
Novel Back-to-Back Uni-Traveling-Carrier Photodiodes with High Responsivity and Wide Bandwidth	3011
<i>T. Shi, B. Xiong, C. Sun, Y. Luo</i>	
Ultra-high-speed uni-traveling carrier photodiodes and their applications	3014
<i>C. Renaud</i>	
A Novel Photonic Integrated Regenerator	3017
<i>N. Andriolli, F. Bontempi, S. Faralli, E. Ciaramella, G. Contestabile</i>	
High-Efficient InP-Based Balanced Photodiodes Integrated with 90° Hybrid MMI for Compact 100 Gb/s Coherent Receiver	3020
<i>H. Yagi, N. Inoue, Y. Onishi, R. Masuyama, T. Katsuyama, T. Kikuchi, Y. Yoneda, H. Shoji</i>	
Coherent Receiver Photonic Integrated Circuits	3023
<i>M. Schell, H. Bach, K. Janiak, N. Keil, M. Mohrle, P. Runge, Z. Zhang</i>	
Optical Interconnect for Volume Servers	3026
<i>B. Booth</i>	
IM/DD vs. 4-PAM Using a 1550-nm VCSEL over Short-Range SMF/MMF Links for Optical Interconnects	3029
<i>F. Karinou, R. Rodes, K. Prince, I. Roudas, I. Monroy</i>	
Intersymbol Interference Penalties for OOK and 4-PAM in Short-range Optical Communications	3032
<i>K. Szczerba, M. Karlsson, P. Andrekson, A. Larsson</i>	
High Bandwidth Optical Interconnection for Densely Integrated Server	3035
<i>J. Matsui, T. Ishihara, T. Yamamoto, K. Tanaka, S. Ide, S. Aoki, T. Aoki, M. Iwaya, K. Kamoto, K. Suematsu, M. Shiino</i>	
100 Gigabit Ethernet Transmission Enabled by Carrierless Amplitude and Phase Modulation Using QAM Receivers	3038
<i>J. Wei, L. Geng, R. Penty, I. White, D. Cunningham</i>	
Orthogonal Multipulse Modulation for 64 Gigabit Fibre Channel	3041
<i>J. Ingham, R. Penty, I. White, D. Cunningham</i>	
Single-Stage FDE Supported by Training-Aided Channel Estimation for Coherent Optical Receivers	3044
<i>F. Pittala, F. Hauske, J. Nossek</i>	
80 Gb/s Decision Feedback Equalizer for Intersymbol Interference Limited Channels	3047
<i>L. Moeller, A. Awny, J. Junio, C. Bolle, C. Scheytt, A. Thiede</i>	
Pilot-Assisted Channel Estimation Methods for Coherent Receivers	3050
<i>B. Spinnler, S. Calabro, M. Kuschnerov</i>	
Multi-modulus Blind Equalizations for Coherent Spectrum Shaped PolMux Quadrature Duobinary Signal Processing	3053
<i>J. Zhang, J. Yu, Z. Dong, N. Chi, X. Li</i>	
Low-Complexity Fractionally-Spaced Frequency Domain Equalization with Improved Channel Estimation for Long-Haul Coherent Optical Systems	3056
<i>C. Zhu, A. Tran, F. Hauske, S. Chen, T. Anderson, E. Skafidas</i>	
Fractionally-Spaced Frequency Domain Linear Crosstalk Cancellation with Spectral Alignment Techniques for Coherent Superchannel Optical Systems	3059
<i>J. Pan, A. Stark, C. Liu, S. Ralph</i>	
Overhead-Free Channel Estimation using Implicit Training for Polarization-Multiplexed Coherent Optical Systems	3062
<i>C. Zhu, F. Pittala, M. Finkenbusch, P. Krummrich, F. Hauske, A. Tran, J. Nossek, T. Anderson</i>	
Phase Sensitive Signal Processing using Semiconductor Optical Amplifiers	3065
<i>A. Ellis, S. Sygletos</i>	
Investigation of black-box phase regeneration using single bi-directional PPLN waveguide	3068
<i>A. Albuquerque, B. Puttnam, M. Drummond, A. Szabo, D. Mazroa, S. Shinada, N. Wada, R. Nogueira</i>	
Orthogonal Phase Quadratures Conversion to Different Wavelengths Through Phase-Sensitive Four-Wave Mixing in an Highly Nonlinear Fiber	3071
<i>F. Ros, P. Calabrese, N. Kang, E. Palushani, C. Peucheret</i>	
Transmission Performance of Phase-Preserving Amplitude Regenerator based on Optical Injection Locking	3074
<i>L. Jones, F. Parmigiani, V. Rancano, M. Ettabib, P. Petropoulos, D. Richardson</i>	

All-Optical Phase Noise Suppression Using Optical Nonlinear Mixing Combined with Tunable Optical Delays	3077
<i>M. Chitgarha, S. Khaleghi, M. Ziyadi, W. Daab, A. Mohajerin-Ariaei, D. Rogawski, J. Touch, M. Tur, C. Langrock, M. Fejer, A. Willner</i>	
All-Optical Phase Conjugation Using a 90 degree Optical Hybrid and Nested SOA-MZIs	3080
<i>R. Yu, N. Fontaine, R. Proietti, B. Guan, S. Yoo</i>	
Simultaneous Regeneration of 4x160-Gbit/s WDM and PDM Channels in a Single Highly Nonlinear Fiber	3083
<i>J. Wang, H. Ji, H. Hu, J. Yu, H. Mulvad, M. Galili, E. Palushani, P. Jeppesen, W. Wang, L. Oxenlowe</i>	
WDM-PON based on Self-Seeded OLT and Wavelength Reuse at ONU	3086
<i>L. Giorgi, G. Sfameni, F. Cavaliere, R. Corsini, M. Presi, E. Ciaramella</i>	
Up to 45km-long Amplified Self-Seeded RSOA based External Cavity for 2.5Gb/s WDM PON transmission	3089
<i>Q. Deniel, F. Saliou, P. Chanclou, D. Erasme, R. Brenot</i>	
Self-Seeded RSOA based WDM-PON Transmission Capacities	3092
<i>Q. Deniel, F. Saliou, P. Chanclou, D. Erasme</i>	
400 Gb/s (40 × 10 Gb/s) ASE Injection Seeded WDM-PON based on SOA-REAM	3095
<i>J. Kim, S. Yoo, S. Moon, D. Kim, C. Lee</i>	
40-km Reach Symmetric 40-Gbit/s λ-tunable WDM/TDM-PON Using Synchronized Gain-Clamping SOA	3098
<i>K. Taguchi, H. Nakamura, K. Asaka, T. Mizuno, Y. Hashizume, T. Yamada, M. Ito, H. Takahashi, S. Kimura, N. Yoshimoto</i>	
Cost-effective, Asynchronous 4 x 40Gbps Full-duplex OCDMA Demonstrator Using Apodized SSFBGs and a Multi-port Encoder/Decoder	3101
<i>R. Matsumoto, T. Kodama, S. Shimizu, R. Nomura, K. Omichi, N. Wada, K. Kitayama</i>	
Space-Division Multiplexed Transmission	3104
<i>S. Randel</i>	
Recent Progress in Space-Division Multiplexed Transmission Technologies	3164
<i>T. Morioka</i>	
6×28-Gbaud Few-Mode Recirculating Loop Transmission with Gain-Equalized Inline Few-Mode Fiber Amplifier	3168
<i>E. Ip, M. Li, K. Bennett, S. Bickham, Y. Huang, A. Tanaka, E. Mateo, J. Hu, T. Wang, A. Korolev, K. Koreshkov, W. Wood, J. Linares, C. Montero, V. Moreno, X. Prieto, Y. Yano, Y. Aono, T. Tajima, K. Fukuchi</i>	
Low Computational Complexity Mode Division Multiplexed OFDM Transmission over 130 km of Few Mode Fiber	3171
<i>B. Inan, Y. Jung, V. Sleiffer, M. Kuschnerov, L. Gruner-Nielsen, S. Adhikari, S. Jansen, D. Richardson, S. Alam, B. Spinnler, N. Hanik</i>	
Assessing the Performance of Multi-Layer Path Computation Algorithms for different PCE Architectures	3174
<i>S. Martinez, V. Lopez, M. Chamania, O. Gonzalez, A. Jukan, J. Fernandez-Palacios</i>	
An Integrated Stateful PCE / OpenFlow controller for the Control and Management of Flexi-Grid Optical Networks	3177
<i>R. Casellas, R. Martinez, R. Munoz, L. Liu, T. Tsuritani, I. Morita</i>	
Experimental Validation of Dynamic Restoration in GMPLS-controlled Multi-layer Networks using PCE-based Global Concurrent Optimization	3180
<i>R. Martinez, A. Castro, R. Casellas, R. Munoz, L. Velasco, R. Vilalta, J. Comellas</i>	
PCE: what is it, How does it work and what are its limitations?	3183
<i>R. Munoz, R. Casellas, R. Martinez</i>	
Integration of Optical Fiber and Optoelectronic Devices	3238
<i>J. Badding, P. Sazio, V. Gopalan, A. Peacock, N. Healy, J. Sparks, M. Krishnamurthi</i>	
Identification of high-PMD sections along installed optical cables with long range OFDR	3242
<i>F. Ito, X. Fan, Y. Koshikiya</i>	
Polarization Diversity Detection for Equidistant Target Discrimination in Passive Optical Networks	3245
<i>S. Gade, M. Jastram, C. Schaffer, E. Weis, D. Breuer, D. Fritzsche</i>	
Ultra-fine optical spectrum microscope using optical channel estimation and spectrum fusion technique	3248
<i>H. Shang, Z. Li, T. Gui, Y. Bao, X. Feng, J. Li, H. Fu, D. Geng</i>	
Waveguide optics for novel in situ biomedical imaging	3251
<i>D. Sampson, D. Lorensen</i>	
Adiabatic Microring Modulators	3254
<i>A. Biberman, E. Timurdogan, M. Watts, W. Zortman, D. Trotter</i>	
Silicon Microring Modulators for Advanced Modulation Formats	3257
<i>P. Dong, C. Xie, L. Buhl, Y. Chen</i>	

60 Gbit/s Silicon modulators with enhanced electro-optical Efficiency.....	3260
<i>X. Xiao, H. Xu, X. Li, Z. Li, T. Chu, J. Yu, Y. Yu</i>	
DQPSK/QPSK Modulation at 40-60 Gb/s using Low-Loss Nested Silicon Mach-Zehnder Modulator	3263
<i>K. Goi, H. Kusaka, A. Oka, Y. Terada, K. Ogawa, T. Liow, X. Tu, G. Lo, D. Kwong</i>	
20-Gb/s DPSK Transmission with 550-ps/nm Dispersion Tolerance using Silicon Mach-Zehnder Modulator.....	3266
<i>K. Goi, H. Kusaka, A. Oka, Y. Terada, K. Ogawa, T. Liow, X. Tu, G. Lo, D. Kwong</i>	
Silicon-Organic Hybrid (SOH) Modulator Generating up to 84 Gbit/s BPSK and M-ASK Signals.....	3269
<i>R. Palmer, L. Alloatti, D. Korn, P. Schindler, R. Schmogrow, M. Baier, S. Koenig, D. Hillerkuss, J. Bolten, T. Wahlbrink, M. Waldow, R. Dinu, W. Freude, C. Koos, J. Leuthold</i>	
Monolithically Integrated 8-Channel WDM Reflective Modulator.....	3272
<i>S. Stopinski, M. Malinowski, R. Piramidowicz, M. Smit, X. Leijtens</i>	
12.5GB Operation of a Novel Monolithic 1.55μm BPSK Source Based on Prefixed Optical Phase Switching	3275
<i>C. Kazmierski, D. Carrera, K. Lawniczuk, G. Aubin, J. Provost, R. Guillet</i>	
32-bit/s/Hz Spectral Efficiency WDM Transmission over 177-km Few-Mode Fiber	3278
<i>R. Ryf, S. Randel, N. Fontaine, M. Montoliu, E. Burrows, S. Corteselli, S. Chandrasekhar, A. Gnauck, C. Xie, R. Essiambre, P. Winzer, J. Surof, M. Kuschnerov, V. Veljanovski, H. Waardt, F. Poletti, D. Richardson</i>	
146λ×6×19-Gbaud Wavelength- and Mode-Division Multiplexed Transmission over 10×50-km Spans of Few-Mode Fiber with a Gain-Equalized Few-Mode EDFA.....	3281
<i>E. Ip, M. Li, K. Bennett, Y. Huang, A. Tanaka, A. Korolev, K. Koreskov, W. Wood, E. Mateo, J. Hu, Y. Yano</i>	
First Demonstration of a Broadband 37-cell Hollow Core Photonic Bandgap Fiber and Its Application to High Capacity Mode Division Multiplexing	3284
<i>Y. Jung, V. Sleiffer, N. Baddela, M. Petrovich, J. Hayes, N. Wheeler, D. Gray, E. Fokoua, J. Wooler, N. Wong, F. Parmigiani, S. Alam, J. Surof, M. Kuschnerov, V. Veljanovski, H. Waardt, F. Poletti, D. Richardson</i>	
High Capacity Field Trials of 40.5 Tb/s for LH Distance of 1,822 km and 54.2 Tb/s for Regional Distance of 634 km.....	3287
<i>T. Xia, G. Wellbrock, A. Tanaka, M. Huang, E. Ip, D. Qian, Y. Huang, S. Zhang, Y. Zhang, P. Ji, Y. Aono, S. Murakami, T. Tajima</i>	
Single-carrier 400G interface and 10-channel WDM transmission over 4,800 km using all-ETDM 107-Gbaud PDM-QPSK.....	3290
<i>G. Raybon, A. Adamiecki, P. Winzer, C. Xie, A. Konczykowska, F. Jorge, J. Dupuy, L. Buhl, S. Chandrasekhar, S. Draving, M. Grove, K. Rush</i>	
200 Gb/s and Dual-Wavelength 400 Gb/s Transmission over Transpacific Distance at 6 b/s/Hz Spectral Efficiency	3293
<i>H. Zhang, J. Cai, H. Batshon, M. Mazurczyk, O. Sinkin, D. Foursa, A. Pilipetskii, G. Mohs, N. Bergano</i>	
Record Low Loss, Record High FOM Optical Fiber with Manufacturable Process	3296
<i>M. Hirano, T. Haruna, Y. Tamura, T. Kawano, S. Ohnuki, Y. Yamamoto, Y. Koyano, T. Sasaki</i>	
Long-haul Ethernet-Transport Integrated Packet/Circuit Hybrid Network Field-Trial.....	3299
<i>S. Bjornstad, R. Veisllari, K. Bozorgebrahimi</i>	
First Demonstration of enhanced Software Defined Networking (eSDN) over elastic Grid (eGrid) Optical Networks for Data Center Service Migration	3302
<i>J. Zhang, Y. Zhao, H. Yang, Y. Ji, H. Li, Y. Lin, G. Li, J. Han, Y. Lee, T. Ma</i>	
First OpenFlow-based Software-Defined λ-Flow Architecture for Flex-Grid OFDMA Mobile Backhaul over Passive Optical Networks with Filterless Direct Detection ONUs.....	3305
<i>N. Cvijetic, A. Tanaka, P. Ji, S. Murakami, K. Sethuraman, T. Wang</i>	
Terabit+ (192 _ 10 Gb/s) Nyquist Shaped UDWDM Coherent PON with Upstream and Downstream over a 12.8 nm Band	3308
<i>A. Shahpari, J. Reis, R. Ferreira, D. Neves, M. Lima, A. Teixeira</i>	
100 Gbit/s Wireless Link with mm-Wave Photonics.....	3311
<i>S. Koenig, F. Boes, D. Lopez-Diaz, J. Antes, R. Henneberger, R. Schmogrow, D. Hillerkuss, R. Palmer, T. Zwick, C. Koos, W. Freude, O. Ambacher, I. Kallfass, J. Leuthold</i>	
Wavelength-tunable QAM Synthesis by Direct Modulation of Injection-locked Fabry-Perot Semiconductor Lasers	3314
<i>R. Slavik, J. Kakande, R. Phelan, J. O'Carroll, B. Kelly, D. Richardson</i>	
Small-Form-Factor All-InP Integrated Laser Vector Modulator Enables the Generation and Transmission of 256-Gb/s PDM-16QAM Modulation Format	3317
<i>S. Chandrasekhar, X. Liu, P. Winzer, J. Simsarian, R. Griffin</i>	
High-speed Fading-free Direct Detection for Double-Sideband OFDM Signal via Block-wise Phase Switching	3320
<i>X. Chen, A. Li, D. Che, Q. Hu, Y. Wang, J. He, W. Shieh</i>	
ROADM System for Space Division Multiplexing with Spatial Superchannels	3323
<i>M. Feuer, L. Nelson, K. Abedin, X. Zhou, T. Taunay, J. Fini, B. Zhu, R. Isaac, R. Harel, G. Cohen, D. Marom</i>	

Flexible All-Optical OFDM using WSSs	3326
<i>L. Du, J. Schroder, J. Carpenter, B. Eggleton, A. Lowery</i>	
406.6-Gb/s PDM-BPSK Superchannel Transmission over 12,800-km TWRS Fiber via Nonlinear Noise Squeezing	3329
<i>X. Liu, S. Chandrasekhar, P. Winzer, R. Tkach, A. Chraplyvy</i>	
Generation of 1500-tone, 120nm-wide Ultraflat Frequency Comb by Single CW Source	3332
<i>V. Ataie, B. Kuo, E. Myslivets, S. Radic</i>	
Optically Reconfigurable 1x4 Silicon-on-Insulator Remote Node Switch for Access Networks	3335
<i>O. Raz, M. Tassaert, G. Roelkens, H. Dorren</i>	
Four- and Eight-Port Photonic Switches Monolithically Integrated with Digital CMOS Logic and Driver Circuits	3338
<i>B. Lee, A. Rylyakov, W. Green, S. Assefa, C. Baks, R. Rimolo-Donadio, D. Kuchta, M. Khater, T. Barwicz, C. Reinholm, E. Kiewra, S. Shank, C. Schow, Y. Vlasov</i>	
First Monolithic GaAs IQ Electro-optic Modulator, Demonstrated at 150 Gbit/s with 64-QAM	3341
<i>D. Korn, P. Schindler, C. Stamatidis, M. O'Keefe, L. Stampoulidis, R. Schmogrow, P. Zakyntinos, R. Palmer, N. Cameron, Y. Zhou, R. Walker, E. Kehayas, I. Tomkos, L. Zimmermann, K. Petermann, W. Freude, C. Koos, J. Leuthold</i>	
A 400 Gb/s WDM Receiver Using a Low Loss Silicon Nitride AWG Integrated with Hybrid Silicon Photodetectors	3344
<i>M. Davenport, J. Bauters, M. Piel, M. Heck, A. Chen, A. Fang, J. Bowers</i>	
224-Gb/s PDM-16-QAM Modulator and Receiver based on Silicon Photonic Integrated Circuits	3347
<i>P. Dong, X. Liu, S. Chandrasekhar, L. Buhl, R. Aroca, Y. Baeyens, Y. Chen</i>	
Integrated Tunable CMOS Laser for Si Photonics	3350
<i>E. Marchena, T. Creazzo, S. Krasulick, P. Yu, D. Orden, J. Spann, C. Blivin, J. Dallesasse, P. Varangis, R. Stone, A. Mizrahi</i>	
Integrated Silicon Photonic Laser Sources for Telecom and Datacom	3353
<i>B. Koch, E. Norberg, B. Kim, J. Hutchinson, J. Shin, G. Fish, A. Fang</i>	
A 33mW 100Gbps CMOS Silicon Photonic WDM Transmitter Using Off-Chip Laser Sources	3356
<i>X. Zheng, E. Chang, I. Shubin, G. Li, Y. Luo, J. Yao, H. Thacker, J. Lee, J. Lexau, F. Liu, P. Amberg, K. Raj, R. Ho, J. Cunningham, A. Krishnamoorthy</i>	
Towards 400GBASE 4-lane Solution Using Direct Detection of MultiCAP Signal in 14 GHz Bandwidth per Lane	3359
<i>M. Olmedo, Z. Tianjian, J. Jensen, Z. Qiwen, X. Xiaogeng, I. Monroy</i>	
Author Index	