

65th Annual Meeting of the Southern Weed Science Society 2012

Protect the Technology

**Charleston, South Carolina, USA
23-25 January 2012**

Editors:

Theodore M. Webster

ISBN: 978-1-62748-653-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2012) by the Southern Weed Science Society (SWSS)
All rights reserved.

Printed by Curran Associates, Inc. (2013)

For permission requests, please contact the Southern Weed Science Society (SWSS)
at the address below.

Southern Weed Science Society (SWSS)
1508 West University Avenue
Champaign, IL 61821-3133

Phone: (217) 352-4212

Fax: (217) 352-4241

raschwssa@aol.com

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Dedication Statement	i
Table of Contents.....	ii
Preface.....	xxiii
Regulations and Instructions for Papers and Abstracts.....	xxiv
2012 Distinguished Service Award from Industry	xxvi
2012 Distinguished Service Award from Academia.....	xxvii
2012 Weed Scientist of the Year	xxviii
2012 Outstanding Young Weed Scientist-Academia	xxix
2012 Outstanding Young Weed Scientist- Industry.....	xxx
2012 Outstanding Educator Award	xxxi
2012 Outstanding Graduate Student Award (MS)	xxxii
2012 Outstanding Graduate Student Award (PhD).....	xxxiii
Southern Weed Science Society Officers and Executive Board.....	xliv
Minutes of the Southern Weed Science Society Board Meeting	xlvi
Weed Science Society of America Representative Report.....	lvii
Editor's Report	lviii
Business Manager's Report for the 2012 SWSS Meeting: Charleston, SC	lix
SWSS Weed Contest Committee	lxii
2012 SWSS Legislative and Regulatory Committee Report	lxiii
Washington Report.....	lxv
Report of the 2012 SWSS Meeting Site Selection Committee.....	lxix
Necrologies	lxx
Report of the Constitution and By-Laws Committee	lxxii

POSTERS

BENCHMARK STUDY: ECONOMIC VIABILITY OF HERBICIDE RESISTANCE MANAGEMENT PROGRAMS. C.B. Edwards ^{*1} , D.R. Shaw ² , J.W. Weirich ³ , M.D. Owen ⁴ , P. Dixon ⁴ , B. Young ⁵ , R. Wilson ⁶ , D. Jordan ⁷ , S. Weller ⁸ ; ¹ Mississippi State University, Starkville, MS, ² Mississippi State University, Starkville, Ms, MS, ³ University of Missouri, Portageville, MO, ⁴ Iowa State University, Ames, IA, ⁵ Southern Illinois University, Carbondale, IL, ⁶ University of Nebraska, Scotts Bluff, NE, ⁷ North Carolina State University, Raleigh, NC, ⁸ Purdue University, West Lafayette, IN	1
GLYPHOSATE FOR RICE SEEDHEAD SUPPRESSION IN RICE PRODUCED FOR CRAWFISH. E.L. Thevis ^{*1} , E.P. Webster ² , J.C. Fish ¹ , N.D. Fickett ² ; ¹ Louisiana State University, Baton Rouge, LA, ² LSU AgCenter, Baton Rouge, LA (2)	2
CONFIRMATION OF ALS- RESISTANT RICE FLATSEDGE. A.L. Lewis ^{*1} , J.K. Norsworthy ² , J.A. Bond ³ , C.T. Bryson ⁴ ; ¹ University Of Arkansas, Fayetteville, AR, ² University of Arkansas, Fayetteville, AR, ³ Mississippi State University, Stoneville, MS, ⁴ USDA-ARS, Stoneville, MS (3).....	3

EFFICACY OF GLUFOSINATE TANK MIXED WITH DICAMBA, TEMBOTRIONE OR 2,4-D AMINE FOR THE CONTROL OF GLYPHOSATE-RESISTANT PALMER AMARANTH. G.M. Botha*¹, N.R. Burgos¹, E.A. Alcobar²; ¹University of Arkansas, Fayetteville, AR, ²UNIVERSITY OF ARKANSAS, Fayetteville, AR (4).....	4
A FIELD STUDY COMPARING CONVENTIONAL AND ROUNDUPREADY SOYBEAN ISOLINES FOR WEED CONTROL AND YIELD. B.L. Gaban*¹, L.E. Steckel², T.C. Mueller¹; ¹University of Tennessee, Knoxville, TN, ²University of Tennessee, Jackson, TN (5).....	5
MOBILITY OF GLYPHOSATE IN RESISTANT ITALIAN RYEGRASS FROM ARKANSAS. R. A. Salas, N. R. Burgos, G. M. Botha, D. Riar, University of Arkansas, Fayetteville, AR; N. Polge, Syngenta Crop Corporation, Vero Beach, FL; R. C. Scott, J. W. Dickson, University of Arkansas-Extension, Lonoke, AR.	6
EFFICACY OF SP25052 FOR THE CONTROL OF YELLOW AND PURPLE NUTSEDGE IN BERMUDAGRASS. C. Straw*, T. Cooper, L.L. Beck, G.M. Henry; Texas Tech University, Lubbock, TX (7)7	7
PALMER AMARANTH CONTROL IN GLYPHOSATE- AND GLUFOSINATE-TOLERANT SOYBEAN. J.G. Stokes*¹, M.W. Marshall²; ¹Clemson University, Florence, SC, ²Clemson University, Blackville, SC (8) ..	8
WIDESTRIKE™ AND LIBERTY LINK™ COTTON TOLERANCE TO GLUFOSINATE. C. Samples*¹, D.M. Dodds¹, T. Barber², C. Main³; ¹Mississippi State University, Mississippi State, MS, ²University of Arkansas, Little Rock, AR, ³University of Tennessee, Jackson, TN (9).....	9
FRUITING VEGETABLE AND CUCURBIT RESPONSE TO SIMULATED DRIFT RATES OF 2,4-D. R.M. Merchant*, S. Culpepper, L. Sosnoskie, E.P. Prostko; University of Georgia, Tifton, GA (10).....	10
SURVEY OF ARKANSAS BARNYARDGRASS (<i>ECHINOCHLOA CRUS-GALLI</i>) POPULATIONS FOR RESISTANCE TO RICE HERBICIDES. C.E. Starkey*, N.R. Burgos, J.K. Norsworthy, J.D. Devore; University of Arkansas, Fayetteville, AR (11).....	11
EVALUATION OF WIDESTRIKE COTTON RESPONSE TO GLUFOSINATE APPLICATIONS. K.A. Barnett*¹, A.C. York², S. Culpepper³, L.E. Steckel¹; ¹University of Tennessee, Jackson, TN, ²North Carolina State University, Raleigh, NC, ³University of Georgia, Tifton, GA (12).....	12
COMMON LESPEDEZA (<i>KUMMEROWIA STRIATA</i>) CONTROL WITHIN MAINTAINED CENTIPEDEGRASS TURF (<i>EREMOCHLOA OPHIUROIDES</i>). J.D. McCurdy*¹, M.L. Flessner², J. McElroy¹; ¹Auburn University, Auburn, AL, ²Auburn University, Auburn University, AL (13).....	13
DIFFERENTIAL RESPONSE OF JOHNSONGRASS POPULATIONS TO HERBICIDES. V. Singh*, N.R. Burgos, M.B. Batoy, G.M. Botha; University of Arkansas, Fayetteville, AR (14).....	14
RECYCLING SYNTHETIC AUXIN TREATED TURFGRASS CLIPPINGS FOR ADDITIONAL WEED CONTROL. D.F. Lewis*¹, F.H. Yelverton²; ¹North Carolina State University, Raleigh, NC, ²N. C. State University, Raleigh, NC (15).....	15
WEEDY RED RICE EVOLUTION IN ARKANSAS. T. Tseng*¹, N.R. Burgos², A. Lawton-Rauh³, C.R. Climer³, V.K. Shivrain⁴; ¹UNIVERSITY OF ARKANSAS, Fayetteville, AR, ²University of Arkansas, Fayetteville, AR, ³Clemson University, Clemson, SC, ⁴Syngenta, Greensboro, NC (16).....	16
EFFECT OF PREEMERGENCE HERBICIDES ON SPRING DEAD SPOT RECOVERY IN BERMUDAGRASS FAIRWAYS. L.L. Beck*, T. Cooper, C. Straw, G.M. Henry; Texas Tech University, Lubbock, TX (17).....	17

EFFECT OF NAPHTHALENE ACETIC ACID ON RHIZOME BUD ACTIVATION AND HERBICIDE EFFICACY IN COGONGRASS (<i>IMPERATA CYLINDRICA</i>) CONTROL. M.Y. Mohammed*; Assistant Research Scientist, College Station, TX (18)	18
<i>POA ANNUA</i> CONTROL IN SEASHORE PASPALUM WITH PRONAMIDE. J. Yu* ¹ , D. Gomez de Barreda ² , P. McCullough ¹ ; ¹ University of Georgia, Griffin, GA, ² Polytechnic University of Valencia, Valencia, Spain (19).....	19
IMAGE RECRUITMENT FOR COMMON AND TROUBLESOME WEEDS ON WEEDIMAGES.ORG. T.M. Webster ¹ , J.H. LaForest ² , R.D. Wallace* ² , K. Douce ² ; ¹ USDA-ARS, Tifton, GA, ² University of Georgia, Tifton, GA (20).....	20
EVALUATION OF MANAGEMENT OPTIONS FOR CONTROL OF CHINESE SILVERGRASS (<i>MISCANTHUS SINENSIS</i>). J. Omielan* ¹ , D. Gumm ² , W. Witt ¹ ; ¹ University of Kentucky, Lexington, KY, ² Kentucky Transportation Cabinet, Jackson, KY (21)	21
RESPONSE OF MISCANTHUS TO TILLAGE AND HERBICIDES FOR TRANSITION OUT OF BIOFUEL PRODUCTION. R.K. Bethke*, S.F. Enloe; Auburn University, Auburn, AL (22)	22
GLYPHOSATE-RESISTANT WATERHEMP (<i>AMARANTHUS TUBERCULATUS</i>) CONFIRMED IN OKLAHOMA. J. Armstrong*; Oklahoma State University, Stillwater, OK (23)	23
COMBINATIONS OF DIMETHENAMID AND PENDIMETHALIN FOR LARGE CRABGRASS CONTROL IN BERMUDAGRASS. L.L. Beck*, C. Straw, T. Cooper, G.M. Henry; Texas Tech University, Lubbock, TX (24).....	24
PERENNIAL RYEGRASS OVERSEEDING TOLERANCE TO RESIDUAL INDAZIFLAM ACTIVITY. T. Cooper* ¹ , C. Straw ¹ , L.L. Beck ¹ , G.M. Henry ¹ , P. McCullough ² ; ¹ Texas Tech University, Lubbock, TX, ² University of Georgia, Griffin, GA (25).....	25
POSTEMERGENCE CONTROL OF LARGE AND SMOOTH CRABGRASS WITH SP25052. G.M. Henry* ¹ , T. Cooper ¹ , C. Straw ¹ , L.L. Beck ¹ , G. Breeden ² , J. Brosnan ² ; ¹ Texas Tech University, Lubbock, TX, ² University of Tennessee, Knoxville, TN (26)	26
WEEDS ON MISSISSIPPI ROADSIDES: A STATEWIDE SURVEY OF SPECIES. V.L. Maddox* ¹ , J.D. Byrd ² ; ¹ Mississippi State University, Mississippi State, MS, ² Mississippi State University, Mississippi State University, MS (27).....	27
APPLICATION TIMING INFLUENCES INDAZIFLAM EFFICACY FOR ANNUAL BLUEGRASS CONTROL. C. Waltz* ¹ , J.B. Workman ² , P. McCullough ² ; ¹ The University of Georgia, Griffin, GA, ² University of Georgia, Griffin, GA (28).....	28
THE IMPACT OF WEED DENSITY ON POLLINATION IN CORN. M.K. Williams* ¹ , R. Heiniger ² , D. Jordan ² , W.J. Everman ² ; ¹ North Carolina State University, Sanford, NC, ² North Carolina State University, Raleigh, NC (30).....	29
PAINT BY NUMBERS; FILLING THE GAPS IN INVASIVE SPECIES MAPPING DATA. R.D. Wallace*, C.T. Bargeron, K. Rawlins, D.J. Moorhead; University of Georgia, Tifton, GA (31)	30
RESPONSE OF COGONGRASS GENOTYPES TO GLYPHOSATE UNDER FIELD AND GREENHOUSE CONDITIONS. J.S. Aulakh* ¹ , S.F. Enloe ¹ , A.J. Price ² ; ¹ Auburn University, Auburn, AL, ² USDA-ARS, Auburn, AL (32)	31

STUDIES ON THE MODE OF INHERITANCE OF QUINCLORAC RESISTANCE IN BARNYARDGRASS. M.V. Bagavathiannan^{*1}, J.K. Norsworthy¹, K.L. Smith², D.S. Riar¹, P. Neve³; ¹University of Arkansas, Fayetteville, AR, ²University of Arkansas, Monticello, AR, ³University of Warwick, Warwick, England (33)	32
MANAGEMENT OF CHINESE TALLOW WITH BROADCAST HERBICIDE APPLICATIONS. T.W. Janak^{*1}, P.A. Baumann², M.E. Matocha², E.P. Castner³, V.B. Langston⁴; ¹Texas AgriLife Extension, Victoria, TX, ²Texas AgriLife Extension, College Station, TX, ³DuPont Crop Protection, Weatherford, TX, ⁴Dow AgroSciences LLC, The Woodlands, TX (34)	33
ONION WEED CONTROL WITH POST-DIRECTED APPLICATIONS OF PELARGONIC ACID. C.L. Webber^{*1}, J.W. Shreffler², L.P. Brandenberger³; ¹USDA, ARS, Lane, OK, ²Oklahoma State University, Lane, OK, ³Oklahoma State University, Stillwater, OK (35)	34
WEED MANAGEMENT SYSTEMS IN SWEET CORN. M. Miller*, P.J. Dittmar; University of Florida, Gainesville, FL (36).....	35
ALS-RESISTANT RYEGRASS CONTROL IN NE TEXAS WHEAT. C.A. Jones*; Texas A&M Commerce, Commerce, TX (37)	36
COMPARISON OF THE VOLATILITY OF VARIOUS AUXIN HERBICIDES WHEN APPLIED UNDER FIELD CONDITIONS. A.N. Eytcheson^{*1}, J.T. Irby¹, D.B. Reynolds¹, L.C. Walton², D.T. Ellis³, R.A. Haygood⁴, J.S. Richburg⁵; ¹Mississippi State University, Mississippi State, MS, ²Dow AgroSciences, Tupelo, MS, ³Dow AgroSciences, Greenville, MS, ⁴Dow AgroSciences, Germantown, TN, ⁵Dow AgroSciences, Dothan, AL (38).....	37
HACK AND SQUIRT APPLICATION OF HERBICIDES FOR RUSSIAN OLIVE (<i>ELAEAGNUS ANGUSTIFOLIA L.</i>) CONTROL. R.J. Edwards^{*1}, K. Beck²; ¹Mississippi State University, Starkville, MS, ²Colorado State University, Fort Collins, CO (39).....	38
MISSISSIPPI STATE-WIDE SURVEY OF HERBICIDE RESISTANCE IN PALMER AMARANTH. V.K. Nandula^{*1}, E. Gordon², J.A. Bond³, T.W. Eubank³; ¹USDA, Stoneville, MS, ²USDA-ARS, Stoneville, MS, ³Mississippi State University, Stoneville, MS (40).....	39
DISSIPATION OF ATRAZINE AND METRIBUZIN IN HIGH ORGANIC MATTER SOILS. D.C. Odeiro^{*1}, D.L. Shaner²; ¹University of Florida, Belle Glade, FL, ²USDA-ARS, Fort Collins, CO (41)	40
SOUTHERN WATERGRASS (<i>HYDROCHLOA</i>) MANAGEMENT IN BERMUDAGRASS ATHLETIC TURFGRASS. R.E. Strahan*, J. Beasley, S. Borst; LSU AgCenter, Baton Rouge, LA (42)	41
EFFECT OF SEED TREATMENT, INSECT INFESTATION, AND HERBICIDE PROGRAM ON COTTON GROWTH, DEVELOPMENT, AND YIELD. K. Ford^{*1}, D.M. Dodds², A. Catchot²; ¹Mississippi State University, Stoneville, MS, ²Mississippi State University, Mississippi State, MS (43)	42
EFFICACY OF METAMIFOP FOR THE POSTEMERGENCE CONTROL OF BERMUDAGRASS. T. Cooper*, C. Straw, L.L. Beck, G.M. Henry; Texas Tech University, Lubbock, TX (44).....	43
PREEMERGENCE RESCUEGRASS CONTROL WITH INDAZIFLAM AND FLUMIOXAZIN IN BERMUDAGRASS. C. Straw*, L.L. Beck, T. Cooper, G.M. Henry; Texas Tech University, Lubbock, TX (45)	44
ESTABLISHMENT OF A LONG-TERM STUDY DESIGNED TO DETERMINE WEED POPULATION DYNAMICS IN DICAMBA-TOLERANT COTTON. D.L. Jordan¹, A.C. York¹, W.J. Everman¹, S. Bollman², and J. Soteres²; ¹North Carolina State University, Raleigh, NC, ²Monsanto Company, St. Louis, MO (46)	45

PALMER AMARANTH MANAGEMENT IN PEANUT IN NORTH CAROLINA. D. Jordan*, D. Johnson; North Carolina State University, Raleigh, NC (47)	46
PEANUT RESPONSE TO DIURON. E.P. Prostko*, S. Culpepper; University of Georgia, Tifton, GA (48) ..	47
EVALUATION OF WIDESTRIKE COTTON INJURY FROM EARLY SEASON HERBICIDE X INSECTICIDE TANK MIXES. S.J. Steckel*, S. Stewart, L.E. Steckel; University of Tennessee, Jackson, TN (49)	48
TOLERANCE OF STS SOYBEAN TO REDUCED RATE APPLICATION OF GRASP, LONDAX, PERMIT, AND REGIMENT. D.K. Miller*, M.S. Mathews; LSU AgCenter, St. Joseph, LA (50)	50
HENBIT (<i>LAMIUM AMPLEXICAULE</i>) MANAGEMENT WITH FALL-APPLIED HERBICIDES. D. Stephenson*, R.L. Landry; LSU AgCenter, Alexandria, LA (51)	51
GLYPHOSATE-RESISTANT PALMER AMARANTH MANAGEMENT SYSTEMS IN DICAMBA-TOLERANT SOYBEAN IN THE SOUTHEAST. A.C. York*¹, A.J. Winslow², S. Seifert-Higgins³; ¹North Carolina State University, Raleigh, NC, ²Monsanto Co., Smithfield, NC, ³Monsanto Company, St. Louis, MO (52)	52
SALVAGE LARGE CRABGRASS (<i>DIGITARIA SANGUINALIS</i>) CONTROL OPTIONS IN BERMUDAGRASS ATHLETIC TURFGRASS. R.E. Strahan*, J. Beasley, S. Borst; LSU AgCenter, Baton Rouge, LA (53)	53
CARRYOVER POTENTIAL OF IMAZOSULFURON TO SOYBEAN. S.S. Rana*¹, J.K. Norsworthy¹, D.b. Johnson¹, P. Devkota¹, C.E. Starkey¹, B. Scott²; ¹University of Arkansas, Fayetteville, AR, ²University of Arkansas, Lonoke, AR (54)	54
EFFECT OF WEED REMOVAL TIME ON CORN YIELD AS AFFECTED BY NITROGEN SOURCE AND RATE. A.M. Knight*, J.D. Hinton, W.J. Everman; North Carolina State University, Raleigh, NC (55) 55	55
EFFECTIVENESS OF SOYBEAN BURNDOWN PROGRAMS FOR HORSEWEED MANAGEMENT. L. Grier*¹, J.D. Hinton², W.J. Everman²; ¹NC State, Raleigh, NC, ²North Carolina State University, Raleigh, NC (56)	56
PALMER AMARANTH CONTROL WITH SEQUENTIAL APPLICATIONS OF HERBICIDES IN LIBERTYLINK SOYBEAN. A. Hoffner*, D. Jordan, A.C. York, W.J. Everman; North Carolina State University, Raleigh, NC (57)	57
PEANUT RESPONSE TO SUB-LETHAL RATES OF GLUFOSINATE APPLIED AT THREE TIMINGS. D. Johnson*, D. Jordan; North Carolina State University, Raleigh, NC (58)	58
WEED CONTROL WITH TANK MIX OF SAFLUFENACIL AND SETHOXYDIM IN FLORIDA CITRUS. A.J. Jhala, A.M. Ramirez*, M. Singh; University of Florida, Lake Alfred, FL (59)	59
COMPARISON OF CURRENT PREEMERGENCE HERBICIDE OPTIONS FOR WEED CONTROL IN CITRUS. M. Singh*, A.M. Ramirez, A.J. Jhala; University of Florida, Lake Alfred, FL (60)	60
CHARACTERIZATION OF SELECTED BARNYARDGRASS POPULATIONS TO ALS HERBICIDES . D.S. Riar*¹, J.K. Norsworthy¹, J.A. Bond², M.T. Bararpour¹, M.J. Wilson³, B. Scott⁴; ¹University of Arkansas, Fayetteville, AR, ²Mississippi State University, Stoneville, MS, ³university of arkansas, Fayetteville, AR, ⁴University of Arkansas, Lonoke, AR (61)	61

AN EVALUATION OF PLANT GROWTH REGULATOR USAGE ON ‘EMPIRE’ ZOYSIAGRASS AND ‘PATRIOT’ BERMUDAGRASS. K. Malm*¹, B. McCarty², F.W. Totten³; ¹University of Tennessee at Martin, Martin, TN, ²Clemson University, Clemson, SC, ³University of Tennessee at Martin, Athens, AL (62)	62
COMPARISONS OF FIRE-ZONE AND MSO WITH SAFLUFENACIL FOR SPRING BURNDOWN WEED CONTROL. Laura K. Hinrichs*, Robert E. Mack and Johnnie R. Roberts; Helena Products Group, Memphis, TN 38120.....	63
WEED CONTROL PROGRAMS IN GAT SOYBEAN. M.T. Bararpour*¹, J.K. Norsworthy¹, D.b. Johnson¹, R.M. Edmund²; ¹University of Arkansas, Fayetteville, AR, ²E. I. DuPont, Little Rock, AR (64)	64
EFFICACY OF POST RICE HERBICIDES ON TEXASWEED (<i>CAPERONIA PALUSTRIS</i>) IS AFFECTED BY FLOOD DEPTH. R.K. Godara*¹, J.T. Copes², B.J. Williams³; ¹LSU Agricultural Center, saint Joseph, LA, ²LSU Agricultural Center, Saint Joseph, LA, ³LSU Agricultural Center, Winnsboro, LA (65).....	65
GLYPHOSATE-RESISTANT PALMER AMARANTH MANAGEMENT IN SOYBEANS WITH PYROXASULFONE. R.E. Paynter*¹, A.M. Knight², J.D. Hinton², W.J. Everman²; ¹NCSU, Raleigh, NC, ²North Carolina State University, Raleigh, NC (66)	66
SAFETY AND EFFICACY OF MESOTRIONE ON LONGLEAF PINE (<i>PINUS PALUSTRIS</i>) SEEDLINGS. M.A. Czarnota*; University of Georgia, Griffin, GA (67)	67
CORN WEED MANAGEMENT UTILIZING PREEMERGENCE FOUNDATION PROGRAMS. T. Besancon*¹, J.D. Hinton², A.M. Knight², W.J. Everman²; ¹NCSU, RALEIGH, NC, ²North Carolina State University, Raleigh, NC (68)	68
PALMER AMARANTH MANAGEMENT IN DICAMBA/GLUFOSINATE-TOLERANT COTTON IN THE TEXAS HIGH PLAINS. W. Keeling*¹, J.L. Spradley², J.D. Reed¹, P.A. Dotray²; ¹Texas AgriLife Research, Lubbock, TX, ²Texas Tech University, Lubbock, TX (69).....	69
VARIOUS RESIDUAL HERBICIDES FOR THE CONTROL OF PALMER AMARANTH IN SOYBEAN. T.W. Eubank*¹, J.A. Bond¹, B. Edwards²; ¹Mississippi State University, Stoneville, MS, ²Mississippi State University, Starkville,MS, MS (70)	70
NON-FUMIGANT METHYL BROMIDE ALTERNATIVES FOR VEGETABLE PRODUCTION. B.H. Blanchett*¹, T.L. Grey¹, T.M. Webster²; ¹University of Georgia, Tifton, GA, ²USDA-ARS, Tifton, GA (71) ..	71
SOIL VERSUS FOLIAR APPLICATION OF METHIOZOLIN AND INDAZIFLAM FOR <i>POA ANNUA</i> CONTROL. M.L. Flessner*¹, J. McElroy², G.R. Wehtje²; ¹Auburn University, Auburn University, AL, ²Auburn University, Auburn, AL (73).....	72
HERBICIDE MIXTURE MAY INCREASE ACTIVITY OF NEWPATH ON RED RICE. J.C. Fish*¹, E.P. Webster², J.A. Bond³, E.L. Thevis¹, N.D. Fickett²; ¹Louisiana State University, Baton Rouge, LA, ²LSU AgCenter, Baton Rouge, LA, ³Mississippi State University, Stoneville, MS (74).....	73
STRATEGIES FOR INCORPORATING A RESIDUAL HERBICIDES INTO SOYBEAN WEED MANAGEMENT PROGRAMS. J.T. Copes*¹, R.K. Godara², B.J. Williams³, S. Laird³; ¹LSU Agricultural Center, Saint Joseph, LA, ²LSU Agricultural Center, saint Joseph, LA, ³LSU Agricultural Center, Winnsboro, LA (75).....	74
HUSKIE: A NEW TOOL FOR WEED MANAGEMENT IN SORGHUM. P.A. Dotray*¹, B. Bean², W. Keeling³, R. Perkins⁴, L. Gilbert³; ¹Texas Tech University, Lubbock, TX, ²Texas AgriLife Extension, Amarillo, TX, ³Texas AgriLife Research, Lubbock, TX, ⁴Bayer CropScience, Lubbock, TX (76)	75

SOYBEAN RESPONSE TO PREEMERGENCE AND POSTEMERGENCE ACETOCHLOR APPLICATIONS. J.D. Hinton*, W.J. Everman; North Carolina State University, Raleigh, NC (77).....	76
EFFECTIVENESS OF HERBICIDE PROGRAMS COMPARED TO METHYL BROMIDE FOR WEED CONTROL IN PLASTICULTURE BELL PEPPER . P. Devkota*¹, J.K. Norsworthy¹, S.S. Rana¹, C.E. Starkey¹, D.b. Johnson¹, A.L. Lewis²; ¹University of Arkansas, Fayetteville, AR, ²University Of Arkansas, Fayetteville, AR (78).....	77
EVALUATION OF FIERCE FOR CONTROLLING WEEDS IN LOUISIANA SOYBEAN. D.K. Miller*¹, D. Stephenson², M.S. Mathews¹; ¹LSU AgCenter, St. Joseph, LA, ²LSU AgCenter, Alexandria, LA (79)	78
<i>DIGITARIA INSULARIS</i> POPULATIONS RESISTANT TO GLYPHOSATE: GEOGRAPHICAL DISTRIBUTION AND LEVEL OF RESISTANCE IN BRAZIL. P.J. Christoffoleti*¹, M. Nicolai², R.F. Lopez-Ovejero³, A. Ferreira³, D.M. Pereira³, M.S. Melo¹; ¹University of Sao Paulo, Piracicaba, Brazil, ²University of Sao Paulo, Piracicaba, Brazil, ³Monsanto Brazil, Sao Paulo, Brazil (80).....	79
CHEMICAL MANAGEMENT SYSTEMS FOR <i>DIGITARIA INSULARIS</i> RESISTANT TO GLYPHOSATE IN SOYBEAN IN BRASIL. M. Nicolai*¹, R.F. Lopez-Ovejero², A. Ferreira², M.S. Melo³, P.J. Christoffoleti³; ¹University of Sao Paulo, Piracicaba, Brazil, ²Monsanto Brazil, Sao Paulo, Brazil, ³University of Sao Paulo, Piracicaba, Brazil (81).....	80
EVALUATION OF SYNERGY BETWEEN GYPHOSATE AND HALOXYFOP TO CONTROL <i>DIGITARIA INSULARIS</i> RESISTANT TO GLYPHOSATE IN THREE PHENOLOGICAL STAGES OF GROWTH. L.E. Rosa¹, M. Nicolai*², M.S. Melo³, C.A. Brunhado¹, P.J. Christoffoleti³; ¹University of São Paulo, Piracicaba, Brazil, ²University of Sao Paulo, Piracicaba, Brazil, ³University of Sao Paulo, Piracicaba, Brazil (82).....	81
GLYPHOSATE TOLERANCE MECHANISMS ON <i>PARIETARIA DEBILIS</i> G. FORST. D. I¹, P.J. Christoffoleti*², F. Gonzales-Torraiva³, M. Perreta⁴, R. DePrado³; ¹IAL – CONICET & FCA – UNL, Esperanza, Argentina, ²University of Sao Paulo, Piracicaba, Brazil, ³Universidad de Cordoba, Cordoba, Spain, ⁴IAL - CONICET & FCA - UNL, Esperanza, Argentina (83)	82
TALL FESCUE TOLERANCE TO SPRING APPLICATIONS OF TOWER (DIMETHENAMID) AND FREEHAND (DIMETHENAMID + PENDIMETHALIN). D. Gomez de Barreda*¹, P. McCullough²; ¹Polytechnic University of Valencia, Valencia, Spain, ²University of Georgia, Griffin, GA (84).....	83
 <u>WEED MANAGEMENT IN AGRONOMIC CROPS</u>	
PERFORMANCE OF RIMSULFURON + DRY MESOTRIONE + ISOXADIFEN IN SOUTHERN CORN TRIALS. H.A. Flanigan*¹, M.T. Edwards², L.H. Hageman³; ¹DuPont, Greenwood, IN, ²E. I. DuPont, Pierre Part, LA, ³E.I. DuPont, Wilmington, DE (164)	84
PERFORMANCE OF F9310 AND F9316 IN THE SOUTH PRE & POST CORN TRIALS IN 2010 AND 2011. J.D. Johnson*¹, H.R. Mitchell², J.P. Reed³, J.S. Wilson⁴, T.W. Mize⁵; ¹FMC Corporation, Madison, MS, ²FMC Corporation, Louisville, MS, ³FMC Corporation, North Little Rock, AR, ⁴FMC Corporation, Cary, NC, ⁵FMC Corporation, Olathe, KS (166)	85
ANTHEM™ AND ANTHEM ATZ™ - TWO NEW HERBICIDES FOR PRE-EMERGENCE AND POST-EMERGENCE CONTROL OF KEY BROADLEAF AND GRASS WEED PEST IN U.S. CORN AND SOYBEAN PRODUCTION. J.S. Wilson*¹, H.R. Mitchell², J.D. Johnson³, T.W. Mize⁴, T. Martin⁵, J.P. Reed⁶; ¹FMC Corporation, Cary, NC, ²FMC Corporation, Louisville, MS, ³FMC Corporation, Madison, MS, ⁴FMC	

Corporation, Olathe, KS, ⁵ FMC Corporation, Philadelphia, PA, ⁶ FMC Corporation, North Little Rock, AR (167)	86
NEW FIERCE HERBICIDE FOR WEED CONTROL IN FIELD CORN AND SOYBEANS. J.R. Cranmer* ¹ , V.F. Carey ² , W.C. Odle ³ , J.A. Pawlak ⁴ , J. Smith ⁵ ; ¹ Valent USA Corporation, Cary, NC, ² Valent USA Corporation, Olive Branch, MS, ³ Valent USA Corporation, Plano, TX, ⁴ Valent USA Corporation, Lansing, MI, ⁵ Valent USA Corporation, Peachtree City, GA (168).....	87
UPDATE ON HPPD-RESISTANT WATERHEMP AND CONTROL OPTIONS IN CORN AND SOYBEAN. V.K. Shivrain* ¹ , G.D. Vail ¹ , R. Jain ² ; ¹ Syngenta, Greensboro, NC, ² Syngenta, Vero Beach, FL (169)	88
GLYPHOSATE/DICAMBA/GLUFOSINATE - MONSANTO'S THIRD GENERATION COTTON HERBICIDE TOLERANCE. R.D. Voth* ¹ , S. Bollman ² , J. Kendig ³ , M. Malven ³ , S. Leclere ⁴ ; ¹ Monsanto Company, Chesterfield, MO, ² Monsanto Company, St. Louis, MO, ³ Monsanto, St. Louis, MO, ⁴ Monsanto, Chesterfield, MO (170).....	89
PERFORMANCE OF BROMOXYNIL PLUS PYRASULFATOLE IN TEXAS GRAIN SORGHUM. G. Schwarzlose* ¹ , R. Perkins ² , M. Paulsgrove ³ , M. Schwarz ³ ; ¹ Bayer CropScience, Spring Branch, TX, ² Bayer CropScience, Lubbock, TX, ³ Bayer CropScience, RTP, NC (172).....	90
EFFICACY OF F9310 AND SULFENTRAZONE PREMIXES IN THE SOUTHERN SOYBEAN TRIALS IN 2011. H.R. Mitchell* ¹ , J.D. Johnson ² , J.S. Wilson ³ , T.W. Mize ⁴ ; ¹ FMC Corporation, Louisville, MS, ² FMC Corporation, Madison, MS, ³ FMC Corporation, Cary, NC, ⁴ FMC Corporation, Olathe, KS (173).....	91
ITALIAN RYEGRASS (LOLIUM MULTIFLORUM) CONTROL WITH POWERFLEX [®] HL (PYROXSULAM) HERBICIDE IN SOUTHERN U.S. SOFT RED WINTER WHEAT. L.C. Walton* ¹ , D.T. Ellis ² , L.B. Braxton ³ , R.E. Gast ⁴ , R.A. Haygood ⁵ , J.S. Richburg ⁶ ; ¹ Dow AgroSciences, Tupelo, MS, ² Dow AgroSciences, Greenville, MS, ³ Dow AgroSciences, Travelers Rest, SC, ⁴ Dow AgroSciences, Indianapolis, IN, ⁵ Dow AgroSciences, Germantown, TN, ⁶ Dow AgroSciences, Dothan, AL (174)	92
KIXOR HERBICIDE TECHNOLOGY AND ZIDUA HERBICIDE: WEED CONTROL INNOVATIONS FOR GLYPHOSATE RESISTANCE MANAGEMENT. G. Stapleton* ¹ , C. Youmans ² ; ¹ BASF, Dyersburg, TN, ² BASF Corporation, Dyersburg, TN (175).....	93
LEADOFF FOR BURNDOWN WEED CONTROL IN THE SOUTHERN U.S. M.T. Edwards* ¹ , H.A. Flanigan ² , R.M. Edmund ³ , J. Smith ⁴ ; ¹ E. I. DuPont, Pierre Part, LA, ² DuPont, Greenwood, IN, ³ E. I. DuPont, Little Rock, AR, ⁴ E. I. DuPont, Madison, MS (176)	94
MANAGEMENT OPTIONS FOR HERBICIDE-RESISTANT BARNYARDGRASS (<i>ECHINOCHLOA CRUS-GALLI</i>) IN RICE. . J.R. Meier* ¹ , K.L. Smith ¹ , J.K. Norsworthy ² , B. Scott ³ , J.A. Bullington ¹ , R.C. Doherty ¹ ; ¹ University of Arkansas, Monticello, AR, ² University of Arkansas, Fayetteville, AR, ³ University of Arkansas, Lonoke, AR (214).....	95
RESPONSE OF ELEPHANTGRASS TO POSTEMERGENCE HERBICIDES. D.C. Odero*, R.A. Gilbert; University of Florida, Belle Glade, FL (215)	96
EVALUATION OF HPPD-INHIBITORS APPLIED ALONE OR IN COMBINATION WITH ATRAZINE FOR MANAGEMENT OF EASTERN BLACK NIGHTSHADE (<i>SOLANUM PTYCANTHUM</i>). . K.M. Vollmer*, H.P. Wilson, T.E. Hines; Virginia Tech, Painter, VA (216)	97
PALMER AMARANTH MANAGEMENT IN DICAMBA/GLUFOSINATE TOLERANT COTTON. A.C. York* ¹ , S. Culpepper ² , L. Sosnoskie ² , S. Bollman ³ ; ¹ North Carolina State University, Raleigh, NC, ² University of Georgia, Tifton, GA, ³ Monsanto Company, St. Louis, MO (217)	98

GLYPHOSATE-RESISTANT PALMER AMARANTH MANAGEMENT IN NO-TILL SOYBEANS. T. Besancon^{*1}, R.E. Paynter², J.D. Hinton³, W.J. Everman³; ¹NCSU, RALEIGH, NC, ²NCSU, Raleigh, NC, ³North Carolina State University, Raleigh, NC (218)	99
GLYPHOSATE-RESISTANT PALMER AMARANTH CONTROL IN DICAMBA TOLERANT SOYBEAN SYSTEM IN THE MIDSOUTH. L.E. Steckel^{*1}, T.W. Eubank², J.W. Weirich³, B. Scott⁴, R.F. Montgomery⁵; ¹University of Tennessee, Jackson, TN, ²Mississippi State University, Stoneville, MS, ³University of Missouri, Portageville, MO, ⁴University of Arkansas, Lonoke, AR, ⁵Monsanto Comapny, Union City, TN (219).....	100
POSTEMERGENCE EFFICACY OF DICAMBA ON GLYPHOSATE RESISTANT PALMER AMARANTH. . C.B. Edwards^{*1}, T.W. Eubank², D.R. Shaw³, J.W. Weirich⁴, L.E. Steckel⁵; ¹Mississippi State University, Starkville,MS, MS, ²Mississippi State University, Stoneville, MS, ³Mississippi State University, Starkville, Ms, MS, ⁴University of Missouri, Portageville, MO, ⁵University of Tennessee, Jackson, TN (220)	101
GLYPHOSATE-RESISTANT PALMER AMARANTH CONTROL WITH SEQUENTIAL APPLICATIONS OF DICAMBA. J.W. Weirich^{*1}, T.W. Eubank², R.F. Montgomery³, A. Mills⁴, S. Stanislav⁵, A.J. Winslow⁶, F. Zabala⁷, D.L. Pitts⁸; ¹University of Missouri, Portageville, MO, ²Mississippi State University, Stoneville, MS, ³Monsanto Comapny, Union City, TN, ⁴Monsanto Company, Collierville, TN, ⁵Monsanto Company, Cape Girardeau, MO, ⁶Monsanto Co., Smithfield, NC, ⁷Monsanto Company, Maumelle, AR, ⁸Monsanto Company, Lexington, SC (221)	102
COMPARISON OF GLUFOSINATE AND FOMESAFEN FOR POSTEMERGENCE PALMER AMARANTH CONTROL. C.E. Starkey^{*1}, J.K. Norsworthy¹, D.b. Johnson¹, P. Devkota¹, A.L. Lewis²; ¹University of Arkansas, Fayetteville, AR, ²University Of Arkansas, Fayetteville, AR (222)	103
USE OF RESIDUAL HERBICIDES IN LIBERTY LINK SOYBEAN FOR CONTROLLING GLYPHOSATE-RESISTANT PALMER AMARANTH. D.B. Johnson^{*1}, J.K. Norsworthy¹, B. Scott², C.E. Starkey¹, J.F. Smith³; ¹University of Arkansas, Fayetteville, AR, ²University of Arkansas, Lonoke, AR, ³Bayer CropScience, Cabot, AR (223)	104
HERBICIDE SCREENING FOR ARKANSAS DICLOFOP-RESISTANT ITALIAN RYEGRASS CONTROL IN WHEAT. M.T. Bararpour[*], L. Oliver, J.K. Norsworthy; University of Arkansas, Fayetteville, AR (224).....	105
FALL APPLICATIONS OF BOUNDARY[®] FOR CONTROL OF GLYPHOSATE-RESISTANT ITALIAN RYEGRASS. T.W. Eubank^{*1}, J.A. Bond¹, R.C. Bond¹, J.C. Sanders², E.W. Palmer³; ¹Mississippi State University, Stoneville, MS, ²Syngenta, Greenwood, MS, ³Syngenta Crop Protection, Vero Beach, FL (225).106	106
SEQUENTIAL HERBICIDE PROGRAMS FOR CONTROL OF GLYPHOSATE-RESISTANT ITALIAN RYEGRASS. J.A. Bond[*], T.W. Eubank, R.C. Bond; Mississippi State University, Stoneville, MS (226)	107
A SURVEY OF ARKANSAS' RYEGRASS POPULATIONS. J.W. Dickson^{*1}, B. Scott¹, N.R. Burgos², R.A. Salas²; ¹University of Arkansas, Lonoke, AR, ²University of Arkansas, Fayetteville, AR (227)	108
GLUFOSINATE RATE AND TIMING FOR CONTROL OF GLYPHOSATE-RESISTANT JOHNSONGRASS (<i>SORGHUM HALEPENSE</i>) IN GLUFOSINATE-RESISTANT SOYBEAN (<i>GLYCINE MAX</i>). R.L. Landry[*], D. Stephenson; LSU AgCenter, Alexandria, LA (252).....	109
WEED MANAGEMENT WITH TEMBOTRIONE AND ISOXAFLUTOLE IN NORTH CAROLINA. W.J. Everman^{*1}, M. Rosemond², J.D. Hinton¹, A.M. Knight¹; ¹North Carolina State University, Raleigh, NC, ²Bayer CropScience, Raleigh, NC (253).....	110

UTILITY OF PYROXASULFONE IN MID-SOUTH CORN AND SOYBEAN. D. Stephenson*¹, D.K. Miller², J.A. Bond³, R.L. Landry¹, M.S. Mathews²; ¹LSU AgCenter, Alexandria, LA, ²LSU AgCenter, St. Joseph, LA, ³Mississippi State University, Stoneville, MS (254).....	111
PYROXASULFONE FIT IN SOYBEAN AND CORN WEED CONTROL SYSTEMS. J.A. Bullington*, K.L. Smith, J.R. Meier, R.C. Doherty; University of Arkansas, Monticello, AR (255).....	112
PYROXASULFONE AS A COMPONENT OF WEED MANAGEMENT PROGRAMS IN SOYBEAN AND CORN. T. McKemie*¹, J. Braun², A. Hixson³, J. Mitchell⁴, S. Newell⁵, A. Rhodes⁶, G. Stapleton⁷, G. Thomas⁸, Y. Yamaji⁹; ¹BASF, Raleigh, NC, ²BASF, Benton, AR, ³BASF, Lubbock, TX, ⁴BASF, Tampa, FL, ⁵BASF, Statesboro, GA, ⁶BASF, Madison, MS, ⁷BASF, Dyersburg, TN, ⁸BASF, Chesapeake City, MD, ⁹K-I Chemical USA Inc, New York, NY (256).....	113
EVALUATION OF PYROXASULFONE IN CONVENTIONAL SOYBEAN FOR SEASON LONG WEED CONTROL. T.L. Grey*¹, L. Newsom², S. Newell³; ¹University of Georgia, Tifton, GA, ²BASF Corporation, Tifton, GA, ³BASF, Statesboro, GA (257).....	114
EVALUATION OF DICAMBA-BASED HERBICIDE PROGRAMS IN DICAMBA-TOLERANT COTTON. M.W. Marshall*; Clemson University, Blackville, SC (258).....	115
THE EFFECT OF DRIFT RATES OF DICAMBA ON SPECTRAL REFLECTANCE, GROWTH, AND YIELD OF COTTON. C.L. Smith*¹, J.T. Irby¹, D.B. Reynolds¹, L.M. Bruce¹, J.L. Willers²; ¹Mississippi State University, Mississippi State, MS, ²USDA, Mississippi State, MS (259).....	116
EVALUATION OF WARRANT AS A COMPONENT IN A COTTON WEED CONTROL PROGRAM. A.N. Eytcheson*¹, R.C. Storey¹, J.T. Irby¹, D.B. Reynolds¹, D.M. Dodds¹, J.A. Bond²; ¹Mississippi State University, Mississippi State, MS, ²Mississippi State University, Stoneville, MS (260).....	117
EVALUATION OF CROP SAFETY AND WEED CONTROL PROGRAMS IN DICAMBA-TOLERANT COTTON. D.M. Dodds*¹, S. Bollman², D.K. Miller³, A. Mills⁴, J.K. Norsworthy⁵, L.E. Steckel⁶; ¹Mississippi State University, Mississippi State, MS, ²Monsanto Company, St. Louis, MO, ³LSU AgCenter, St. Joseph, LA, ⁴Monsanto Company, Collierville, TN, ⁵University of Arkansas, Fayetteville, AR, ⁶University of Tennessee, Jackson, TN (261).....	118
RICE CROP RESPONSE FROM PERMIT PLUS AND MALATHION MIXTURE. E.P. Webster*¹, J.C. Fish², N.D. Fickett¹, E.L. Thevis²; ¹LSU AgCenter, Baton Rouge, LA, ²Louisiana State University, Baton Rouge, LA (263).....	120
POSTEMERGENCE CONTROL OF INDIAN JOINTVETCH AND HEMP SESBANIA IN RICE. N.D. Fickett*¹, E.P. Webster¹, J.C. Fish², E.L. Thevis²; ¹LSU AgCenter, Baton Rouge, LA, ²Louisiana State University, Baton Rouge, LA (264).....	121
RICE RESPONSE TO FALL-APPLIED RESIDUAL HERBICIDES. S.A. Shinkle*, J.A. Bond, T.W. Eubank; Mississippi State University, Stoneville, MS (265).....	122
EVALUATION OF DICAMBA IN SOYBEAN WEED CONTROL PROGRAMS. M. Bauerle*, J.L. Griffin, J. Hardwick; LSU AgCenter, Baton Rouge, LA (266).....	123
FUNGICIDE PROGRAMS AND HARVEST AID INTERACTIONS IN SOYBEANS. J. Hardwick*, J.L. Griffin, M. Bauerle, J. Boudreaux, B. Padgett; LSU AgCenter, Baton Rouge, LA (267).....	124
SELECTIVITY OF GLYPHOSATE AND HPPD INHIBITING HERBICIDES IN A NEW SOYBEAN EVENT. J. Allen*¹, J. Hinz², B. Sweden³, J.F. Smith⁴; ¹Bayer CropScience, Research Triangle Park, NC,	

² Bayer CropScience, Story City, IA, ³ Bayer CropScience, Atkins, AR, ⁴ Bayer CropScience, Cabot, AR (268)	125
WEED MANAGEMENT PROGRAMS FOR GLUFOSINATE-TOLERANT SOYBEANS. A.M. Knight*¹, M. Rosemond², T. Besancon³, R.E. Paynter⁴, J.D. Hinton¹, W.J. Everman¹; ¹North Carolina State University, Raleigh, NC, ²Bayer CropScience, Raleigh, NC, ³NCSU, RALEIGH, NC, ⁴NCSU, Raleigh, NC (269).....	126
THE EFFECT OF BOOM TYPE AND 2,4-D FORMULATION ON DRIFT UNDER FIELD CONDITIONS. D.B. Reynolds*¹, R.J. Edwards², J.T. Irby¹, L.E. Steckel³, L.C. Walton⁴, R.A. Haygood⁵, D.T. Ellis⁶, J.S. Richburg⁷; ¹Mississippi State University, Mississippi State, MS, ²Mississippi State University, Starkville, MS, ³University of Tennessee, Jackson, TN, ⁴Dow AgroSciences, Tupelo, MS, ⁵Dow AgroSciences, Germantown, TN, ⁶Dow AgroSciences, Greenville, MS, ⁷Dow AgroSciences, Dothan, AL (270).....	127
COMPARING VOLATILITY OF THREE FORMS OF 2,4-D WHEN APPLIED IN THE FIELD. S. Culpepper*¹, J.S. Richburg², L. Sosnoskie¹, L.B. Braxton³; ¹University of Georgia, Tifton, GA, ²Dow AgroSciences, Dothan, AL, ³Dow AgroSciences, Travelers Rest, SC (271)	128
MEASUREMENT OF DICAMBA VOLATILITY UNDER FIELD CONDITIONS AND THE INFLUENCE OF APPLICATION TIME OF DAY. D. Wright*¹, T.C. Mueller², W. Su³, H.J. Smith³, E.M. Davis³; ¹Monsanto Co, St. Louis, MO, ²University of Tennessee, Knoxville, TN, ³Monsanto, St Louis, MO (272)	129
FIELD EVALUATION OF VOLATILITY OF 2,4-D, DICAMBA, AND TRICLOPYR FORMULATIONS. J.L. Griffin*, M. Bauerle, J. Boudreaux, J. Hardwick; LSU AgCenter, Baton Rouge, LA (273)	130
THE DEVELOPMENT OF A GROUND-BASED SPECTRAL ACQUISITION SYSTEM TO EVALUATE OFF-TARGET HERBICIDE DEPOSITION. J.T. Irby*¹, C.L. Smith¹, D.B. Reynolds¹, L.M. Bruce¹, J.L. Willers²; ¹Mississippi State University, Mississippi State, MS, ²USDA, Mississippi State, MS (274).....	131
USE OF FURROW IRRIGATION TO ACTIVATE RESIDUAL HERBICIDES. J.K. Norsworthy*¹, K.L. Smith², J.A. Bond³, D.b. Johnson¹; ¹University of Arkansas, Fayetteville, AR, ²University of Arkansas, Monticello, AR, ³Mississippi State University, Stoneville, MS (275)	132
GRAMOXONE AND THE NEW WILLMAR 915 HOODS. J.C. Sanders*¹, L. Glasgow², B.W. Minton³, H.H. McLean⁴, J.C. Holloway⁵, N. Duff⁶; ¹Syngenta, Greenwood, MS, ²Syngenta Crop Protection, Greensboro, NC, ³Syngenta, Cypress, TX, ⁴Syngenta, Perry, GA, ⁵Syngenta, Jackson, TN, ⁶Willmar Fabrication, Clarksdale, MS (276)	133
EFFECTIVENESS OF LATE IN-CROP RESIDUAL HERBICIDES IN PROVIDING LATE-SEASON AND POST-HARVEST CONTROL OF PALMER AMARANTH. D.B. Johnson*¹, J.K. Norsworthy¹, C.E. Starkey¹, M.J. Wilson², J.D. Devore¹; ¹University of Arkansas, Fayetteville, AR, ²university of arkansas, Fayetteville, AR (277).....	134
 <u>WEED MANAGEMENT IN TURF CROPS</u>	
POSTEMERGENCE DALLISGRASS CONTROL WITH FALL APPLICATIONS OF SP25052. G.M. Henry*¹, T. Cooper¹, A.J. Hephner¹, L.L. Beck¹, J.H. Rowland², G. Breeden³, J. Brosnan³; ¹Texas Tech University, Lubbock, TX, ²Bayer Environmental Science, Austin, TX, ³University of Tennessee, Knoxville, TN (198).....	135

FLUMIOXAZIN EFFICACY FOR CONTROLLING ANNUAL BLUEGRASS AND SMOOTH CRABGRASS IN BERMUDAGRASS. P. McCullough^{*1}, B. Nutt¹, J. Chamberlin²; ¹University of Georgia, Griffin, GA, ²Valent, GA (199)	136
TRIBUTE TOTAL - A NEW TURF HERBICIDE FROM BAYER. B.R. Spesard^{*1}, M. Bradley², J.H. Hope³, J. Michel⁴, B.J. Monke⁵, L. Mudge⁶, D.F. Myers², H. Olsen⁷, A. Parker⁸, J.H. Rowland⁹, D. Spak⁸; ¹Bayer CropScience, RTP, NC, ²Bayer Environmental Science, RTP, NC, ³Bayer Environmental Science, Mebane, NC, ⁴Bayer Environmental Science, Orlando, FL, ⁵Bayer Environmental Science, Overland Park, KS, ⁶Bayer Environmental Science, Central, SC, ⁷Bayer Environmental Science, Wildomar, CA, ⁸Bayer Environmental Science, Clayton, NC, ⁹Bayer Environmental Science, Austin, TX (200)	137
IMPRELIS: DOES IT HAVE APPLICATION IN FINE TURF? F.H. Yelverton^{*1}, T. Gannon², L. Warren³; ¹N. C. State University, Raleigh, NC, ²North Carolina State University, Raleigh, NC, ³North Carolina State University, Raleigh, NC (201)	138
WEED CONTROL IN COOL-SEASON TURFGRASS WITH TOPRAMEZONE. S. Askew^{*1}, J. Zawierucha², G. Oliver³, K. Miller⁴; ¹Virginia Tech, Blacksburg, VA, ²BASF Corp, Research Triangle Park, NC, ³BASF, Raleigh, NC, ⁴BASF, Richmond, VA (202).....	139
EVALUATION OF SUREGUARD FOR PREEMERGENCE CRABGRASS CONTROL IN BERMUDAGRASS TURF. R. Hubbard[*], A.G. Estes, B. McCarty; Clemson University, Clemson, SC (203)	140
PRE AND POSTEMERGENCE CONTROL OF DOVEWEED IN BERMUDAGRASS. J.L. Atkinson[*], B. McCarty, A.G. Estes; Clemson University, Clemson, SC (204).....	141
DINITROANILINE RESISTANT GOOSEGRASS CONTROL WITH NEW PREEMERGENCE HERBICIDES IN TURF. D. Gomez de Barreda^{*1}, P. McCullough²; ¹Polytechnic University of Valencia, Valencia, Spain, ²University of Georgia, Griffin, GA (205)	142
SULFENTRAZONE PLUS METSULFURON EVALUATIONS FOR VIRGINIA BUTTONWEED AND DOVEWEED CONTROL IN TURF. T. Reed[*], P. McCullough; University of Georgia, Griffin, GA (206) ..	143
FLUCARBAZONE EVALUATION FOR SEASHORE PASPALUM SEEDHEAD CONTROL AND GROWTH REGULATION. J. Yu[*], P. McCullough; University of Georgia, Griffin, GA (207)	144
GLYPHOSATE APPLICATION RATES REQUIRED FOR <i>POA ANNUA</i> CONTROL IN GLYPHOSATE TOLERANT PERENNIAL RYEGRASS CULTIVARS, <i>JS501</i> AND <i>REPLAY</i>. C.M. Baldwin[*], A.D. Brede; Jacklin Seed by Simplot, Post Falls, ID (208)	145
PURPLE NUTSEDGE CONTROL IN BERMUDAGRASS TURF. N.J. Gambrell[*], A.G. Estes, B. McCarty; Clemson University, Clemson, SC (209)	146
INDAZIFLAM FOR WEED CONTROL IN WARM-SEASON TURF. T. Gannon^{*1}, F.H. Yelverton², L. Warren³; ¹North Carolina State University, Raleigh, NC, ²N. C. State University, Raleigh, NC, ³North Carolina State University, Raleigh, NC (210).....	147
ANNUAL BLUEGRASS CONTROL WITH AMICARBAZONE IN CREEPING BENTGRASS FAIRWAYS. R.S. Landry^{*1}, B. McCarty², A.G. Estes²; ¹M.S. Graduate Student, Clemson, SC, ²Clemson University, Clemson, SC (211)	148
TIMING OF SPECTICLE FOR GOOSEGRASS CONTROL ON BERMUDAGRASS. J.R. Gann[*], B. McCarty; Clemson University, Clemson, SC (212)	149

WINTER WEED CONTROL ON DORMANT BERMUDAGRASS WITH RIMSULFURON, PRODIAMINE, AND ISOXABEN TANK MIXTURES. A.N. Smith^{*1}, S. Askew¹, J. Corbett²; ¹Virginia Tech, Blacksburg, VA, ²Qualipro, Raleigh, NC (213).....150

WEED MANAGEMENT IN PASTURES AND RANGELAND

BRUSH MANAGEMENT WITH INDIVIDUAL PLANT TREATMENTS OF AMINOCYCLOPYRACHLOR. C.R. Medlin^{*1}, C.D. Brister², E.P. Castner³, S.J. Ellis², M.T. Edwards⁴, J.H. Meredith⁵, R. Rupp⁶, W. McGinty⁷; ¹DuPont Crop Protection, Paradise, TX, ²DuPont Crop Protection, Donna, TX, ³DuPont Crop Protection, Weatherford, TX, ⁴E. I. DuPont, Pierre Part, LA, ⁵E. I. DuPont, Memphis, TN, ⁶DuPont Crop Protection, Edmond, OK, ⁷Professor & Extension Range Specialist Emeritus, San Angelo, TX (185).....151

BROADCAST APPLICATIONS OF AMINOCYCLOPYRACHLOR FOR THE MANAGEMENT OF MESQUITE AND HUISACHE IN RANGELAND AND PASTURES. E.P. Castner^{*1}, C.R. Medlin², R. Rupp³, C.D. Brister⁴, S.J. Ellis⁴, J.H. Meredith⁵; ¹DuPont Crop Protection, Weatherford, TX, ²DuPont Crop Protection, Paradise, TX, ³DuPont Crop Protection, Edmond, OK, ⁴DuPont Crop Protection, Donna, TX, ⁵E. I. DuPont, Memphis, TN (187)153

USE OF IMIDAZOLINONE HERBICIDES FOR WEED MANAGEMENT IN CLOVER FORAGES. J.M. Taylor^{*1}, J.D. Byrd², L. Coats¹; ¹Mississippi State University, Mississippi State, MS, ²Mississippi State University, Mississippi State University, MS (188).....154

AMINOCYCLOPYRACHLOR USE IN PASTURES IN THE SOUTHERN U.S. C. Alford^{*1}, M.T. Edwards², J.H. Meredith³, R.W. Williams⁴, R.M. Edmund⁵; ¹E. I. DuPont, Lakewood, CO, ²E. I. DuPont, Pierre Part, LA, ³E. I. DuPont, Memphis, TN, ⁴E. I. DuPont, Raleigh, NC, ⁵E. I. DuPont, Little Rock, AR (190).....155

NEW GRASS AND BROADLEAF WEED MANAGEMENT OPTIONS IN COASTAL BERMUDAGRASS PASTURES. L. Warren^{*1}, T. Gannon², F.H. Yelverton³; ¹North Carolina State University, Raleigh, NC, ²North Carolina State University, Raleigh, NC, ³N. C. State University, Raleigh, NC (191)156

AMINOPYRALID PLUS GLYPHOSATE AS A TOOL FOR RENOVATION OF BLACKBERRY INFESTED PASTURES. B. Kline^{*1}, P.L. Burch², V.F. Peterson³, V.B. Langston⁴, M.S. Smith⁵; ¹Dow AgroSciences, Duluth, GA, ²Dow AgroSciences, Christiansburg, VA, ³Dow AgroSciences, Mulino, OR, ⁴Dow AgroSciences LLC, The Woodlands, TX, ⁵Dow AgroSciences, Indianapolis, IN (192)157

PERFORMANCE OF NEW HERBICIDES AND FORMULATIONS ON BROADLEAF WEEDS IN PASTURES. T.D. Israel^{*}, W. Phillips, N. Rhodes; University of Tennessee, Knoxville, TN (193)158

PASTURE WEED CONTROL WITH AMINOCYCLOPYRACHLOR. A.G. Estes^{*}, B. McCarty; Clemson University, Clemson, SC (194).....159

FINE FESCUE VARIETAL RESPONSE TO GLYPHOSATE RATES. S. Askew^{*}, M.C. Cox; Virginia Tech, Blacksburg, VA (195)160

THE INFLUENCE OF COHORT AGE AND CLIPPING ON HERBICIDE EFFICACY OF KEY WEEDS FOUND IN BERMUDAGRASS HAYFIELDS. S.F. Enloe^{*}, G.R. Wehtje; Auburn University, Auburn, AL (196)161

IMPACTS OF MACARTNEY ROSE ON PASTURE FORAGE PRODUCTION AND UTILIZATION. S.F. Enloe^{*1}, B. Kline², R.K. Bethke¹, J.S. Aulakh¹; ¹Auburn University, Auburn, AL, ²Dow AgroSciences, Duluth, GA (197)162

PHYSIOLOGICAL AND BIOLOGICAL ASPECTS OF WEED MANAGEMENT

PALMER AMARANTH (<i>AMARANTHUS PALMERI</i>) AND THE SOIL SEEDBANK. T.M. Webster* ¹ , L. Sosnoskie ² , S. Culpepper ² ; ¹ USDA-ARS, Tifton, GA, ² University of Georgia, Tifton, GA (90)	163
TABANONE, A NEW PHYTOTOXIC CONSTITUENT FROM COGONGRASS (<i>IMPERATA CYLINDRICA</i>). S.O. Duke* ¹ , A.L. Cerdeira ² , C.L. Cantrell ¹ , F.E. Dayan ¹ , J.D. Byrd ³ ; ¹ NPURU, Oxford, MS, ² Brazilian Dept. of Agriculture, Jaguarinua, Brazil, ³ Mississippi State University, Mississippi State University, MS (91).....	164
PHYSIOLOGICAL RESPONSE OF COTTON TO PALMER AMARANTH COMPETITION. S. Berger*, J. Ferrell, D. Rowland; University of Florida, Gainesville, FL (92)	165
POLLEN-MEDIATED GENE FLOW IN BARNYARDGRASS. M.V. Bagavathiannan* ¹ , J.K. Norsworthy ¹ , K.L. Smith ² , P. Neve ³ ; ¹ University of Arkansas, Fayetteville, AR, ² University of Arkansas, Monticello, AR, ³ University of Warwick, Warwick, England (93).....	166
RESISTANCE TO ALS-INHIBITING HERBICIDES IN BARNYARDGRASS. D.S. Riar* ¹ , J.K. Norsworthy ¹ , V. Srivastava ² ; ¹ University of Arkansas, Fayetteville, AR, ² university of arkansas, Fayetteville, AR (94).....	167
TRANSLOCATION OF PARAQUAT IN PALMER AMARANTH FROM A WIPER APPLICATION. W. Vencill* ¹ , E.P. Prostko ² ; ¹ University of Georgia, Athens, GA, ² University of Georgia, Tifton, GA (95)	168
RESPONSE OF A TALL WATERHEMP (<i>AMARANTHUS TUBERCULATUS</i>) BIOTYPE TO HPPD-INHIBITING HERBICIDES. M. DeFelice* ¹ , P. McMullan ¹ , J.M. Green ² ; ¹ Pioneer Hi-Bred International, Johnston, IA, ² E. I. DuPont, Newark, DE (96)	169
GENETIC DIVERGENCE OF HERBICIDE-RESISTANT AND -SUSCEPTIBLE <i>Sorghum Halepense</i> POPULATIONS. A. Rasheed* ¹ , N.R. Burgos ¹ , T. Tseng ² , R.A. Salas ¹ , E.A. Alcobar ² , D. Stephenson ³ ; ¹ University of Arkansas, Fayetteville, AR, ² University of Arkansas, Fayetteville, AR, ³ Louisiana State University AgCenter, Alexandria, LA (97).....	170

WEED MANAGEMENT IN HORTICULTURAL CROPS

PERPENDICULAR CULTIVATION FOR WEED CONTROL IN ORGANIC PEANUT? W.C. Johnson III*; USDA-ARS, Tifton, GA (241).....	171
EVOLUTION OF THE USE OF RYE MULCHES IN ORGANIC SOYBEAN PRODUCTION. S. Reberg-Horton* ¹ , M. Wells ¹ , A.N. Smith ² , G.T. Place ¹ ; ¹ North Carolina State University, Raleigh, NC, ² Virginia Tech, Blacksburg, VA (242)	172
CHARACTERIZATION OF WATER-SOLUBLE ALLELOCHEMICALS EXTRACTED FROM <i>Crotalaria juncea</i> USING BIOASSAYS AND HPLC/MS. C.A. Chase* ¹ , M.M. Javaid ² , M. Bhan ¹ , B. Rathinasabapathi ¹ ; ¹ University of Florida, Gainesville, FL, ² University of Agriculture, Faisalabad, Pakistan (243).....	173
COVER CROP RESIDUE AND ORGANIC MULCHES PROVIDE WEED CONTROL DURING LIMITED-INPUT NO-TILL COLLARD PRODUCTION. A.J. Price* ¹ , M.J. Mulvaney ² , C.W. Wood ³ ; ¹ USDA-ARS, Auburn, AL, ² Virginia Tech, Blacksburg, VA, ³ Auburn University, Auburn, AL (244).....	174
RESPONSE OF CITRON MELON (<i>CITRULLUS LANATUS VAR CITROIDES</i>) TO POSTEMERGENCE HERBICIDES. A.M. Ramirez*, A.J. Jhala, M. Singh; University of Florida, Lake Alfred, FL (245)	175

EVALUATION OF CROP TOLERANCE AND WEED CONTROL WITH FOMESAFEN IN LOUISIANA SWEET POTATO. D.K. Miller*¹, T.P. Smith², M.S. Mathews¹; ¹LSU AgCenter, St. Joseph, LA, ²LSU AgCenter, Chase, LA (246)	176
POTENTIAL WEED CONTROL OPTIONS FOR USE IN SWEETPOTATO PRODUCTION. . M.W. Shankle*¹, K.M. Jennings², T.F. Garrett¹, D.W. Monks²; ¹Mississippi State University, Pontotoc, MS, ²North Carolina State University, Raleigh, NC (247)	177
WEED MANAGEMENT PROGRAMS FOR Highbush Blueberry (<i>Vaccinium corymbosum</i>). S.L. Meyers*, K.M. Jennings, D.W. Monks; North Carolina State University, Raleigh, NC (248)	178
POST EMERGENT BITTERCRESS CONTROL WITH ISOXABEN CONTAINING PRODUCTS. A.L. Alexander*¹, S.C. Marble², C.H. Gilliam²; ¹Dow AgroSciences, LLC, Lawrenceville, GA, ²Auburn University, Auburn, AL (249)	179
EVALUATION OF HERBICIDE PROGRAMS FOR NUTSEdge CONTROL IN PLASTICULTURE TOMATO. A.W. MacRae*; University of Florida/IFAS, Wimauma, FL (250).....	180
PREEMERGENCE HERBICIDES FOR WILD RADISH CONTROL IN RYE GRASS COVER CROPS BETWEEN WATERMELON ROWS. P.J. Dittmar*¹, R.C. Hochmuth²; ¹University of Florida, Gainesville, FL, ²University of Florida, Live Oak, FL (251).....	181
 <u>VEGETATION MANAGEMENT IN UTILITIES, RAILROADS AND HIGHWAYS RIGHTS-OF-WAY; INDUSTRIAL SITES</u>	
PREEMERGENCE WEED CONTROL FOR CABLE BARRIER SYSTEMS USING SELECTED HERBICIDE TREATMENT COMBINATIONS. D. Montgomery*, C.C. Evans, D. Martin; Oklahoma State University, Stillwater, OK (99)	182
BRUSH CONTROL IN THE SOUTHERN U.S. WITH AMINOCYCLOPYRACHLOR. M.T. Edwards*¹, R.G. Turner², M.L. Link³, J.R. Pitts⁴; ¹E. I. DuPont, Pierre Part, LA, ²E. I. DuPont, Memphis, TN, ³E. I. DuPont, Byron, GA, ⁴E. I. DuPont, Katy, TX (100).....	183
AMINOCYCLOPYRACHLOR FOR BRUSH CONTROL. J. Ferrell*¹, B.A. Sellers², M.W. Durham¹; ¹University of Florida, Gainesville, FL, ²University of Florida, Ona, FL (101).....	184
GRASS SEEDHEAD AND GROWTH SUPPRESSION WITH AMINOPYRALID + METSULFURON FOR ROADSIDE ROW. P.L. Burch*¹, B. Kline², V.F. Peterson³, V.B. Langston⁴, M.S. Smith⁵; ¹Dow AgroSciences, Christiansburg, VA, ²Dow AgroSciences, Duluth, GA, ³Dow AgroSciences, Mulino, OR, ⁴Dow AgroSciences LLC, The Woodlands, TX, ⁵Dow AgroSciences, Indianapolis, IN (102).....	185
AMINOCYCLOPYRACHLOR USE ON FLORIDA ROADSIDE TURF. M.W. Durham*¹, J. Ferrell¹, B.A. Sellers²; ¹University of Florida, Gainesville, FL, ²University of Florida, Ona, FL (103).....	186
EVALUATION OF POST-EMERGENCE AMINOCYCLOPYRACHLOR BLEND COMBINATIONS FOR WEED CONTROL EFFICACY AND BERMUDAGRASS TOLERANCE ON OKLAHOMA ROADSIDES. C.C. Evans*, D. Montgomery, D. Martin; Oklahoma State University, Stillwater, OK (104)	187
BAREGROUND WEED CONTROL WITH AMINOCYCLOPYRACHLOR BLENDS. J.R. Pitts*¹, R.G. Turner², R. Rupp³, C.R. Medlin⁴; ¹E. I. DuPont, Katy, TX, ²E. I. DuPont, Memphis, TN, ³DuPont Crop Protection, Edmond, OK, ⁴DuPont Crop Protection, Paradise, TX (105)	188

WEED MANAGEMENT IN FORESTRY

HERBACEOUS WEED CONTROL IN FIRST-YEAR LOBLOLLY PINE PLANTINGS USING FLAZASULFURON. A.W. Ezell^{*1}, J.L. Yeiser²; ¹Mississippi State University, Starkville, MS, ²Stephen F Austin State University, Nacogdoches, TX (106)	189
SITE PREPARATION IN MISSISSIPPI AND TEXAS WITH MAT28 AND LOW RATES OF KRENITE. J.L. Yeiser^{*1}, A.W. Ezell², J. Grogan³; ¹Stephen F Austin State University, Nacogdoches, TX, ²Mississippi State University, Starkville, MS, ³Stephen F. Austin State University, Nacogdoches, TX (107)	190
MAT28 FOR CUT STUMP AND BASAL CONTROL OF ASH, ELM, AND SUGARBERRY. J.L. Yeiser^{*1}, J. Grogan²; ¹Stephen F Austin State University, Nacogdoches, TX, ²Stephen F. Austin State University, Nacogdoches, TX (108).....	191
TWO- YEAR LOBLOLLYPINE GROWTH RESPONSE FOLLOWING HERBACEOUS WEED CONTROL TREATMENTS. A.W. Ezell^{*1}, J.L. Yeiser²; ¹Mississippi State University, Starkville, MS, ²Stephen F Austin State University, Nacogdoches, TX (109)	192
ARE EUROPEAN STARLINGS (<i>STURNUS VULGARIS</i>) DISPERSAL AGENTS FOR RUSSIAN OLIVE (<i>ELAEAGNUS ANGUSTIFOLIA</i>)?. R.J. Edwards^{*1}, K. Beck²; ¹Mississippi State University, Starkville, MS, ²Colorado State University, Fort Collins, CO (110).....	193
COST-EFFECTIVE POISON IVY CONTROL USING GLYPHOSATE,TRICLOPYR, AND 2,4-D APPLIED ALONE AND IN SELECTED COMBINATIONS. G.R. Wehtje*, C.H. Gilliam; Auburn University, Auburn, AL (111).....	194

INVASIVE PLANT SPECIES

COGONGRASS RESPONSE TO FALL AND SPRING TREATMENTS OF AMINOCYCLOPYRACHLOR. S.F. Enloe*, J.L. Belcher; Auburn University, Auburn, AL (177)	195
CHEMICAL CONTROL OF <i>MIKANIA MICRANTHA</i>: A NEW INVASION IN SOUTH FLORIDA . B.A. Sellers^{*1}, N. Rana¹, K. Langeland²; ¹University of Florida, Ona, FL, ²University of Florida IFAS Center for Aquatic and Invasive Plants, Gainesville, FL (178)	196
CARROTWOOD (<i>Cupanuiosis anacardioides</i>) , AN INVADER OF FLORIDA'S COASTAL HABITATS, SEEDLING GROWTH IN RESPONSE TO SALINITY CONCENTRATIONS IN ROOTING MEDIUM.. K. Langeland*; University of Florida IFAS Center for Aquatic and Invasive Plants, Gainesville, FL (179)	197
EFFECTS OF METSULFURON AND PRESCRIBED FIRE FOR CONTROL OF <i>Lygodium microphyllum</i> ON TREE ISLANDS IN THE A.R.M. LOXAHATCHEE N.W.R. J.T. Hutchinson^{*1}, K. Langeland²; ¹University of Florida, Gainesville, FL, ²University of Florida IFAS Center for Aquatic and Invasive Plants, Gainesville, FL (180).....	198
TOLERANCE OF <i>Lygodium microphyllum</i> AND <i>L. japonicum</i> SPORES AND GAMETOPHYTES TO FREEZING TEMPERATURE. J.T. Hutchinson^{*1}, K. Langeland²; ¹University of Florida, Gainesville, FL, ²University of Florida IFAS Center for Aquatic and Invasive Plants, Gainesville, FL (181).....	199
INVASIVE PLANT MAPPING; I CAN DO ALL THAT ON MY PHONE? R.D. Wallace*, C.T. Bargeron; University of Georgia, Tifton, GA (182)	200

ROLE OF HERBICIDE TREATMENTS AND APPLICATION TIMES IN COGONGRASS ERADICATION UNDER OPEN FIELD INFESTATION SCENARIO. J.S. Aulakh^{*1}, S.F. Enloe¹, A.J. Price²; ¹Auburn University, Auburn, AL, ²USDA-ARS, Auburn, AL (183)	201
SPATIAL AND TEMPORAL DISTRIBUTION OF GERMINABLE WEED SEEDS IN A PERENNIAL <i>Miscanthus</i> PRODUCTION SYSTEM. R.K. Bethke*, E. Van Santen, S.F. Enloe; Auburn University, Auburn, AL (184)	202
 <u>REGULATORY ASPECTS OF WEED SCIENCE</u>	
EVALUATION OF NOZZLE TYPE AND DEPOSITION AID ON SPRAY DRIFT OF DICAMBA AND GLYPHOSATE TANK-MIXTURES ON ADJACENT RR2Y SOYBEANS. J.N. Travers^{*1}, M. Falletti², S. Seifert-Higgins³, J.J. Sandbrink⁴, D. Sanyal², K. Remund²; ¹Monsanto Co., St. Louis, MO, ²Monsanto Co, St. Louis, MO, ³Monsanto Company, St. Louis, MO, ⁴Monsanto Company, St Louis, MO (231).....	203
BENEFITS ASSESSMENT OF ATRAZINE IN CORN AND SORGHUM. D.C. Bridges*; Abraham Baldwin Agricultural College, Tifton, GA (232)	204
ENDANGERED SPECIES ASSESSMENTS CONDUCTED UNDER FIFRA AND ESA - PLANS FOR IMPLEMENTATION. D.D. Campbell*; Syngenta Crop Protection, Greensboro, NC (233)	205
USING SPATIAL TECHNOLOGIES TO HELP IDENTIFY THE EXTENT OF BEST MANAGEMENT PRACTICE INSTALLATION IN WATERSHEDS AND THEIR POTENTIAL SIGNIFICANCE. P. Hendley*; Syngenta Crop Protection, LLC, Greensboro, NC (234)	206
A CHANGING REGULATORY ENVIRONMENT . J.J. Arthur*; BASF Corporation, Research Triangle Park, NC (235)	207
HERBICIDE REREGISTRATION. J.W. Wells*; Syngenta, Greensboro, NC (236)	208
GLOBAL HARMONIZATION OF PESTICIDE MRLS AND TOLERANCES. H.B. Irrig*; Syngenta Crop Protection, Greensboro, NC (237)	209
PUBLIC INTEREST FINDINGS IN SUPPORT OF PESTICIDE REGISTRATIONS. C.A. Sanson*; BASF Corporation, Research Triangle Park, NC (238)	210
HERBICIDE RESISTANCE EDUCATION - A CRITICAL STEP IN PROACTIVE MANAGEMENT. L. Glasgow^{*1}, W.J. Everman², L. Ingegneri³, J. Schroeder⁴, D.R. Shaw⁵, J. Soteres⁶, J. Stachler⁷, F. Tardif⁸; ¹Syngenta Crop Protection, Greensboro, NC, ²North Carolina State University, Raleigh, NC, ³WSSA, Longmont, CO, ⁴New Mexico State University, Las Cruces, NM, ⁵Mississippi State University, Starkville, Ms, MS, ⁶Monsanto Company, St Louis, MO, ⁷North Dakota State University, Fargo, ND, ⁸University of Guelph, Guelph, ON (239).....	211
DIGITAL DEMONSTRATIONS FOR TEACHING WEED SCIENCE LABS - IS IT REALLY FEASIBLE? G. MacDonald^{*1}, J. Ferrell¹, B.A. Sellers²; ¹University of Florida, Gainesville, FL, ²University of Florida, Ona, FL (240)	212
 <u>GRADUATE STUDENT CONTEST</u>	
ANNUAL BLUEGRASS CONTROL ON PUTTING GREENS WITH PACLOBUTRAZOL. A. Post^{*1}, S. Askew¹, J. Corbett²; ¹Virginia Tech, Blacksburg, VA, ²Qualipro, Raleigh, NC (112).....	213

DETERMINING THE NORTHERN BOUNDARY OF EFFECTIVE RATES OF AMINOCYCLOPYRACHLOR FOR THE CONTROL OF DANDELION (<i>Taraxacum officinale</i>) AND HENBIT (<i>Lamium amplexicaule</i>). J.B. Workman^{*1}, C. Waltz², J. McElroy³, R. Baker⁴, S. Kelly⁵, B. Wherley⁶; ¹University of Georgia, Griffin, GA, ²The University of Georgia, Griffin, GA, ³Auburn University, Auburn, AL, ⁴Scotts Company, Columbus, OH, ⁵Scotts Company, Apopka, FL, ⁶Texas A&M-Dallas, Dallas, TX (113)	214
SELECTIVE BERMUDAGRASS CONTROL IN COOL-SEASON TURF WITH METAMIFOP. M.C. Cox*, S. Askew; Virginia Tech, Blacksburg, VA (114)	215
DOSE RESPONSE TO ACCASE INHIBITING HERBICIDE ON A CREEPING BENTGRASS CONTAINING A RESISTANCE CONFERRING MUTATION. T.M. Tate*, P. McCullough, P. Raymer; University of Georgia, Griffin, GA (115)	216
CREEPING BENTGRASS PUTTING GREEN RESPONSE TO METHIOZOLIN AND PLANT GROWTH REGULATOR MIXTURES. K.A. Venner^{*1}, A. Post¹, S. Askew¹, S. Koo²; ¹Virginia Tech, Blacksburg, VA, ²Moghu Research Center, Daejeon, South Korea (116)	217
INTEGRATING ZINC INTO ANNUAL BLUEGRASS CONTROL PROGRAMS IN BERMUDAGRASS PUTTING GREENS. C.L. Bristow*, J. McElroy, E.A. Guertal; Auburn University, Auburn, AL (117)	218
TRANSITIONING OVERSEEDED BERMUDAGRASS FAIRWAYS WITH SP 25052. A. Post^{*1}, S. Askew¹, D. Spak²; ¹Virginia Tech, Blacksburg, VA, ²Bayer Environmental Science, Clayton, NC (118)	219
EVALUATION OF AMINOCYCLOPYRACHLOR EFFICACY, MOWING, AND APPLICATION TIMING ON COGONGRASS. L. Coats^{*1}, J.D. Byrd², J.M. Taylor¹; ¹Mississippi State University, Mississippi State, MS, ²Mississippi State University, Mississippi State University, MS (119)	220
GOOSEGRASS CONTROL AND BERMUDAGRASS RESPONSE TO HERBICIDE PROGRAMS. M.C. Cox*, S. Askew; Virginia Tech, Blacksburg, VA (120)	221
EVALUATION OF EPTC AS A PREPLANT SOIL TREATMENT IN WARM-SEASON SOD PRODUCTION. X. Li^{*1}, J.L. Belcher², R.H. Walker²; ¹University of Georgia, Athens, GA, ²Auburn University, Auburn, AL (121)	222
SEQUENTIAL INDAZIFLAM APPLICATIONS FOR SMOOTH CRABGRASS CONTROL IN BERMUDAGRASS LAWNS. K.A. Venner^{*1}, D. Spak², S. Askew¹; ¹Virginia Tech, Blacksburg, VA, ²Bayer Environmental Science, Clayton, NC (122)	223
EVALUATION OF AMINOCYCLOPYRACHLOR FOR INVASIVE SPECIES MANAGEMENT. A.L. Greis^{*1}, G. MacDonald¹, J. Ferrell¹, B.A. Sellers², K. Bohn³; ¹University of Florida, Gainesville, FL, ²University of Florida, Ona, FL, ³University of Florida, Milton, FL (123)	224
TURFGRASS TOLERANCE AND WEED CONTROL WITH METAMIFOP. M.L. Flessner^{*1}, J. McElroy²; ¹Auburn University, Auburn University, AL, ²Auburn University, Auburn, AL (124)	225
RESPONSE OF CREEPING BENTGRASS CULTIVARS TO METAMIFOP. T. Cooper^{*1}, L.L. Beck¹, C. Straw¹, G.M. Henry¹, S. Askew²; ¹Texas Tech University, Lubbock, TX, ²Virginia Tech, Blacksburg, VA (125)	226
A DIAGNOSTIC ASSAY FOR ALS HERBICIDE RESISTANCE IN ANNUAL BLUEGRASS (<i>Poa annua</i>). R.B. Cross*, B. McCarty, N. Tharayil, A.G. Estes, W. Bridges, T. Whitwell; Clemson University, Clemson, SC (126)	227

WEED CONTROL PROGRAMS WITH HPPD-INHIBITING HERBICIDES IN CORN. A.L. Lewis*¹, J.K. Norsworthy², D.b. Johnson², M.T. Bararpour², J.F. Smith³; ¹University Of Arkansas, Fayetteville, AR, ²University of Arkansas, Fayetteville, AR, ³Bayer CropScience, Cabot, AR (127).....	228
ABSORPTION, TRANSLOCATION, AND METABOLISM OF ¹⁴C-AMINOCYCLOPYRACHLOR IN LOBLOLLY PINE. R. Roten*, R.J. Richardson; North Carolina State University, Raleigh, NC (128).....	229
MINIMIZING PPO SELECTION PRESSURE ON PALMER AMARANTH IN NO-TILL COTTON. C.W. Cahoon*, A.C. York, D. Jordan, R.W. Seagroves; North Carolina State University, Raleigh, NC (129).....	230
HERBICIDE PROGRAMS FOR MANAGEMENT OF PALMER AMARANTH IN COTTON. J.G. Stokes*¹, M.W. Marshall²; ¹Clemson University, Florence, SC, ²Clemson University, Blackville, SC (130).....	231
SOYBEAN SENSITIVITY TO DRIFT RATES OF IMAZOSULFRUON. S.S. Rana*¹, J.K. Norsworthy¹, D.B. Johnson¹, P. Devkota¹, B. Scott²; ¹University of Arkansas, Fayetteville, AR, ²University of Arkansas, Lonoke, AR (131).....	232
DIFFERENTIATION OF WEEDY TRAITS IN ALS-RESISTANT RED RICE. V. Singh*¹, N.R. Burgos¹, T.M. Tseng¹, H. Black², L. Estorninos¹, R.A. Salas¹, E.A. Alcober¹, G.M. Botha¹, M.B. Batoy¹, D.R. Gealy²; ¹University of Arkansas, Fayetteville, AR, ²USDA-ARS DBNRR, Stuttgart, AR (132).....	233
ACTIVITY OF AMINOCYCLOPYRACHLOR ON HORSENETTLE AND TALL IRONWEED. W. Phillips*¹, N. Rhodes¹, T.C. Mueller¹, G. Armel¹, J. Green², W. Witt²; ¹University of Tennessee, Knoxville, TN, ²University of Kentucky, Lexington, KY (133).....	234
CONFIRMATION OF GLYPHOSATE-RESISTANT COMMON RAGWEED IN VIRGINIA. A.N. Smith*, E. Hagood; Virginia Tech, Blacksburg, VA (134).....	235
<i>EPSPS</i> GENE AMPLIFICATION AND RESPONSE TO GLYPHOSATE OF ITALIAN RYEGRASS. R.A. Salas*¹, N.R. Burgos¹, F.E. Dayan², Z. Pan³, T. Tseng⁴, E.A. Alcobar⁴, G.M. Botha¹, B. Scott⁵, J.W. Dickson⁵; ¹University of Arkansas, Fayetteville, AR, ²NPURU, Oxford, MS, ³United States Department of Agriculture-ARS, University, MS, ⁴UNIVERSITY OF ARKANSAS, Fayetteville, AR, ⁵University of Arkansas, Lonoke, AR (135).....	236
ALLYL ISOTHIOCYANATE AND METAM SODIUM AS METHYL BROMIDE ALTERNATIVES FOR WEED CONTROL IN PLASTICULTURE TOMATO. P. Devkota*¹, J.K. Norsworthy¹, S.S. Rana¹, D.B. Johnson¹, C.E. Starkey¹, A.L. Lewis²; ¹University of Arkansas, Fayetteville, AR, ²University Of Arkansas, Fayetteville, AR (136).....	237
EFFECT OF DICAMBA AND GLUFOSINATE APPLICATION RATE AND TIMING ON PALMER AMARANTH CONTROL. C. Samples*¹, D.M. Dodds¹, A. Mills², S. Bollman³; ¹Mississippi State University, Mississippi State, MS, ²Monsanto Company, Collierville, TN, ³Monsanto Company, St. Louis, MO (137)....	238
DIFFERENTIAL RESPONSE AND TOLERANCE MECHANISM OF GLYPHOSATE-RESISTANT PALMER AMARANTH TO GLUFOSINATE. G.M. Botha*¹, N.R. Burgos¹, T. Tseng², M.B. Batoy¹; ¹University of Arkansas, Fayetteville, AR, ²UNIVERSITY OF ARKANSAS, Fayetteville, AR (138).....	239
SURFACE VS. INCORPORATED FALL RESIDUAL HERBICIDES FOR GLYPHOSATE-RESISTANT ITALIAN RYEGRASS CONTROL. R.C. Bond*, J.A. Bond, T.W. Eubank; Mississippi State University, Stoneville, MS (139).....	240
INFLUENCE OF PLANT POPULATION AND HERBICIDE PROGRAM ON PALMER AMARANTH CONTROL, SOYBEAN YIELD, AND ECONOMIC RETURN. A. Hoffner*, D. Jordan, A.C. York, J. Dunphy, E. Wesley; North Carolina State University, Raleigh, NC (140).....	241

DGT COTTON TECHNOLOGY FOR BROADSPECTRUM WEED CONTROL. T.J. Cogdill*, J.M. Chandler; Texas A&M University, College Station, TX (141)	242
IS METABOLISM THE MECHANISM OF TOLERANCE TO GLYPHOSATE IN PITTED MORNINGGORY? D.N. Ribeiro*¹, A.M. Rimando², K.N. Reddy³, V.K. Nandula³, S.O. Duke⁴, D.R. Shaw⁵; ¹Mississippi State University, Starkville, MS, ²USDA, Oxford, MS, ³USDA, Stoneville, MS, ⁴NPURU, Oxford, MS, ⁵Mississippi State University, Starkville, Ms, MS (142)	243
CONTROL OF FAILED STANDS OF TRANSGENIC SOYBEAN AND CORN. R.C. Storey*¹, R.J. Edwards², J.T. Irby¹, D.B. Reynolds¹; ¹Mississippi State University, Mississippi State, MS, ²Mississippi State University, Starkville, MS (143)	244
IDENTIFICATION OF DORMANT WEEDY RED RICE POPULATIONS USING MICROSATELLITE MARKERS. T. Tseng*¹, N.R. Burgos², E.A. Alcobar¹, V.K. Shivrain³; ¹UNIVERSITY OF ARKANSAS, Fayetteville, AR, ²University of Arkansas, Fayetteville, AR, ³Syngenta, Greensboro, NC (144).....	245
FACTORS AFFECTING THERMAL WEED CONTROL. J.A. Hoyle*, J. McElroy, E.A. Guertal, G.B. Fain, F.J. Arriaga; Auburn University, Auburn, AL (145)	246
COTTON AND PEANUT RESPONSE TO PYROXASULFONE. P.M. Eure*¹, E.P. Prostko², S. Culpepper², W. Vencill¹, R.M. Merchant²; ¹University of Georgia, Athens, GA, ²University of Georgia, Tifton, GA (147)	247
THE EFFECTS OF KIH-485 APPLIED PRE AND POST TRANSPLANT ON SWEETPOTATO YIELD. I.A. Abukari*, M.W. Shankle, T.F. Garrett; Mississippi State University, Pontotoc, MS (148)	248
PALMER AMARANTH AND MORNINGGLORY MANAGEMENT IN GLYPHOSATE/GLUFOSINATE-TOLERANT COTTON. J.D. Reed*¹, W. Keeling¹, P.A. Dotray²; ¹Texas AgriLife Research, Lubbock, TX, ²Texas Tech University, Lubbock, TX (149)	249
UPTAKE AND TRANSLOCATION OF AMINOCYCLOPYRACHLOR IN TALL FESCUE. D.F. Lewis*¹, R.J. Richardson¹, F.H. Yelverton²; ¹North Carolina State University, Raleigh, NC, ²N. C. State University, Raleigh, NC (150).....	250
FLEX COTTON YIELD AND WEED COMPOSITION AFTER SIX CONTINUOUS YEARS OF THE SAME 16 HERBICIDE TREATMENTS. J.L. Porter*¹, N. Talley², A.N. Eytcheson³, D.S. Murray², J. Banks⁴, S.W. Murdock⁵; ¹Graduate Student, Stillwater, OK, ²Oklahoma State University, Stillwater, OK, ³Mississippi State University, Mississippi State, MS, ⁴Oklahoma State University, Altus, OK, ⁵Monsanto Company, St. Louis, MO (151)	251
SELECTIVE HERBICIDE OPTIONS FOR CLOVER INCLUSION WITHIN WARM-SEASON TURF. J.D. McCurdy*¹, M.L. Flessner², J. McElroy¹; ¹Auburn University, Auburn, AL, ²Auburn University, Auburn University, AL (152)	252
LAYBY TIMING FOR IDEAL LATE-SEASON WEED CONTROL IN COTTON. R.C. Doherty*, K.L. Smith, J.A. Bullington, J.R. Meier; University of Arkansas, Monticello, AR (154)	253
SOIL PH IMPACTS BAHIA GRASS: SMUT GRASS COMPETITION. N. Rana*¹, B.A. Sellers¹, J. Ferrell², G. MacDonald²; ¹University of Florida, Ona, FL, ²University of Florida, Gainesville, FL (155)	254

SYMPOSIUM: HERBICIDE STEWARDSHIP

HERBICIDE STEWARDSHIP: PROTECTING THE TECHNOLOGY. N. Rhodes* ; University of Tennessee, Knoxville, TN (85)	255
IGNITE STEWARDSHIP: KEEPING THE HEAT ON PIGWEED. G. Light*¹, W. Mullins¹, T. Kleven², G. Henniger¹, K. Rucker², J.F. Smith³, J. Allen³, R. Bagwell³ ; ¹ Bayer Crop Science, Lubbock, TX, ² Bayer Crop Science, Research Triangle Park, NC, ³ Bayer CropScience, Cabot, AR (86).....	256
PICLORAM STEWARDSHIP - COMMITMENT TO AN IMPORTANT TOOL FOR VEGETATION MANAGEMENT. J. Jachetta*¹, P.L. Burch² ; ¹ Dow AgroSciences, Indianapolis, IN, ² DowAgroSciences, Christiansburg, VA (87).....	257
UNIVERSITY EXTENSION'S ROLE AND RESPONSIBILITIES IN PROTECTING THE TECHNOLOGY. L.E. Steckel*¹, E.P. Prostko², B. Scott³, T.W. Eubank⁴, N. Rhodes⁵ ; ¹ University of Tennessee, Jackson, TN, ² University of Georgia, Tifton, GA, ³ University of Arkansas, Lonoke, AR, ⁴ Mississippi State University, Stoneville, MS, ⁵ University of Tennessee, Knoxville, TN (88)	258

SYMPOSIUM: DICAMBA

ADVANCEMENTS IN DICAMBA FORMULATION. W. Xu¹, T.M. Cannan¹, C. Finch¹, G. Schnabel², M. Bratz*², S.J. Bowe¹, C. Brommer¹ ; ¹ BASF Corporation, RTP, NC, ² BASF SE, Limburgerhof, Germany (156)	259
EVALUATION OF DRIFT REDUCTION NOZZLES AND ADJUVANTS FOR GLYPHOSATE-DICAMBA APPLICATIONS. R.E. Wolf*¹, S. Bretthauer², A. Hager² ; ¹ Wolf Consulting & Research LLC, Mahomet, IL, ² University of Illinois, Urbana, IL (157)	260
STEWARDSHIP OF DICAMBA IN DICAMBA TOLERANT CROPPING SYSTEMS. S.J. Bowe*¹, W.E. Thomas², L.L. Bozeman³, S.W. Murdock⁴, J.J. Sandbrink⁵ ; ¹ BASF Corporation, RTP, NC, ² BASF Corporation, Research Triangle Park, NC, ³ BASF, Raleigh, NC, ⁴ Monsanto Company, St. Louis, MO, ⁵ Monsanto Company, St Louis, MO (158).....	261
MANAGING HERBICIDE OFF-TARGET SPRAY LOSSES. S.H. Jackson* ; BASF Corporation, RTP, NC (159)	262
DEVELOPMENT OF DICAMBA RESISTANT SOYBEANS. P. Feng* ; Monsanto Co, St Louis, MO (160)	263
DICAMBA: A HIGHLY EFFECTIVE WEED MANAGEMENT TOOL. J. Frihauf*¹, S.J. Bowe¹, L.L. Bozeman², C. Youmans³, B. Guice⁴, L. Newsom⁵ ; ¹ BASF Corporation, RTP, NC, ² BASF, Raleigh, NC, ³ BASF Corporation, Dyersburg, TN, ⁴ BASF Corporation, Winnsboro, LA, ⁵ BASF Corporation, Tifton, GA (161).264	264
ADVANCEMENTS IN DICAMBA PLUS GLYPHOSATE FORMULATIONS. A. MacInnes*¹, D. Wright¹, J.J. Sandbrink² ; ¹ Monsanto Co, St. Louis, MO, ² Monsanto Company, St Louis, MO (162)	265
DEVELOPMENT OF WEED MANAGEMENT RECOMMENDATIONS FOR DICAMBA TOLERANT SOYBEAN. S. Seifert-Higgins* , C.L. Arnevik; Monsanto Company, St. Louis, MO (163)	266
WEED SURVEY – SOUTHERN STATES	267