

3rd International Symposium on Shape Memory Materials for Smart Systems 2010

E-MRS 2010 Spring Meeting

Physics Procedia Volume 10

**Strasbourg, France
7 – 10 June 2010**

Editors:

**M. Kohl
V. Chernenko**

ISBN: 978-1-62748-711-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© by Elsevier B.V.
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.
at the address below.

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

| | |
|--|----|
| 3rd International Symposium on Shape Memory Materials for Smart Systems | 1 |
| M. Kohl and V. Chernenko | |
| Preface | 2 |
| International Scientific Committee | 3 |
| N. Bourgeois, F. Meraghni and T.B. Zineb | |
| Measurement of local strain heterogeneities in superelastic shape memory alloys by digital image correlation | 4 |
| N. Resnina, S. Belyaev, A. Voronkov, V. Mozgunov, A. Krivosheev and I. Ostapov | |
| Martensitic transformation and mechanical behavior of porous Ti-50.0 at % Ni alloy, fabricated by self-propagating high temperature synthesis at different temperature | 11 |
| Y.-w. Kim and K.-s. Jeon | |
| Shape memory characteristics of powder metallurgy processed Ti ₅₀ Ni ₅₀ alloy | 17 |
| K.K. Mahesh, F.M. Braz Fernandes, R.J.C. Silva and G. Gurau | |
| Phase transformation and structural study on the severely plastic deformed Ni-Ti alloys | 22 |
| M. Sharma, B.C. Maji and M. Krishnan | |
| A study on the phase transformation behavior of Al substituted Ni-rich and Ti-rich Ni-Ti-Al alloys | 28 |
| A. Duval, M. Haboussi and T.B. Zineb | |
| Modeling of SMA superelastic behavior with nonlocal approach | 33 |
| S.P. Belyaev, V.V. Istomin-Kastrovskiy, V.V. Koledov, D.S. Kuchin, N.N. Resnina, V.G. Shavrov, A.V. Shelyakov and S.E. Ivanov | |
| The structure and functional properties of Ti ₂ NiCu alloy rapidly quenched ribbons with different fractions of crystalline phase | 39 |
| S.K. Sharma, H.S. Vijaya and S. Mohan | |
| Influence of substrate temperature and deposition rate on structural and mechanical properties of shape memory NiTi films | 44 |
| S. Belyaev, V. Rubanik, N. Resnina, V. Rubanik (jr), O. Rubanik, V. Borisov and I. Lomakin | |
| Functional properties of bimetal composite of “stainless steel – TiNi alloy” produced by explosion welding | 52 |
| D. Zakharov, G. Lebedev, V. Koledov, P. Lega, D. Kuchin, A. Irzhak, V. Afonina, E. Perov, A. Shelyakov, V. Pushin and V. Shavrov | |
| An enhanced composite scheme of shape memory actuator for smart systems | 58 |
| J. Fernandez, A. Isalgue, N. Cinca, I. Garcia-Cano and J. Ventayol | |
| Comparison of mechanical and tribological properties of TiC–NiTi and TiC–TiB ₂ –NiTi coatings | 65 |
| Z. Swiatek, N. Leviant-Zayonts, M. Michalec, T. Czeppe, M. Lipinski, O. Bonchyk and G. Savitskij | |
| Creation of wear-resistant near-surface-layers with inhomogeneous structure on NiTi alloy by ion implantation technology | 69 |
| J. Fernandez, A. Isalgue, N. Cinca, S. Dosta and J. Ventayol | |
| Wear and corrosion of metal-matrix (stainless steel or NiTi)-TiC coatings | 77 |
| L. Sturz, A. Drevermann, U. Hecht, E. Pagounis and M. Laufenberg | |
| Production and characterization of large single crystals made of ferromagnetic shape memory alloys Ni–Mn–Ga | 81 |
| I. Aaltio, Y. Ge, H. Pulkkinen, A. Sjöberg, O. Söderberg, X.W. Liu and S.-P. Hannula | |
| Crack growth of 10M Ni–Mn–Ga material in cyclic mechanical loading | 87 |

| | |
|---|-----|
| V.A. Chernenko, E. Villa, S. Bessegini and J.M. Barandiaran Giant two-way shape memory effect in high-temperature Ni–Mn–Ga single crystal | 94 |
| C. Seguí and E. Cesari Ageing effects on structural and magnetic transformations in a Ni–Co–Mn–Ga alloy | 99 |
| A. Biswas and M. Krishnan Deformation studies of Ni ₅₅ Fe ₁₉ Ga ₂₆ ferromagnetic shape memory alloy | 105 |
| B.C. Maji and M. Krishnan Role of Si in improving the shape recovery of FeMnSiCrNi shape memory alloys | 111 |
| M. Yamamoto, T. Fukuda, T. Kakeshita, K. Koyama and H. Nojiri Martensitic transformation in invar Fe ₃ Pt with highly ordered state | 117 |
| D. Bourgault, J. Tillier, P. Courtois, X. Chaud, N. Caillault and L. Carbone Large Magneto-Caloric Effect in Ni–Co–Mn–In systems at room temperature | 120 |
| B. Pricop, U. Söyler, R.I. Comănci, B. Özkal and L.G. Bujoreanu Mechanical cycling effects at Fe–Mn–Si–Cr–Ni SMAs obtained by powder metallurgy | 125 |
| V. Buchelnikov, V. Sokolovskiy, S. Taskaev, I. Taranenko and P. Entel The modeling of phase diagrams and premartensitic effects in Heusler Ni–Mn–Ga alloy by Monte Carlo method | 132 |
| M. Siewert, M.E. Gruner, A. Dannenberg and P. Entel Structure, lattice dynamics and Fermi surface of the magnetic shape memory system Co–Ni–Ga from first principles calculations | 138 |
| A. Dannenberg, M. Siewert, M.E. Gruner, M. Wuttig and P. Entel Structural ordering tendencies in the new ferromagnetic Ni–Co–Fe–Ga–Zn Heusler alloys | 144 |
| C.P. Sasso, V.A. L'vov, V.A. Chernenko, J.M. Barandiaran and M. Pasquale Reorientation of Ni–Mn–Ga martensite in rotating magnetic field | 149 |
| B. Krevet and M. Kohl FEM simulation of a Ni–Mn–Ga film bridge actuator | 154 |
| S.R. Yeduru, A. Backen, S. Fähler, L. Schultz and M. Kohl Large superplastic strain in non-modulated epitaxial Ni–Mn–Ga films | 162 |
| J. Tillier, D. Bourgault, S. Pairis, L. Ortega, N. Caillault and L. Carbone Martensite structures and twinning in substrate-constrained epitaxial Ni–Mn–Ga films deposited by a magnetron co-sputtering process | 168 |
| M. Schmitt, M. Ohtsuka and M. Kohl Electron beam lithography of Free-Standing Ni–Mn–Ga films | 174 |
| A. Nespoli, E. Bassani, S. Bessegini and E. Villa Rotational mini-actuator activated by two antagonist shape memory alloy wires | 182 |
| J. Barth and M. Kohl A bistable magnetically enhanced shape memory microactuator with high blocking forces | 189 |
| V. Brailovski, P. Terriault, T. Georges and D. Couturier SMA actuators for morphing wings | 197 |
| B. Piotrowski, T.B. Zineb, E. Patoor and A. Eberhardt Experimental and numerical analysis of recovery stress in Ni ₄₇ Ti ₄₄ Nb ₉ shape memory alloys: application to tightening | 204 |
| E. Choi, Y.-W. Kim, Y.-S. Chung and K.-T. Yang Bond strength of concrete confined by SMA wire jackets | 210 |