

# **9th International Conference on Nano-Molecular Electronics 2010**

**Physics Procedia Volume 14**

**Kobe, Japan  
14 – 16 December 2010**

**Editors:**

**M. Iwamoto  
K. Kaneto**

**ISBN: 978-1-62748-726-9**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© by Elsevier B.V.  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Elsevier B.V.  
at the address below.

Elsevier B.V.  
Radarweg 29  
Amsterdam 1043 NX  
The Netherlands

Phone: +31 20 485 3911  
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)



Preparation of Amperometric Glucose Biosensor Based on 4-Mercaptobenzoic Acid	2
H. Wang, H. Ohnuki, H. Endo and M. Izumi	
Optimization of microscope unit for studying fluorescence emitters under high-vacuum and ambient gas conditions: Optical properties for various ionic liquids as a refractive index matching medium	7
T. Yamada and A. Otomo	
Cathodic electrodeposition of p-CuSCN nanorod and its dye-sensitized photocathodic property	12
L. Sun, K. Ichinose, T. Sekiya, T. Sugiura, and T. Yoshida	
Multimode interference waveguide switch of electro-optic polymer with tapered access waveguides	25
F. Yu, K. Yamamoto, X. Piao and S. Yokoyama	
Optical properties of thermally evaporated PDI-8CN2 thin films	29
L. Anderson, F. Di Girolamo, M. Barra, A. Cassinese, M. V. Jacob	
Photoluminescence properties of copolymers with iridium-complex Ir(thq)2(dbm) units in the fluorene main chain	34
T. Tsuboi, Hui-Fang Shi, Y. Nakai, Shu-Juan Liu, Q. Zhao, W. Huang	
Icosahedral nano-micro capsules with minimal bending energy in regular polyhedra	38
Li Zhou, Zhong-can Ou-Yang	
Maxwell-Wagner type interfacial relaxation process in a double-layer device investigated by time and frequency domain approaches	46
L. Zhang, D. Taguchi, J. Li, T. Manaka and M. Iwamoto	
Fabrication of Highly Photoluminescent Gold(I) Nanorods and their Electrophoretic Patterning	52
M. Saitoh, J. Yuasa, K. Tada, M. Onoda, T. Nakashima and T. Kawai	
Electric current during electrophoretic deposition of conjugated polymer: A test with various electrode distances	58
K. Tada and M. Onoda	
Effect of Organic gate dielectric material properties on interfacial charging and discharging of pentance MIM device	62
K. Bazaka, Mohan V. Jacob, D. Taguchi, T. Manaka and M. Iwamoto	
Probing of Transient Electric Field Distribution in ITO/PI/P3HT/Au By Time-Resolved Optical Second Harmonic Generation Measurement	67
R. Miyazawa, D. Taguchi, T. Manaka and M. Iwamoto	
The effects of alkaline and alkaline earth metal salts on the performance of a polymer actuator based on single-walled carbon nanotube-ionic liquid gel	73
N. Terasawa, I. Takeuchi, K. Mukai, K. Asaka	
Microwave characterization of a novel, environmentally friendly, plasma polymerized organic thin film	87
L. Anderson and M. Jacob	
Synthesis and Liquid Crystals Properties of a-Methylated Galactosides	91
N. Z. B. M. Rodzi, T. Heidelberg, R. Hashim and A. Sugimura, H. Minamikawa	
Displacement Current Analysis of Capacitors with Ferroelectric Poly(vinylidene fluoride-trifluoroethylene) Film	96
J. Li, L. Zhang, Wei Ou-Yang, D. Taguchi, T. Manaka, M. Iwamoto	
The effect of backflow on the field-induced director alignment process: Nuclear Magnetic Resonance study and theoretical analysis	102
A. Sugimura, A. A. Vakulenko, A.V. Zakharov	
An Observation of Diamond-Shaped Particle Structure in a Soya Phosphatidylcholine and Bacteriorhodopsin Composite Langmuir Blodgett Film Fabricated by Multilayer Molecular Thin Film Method	115
Y. Tsujiuchi and Y. Makino	
Oriented thin films of perylene tetra carboxylic diimide on friction-transferred polymer films	119
N. Tanigaki, C. Heck, T. Mizokuro	
Morphology Control of Conjugated Polymers	124
M. Onoda, M. Okada, K. Tada	
Fabrication of Metal-Insulator-Metal Junction with Metallic Conductive Langmuir-Blodgett Films	134
K. Mochizuki, H. Ohnuki, K. Ikegami, T. Imakubo, M. Izumi	
DFT study on the interaction of Fullerene (C <sub>60</sub> ) with hydroxyl radical (OH)	139
H. TACHIKAWA, T. IYAMA and S. ABE	
Suppression of electrochemical creep by cross-link in polypyrrole soft actuators	143
K. Tominaga, K. Hamai, B. Gupta, Y. Kudoh, W. Takashima, R. Prakash and K. Kaneto	
Development of a novel transparent substrate coated by carbon nanotubes through covalent bonding	147
S. Abe, K. Nakayama, D. Hayashi, T. Akasaka, M. Uo, F. Watari and T. Takada	
Forces in EDO-TTF: Theoretical study of isotope and charge effects on vibronic coupling	152
K. Tokunaga	
Evaluation of aligned carbon nanotube thin film modified by an Argon-ion sputtering method	164
F. Izumida, R. Ye, K. Ohta, M. Baba and M. Kusunoki	

Determination of Lifetime of Double-Layer CuPc/C60 Organic Solar Cells by Optical Electric-Field-Induced Second-Harmonic Generation Measurement	167
D. Taguchi, T. Shino, X. Chen, L. Zhang, J. Li, M. Weis, T. Manaka, M. Iwamoto	
Flexible Pentacene Thin Film Transistors with Cyclo-Olefin Polymer as a Gate Dielectric	172
R. Ye, T. Oyama, K. Ohta, M. Baba	
Spectrally-narrowed emissions from a layered organic transistor equipped with a diffraction grating	177
Y. Makino, T. Hinode, A. Okada, T. Yamao, N. Tsutsumi, S. Hotta	
Bis(alkyl-thiophene) thienothiophene as hole-transport organic semiconductor	182
K. Takamiya, S. Ishikawa, D. Adachi, S. Oku, S. Nagamatsu, W. Takashima, S. Hayase, K. Kaneto	
Carrier Propagation Dependence on Applied Potentials in OFET Investigated by Impedance Spectroscopy	187
J. Lin, M. Weis, D. Taguchi, T. Manaka, M. Iwamoto	
Influence of new fullerene derivatives with fluorocarbon substituent on performance of polymer solar cells	192
I. Yamada, M. Pandey, Y. Hayashi, N. Shibata, T. Soga and Takeshi Toru	
Effects of an Interface Monolayer with Downward Dipole Orientation on Pentacene Organic Field-Effect Transistors	198
Wei Ou-Yang, M. Weis, T. Manaka, M. Iwamoto	
Carrier Conduction Characteristics in P3HT: PCBM Bulk Heterojunction Structures Under Sunlight Illumination	204
Y. Lou, Z. Wang, S. Naka and H. Okada	
Charge modulation spectroscopy for probing ambipolar carrier injection into pentacene field effect transistors	209
T. Manaka, S. Kawashima, M. Iwamoto	
Recombination zone in organic light emitting diodes with emitting layer of diphenylanthracene-derivative host	213
C. Li, T. Tsuboi, W. Huang	
Short-time-scale threshold voltage shifts in organic field-effect transistors caused by dipoles on insulator surface	217
K. Suemori, M. Taniguchi, S. Uemura, M. Yoshida, S. Hoshino, N. Takada, T. Kodzasa, and T. Kamata	
Controlled growth of Znpc thin films for photovoltaic applications	221
Y. Zhou, T. Taima, Y. Shibata, T. Miyadera, T. Yamanari, Y. Yoshida	
Direct Observation of Electron Transit in Ambipolar Polymer-Based Light-Emitting Transistor by Optical Second Harmonic Generation Measurement	226
Y. Ohshima, N. Hirako, H. Kohn, T. Manaka, M. Iwamoto, E. Lim, H. Sirringhaus	
Thick polymer blend organic solar cells fabricated by slow drying	231
H. Ogo, T. Yamanari, T. Taima, J. Sakai, J. Tsukamoto and Y. Yoshida	
Degradation of organic light emitting diodes with cleaned ITO and MoO <sub>3</sub> hole-injection layer	235
T. Kishimoto, K. Wako, K. Matsuda, H. Iguchi, T. Tsuboi	
Effect of carrier injection process in the organic field-effect transistor by introducing metal nanoparticle monolayer	239
K. Lee, M. Weis, D. Taguchi, E. Majková, T. Manaka and M. Iwamoto	