

2012 Power Engineering and Automation Conference

(PEAM 2012)

**Wuhan, China
18 – 20 September 2012**



**IEEE Catalog Number: CFP1273M-POD
ISBN: 978-1-4577-1598-3**

Contents

Part 1 Power Generation

| | |
|--|------|
| One Control Strategy of Overmodulation Based on NPC Three-Level Inverter <i>Jian-yuan Wang, Qi Wang, Yan-ru Zhong, Fei Xiao</i> | N/A |
| The Building of Engineering Simplified Model for Photovoltaic Power Station and Its Simulation <i>Honglu Zhu, Jianxi Yao</i> | N/A |
| Active Damping Control of PMSG with LCL Filter in Tidal Generation System <i>Luo Yaohua, Duan Xiaoli, Xu Tieyan, Lv Shijia</i> | (11) |
| Unbalanced Control System Design for DFIG-Based Wind Turbines <i>Shuying Yang, Long Zhan, Changxi Huang, Zhen Xie</i> | (15) |
| Energy harvesting from floor using organic piezoelectric modules <i>E. Bischur, N. Schwesinger</i> | (19) |
| The Zero Sequence Circulating Current Suppression based on Virtual Impedance <i>Xu Tieyan, Luo Yaohua</i> | (23) |
| Monitoring the technical condition of dams of hydroelectric power plants with an automated monitoring and earthquake registration system <i>Alexander Kuzmenko, Darya Vorobyeva, Evgeniy Zolotukhin</i> | (30) |
| The Development of New Type Intelligent High-Power Ultrasonic Power Supply <i>Jianhua Nie, Jianguo Shen</i> | (34) |
| Study of High-efficiency Photovoltaic Grid-connected Micro-inverter Control Strategy <i>Chunhua Wu, Diqing Zhou, Li Fu</i> | (38) |
| In-depth Investigation of Effects of Partial Shading on PV Array Characteristics <i>Fang ZHANG, Jian LI, Chongzhi FENG, Yanjuan WU</i> | (43) |
| Microgrid Economic Operation and Research on Dispatch Strategy <i>Jie Chen, Xiu Yang, Lan Zhu, Meixia Zhang</i> | (47) |
| Numerical Study on Temperature and Velocity Deviation of a Multi-Fuel Utility Boiler <i>Amir Abu Baker Musa, Xiongwei Zeng, Lei Du, Qingyan Fang</i> | N/A |
| Study on optimization operation of WFGD based on SVR and GA <i>Qiao Zong-liang, Zhou Wei-qing, Si Feng-qi, Li Jie, XU Zhi-gao</i> | N/A |
| A block receding horizon control of reheated steam temperature system based on multi-objective optimization <i>CUI Xiaobo, CHEN Yuting, LU Jianhong, QIN Wenwei, DONG Chengjian</i> | (62) |
| Equivalent Models of Wind Generation Systems with SCIG <i>Néstor D. Galán H., José M. Cañedo C., Alexander Loukianov</i> | (67) |
| Research and Application of Field Test of Low Voltage Ride Through Capability of Wind Farms <i>Chu-Yu Liu, Kai-Yuan Hou</i> | (73) |
| Research on Application of SVG for Reactive Power Control in Wind Farm <i>Zheng Wei, Bai Runqing, Zhi Yong, Liang Chen</i> | (77) |
| Studies on the Reliability and Reserve Capacity of Electric Power System with Wind Power Integration <i>Xiaoliang Jiang, Zhen'an Zhang, Jiangbo Wang</i> | (80) |
| The Low Voltage Ride Through Anti Over-speed Control Research of DFIG Wind Turbine <i>XU Jiayuan, PAN Lei</i> | (84) |
| Control Strategy for Grid-side Converter of DFIG Based on Wind Shear and Tower Shadow Effects <i>Fei Teng, Xing Zhang, Zhen Xie</i> | N/A |
| Modification in the Design of Small Wind Turbine to Increase Power Output | |

| | |
|--|-------|
| <i>Ankur Mahajan, Dr. S. Chatterji, Shimi S.L.</i> | (91) |
| A Study on Influence of Wind Power on Positive Sequence Voltage Polarized Impedance Relay <i>LI Qin-hao, ZHANG Yong-jun, YUAN Wei-peng, LI Feng</i> | (96) |
| Wind Turbine Rotor-speed Detection Based on The Equally Accurate Measurement <i>Xiaodan Wang, Lei Pan, Zhengjun Wang, Jianxin E</i> | (100) |
| The Influence of Areal Variation on the Economic Evaluation of Biomass Power Generation <i>Ze Zhou YANG, Jie TAO</i> | N/A |
| Resource Constraints, Energy Efficiency and China's Energy Restructuring <i>Xu Jiabei</i> | N/A |
| Research on flywheel energy storage system applied for the oil drilling platform <i>Lebing Jin, Xinjian Jiang, Xue Liu</i> | (112) |
| The development of new-style photovoltaic Z-source inverter of ship <i>Zhenyu-nie</i> | (116) |
| Modeling and Simulation of a Single-stage Grid-connected Photovoltaic System in PSCAD/EMTDC <i>PEI Qing-lei, WANG Li-guo, LIU Li-li, ZHANG Yi-gong, LIU Hai-jun</i> | (121) |
| The Application of Ultra-Capacitor to the Hybrid Electric Vehicles <i>Tang Tao, Xian Liang</i> | (125) |
| Research on nuclear power management pattern based on the model of lean production <i>Xie Chuansheng, Zhang Lei, Yan Zhimin</i> | N/A |
| Ecological Co-benefits of Carbon Dioxide Emissions Mitigation by Developing Advanced Coal-fired Power Technology in China <i>Aijun Li, Zheng Li</i> | N/A |
| Research on Cascade H-bridge Multilevel STATCOM with Sampling Time Staggered SVM <i>Baofei Zhang, Shouzhi Li</i> | N/A |
| Analysis of Doubly Fed Induction Wind-Power Generators in LVRT field testing <i>Hui Zeng, Jinsong Liu, Gang Wang, Yangyang Ge</i> | (141) |
| Short-Term Wind Power Forecasting Based on Lifting Wavelet Transform and SVM <i>Jinbin WEN, Xin WANG, Yihui ZHENG, Lixue LI, Lidan ZHOU, Gang YAO, Hongtao CHEN</i> | (145) |
| Simulation research of a novel wind and solar hybrid power system <i>Chen Liwen, Wei jiadan, Deng Qingtang</i> | (149) |
| Study on the three-phase PV grid-connected inverter based on deadbeat control <i>Gujing Han, Yunhong Xia, Wuzhi Min</i> | (153) |

Part 2 Power Transmission and Distribution

| | |
|---|-------|
| Analysis of Inrush Current and Over-voltage with HVDC AC Filters Switching on <i>XIA Chengjun, Cong Baofeng</i> | (157) |
| Method for suppressing random pulse interference of partial discharge based on fuzzy clustering <i>Guan Hong, Shao Yuying, Qian Yong, Sheng Gehao, Jiang Xiuchen</i> | (161) |
| External Insulation Strength Assessment of Contaminated Insulator Based on Acoustic Emission <i>Li Zipin, Li Hongling, Wang Youyin</i> | (165) |
| Aerodynamic Analysis of Bundle with Six Cables for UHVDC by Numerical Simulation Based on LES <i>Si Jiajun, Zhu Kuanjun</i> | (169) |
| Applications of Embedded HVDC in Power System Transmission <i>Jicheng Yu, George G. Karady, Lei Gu</i> | (174) |
| Modulation Strategy Study of Hybrid Multilevel Inverter <i>Yang Xingwu, Xue Hua</i> | N/A |
| Research of Reactive Power and Voltage Integrated Control in Substation Based on New type SVC | |

| | |
|---|-------|
| <i>Huan Shi, Meng Sun, Wenjie Li</i> | (184) |
| Simulation Research of Current-modulated Tripole DC Transmission System | |
| <i>Jing Wu, Jialiang Wen, Jun Wen, Yu Wang, Chang Peng, Rui Wu</i> | (188) |
| Analysis on Commutation Failure Caused by AC Faults in Multi-infeed HVDC Systems | |
| <i>XIA Chengjun, SUO Minggui, XI Liang</i> | (193) |
| Fault Location Based on Natural Frequency for The VSC-HVDC Lines | |
| <i>WAN Yuan, DUAN Jian-dong</i> | N/A |
| Installation SVC to Improve Output Active Power of Large-scale Wind Farm Based on the Transient Stability | |
| <i>WU Yanjuan, LI Linchuan, Zhang Fang</i> | (201) |
| Pattern Identification Method Of Partial Discharge Based on the Features of UHF Envelope Signals | |
| <i>Wang hongbin, Zhu Wenjun, Hu Yue, Sheng Gehao, Jiang Xiuchen</i> | (204) |
| Multi-source Separation Method for Partial Discharge Detection in Substations | |
| <i>Miao Peiqing, Li Xiuwei, Hu Yue, Sheng Gehao, Jiang Xiuchen</i> | (209) |
| Conjunct Influence of Temperature and Humidity on Discharge Voltage of Air Gap | |
| <i>X. D. Zhou, H. Q. Niu, X. Luo, Y. Yong, G.B. Zhang, Z. P. Yi, Q. Wu, Y. G. Liu</i> | (214) |
| Electromagnetic radiation spectrum from partial discharge in air-insulated medium voltage switchgear | |
| <i>Bo Zheng, Alexe Bojovschi, Xinpeng Chen</i> | (219) |
| A Prediction Techniques in Resistive current Measurement of Metal Oxide Arrester | |
| <i>Kai Liu, Yue-Fu Fan, Xiao-Tao Che, Lei Wang, Jiang Jiang</i> | (223) |
| Simulation and Analysis of Multi-level Gap Lightning Protection for the 10kV Distribution Transformer | |
| <i>Yuan Liu, Feng-yuan Tao, Dong Zhang, Wei-ping Wang</i> | N/A |
| Analysis of Distribution Network Protection Gap Protect Distance | |
| <i>Feng-yuan Tao, Shi-rong Wang, Zhi-Hong Zhao, Dong Zhang</i> | N/A |
| Design and Analysis of Clamper for Short Circuit Ground Wire | |
| <i>YanJun Gu, Zhiliang Qian, Quanchao Yang</i> | (235) |
| The Simulation of the Multi-stage Magnetic Compression Circuit by Pspice | |
| <i>Zi Li, Ci Huang</i> | (238) |
| Comprehensive Decision-Making For Transmission Network Planning Scheme Based on Entropy Weight Method and Grey Relational Analysis Method | |
| <i>Luo Yi, Li Yulong</i> | N/A |
| Influence Of No-Load Superconducting Cable's Input On Distance Protection | |
| <i>Liu Haidong, Xu Yan, Lingling Fan</i> | (246) |
| Study on Using Lightning Arrester on 35kV Lines for Lightning Protection | |
| <i>Daxing WANG, An XU, Yongxing CAO, Tao CUI, Junsong PU</i> | N/A |
| Characteristics of the Voltage and Current in Singlephase Faults on Reactored Transmission Lines | |
| <i>Shao Wenquan, Zhang Xiaowei, Song Jiangxi, Nan Shugong</i> | (253) |
| A Novel Phase Selection Element Based on Phase Relationship Between Sequence Components of the Current of Fault Branch | |
| <i>Kai Liu</i> | N/A |
| Electric Field Strength Effected by the Installation Defects on Stress Cones in 48kV Cable Terminations | |
| <i>Run-zhong Miao, Shu-fang Wu, Wen-qi Li</i> | N/A |
| Resonance Characteristics of Reradiation Interference on Radio Station from UHV Power Lines | |
| <i>Tang Bo, Meng Suimin, Xiao Zheng, Liu Xingfa, Wang Huili</i> | (268) |
| The Calculation Model of the Shielding Failure Tripout Rate of Double-circuit Transmission Line on the Same Tower | |
| <i>Guangde GAO, Haifei WANG, Lintan HUANG, Shaofeng ZHAO</i> | (272) |
| Lightning Protection Research of Quadruple-circuits on One Tower based on Shielding Failure Trip-out Rate | |
| <i>Guangde GAO, Lintan HUANG, Haifei WANG, Shaofeng ZHAO</i> | N/A |
| Fault Detection and Location Based on Matrix Algorithm in Distribution Network | |
| <i>ZHU Qinggang, LIU Qianjin</i> | (282) |
| The Analysis of Harmonics Damage on the Reactive power Compensation Capacitors of Dongguan Network | |

| | |
|---|-------|
| <i>Huang Dehua, Yu Tao</i> | (286) |
| Protecting Distance of Reradiation Interference Between UHVDC Power Line and Receiving Station of AM Broadcasting | |
| <i>Tang Bo, Meng Suimin, Xiao Zheng, Liu Xingfa, Wang Huili</i> | (290) |
| A Novel Pilot Protection Principle for VSC-HVDC Cable Lines Based on Fault Component Current | |
| <i>Guobing Song, Xinlei Cai, Dekun Li, Shuping Gao, Jiale Suonan</i> | (294) |
| Neurocontroller Based on ADHDP for Rectifier in HVDC system | |
| <i>Xiaohua Zhou, Chunming Song</i> | (298) |
| Adhesion Force Measurement of Electrical Insulating Materials by Atomic Force Microscopy | |
| <i>LI Yan, WANG Jing, LIANG Xi-dong, LIU Ying-yan</i> | (302) |
| Analysis of the Operational Effect of 500kV Line Zinc Oxide Arrester | |
| <i>ZHAO Shaofeng, GAO Hongliang</i> | (307) |
| Fault Detection and Location for MTDC Combining Wavelet Analysis and Travelling Wave | |
| <i>Di Yu, Yawen Li, Yifeng Ding, Xuan Zhang</i> | (311) |

Part 3 Smart Grid Technologies

| | |
|---|-------|
| Three-Dimensional Digital Design in Substation Based on Microstation | |
| <i>Wenjie Li, Huachen Fu, Huan Shi</i> | (315) |
| A Practical Digital VRB Simulator for Power System and Smart Grid Applications | |
| <i>Junwen Xie, Jiming Lu, Chengxiong Mao, Dan Wang, Yang Yi, Changsong Yi, Yong Luo, Jie Zeng, Xun Chen</i> | (319) |
| A New Method for Demand Response by Real-Time Pricing Signals for Lighting Loads | |
| <i>R. Roofegari Nejad, S. M. Moghaddas Tafreshi</i> | (325) |
| Research on characteristics of low voltage power line communication channel | |
| <i>Zhang Jie, Yan Xiao, Qing Kaiyu</i> | (330) |
| Impacts of Charging Plug-In Hybrid Electric Vehicles on the Electric Grid and its Charging Strategies | |
| <i>Zhiwei Zhang, Danzhen Gu</i> | (335) |
| Coordination Control of PSS and SVC for Damping of Low Frequency Oscillations | |
| <i>Hongjun Fu, Tao Lin, Jianhua Sun, Jun Li, Zhiheng Li, Wei Hu, Lizhe Pan</i> | (339) |
| Research on Operation Control of Micro Sources within a Microgrid | |
| <i>Wang Jing, Wang Xiaohui, Wang Jia, Du Hong</i> | (343) |
| Wireless ZigBee Transceiver for Smart Meter Reading System | |
| <i>CAI Yuehong, Xiao Yong, Yan Xiao, Qin Kaiyu</i> | (347) |
| Designing a Filter Bank and an Adaptive Filtering Technique to Eliminate Noises in Power Line Communication | |
| <i>Saurabh Chaudhury, Anirban Sengupta</i> | (353) |
| A Novel Composite Chaotic Sequence for Low Voltage Power Line Spread Spectrum Communication | |
| <i>Liu Liye, Yan Xiao, Luo Haoding, Wang Kun</i> | (357) |
| Characteristic Parameters Prediction of Power Transformer Based On Discrete Gray Model | |
| <i>Kai Wang</i> | (363) |
| Identification Method for Low-Voltage Arc Fault Based on the Loose Combination of Wavelet Transformation and Neural Network | |
| <i>Haoying Gu, Feng Zhang, Zijun Wang, Qing Ning, Shiwen Zhang</i> | (367) |
| Interactive Building Load Management for Smart Grid | |
| <i>Xue Xue, Wang Shengwei</i> | (371) |
| Impact Analysis of Interaction Between Power Grid and Electric Passenger Vehicles Considering the V2G Mode | |
| <i>Dong Hui Feng, Wang Jiangbo, Yan Ming, Zhang Zhen'an, Jiang Xiaoliang, Liu Wei</i> | (376) |
| Impact of Parameters of Pantograph on the Dynamics of Pantograph-catenary and Optimization of Parameters | |
| <i>Jing Zhang, Jian Yang, Ruigang Song</i> | N/A |
| Structural Design of a Universal and Efficient Demand-Side Management System for Smart Grid | |

| | |
|---|-------|
| <i>Peng Lei, Jiong Ma, Peng Jin, Hao Lv, Lei Shen</i> | (384) |
| Information Acquisition and Integrated Control of City Bus | |
| <i>Xu Jun, Li Gang-yan</i> | N/A |
| Performance Analysis of A New Power Wireless Private Network in Intelligent Distribution Networks | |
| <i>Jinping Cao, Jianming Liu, Xiangzhen Li, Lingkang Zeng, Ben Wang</i> | (394) |
| Scheme Design and Real-Time Performance Analysis of Information Communication Network Used in Substation Area Backup Protection | |
| <i>Lei Chen, Kanjun Zhang, Yongjun Xia, Gang Hu</i> | (398) |
| A new design of integration charging and acquisition terminal based on embedded multi-task scheduling | |
| <i>Kun Liu, Juan Hu, Tai Bai, Shanfeng Yin, Zuquan Liang</i> | N/A |
| A Novel Multi-Machine Excitation Controller Design Based-on Muti-Sliding Mode Control | |
| <i>MA Hebang, ZHOU Jianzhong, WAN Yi, FENG Jianfei</i> | N/A |
| Optimal control strategy of NG piston engine as a DG unit obtained by an utilization of Artificial Neural Network | |
| <i>Jaroslawn Milewski, Lukasz Szablowski, Jerzy Kuta</i> | (410) |

Part 4 Power System Management

| | |
|---|-------|
| The research on Synchronous generator real-time simulation using an embedded parallel system based on Ethernet | |
| <i>Li Ying, Guo Fangying</i> | (417) |
| Comparative Analysis of Two Phase Compensation and WACS techniques of PSS based on Different Faults and Variable Loading Conditions | |
| <i>Farzana Islam, Mir Nahidul Ambia, Mohammad Hasanuzzaman Shawon, MJA Shawon</i> | (422) |
| Optimized Control Scheme of Hybrid Inverters in High Power Drives | |
| <i>Wei Yongqing, Qiao Mingzhong, Zhang Xiaofeng</i> | (426) |
| Analysis of Sympathetic Inrush Using Network Analysis Approach in Initial Period of Power Syntem Restoration | |
| <i>Wei GONG, Junyong LIU, Xingqi HE</i> | (430) |
| Alternative Formulations for Unit Commitment | |
| <i>Xitan Qiang, Boran Zhou, Quanyuan Jiang</i> | (434) |
| Research of Fuzzy Synthetic Evaluation Method of Power Quality Based on Improved Membership Function | |
| <i>Ding Ze-jun, Yuan Jin-jing, Huang Rui-yi, Ouyang Sen, Duan Yi-hong, Dong Xu-zhu, Zeng jiang</i> | (440) |
| Considering Wind & Demand Uncertainties in SCUC | |
| <i>Boshra Karami, Seyed Masoud Moghaddas Tafreshi</i> | N/A |
| Load Frequency Control for Wide Area Monitoring and Control System (WAMC) in Power System with Open Communication Links | |
| <i>Shichao Liu, Xiaoping P. Liu, Abdulmotaleb El Saddik</i> | (450) |
| The Research of Wind Power Output Controlling Based on Superconducting Magnetic Energy Storage System | |
| <i>ZHOU Heng-Bin, QUAN Bo</i> | (455) |
| Control Scheme of A Comprehensive Power Quality Controller | |
| <i>Lei Kou, An Luo</i> | (459) |
| An improved adaptive harmonic detection method applied in shunt APF | |
| <i>Liu Guiyuan, Xi Ziqiang, Luo Haowen</i> | (463) |
| Electric Load Forecasting Using Virtual Instrument Based on Dynamic Recurrent Elman Neural Network | |
| <i>Changhao Xia, Zhonghua Yang, Hongjie Li</i> | (467) |
| A Novel Method for VSC-HVDC Electromechanical Transient Modeling and Simulation | |
| <i>Teng Song, Li Guangkai, Song Xinli, Ding hui, Ye Xiaohui</i> | (471) |
| The Harmonic Analysis of Traction Power System Based On A New Vv Traction Transformer | |
| <i>Lou Yun-ge, Luo Long-fu</i> | (475) |
| Research on Asynchronous Motor Control Characteristics Based on dual SVPWM Back to BackThree level Converter | |

| | |
|---|-------|
| <i>Haifeng Wan, Jinsong Kang, Qiuxian Fan</i> | (479) |
| Effect of Shaft Parameter Uncertainty on Subsynchronous Resonance Simulation | |
| <i>Xu Yanhui, Song Ge</i> | (483) |
| Evaluating the Effect of Subsynchronous Oscillation on Turbine Generator Shaft | |
| <i>Xu Yanhui, Zhang Lanyu</i> | (487) |
| Improved Interface Models for Hybrid Simulation on Large AC/HVDC Power System | |
| <i>Shuqing Zhang, Luyuan Tong, Yingduo Han, Kaijian Ou</i> | (491) |
| Research on the Model of EV Battery and Charger | |
| <i>Xu Yanhui, Wang Zhenzhen, Li Yansong, Ai Xin</i> | (496) |
| Alarm transmission for distributed energy resources over power line communication | |
| <i>Christoph Becker, Heinz Frank, Markus Stuhler, Klaus Fleischmann</i> | (500) |
| On-line Monitoring System for Icing State of Overhead Transmission Line | |
| <i>Shiguang Nie, Guangyu Qu, Haifeng Ye, Xiuchen Jiang</i> | (506) |
| Frequency-domain Transmission Characteristics of Electromagnetic Wave Signals Excited by Partial Discharge in GIS | |
| <i>Miao Peiqing, Li Xiuwei, Ye Haifeng, Sheng Gehao, Jiang Xiuchen</i> | (511) |
| Fault Location in Radial Distribution Systems Using Frequency Slice Wavelet Transform | |
| <i>Junchun Wu, Dahai You, Lei Ye, Ruoyin Huang</i> | (516) |
| Measurement System for 10kV Solid-State Fault Current Controller | |
| <i>Tao Ma, Shaotao Dai, Zhifeng Zhang, Wenyong Guo</i> | (520) |
| Fault Recorder Data Refinement for Accurate Fault Location in a Transmission System | |
| <i>Vatee Laoharajanaphand, Naebboon Hoonchareon</i> | (524) |
| Applied Research of a New ODE Method in the Power Flow Computation of Power System | |
| <i>Dechao Xu, Tianmin Han</i> | (528) |
| GPU Based Parallel Simulation of Transient Stability Using Symplectic Gauss Algorithm and Preconditioned GMRES method | |
| <i>WEN Baijian, GUO Wenxin, HU Jiayi, WANG Fangzong, YE Jing</i> | (532) |
| Voltage Sag Assessment of Distribution Network with Distributed Generations | |
| <i>Shuangyin Dai, Qionglin Li, Shuming Liu</i> | (537) |
| The LMS channel estimation algorithm of low-voltage power line communication | |
| <i>Zhang Qingqing, Yan Xiao, He Ling, Dang Sanlei</i> | (541) |
| The Analysis of Interharmonics Generated by VSI-Fed Adjustable Speed Drives Considering Mechanical Load Fluctuations | |
| <i>Ming Li, Xiaoru Wang, Jin Tan</i> | (545) |
| Condition Assessment of the Health Index for Power Transformer | |
| <i>Juthathip Haema, Rattanakorn Phadungthin</i> | (550) |
| The Complexity Analysis Applied to Search Power Supply Path | |
| <i>Wang Lulu, Bao Hai</i> | (554) |
| Active Power Flow Adjustment Based on Sensitivity Analysis of DC Load Flow Model | |
| <i>Li Xiaobin, Ding Qiaolin, Tao Xianghong, Hou Junxian</i> | (558) |
| Application of PID Control Based on BP-NN for Marine Generator Excitation System | |
| <i>Zheng Meng-di, Wu Xi-xiu, Qin Wei, Long Fei, Li Bo</i> | (562) |
| Study of Different solution for voltage Sag and Designing of Fast Active DVR for Series Compensation | |
| <i>Mohammad Hasanuzzaman Shawon, MJA Shawon, Farzana Islam, Mir Nahidul Ambia</i> | N/A |
| Interval Two-stage Stochastic Robust Programming Model for Carbon Dioxide Mitigation Planning Under Uncertainty | |
| <i>Xu Yi, Liu Min</i> | N/A |
| Statistical Methods of Performance Evaluation for Determining the Elements Contents of Carbon, Hydrogen and Nitrogen in Biomass Fuels | |
| <i>Zhang Hongliang, Liu Min, Qi Houbo, Lin Musong</i> | N/A |
| Overview of Micro-grid Energy Management System Research Status | |
| <i>Qing Qin, Zhixin Chen, Xiaohui Wang</i> | (578) |
| Modelling and Stability Analysis of Current-Mode Switching Power Management IC with Novel Internal Frequency | |

| | |
|---|-------|
| Compensation | |
| <i>YUAN Bing, LAI Xinquan, SHI Lingfeng</i> | (582) |
| Acoustic-electrical Based detection system for partial discharge localization of GIS | |
| <i>Miao Peiqing, Li Xiuwei, HuYue, Sheng Gehao, Ye Haifeng, Jiang Xiuchen</i> | (586) |
| A Novel Universal Grid Voltage Sag Detection Algorithm | |
| <i>Zaiming Fan, Xiongwei Liu</i> | (591) |
| Relationships among Transmission Line Icing and Meteorological Factors Based on the Grey Relational Analysis | |
| <i>Hui Dong, Qiping Yang, Zhengwen Deng, Danfeng Xu</i> | (595) |
| Study of Metal Oxide Arresters Health State Evaluation Based on Fuzzy Grey Theory | |
| <i>Hong Si-yuan, Wang Gang, Li Hai-feng, Huan Jia-jia</i> | (599) |
| The Switch Station Planning Based On Fuzzy Adaptive Particle Swarm Optimization Algorithm | |
| <i>Nanhai Qiu, Zhaoxia Jing</i> | N/A |
| Reliability Assessment for Elementary Connection Modes of Distribution System | |
| <i>Xiangjun Liu, Erzhuo Liu, Gang Xu</i> | (609) |
| Hybrid Push and Pull Data Model and Its Application in EMS | |
| <i>Zhixue Zhang, Zhihong Huo</i> | N/A |
| A Nonlinear Predictive Controller Based on Chaos Optimization Apply to CFB | |
| <i>GUAN Zhi-min</i> | N/A |
| Applications of Heuristic Dynamic Programming in the Proton Exchange Membrane Fuel Cell Temperature Control | |
| <i>Xiaofeng Lin, Jile Huang</i> | (620) |
| Investigation on diffusion process of water molecules in sulfur hexafluoride electric equipments based on CFD technique | |
| <i>Zhou Zhou, Feng Bing, Wan Tao, Hu Xu, Gong Shangkun, Peng Linfeng</i> | (624) |
| Design and Implementation of Detection Adapter of Certain Firecontrol System | |
| <i>Guanhui LIANG, Ming LI, Qing GAO, Yuanzeng CHENG</i> | (628) |
| Travelling-Wave-Based On-line Fault Location Scheme for 110kV Power Cable | |
| <i>XIA Chengjun, ZHANG Hong, LI Yong, JIN Bingmei</i> | (632) |
| On-line Fault Location Scheme for Power Cable Based on Arc Characteristic | |
| <i>ZHANG Qunfeng, XIA Chengjun, ZHANG Hong</i> | (636) |
| Fast Fourier Transform Harmonic Analysis Based On Nine Terms Minimum Side-lobe Cosine-sum Window | |
| <i>Bing Ji, Zhirui Liang, Shengsuo Niu, Yuyang Miao, Danye Wu</i> | (640) |
| New Elevator energy feedback Control System Design Based on Fuzzy PID Controller | |
| <i>Wang Rui, Luo Fei, Huang Xiaohong, Li Peng</i> | (645) |
| New Method on the Relays Protective Coordination Due To Presence Of Distributed Generation | |
| <i>Ashrafi Habibabadi Reza</i> | (651) |
| Long-Run Incremental Cost Pricing Method in Transmission Networks Considering the Dynamic Security Factor | |
| <i>Lin Liu, Zhaoxia Jing, Gengsheng Nie, Shan Huang</i> | N/A |
| Study on Energy Saving Potential Evaluation for Distribution Networks | |
| <i>Yong-jun Zhang, Xi-tian Zhan</i> | (660) |
| Hunan Power Grid Blackout Restoration Decision Support System | |
| <i>He Pengcheng, Chen Hao, Zhou Yunhai, Wu Jianrui, Tang Lichun, Wang Zhenggang, Chen Zhuo</i> | (663) |
| Research on V2G Economy and Agent Operators | |
| <i>Miao Jun, Wu zhiqiang, Wen yuhua</i> | N/A |
| The Research on Balances of Fujian Middle-and-long electric power and energy under Unified Dispatch Mode | |
| <i>LI Weigang, CHENG Xin, YAO Yuzhen, HUANG Jinfu</i> | N/A |
| The Research about Electricity Market Simulation Based on Intelligent Agent-based Algorithms | |
| <i>LI Weigang, Zhou haiming, Chen naishi</i> | (676) |
| Design of morphological filter based on family of straight lines structure element | |
| <i>Yang Zhang, Yanbin Qu</i> | (680) |
| Detection and Analysis of Current in Local Power Network Based on Park Transformation | |

| | |
|--|-------|
| <i>GAO Xin, DAI Shengkui</i> | N/A |
| The study of three kinds of wind power prediction methods(60603) | |
| <i>Jiali SHUAI, Jixian QU</i> | (688) |
| Application of New Global Sliding Mode reaching law in Permanent Magnet Synchronous Motor Speed Control System | |
| <i>SHEN jie, WANG renming, LIU kang</i> | N/A |
| An inexact fuzzy model for electric power generation systems planning | |
| <i>Qing Hu, Guohe Huang, Wei Li</i> | (696) |

Part 5 Automation Technologies

| | |
|---|-------|
| Flocking control with communication noise based on second-order distributed consensus algorithm | |
| <i>WANG Wenkai, PENG Huanxin</i> | (701) |
| Flocking control under virtual leader-follower with communication time-delay | |
| <i>WANG Wenkai, PENG Huanxin</i> | (705) |
| Controller Design for the Internet of Things for Building Electrical Equipments | |
| <i>Zhang Guiqing, Duan Xingchao, Wang Ming, Li Chengdong</i> | (709) |
| A Deadbeat Control of a Semiconductor Converter without Transformation of Variables | |
| <i>Albert Iskhakov, Alexander Istomin, Vladimir Pospelov, Sergey Skovpen</i> | (714) |
| The dividing model of islands considering interrupted customers | |
| <i>Qu Fang, Pang Suhong, Sun Zhiqiang, Xu Li</i> | (719) |
| Pseudo two-hop distributed consensus algorithm with communication noise | |
| <i>WANG Wenkai, PENG Huanxin</i> | (724) |
| Discussion of an Integrated Estimator's Property | |
| <i>WU Tingfang, WANG Pan, WANG Jiasen</i> | N/A |
| Accelerate convergence rate of distributed consensus under undirected small world networks | |
| <i>PENG Huanxin, WANG Wenkai, QI Guoqing, SHENG Andong</i> | N/A |
| Fast second-order distributed consensus with adaptive quantization | |
| <i>PENG Huanxin, WANG Wenkai</i> | (736) |
| GA-Based Decentralized Controller Design for Integrated Flight/Propulsion Systems | |
| <i>Dai Jiyang, Huang Ying, Peng Chen</i> | (740) |
| Target tracking with quantized communication | |
| <i>PENG Huanxin, WANG Wenkai</i> | (744) |
| A Discussion about Information Security Technology of Electronic Government Based on LSB watermarking algorithm | |
| <i>CHEN Ru-qi</i> | N/A |
| Research of Ex-post Pricing Mechanism based on Principal-Agent Theory | |
| <i>LI Yanli, LIN Hua, HAN Benshuai</i> | N/A |
| Current Situation of Catenary Wire Wear Measurement | |
| <i>Jixian QU, Jiali SHUAI</i> | N/A |
| Biped Walking Robot | |
| <i>Hui Liu, Yuan Liu, xianbin xie, Jianfei ouyang</i> | N/A |
| Optimizing Research on Design Logic Diagram of Nuclear Power Plant | |
| <i>Liu Yu-Sui</i> | N/A |
| Feasibility Study of Event-Based PI Controller | |
| <i>Mohammad Sohani, Yuvin Chinniah</i> | N/A |
| Determination of the competitive ion exchange isotherms of taurine and glycine on D290 resin by inverse method | |
| <i>Shujuan Zhuang, Feng Song</i> | (780) |
| Existence of the attractor and numerical analysis for the fractional-order Lü <i>et al</i> power system | |
| <i>Xu guangli, Sun fengyun</i> | (784) |

| | |
|--|-------|
| United simulation of hydraulic system and control system of dumping casting machine by low flow hydraulic driving <i>JIN Kai, YAN Hong-zhi, TAN Wu-zhong, CHEN Xin-yu</i> | (788) |
| Statistical Leakage Power Modelling of Manufacturing Process Variations at System Level <i>Chenxi Ni, Z. Al Tarawneh, Gordon Russell, Alex Bystrov</i> | (792) |
| The Defect-Detection System for Firearms Bore <i>Wen Zhang, Chensheng Wang, Guang Yang, Zhiqiang Chen, Lei Li</i> | N/A |
| Evaluation of Electric Vehicles' Impacts and Rationalization of Their Energy Sources' Distribution: Based on Analytic Hierarchy Process and multi-objective programming model <i>Zeming Jiang, Chi Wang</i> | N/A |
| Study on Controlling and Simulation of Drive System for Permanent Magnet Synchronous Motor in Electrical Vehicle <i>Li Ping, Cao Lan</i> | (804) |
| Testability Evaluation Method Based on Multi-source Information Fusion Technique <i>Jin Luo, QiBin Deng, PengCheng Fu</i> | N/A |
| The Electromagnetic Nondestructive Testing Device of the Wire-rope-core Transmission belt <i>Guozhou XIAO, Zezhou YANG</i> | (811) |
| Application of Smith Prediction Compensation Control Strategy in Monitor AGC of the Cold-rolling Mill <i>Li Shaoming, Yang Bo, Zhang Jiayan, Zhang Guoli</i> | N/A |
| A Novel Method for Shaft Torsional Oscillation Suppression in Servo Systems <i>Lei Gu, Shan-ming Wan, Jicheng Yu</i> | (819) |
| Mechanical Behavior Research for Pressuring and Crawling Institutions of Cone Lamp Pole <i>Liu Zhong-bin, Wu Hui, Gu Nan-jiang</i> | N/A |
| Application of S7-200 PLC to the monitoring system of strip steel temperature <i>Xiaoyong Zhang, Danghong Zhang, Yixin Su, Pei Lv</i> | (827) |
| Quick screen of thermal resistance for batching high brightness LEDs <i>Jingwan Li, Shiwei Feng, Guangchen Zhang, Zhou Zhou, Chunsheng Guo</i> | (831) |
| Design of the Wireless Monitoring System of Solar Lamps Based on ZigBee and GPRS <i>Mingxia SU, Yixin SU, PeiLV</i> | (834) |
| The research, design and implement of PSISimulator <i>Deng Su Bi, Zhang Yan, Man Zhen Mei</i> | N/A |
| Parallel Force Control for a Robot Gripper Based on Grey Prediction Models <i>Xuelin Wang, Xinjian Fan, Yongguo Zhao, Shiguo Ma</i> | (841) |
| A Combined System of APF and SVC for Power Quality Improvement in Microgrid <i>Tuo Dong, Linchuan Li, Zhengbo Ma</i> | (846) |
| The Design and Simulation of Adaptive Fuzzy-PID Control in the Ceramic Detecting System <i>Jin-Gang Lai, Xiao-Qing Lu</i> | N/A |