

Progress in Electromagnetics Research Symposium

(PIERS 2013 Stockholm)

**Stockholm, Sweden
12 - 15 August 2013**

Volume 1 of 2

ISBN: 978-1-62993-458-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by the Electromagnetics Academy
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Electromagnetics Academy
at the address below.

Electromagnetics Academy
777 Concord Avenue, Suite 207
Cambridge, MA 02138

Phone: (617) 258-8766

Fax: (617) 258-8766

tpc@piers.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Silicon-based Magneto-optical Isolator and Circulator Fabricated by Direct Bonding Technology	21
Quantum Electrodynamics in the Presence of Moving Bodies	25
Curve-fitting Formulas for Fast Determination of Frequency Band-notched Response of UWB Antennas	28
A Novel Frequency-tunable Antenna with a Wide Tuning Range	33
Design of Linear Biconical Antenna Array for the Generation of Trapezoidal Pattern	39
Layer Homogenization Method for Modeling Additive Color Effect in Natural Photonic Polycrystals — The Case of <i>Entimus imperialis</i> Weevil	43
Numerical Analysis of Grating and Prism Coupled Surface Plasmon Resonance	48
Determination of the Optimal Value of the Radius of a Circular Cylindrical Post in a Rectangular Waveguide for Measurement of the Dielectric Permittivity	52
Image Appraisal of Full Waveform Inverted GPR Data	58
Guaranteed Estimates of Linear Continuous Functionals of Solutions and Right-hand Sides of the Helmholtz Equation in the Domains with Infinite Boundaries under Uncertainties	65
Calculating the Scattering from Periodic Conducting Surfaces without Using Evanescent Modes, Part I: Existence of a Solution	70
FDTD Simulation of Waveguide with Non-uniform Dielectric Slab	76
Remarks on the Mathematical Solution of the Hollow Cavity Eigenvalue Problem	79
The Resolution of Identity: A Unifying Concept in Field Theory	84
Asymptotic Analysis of the Whistler Waves Propagation in Space Plasma Thrusters	89
Electromagnetic and Gravitational Origin of Dark Energy in Kaluza-Klein $D = 5$ Spacetime	94
Synthesis and Properties of the LiNbO_3 Thin Films Intended for Nanogradient Structures	98
Quantum Blooming: The Influence of the Detuning of the Antireflective Wells and the Phenomenon of Nonsymmetric Transmission	102
Magnetoelectric Current Sensor	105
Microwave Power Absorption in Human Body for Non-invasive Glucose Monitoring	109
Ultra Weak Photon Emission from <i>Saccharomyces Cerevisiae</i>	114
Changes in DNA Methylation Wheat Seedlings in First and Second Generations under Influence of EHF EMI	118
Fractal Labyrinths and Planar Nanostructures	122
Passive Super-Low Frequency Remote Sensing System	126
Multi-band Circular Patch Antenna for Wideband Application	130
The Comparative Analysis of UWB Antennas with Complementary Characteristics: A Functionality in FS and Applicability for the Usage Close to Tissues	134
Optimized Reflector Position for Vlasov Antennas	139
The Imbedding Method in the Internal Electrodynamics Problem of Parabolic Reflector Antennas	144
Feasibility of Using an Absorptive Cover for Ice, Snow or Water Removal from Radome Surface	149
Windowing of the Discrete Green's Function for Accurate FDTD Computations	155

Global Base Approach to H -polarized Wave Scattering by Conducting Circular Cylinders	160
Optical Interaction of Two Closely Spaced Nanoholes in Au Film	165
Novel All-optical Logic Gates Based on Microring Metal-insulator-metal Plasmonic Waveguides	169
Characteristic Planes of Microstrip and Unilateral Finline Tee-junctions	173
A K-band Direct Injection-locked Frequency Divider Using Harmonic LC Tanks	180
Electromagnetic Signal Processing for Feature Extraction and Classification of Lossy Dielectric Targets	184
Bivariate Statistical Analysis for Electromagnetic Reverberation Chamber	188
Design of the Electric-fields Probe in the Personal Exposure Meter	192
Capacitively-loaded Inductively-coupled Fed Loop Antenna with an Omnidirectional Radiation Pattern for UHF RFID Tags	195
Design of Coplanar Sensor for the Permittivity Measurement of Thin Dielectric Samples	198
Inverse Modeling of Pseudo-interdigital Bandpass Filters Using Artificial Neural Networks	202
Metasurfing Substrate Integrated Waveguides to Mold the Radiation from Leaky Waves	206
Continuous Transition of Heat Transport across a Closing Vacuum Gap from Thermal Radiation to Thermal Conduction	212
A Triple-mode Passband Filter with Improved Upper-stopband Performance	217
Automated Design of Frequency Selective Surfaces with the Application to Wi-Fi Band-stop Filter ...	221
Reflectance Spectroscopy of $Ba_{3+x}Zn_{1+y}Nb_2O_9$ Perovskites	225
Modular Antenna Array Concept for Millimeter-wave Beam-steering Applications	229
Analysis and Design of Multi-mode Dielectric Waveguide Interconnect with Planar Excitation	234
Design Considerations for a Low-frequency Vivaldi Array Element	240
Ultra-Wideband Tightly Coupled Phased Array Antenna for Low-Frequency Radio Telescope	245
A Compact Triple-band Filtering Microstrip Patch Antenna with the Same Polarization Planes	250
A Study of Partial Resonance Control for Edge Elements in a Finite Array	253
Broadband, High Gain, See-through Antenna for WiFi, WiMax and LTE 2600 Radio Networks	257
A Fractal Microstrip Array Antenna with Slots Feeding Network for DTV Reception	262
Wavelength-dependent Switching of a Nonlinear Optical Loop Mirror	266
Complexified Spherical Waves and Their Sources in the Physical Space	270
Spatiotemporal Properties of Broadband Axicon Fields	274
Semi-automatic Polarimetric SAR Image Classification by MD PSO Based Dynamic Clustering	279
New Propagation Regime for Nonlinear Guided Waves: Coupled Electromagnetic TE-TM Wave Propa- gation	285
Reconstruction of Permittivity and Permeability Tensors of Anisotropic Materials in a Rectangular Waveguide from the Reflection and Transmission Coefficients at Different Frequencies	290
Parameter Optimization of Waveguide Filters Employing Analysis of Closed-form Solution	296
Computing Ground-Wave Electric Field at MF Band via FDTD Method	300
Longitudinal Voltages, Induced by Parallel Overhead Transmission Lines Magnetic Field	305
Effective HF Modeling of Passive Devices Based on Frequency Dependent Hodge Operators and Model Order Reduction	310
Image Restoration of Two-dimensional Signal Sources with Superresolution	315
A Direct Spectral Domain Method for Near-ground Microwave Radiation by a Vertical Dipole above Earth in the Presence of Atmospheric Refractivity	320
A Variational Approach to Compute Singular Axisymmetric Electromagnetic Fields	325
Electromagnetic Sources and Observers in Motion X — Unification of Electromagnetism and Gravity .	330

Performance Analysis of Blind Calibration in Five-port Receivers Based on Blind Source Separation ..	336
Propagation Measurement of a Partially Open Drain: An Examination of the LOS and NLOS Sections	340
Analysis of the Benefits of Diversity Polarization in Wireless Networks	344
Conception of Radio Frequency Link in the Radio of 3.5 GHz in Consonance with the National Brazilian Rules and International Legislation	348
Some Insights on the Amount of Fading in Radio Channels	355
RF Identification (RFID) Reader with Long Read Range in the UHF Band	360
Simulation and Implementation of TDOA Monitoring System for Broadcasting Interferences	364
Design Guidelines of a Microwave Active Front-end Receptor: A LNA Approach	369
Statistical Analysis of On-body Radio Propagation Channel for Body-centric Wireless Communications	374
Path Loss Characterization of Body-to-body Radio Propagation Channel on the Angular Variations ..	379
The Influence of Textile Dielectric Properties in On-body Radio Communication Channel Performance at 2.45 GHz	383
Mathematical and Numerical Analysis of Dielectric Waveguides by the Integral Equation Method	388
Coupled Electromagnetic Wave Propagation in Space and around Surfaces and Interfaces	394
The Stability of EM Particles and Predicted Mass Ratios	399
A Novel Approach for the Construction of Dirac's Delta Functions	405
Electromagnetic Sources and Observers in Motion IX — Nature of Gravity	411
The Uniqueness Theorems in the Electromagnetic Wave Theory and Quasi-periodical Solutions of the Periodical Diffraction Problems	416
The Over-determined Boundary Value Problems for the Maxwell Equations Set in the Orthogonal Coordinates and Some Applications for the Electromagnetic Wave Diffraction Problems	421
Plasma Treatment as a Versatile Technique for Preparation of Plasmonic Nanoantenna Arrays	426
The Dispersive Properties of the Three-dimensional Photonic Crystals with Diamond Lattices Containing the Epsilon-negative Materials	431
A New Triple-band Polarization-insensitive Wide-angle Microwave Metamaterial Absorber	435
Studies on Fano Resonances in Subwavelength Plasmonic Nanostructures	439
Spectral Density Analysis of Thin Gold Films: Thickness and Structure Dependence of the Optical Properties	443
Variable Forbidden Regions in Metamaterial Planar Waveguide with Nonlinear Cladding	448
New All-optical Switch Based on the Local Nonlinear Plasmonic Mach-Zehnder Interferometer Waveguides	452
Magnetolectric Microwave Module for Phased Array	455
High Tunable and Low Loss Capacitor Using a BZN/BST/BZN Multi-layer Thin Film Dielectric for Reconfigurable RF Circuit Applications	459
Large-signal Properties of 3C-SiC/Si Heterojunction DDR IMPATT Devices at Terahertz Frequencies	462
A High Efficiency Broadband Supply Modulator Based on Switch-mode Operations for Polar Transmitters	468
Separation of Overlapped Compressed Cyclostationary Signals Using Adaptive FRESH Filtering	473
Depth-image Coding Using Neural Networks for 3D Video Transmission	479
Characterization of Dissipation Due to Quasiparticles and Dielectric Loss in a Josephson Metamaterial	484
RFID Tag on PCB in UHF Band	489
Deep Defect Detection Using Eddy Current Testing with AMR Sensor	493
Comparative Study on Graphene-based Artificial Magnetic Conductor (AMC)	496
Single Layer Meta-material Lens with Graded Refractive Index	500

Stability of Nonlinear 2D-tunnel Bifurcations in Systems of Interacting Quantum Molecules in the Meta-material Matrix	504
Slotted Patch Antenna Loaded with Metamaterial	508
Metamaterial Included Slotted Patch Antenna versus Metamaterial Cover over Patch	511
Snow Cover Effect on Brightness Temperature of Arctic Ice Fields Based on SSM/I Data	514
Impact of Counselling Programs on the Academic Results at Telecommunication Engineering Degree ..	519
Understanding Matching Circuits; Plastic Made Quasioptical Multilayer Matching Unit Design at X-band	523
Virtual Laboratory for Microwave Devices	527
Characterization of Snow Cover Areas by Change Detection Applied to COSMO-SkyMed Images	531
An Alternative Derivation of the Equivalent Networks for Spherical Modes Using the Extended Kuroda Transform	536
Design of Miniature Multiband Fractal CPW-fed Antenna for Telecommunication Applications	544
A Stacked Microstrip Antenna with CSRR Arrays for Beidou Navigation System	548
Single Layer Cylindrical Frequency Selective Structures for Radome Applications	553
Comparison between Two Methods for Directivity Enhancement of Antennas through 2-D EBGs	557
Manufacturing and Applications of Screen-printed RFID Tags on Paper Substrate	562
Printable RFID Antenna with Embedded Sensor and Calibration Functions	567
On the Influence of Edge Roughness in High-speed RFID Antenna Manufacturing Processes	571
Design of Sierpinski Grid Patch Antenna for Multiband Application	577
A Battery Free RFID Sensor for Quality Detection of Food Products	583
A Microstrip-fed Printed Slot Antenna for 3G/Bluetooth/WiMAX and UWB Applications with 3.6 GHz Band Rejection	588
Symmetrical T-stubs Coupled Miniature Square Open-loop Dual-band Bandpass Filter for C- and X-band Applications	593
Theoretical Study of the Coupling Factor of Open-ended Coupled Transmission Lines at First Resonant Frequencies under Quasi-TEM Propagation	596
A V-band Low Noise Amplifier with 18.1 dB Gain and 6.3 dB NF in 90-nm CMOS Process Technology	601
The Band-pass SIW-filter Based on L-ridged Rectangular Waveguide	605
Cooperative Communications Based on Smart Antenna Systems Using PSO Algorithm	610
Evaluation of UWB Chipless RFID System Performance Considering Indoor Multipath Propagation Channel and Real World Aspects	616
On the Use of Huygens' Sources for Synthetic Propagation Environments with the Application in MIMO Over-the-air Testing	621
Variability of Radio Channel Characteristics in Different Indoor Environments	625
Novel Methodology for Increasing the Reading Range of the UWB Passive RFID Chipless Tags Considering Power Regulations	630
Reduced Volume Integral Formulations for an Open Waveguide Based on the Cylindrical Vector Wave Expansion	633
Plasmonic Cavity Modes: Black-hole Phenomena Captured by Perfectly Matched Layers	638
The Reconstruction of Dielectric Profile of a Layer for the Harmonic Wave Case	643
Adaptive Artificial Boundary Conditions for Schrödinger Equation with Un-instantaneous Nonlinearity	648
Benefits of Using Wireless Sensor Networks to Predict Plagues in Vineyards	653
GP GPU Acceleration of a PO Based RF Simulation Software Dedicated to Radar Simulation in Large Scale and Complex Environments	657
Fe:BN Nanoceramic — Negative Refraction Material in the Wide Frequency Range	662

Bundle Block Adjustment with Optical and SAR Images	666
Micro-doppler Analysis of Rotating Targets in Dual-channel Bistatic SAR	673
Snow Wetness Estimation from Polarimetric SAR Image	678
Optical Data Storage Using Diffractive Optical Elements	683
Multi-dimensional Shift Multiplexing for Holographic Data Storages	687
On the Modeling of an External Cavity Tunable Laser ECTL Source with Finite Mirror Dimensions ..	691
Omnidirectional Absorber Based on Collision Plasma Heterostructures	695
Design of a Compact Dual-mode Dual-band Microstrip Bandpass Filter Based on Semi-fractal CSRR ..	699
Synthesis of Non-uniform Planar Lines and Coupled Line Filters Using Inverse Scattering Approach ..	704
Calculating the Scattering from Periodic Conducting Surfaces without Using Evanescent Modes, Part II: Formulation of the Solution	709
Some Ideas Yet Unattempted in Georadar Full Waveform Inversion	714
Compton Effect in the Medium with Non-unity Refractive Index	721
An Acoustic Inverse Scattering Problem for Spherical Coating Materials with Radially Inhomogeneous Profile	725
Properties of One-way Magneto-optic Nanostructures in THz Range	730
Broadband Characterization Using Stripline Structure	736
Design and Simulation of Optimized Ultra-wideband Saddle Antenna	739
Digital Public Safety Radio Communication	744
A Compact UWB Antenna with Wide Band-notch at 5 GHz for WLAN Band	750
Effect of Stationary Magnetic Fields on Different Bacterial Strains	754
Enhanced Spectrum Planning in Cognitive System Based on Reinforcement Learning	759
2D Simulations of Bioelectrical Properties of Thorax by EIT	763
Estimation of the Air Ion Mobility Spectrum by Means of a Gerdien Tube with a Segmented Inner Electrode	767
Study about Effects Induced by Temporal-variability of Ionosphere on Medium-Earth-Orbit SAR Az- imuth Imaging	772
Design and Synthesis of Multi Resonant Planar Antenna Using Particle Swarm Optimization Method ..	776
Advanced Photonic Crystal Structures for Nano-scale Photonic Integrated Circuitry	780
Simulation of Motional Averaging with a Superconducting Circuit	785
Quantum Deformed Richardson-Gaudin Model	789
Proton Beam Induction of Quantum Correlations in Silicon Nanocrystal	794
Optical Sensor Based on LSPR Phenomenon to Reveal Cholesterol Concentrations for Biomedical Ap- plications	797
Casimir Friction for Media of Finite Density	801
VHF EMF Portable Radio Assessment	806
Conductivity and Permittivity Measurements of Children and Adult's Hands Covering Mobile Commu- nications Frequency Bands	810
Characterization of HF RFID Tags Exposed to Moisture Based on Threshold Power Measurement	815
Non-invasive Antenna Pattern Characterization Using Time-domain and Frequency-domain Measurement Techniques	819
Far Field Gain Estimation Method for Japanese Broadband Antenna Standard Using Time-frequency Analysis	824
Extended <i>S</i> -parameter Method for Radiation Characteristics and Mutual Coupling of Multiport Antennas	829

Path Loss Characteristics in a Civil Laboratory Building at a Frequency of 2.4 GHz	833
Detection Reliability Analysis of Passive DAS RFID System	837
High-frequency Scattering by Strongly Elongated Spheroids	842
Diffraction by an Acute-angled Dielectric Wedge: The H -polarization Case	846
Conductor Locations Reconstruction in a Cylindrical Winding Model	850
The Eigenvalue Problem for a Bianisotropic Cavity	858
Wide-field Circular SAR Imaging Studies Based on Ground-based Experiments	863
An Accurate High Resolution ISAR Image Reconstruction Method Based on 2-D Nonuniform Fast Fourier Transform	867
Short-range Ground-based SAR Imaging Experiments: Application of Back-projection Algorithm	872
Compressed Sensing Based Near-field Inverse Synthetic Aperture Radar Imaging	876
Huynen Dichotomy-based Radar Target Adaptive Extraction	881
Huynen Dichotomy-based Unsupervised Terrain Classification	886
Scattered Intensity Distribution at near the Glass Transition of Charged Fibrous Virus (fd) Suspensions	891
Deep Field Penetration in Cylindrical Conductors	895
NMR Lens — Mapping of the Magnetic Field	900
A Measurement System for Electrical Impedance Tomography	905
Identification of Bacteria Strains via Advanced Methods for the Statistical Processing of Near-infrared Spectra	910
The Effect of a Magnetic Field on the Speed of Temperature Change	915
Response of a Layered Medium to an Obliquely Incident Wave	921
Low-level Measurement of the Electric Field Intensity around a Heterogeneous Structure	925
Consequences of the Extended Field Theory	930
Automated Segmentation of Brain Tumor Edema in FLAIR MRI Using Symmetry and Thresholding	936
Hypothesis for the Identity of the $L_2(c, \rho, n)$ and $\hat{L}_2(\hat{c}, \hat{\rho}, \hat{n})$ Numbers and Its Application in the Theory of Waveguides	940
An Analysis of a Strip Antenna Located at an Interface between Free Space and a Magnetoplasma	946
Exactly Solvable High Frequency Model of a Coil of Finite Length	951
Complex Permittivity Determination of Homogeneous Objects Loaded in Circular Waveguide via Integral Equation Method	956
Current Density Estimation and Visualization for Exposed Live Transmission Line Workers	961
An Efficient Implementation of Yasuura's Method of Modal Expansion by Sequential Accumulation	969
A Grating-based Plasmon Biosensor via Phase Detection with Wide Measurement Range	974
Parallel Performance of the Multi-threaded ICCG Solver in Electromagnetic Finite Element Analyses on the Latest Processors	979
Maxwell Equations of Electromagnetic and Gravitational Fields in the Curved Spaces	984
Adjoint Fields of Electromagnetic and Gravitational Fields in the Curved Spaces	989
Dense Waves in Electromagnetic and Gravitational Fields	994
Numerical Modelling of Heat Flow Distribution Based on the Nodal Heating Method	999
Approaches to the Modelling of Multilayer Materials	1003
Inhomogeneous Spatially Dispersive Electromagnetic Media	1007
An Electromagnetic Meta-lens Based on a New SRR Type for Antenna Gain Enhancement	1013
Multifunctionalized Self-supported (Nano) Membranes as Integrated Platform for Plasmonic Metamaterials	1016

Automatic Tracking of Bandpass Sampling OFDM Signal in Mobile Environment	1021
A Reconfigurable Miniaturized Spiral Monopole Antenna for TV White Spaces	1026
Dual Polarized High Front-to-back Ratio Microstrip Slot Antenna	1030
A Proximity-fed Elliptical-shaped Aperture UWB Antenna with Triple Band-rejection Property	1034
Design and Development of Reconfigurable Microstrip Patch Antenna Using MEMS Switch for Ku-band Application	1039
Wideband Patch Antenna for X-band Applications	1043
A Fractal-based Printed Slot Antenna for Multi-band Wireless Applications	1047
Effects of the Length Variations of LYSO and Plastic Optical Fiber on the Energy Spectrum Responses of a Fiber-optic Radiation Sensor	1052
A Novel Multipath Limiting Quadrifilar Helix Antenna for Local Area Augmentation System	1056
Short-temporal Magnetosphere-ionosphere Predictors of Catastrophic Earthquakes	1060
Compact Low Phase Noise Oscillator Using Symmetrical Square Open-loop with Loaded T-stubs Resonator	1064
Open Stub Band-pass Filter Using Stepped Impedance Resonator for Size Reduction	1068
Compact Reconfigurable Dual Mode Resonator with Switchable Band Using RF PIN Diodes	1072
Electromagnetic Field as Human Health Risk Factor: EMF Safety Ensuring by Hygienic Standardization	1077
Design of an Optimal Multi-layered Electromagnetic Absorber through the Central Force Optimization Algorithm	1082
Narrow Bipolar Pulses and Associated Microwave Radiation	1087
Coaxial Reflection Probe for Measurements of Temperature and Frequency Dependent Dielectric-properties of Low-loss Liquids	1091
Design of Stripline Kicker for Tune Measurements in the MAX IV 3 GeV Ring	1095
Compact Microstrip Patch Antenna for Ultra-wideband Applications	1100
A Theoretical Investigation of the Influence of Underground Power Cable Parameters on Magnetic Field Levels	1105
Possible Methods for Limiting Magnetic Fields outside a High Voltage Power Substation by Changing the Phase Sequence of Busbar Wires	1109
An Improvement Method of Diversity Effect for the Linear Polarization Diversity by Decreasing the XPD Value	1113
Numerical Study of Dual-frequency Stacked Annular-ring Microstrip Antenna	1117
Analysis of Multisection Rectangular Waveguide Impedance Transformers	1120
A Compact Elliptic Bandpass Filter Using Cross-coupled Miniaturised Hairpin Resonators Packaged by COB Method	1124
Directivity Enhancement of an X-band Horn Antenna Loaded by a Wire Medium	1128
Electric Field Tunable Domain Ferromagnetic Resonances in (111) Yttrium-iron Garnet Films	1132
Electromagnetic Interactions between Interconnected Patch-ring (IPR) Structures and Planes in Electronic Packages and PCBs	1137
Low Electrical Crosstalk Design Results of Monolithic Integraed Bi-directional Optoelectronic Transceiver and Its Package	1143
Recent Advances in 3D-IC EMC Measurement Methods	1147
All Optical Frequency Conversion Utilizing Nonlinear Dynamics of Semiconductor Lasers Subject to Optical Square Wave Injection	1153
Multiband-OFDM Ultra Wideband Wireless Signals over Fiber Transmission	1158
An Efficient and Flexible Satellite Repeater Based on Optical Frequency Combs Technology	1164

Microwave Frequency Multiplication Based on Double-pass Modulation and Fiber Ring Microwave Photonic Filters	1169
Compact Quad-band PIFA Antenna for LTE Handsets with MIMO and Low Mutual Coupling	1173
Reliable and Energy Efficient Communications for Wireless Biomedical Implant Systems	1178
Numerical Investigation of Body-worn Ultra Wideband Antenna Localisation Techniques for Motion Capture Applications	1183
Characterization of Electro-textiles Using Wireless Reflectometry for Optimization of Wearable UHF RFID Tags	1188
Magnetic Field Expulsion in Perfect Conductors — The Magnetic Equivalent of Thomson’s Theorem	1193
The Darwin-Breit Magnetic Interaction and Superconductivity	1198
The Magnetic Force as a Kinematical Consequence of the Thomas Precession	1203
Development of Graphical User Interface for Modern FDTD Simulation Tool	1210
Examination of Discrete Green’s Function Approach to Absorbing Boundary Condition in FDTD Method	1215
Driven Eigenproblem Computation for 2D Periodic Structures	1219
Hight Order FD Computation of TE and TM Modes in Single Grid	1224
3D Conductivity Image Reconstruction Based on Electrical Impedance Tomography	1228
An Electrical Explanation of the Electrical Behavior of Metals	1232
A Methodology for Short Basis Velocity Measurement in Moving Objects	1238
Harmonic and Intermodulation Performance of Contact-type MEM Microswitches	1242
Giant Magnetoimpedance Effect in Nanocrystalline Microwires	1246
Astronaut Monitoring for Bow Shock Front of Petergius Nebular	1250
Spacecraft Monitoring for Magnetic Field of Planet Mercury	1253
Monitoring for Sea Caldera Formed at Tsunami Earthquake	1257
A Two Order Bandpass Filter Designed with Lowpass Filter Sections	1260
70 GHz Tx and Rx LCP SoP Module for Point-to-point Millimetre Wave Applications	1264
The Design and Implementation of an EMC Pre-compliance Board	1267
Magnetoelectric Transducers	1271
Shielding Effectiveness of Plasma Coated Multi-layered Shields	1275
Metamaterial Inspired Microstrip Patch	1279
Experimental Graduate Projects on Electromagnetism in Physics Courses	1282
RF Heating of Conducting Film/Silicon Substrate Structure: The Heat Explosion Theory Approach	1292
Size-effects on Optical Properties of Asymmetric Plasmonic Nanodisk Trimer	1296
Grounding Grid Safety Evaluation under Lightning Current	1300
Spontaneous Emission Enhancement at Finite-length Metal Nanowires	1305
Carrier Phase and Amplitude Manipulation for Linearization and Dispersion Compensation in Radio-over-fiber Systems Using Mach-Zehnder Modulator	1310
Linearization Techniques for Broadband Radio over Fiber Transmission	1315
A Study on OFDM Millimeter-wave Radio over Fiber System	1321
Retrieving Electromagnetic Properties of Anisotropic Magnetic Metamaterials: An Effective-medium Theory	1326
Theoretical Design of a Two-dimensional Acoustic Metafluid with Anisotropic Effective Mass Density	1331
3D Numerical Simulations and Measurements of Effective Dielectric Properties of Oil-in-Water Emulsions	1337
Flexible 3-D Printed Substrates for Antenna Applications	1341

Estimation of Direction of Arrival Algorithms	1346
A Study of SNR Degradation due to Impedance Mismatch in ESPAR Antennas	1352
Antenna Array with Meshed Elements for Beamforming Applications	1356
Performance of Capacity Optimized Line-of-sight MIMO HAP-to-train Architectures	1361
IEMI and EMC Considerations for Large Systems — Smart Grid Aspects	1366
An Experimental Characterization of Substation Impulsive Noise for a RF Channel Model	1371
Wavelet Analysis of the First Pulse of Initial Breakdown Process in Lightning Discharges	1377
Amorphous/Silicone Composites and Their Applications in Microwave Attenuation	1381
Impact of Technology on the Shielding Effectiveness of Barrier Materials Damping Frequency Selected Electromagnetic Fields	1386
EM-safety: Low Frequency Magnetic Field Exposure in Vehicles with Electrical Powertrains	1389
Magneto-optical Investigations of Co- and Fe-rich Composite Glass Covered Microwires	1394
Designed Surface Waves at an Interface of Plasmonic Nanolayered Metamaterial and Isotropic Dielectric	1399
High Quality Porous Silicon Multilayer Structures for Infra-red Applications	1404
A Metal-dielectric Compositied Film Applied to Enhance the Fluorescence Imaging	1409
Generation of Difference-frequency Radiation by Spatially Limited Few-cycle Laser Pulse in Thin Crystal of GaAs	1415
Triple Band Planar Monopole Antenna for MIMO Application	1421
A Novel Wideband and Dual-polarized Cross-antenna for Satellite Communications	1425
Novel Design of Miniaturized Triple Band Square Microstrip Patch Antenna with F Slot for Fixed Service Satellite and Microwave C Band Applications	1429
Invariant Embedding Method Modification for Calculation “Woodpile” Photonic Crystal	1434
A Homogeneous Magnetostatic Field Exposure System for Presowing Magnetic Treatment of Seeds ..	1438
Fractal Zone Plates for Terahertz Focusing and Imaging	1443
A Terahertz Source with High Frequency Accuracy Using a Mach-Zehnder-modulator-based Flat Comb Generator for High Resolution Spectroscopy	1447
Harmonic and Intermodulation Performance of a Radio-frequency Plasma Capacitor	1451
Study of the Dispersive Properties of Three-dimensional Magnetized Plasma Photonic Crystals with Diamond Lattices	1455
Frequency Multiplier Based on Nonlinear Defective Photonic Crystal	1459
Collapse of Nonlinear Dust Sound Pulses in Dusty Plasma Waveguides	1463
Effects of Plasma Formation on Reflection of Laser Light in Ablation of Metals in Air	1468
Volume Scattering Influence on MARSIS and SHARAD Data Inversion	1473
Electromagnetic Susceptibility Analysis of Printed Circuits Board (PCB) and Their Impact to IEC 61000-4-3	1478
3-phase VSC Modifications for Symmetrical and Asymmetrical Operation	1482
Design Optimization of the Exponentially Tapered Microstrip Impedance Matching Sections Using a Cost Effective <u>3-D-SONNET</u> -basedSVRM with the Particle Swarm Intelligence	1490
Space Gravity Optimization Applied to the Feasible Design Target Space Required for a Wide-band Front-end Amplifier	1495
Impact of Uncompensated Ionospheric Distortions on MARSIS Data	1500
Subsurface Geometry Influence on Radar Returns in the Orbiting Ground Penetrating Radar Context	1505
Consequences of Electromagnetic Stimulation on Hydraulic Conductivity of Soils	1510

UWB SAR Landmine-enhanced Imaging Based on Aspect-frequency Characteristics Using Sparse Representation	1515
Robust Compressive Imaging Approach to Through-wall Imaging Radar Based on Stepped-frequency and Virtual Aperture	1520
Model for Determination of Territorial Distribution of Surface Radio Refractivity	1525
HEMS with Wireless Power Transmission and Energy Harvesting	1530
A New CPW-fed Circularly Polarized Square Slot Antenna Design with Inverted-L Grounded Strips for Wireless Applications	1536
Investigation of Preliminary Breakdown Pulses in Lightning Waveforms	1542
Lorentz Contraction, Apparent or Real	1547
High Speed BOCDA Measurement of Strain Distribution by Longitudinal Sweep Method	1550
Magnetic Characterization of Interfering Objects in Resonant Inductive Coupling Wireless Power Transfer	1554
Inductive Power Transmission by Toothed Drive Belt	1560
A 1-kW Wireless Power Transfer Link for Welding Rollers	1566
Obstacle Detection Method Using Array Antenna for Coupled-resonant Wireless Power Transfer	1571
Ultrawideband Radar Future Directions and Benefits	1575
Advances in Imaging of Archaeological Structures Using GPR	1579
High Resolution Imaging with a Holographic Radar Mounted on a Robotic Scanner	1583
Analytical Approach for RASCAN Radar Images of Dinosaur Footprints through Basic Experiments ..	1586
Bringing up the Bodies: High Resolution and Target Definition Using GPR	1591
Concrete Imaging without Information of Incident Field	1597
An Experimental Study of Through-the-Wall Radar for Lifesign Detection	1602
Microwave Diode on the Base of Symmetrically and Asymmetrically Doped Semiconductor Heterojunction	1605
A Waveguide-to-microstrip Line Transition in Multi-layered Structure for 77 GHz Band Automotive Radar Applications	1610
Dispersion Properties of Subwavelength Grating SOI Waveguides	1613
Power Spectra of a Radio Wave Diffracted by Random Electron Density Irregularities	1618
Aperture Averaging of Focused Multi-Gaussian Beams	1623
Real Beam vs. Synthetic Aperture Radar for Slope Monitoring	1627
An Approach for on Body Concealed Weapon Detection Using Continuous Wavelet Transform	1633
Examples of UV Measurements under 400 kV Powerlines in Finland	1640
Stochastic Electromagnetic Plane-wave Pulse with Non-uniform Correlation Distribution	1644
Nonlinear Dissipative Dynamics and Optical Properties of Quantum Dots for Nanomedicine	1649
Effects of Extremely High Frequency EMI on Growth and Some Parameters of Wheat Seedlings Nuclei	1654
Increasing of Fermentative and Antiinflammatory Activity of the <i>Pleurotus Ostreatus</i> (Jacq.:Fr.) Kumm. Culture by Modification of Growth Conditions by MM-waves	1658
Influence of Near Earth Electromagnetic Resonances on Human Cerebrovascular System in Time of Heliogeophysical Disturbances	1661
MRI Imaging of the Physiology of Fungal Pathogens in Cultivated Plants	1666
Comparison and Display of the Water Contained in Early Somatic Embryos	1671
Methods for the Sensing of Ionosphere Changes	1675
Thermal Conductivity and Heat Capacity Measurement of Biological Tissues	1681
Multi-resolution Analysis Technique for Lung Cancer Detection in Computed Tomographic Images	1684

Novel Magnetic Lens for Static Magnetic Field Enhancement	1689
Impact of Electromagnetic Field Generated nearby High Voltage Alternating Current Transmission Lines on Prooxidant-antioxidant Balance in Selected Internal Organs of Rats	1692
System Information Therapy in the Management of Pain: A Pilot Study	1698
The Thermal Analysis of Some Light Sources	1703
Characteristics of an Optical Bowtie Nanoantenna	1708
Redshift by Design for Plasmonic Enhancement of Ultrathin Infrared Detectors	1712
Gain Assisted Surface Plasmon Polariton Propagation in a Schottky Junction Based Cylindrical Structure	1717
Novel, Compact and Multiband Antenna for Mobile and Wireless Communication	1722
Gold Plating Carbon Nano Tube Antenna Integrated with Voltage Control Oscillator	1726
Theoretical Analysis of AC Resistance of Coil Made by Copper Clad Aluminum Wires	1730
Wireless Power Transmission by Enlarging the Near Field	1735
Numerical Study on the Radiative Transmission Efficiency of Dipolar Sources	1740
An Energy Management Circuit Based on Up-conversion to Power Wireless Sensor Nodes	1744
Self-contained Self-powered Wireless Sensing Node for AC Power Supply Cords Monitoring	1748
Design of Ultra Wideband Balanced Antipodal Vivaldi Antenna for Hyperthermia Treatment	1752
Label-free Acoustic and Optical Biosensors Playing on Evanescent Waves	1756
The Estimation of a Gold Nanoparticles Distribution Using the Evanescent Electric Field in Gold Nanoparticles Filled Surface Plasmon Resonance Biosensing	1772
Numerical Analysis of Passively Q-switched Er and Yb Doped Fiber Laser	1776
Design of Multiband Reflection Filters with Dielectric Frequency Selective Surfaces	1781
A 12-cavity Relativistic Magnetron with Optimized Design of Diffraction Output	1784
Narrow-band Wave Block by Chiral Metamaterials	1789
Ray Tracing in an Arbitrary Cloak in Two Dimensions	1792
Electromagnetic Behavior of SRR Loaded Microstrip Transmission Lines: Investigation for Different SRR Types and Array Topologies	1796
Microwave Focusing by a Wire Medium	1800
Novel Rectenna Using Modified Ground Plane for RF Energy Harvesting	1803
A High-efficiency Matching Technique for Low Power Levels in RF Harvesting	1806
Phase Characterization of X-band Minkowski Reflectarray Antennas Using 3-D CST Microwave Studio- based Neural Network Model Included Dielectric Properties	1811
Antenna Array Synthesis, Using Method of Compressed Cosines	1816
High-gain S-band Slotted Waveguide Antenna Arrays with Elliptical Slots and Low Sidelobe Levels ..	1821
Large Impedance Ground Plane Antennas for mm-accuracy of GNSS Positioning in Real Time	1825
Omni-directional Leaky-wave Coaxial Antenna	1830
Robust Beamforming Using Weighted Directional Constraints and Wavelet Blocking Matrix	1834
Design of Elliptic-Function Microstrip Filters with Defected Ground Structures	1838
Electromagnetic Stimulation of Transport in Water for Geoenvironmental Applications	1843
Modeling of Ultra Wideband Antenna Arrays	1849
A Method of Dual-frequency Decoupling for Two-element MIMO Antenna	1853
Body-effect-adaptive Compact Wideband LTE MIMO Antenna Array with Quad Elements for Mobile Terminals	1858
Multiple-feed Coupling Measurements for Luneburg Lens Antenna	1862

Asymmetrical Interdigital Dual-band Bandpass Filter Using Grounded inside Arms with via Holes1866
Systematic Study of the Effective Permittivity in a Periodically Drilled Substrate Integrated Waveguide	1870
A Compact Hybrid EBG Microstrip Bandstop Filter for Digital Clock Suppression in a Power Supply System1875
Switchable Band-stop to All Pass Filter Using Stepped Impedance Resonator1880
Effect of the Ionizing Radiation on the Harmonic and Intermodulation Performance of the CMOS Inverting Amplifier1885
Design Optimization of Microstrip Matching Circuits Using a Honey Bee Mating Algorithm Subject to the Transistor's Potential Performance1890
Electromagnetic Information Delivery as a New Perspective in Medicine1894
A Novel Conformal Antenna for Ingestible Capsule Endoscopy in the MedRadio Band1899
Impact of Electromagnetic Field Generated by Mobile Phone on Prooxidant-antioxidant Balance in Selected Internal Organs of Rats1903
Electric and Magnetic Fields Due to the Operation of Roof Mounted Photovoltaic Systems1908
Experimental Study about the Thermal Effects of EM Sources on Human Skin Tissue1912
Optimized Nanocage for Cancer Photothermal Therapy and Comparison with Other Nanoparticles	..1917
Gap Solitons in Coupled Bragg Gratings with Cubic-quintic Nonlinearity1922
Dual Wavelength Switching by a Bare Fiber Butt Joint in an Erbium-doped Fiber Ring Laser1925
GNSS-based Bistatic Synthetic Aperture Radar Image Formation via Compressive Sensing1928
Monocrystalline-Silicon Microwave Mems.....()	1933

Cwj qt "kpf gz"

"