

2013 IEEE 4th International Conference on Photonics (ICP 2013)

**Melaka, Malaysia
28-30 October 2013**



**IEEE Catalog Number: CFP1399J-POD
ISBN: 978-1-4673-6072-2**

Table of content

Heterogeneous Cognitive Radio on Fiber Technologies for University and/or Community Smart Grids <i>Shozo Komaki</i>	1
Recent Development of New Active Optical Fibres for Broadband Photonic Applications <i>Gang Ding Peng et al.</i>	5
Approaches in Dynamic Bandwidth Allocation in Passive Optical Network Systems <i>Norashidah Md Din et al.</i>	10
Rotationally Asymmetric Optical Concentrators for Solar PV and BIPV Systems <i>Roberto Ramirez-Iniguez et al.</i>	15
Self-mixing effect in THz quantum cascade lasers: Applications in sensing and imaging <i>Aleksandar D. Rakic et al.</i>	18
An Asymmetric Tapered Long Period Fiber Grating: Fabrication and Characterization <i>Sheng Chyan Lee et al.</i>	21
Sensors and Projection Overview of Optical Tomography <i>Ruzairi Abd Rahim et al.</i>	25
Implementation of Thermo-Optic Waveguide Photonics Switch using Polymer Material <i>Abu Sahmah Mohd Supa'at</i>	33
Optically Stimulated Luminescence in Beta Irradiated Ge-doped Optical Fibre <i>D. A. Bradley et al.</i>	38
Single Photodiode Detection for Interference Elimination in SAC-OCDMA Systems <i>Hamza M. R. Al-Khafaji et al.</i>	41
Widely Tunable Multiwavelength Hybrid Brillouin-erbium Fiber Laser Utilizing Virtual Mirror <i>A. W. Al-Alimi et al.</i>	44
Wireless Signals Transport Schemes in Fiber Wireless Systems <i>Redhwan Q. Shaddad et al.</i>	47
Sensitivity and Response Time of an Ozone Sensor <i>Michael David et al.</i>	50
Plastic Optical Fibre Physiological Bending Sensor Based on Fibre Tilt Angle Loss Measurement <i>M. A. Zawawi et al.</i>	53
Impact of Auger Recombination on Hybrid Green Light-Emitting Diode <i>Shruti Verma et al.</i>	56
Influence of Anisotropic Raman Gain on Four- Wave Mixing Signals <i>Nobuyuki Fujimoto et al.</i>	59
Laser Ablation Synthesis of Silver Nanoparticle in Graphene Oxide and Thermal Effusivity of Nanocomposite <i>Amir R. Sadrolhousseini et al.</i>	62

Spectroscopic Characterization of a 2.3m GaInAsSb-based VCSEL Structure	
<i>G. M. T. Chai et al.</i>	66
Study on the Performance of Slotted and Non-Slotted Optical Burst Switched Networks	
<i>Yahaya Coulibaly et al.</i>	69
Performance Analysis of Gallium Lanthanum Sulfide and Cuprous Oxide as Nanoplasmonic Couplers	
<i>Rakibul Hasan Sagor et al.</i>	72
Surface Plasmon in Slab Waveguide: A Verification Test-Bed	
<i>W. R. Wong et al.</i>	75
High Speed Low Noise InAs Electron Avalanche Photodiodes for Telecommunication and Infrared Sensing Applications	
<i>Pin Jern Ker et al.</i>	78
Impact of Four Wave Mixing on OSNR of Multiwavelength Brillouin-Erbium Fiber Laser	
<i>N. A. Cholan et al.</i>	81
Performance of a 162.5 Gbps WDM System Transmitting Over FSO Medium	
<i>M. Khazaali et al.</i>	
Numerical Modeling and Analysis of CdS/Cd(1-x) Zn(x) Te Solar Cells as a Function of CdZnTe Doping, Lifetime and Thickness	
<i>Mohammadnoor Imamzai et al.</i>	87
Frequency Modulation Optimization of Nonlinear Optical Z-scan by High Repetition Rate Femtosecond Laser	
<i>M. S. Z. Abidin et al.</i>	90
Experimental Demonstration of a Downlink Remote Optical Local Oscillator for Radio Over Fiber System	
<i>N. Mohamed et al.</i>	93
Centralized Monitoring and Fault Localization for Passive Optical Network	
<i>Nani Fadzlina Naim et al.</i>	96
Weight Optimization of Variable Weight OCDMA for Triple-Play Services for Triple-Play Services	
<i>S. Seyedzadeh et al.</i>	99
Direct Optimization of Y-Branch Silicon Nitride Optical Waveguide for Evanescent Field Biosensor	
<i>K. N. Khor et al.</i>	102
Raman Mapping Studies of Human Ectocervical Tissue	
<i>Amuthachelvi Daniel et al.</i>	105
Sensing Range Assessment of Optical Fibre Physiological Bending Sensor	
<i>M. A. Zawawi et al.</i>	108
Performance Comparison of OCDMA Codes for Quasi-distributed Fiber Vibration Sensing	
<i>Ambali Taiwo et al.</i>	111
Fabrication and Evaluation of Surface Plasmon Resonance Optical Sensor for Heavy Metal Ions Detection	
<i>Yap Wing Fen et al.</i>	114

Mitigation of FWM Crosstalk in WDM System Using Polarization Interleaving Technique	
<i>Haider J. Abd et al.</i>	117
New Dynamic Technique for SAC-OCDMA System	
<i>M. H. Kakaee et al.</i>	120
Self-homodyne Coherent OFDM Packet Transmission Without Carrier Frequency or Common Phase Error Estimation	
<i>Ruben S. Luís et al.</i>	123
Temperature Tuning of Band Edge Resonant Modes in One-Dimensional Photonic Crystals	
<i>Kee-Choon Yeong et al.</i>	126
A Dynamic Optically Reconfigurable Gate Array Using a Blue Laser	
<i>Takayuki Kubota et al.</i>	129
Investigation of Performance of 3LCDM Over High Speed Optical Fiber	
<i>Faranak Khosravi et al.</i>	132
Raman Spectroscopic Characterization of Blood Plasma of Oral Cancer	
<i>P. Rekha et al.</i>	135
Multiwavelength Brillouin-Raman Fiber Laser Utilizing Linear and Ring Cavity Structures: A Comparative Study	
<i>A. K. Abass et al.</i>	138
Injection Locked VCSEL Based Oscillator (ILVBO)	
<i>Juan Coronel et al.</i>	141
Application of Infrared Sensor for Shape Detection	
<i>S. A. Daud et al.</i>	145
Enhancement of Fiber-SPR Sensor Utilizing Graphene Oxide	
<i>P. T. Arasu et al.</i>	148
Investigation of Continuously Adjustable Extinction Ratio in a Multi-wavelength SOA Fiber Laser Based on Intensity Dependent Transmission Effect	
<i>A. H. Sulaiman et al.</i>	151
Optical Emission Spectroscopy Study on Deposition Process of Silicon Carbide Thin Films	
<i>M. F. Omar et al.</i>	154
Impact of Passive EDF Length on the Performance of Linear Cavity BEFL	
<i>T. F. Al-Mashhadani et al.</i>	157
Combination of Walsh and Golay Codes in Modulating the Pump Light of Phase-Shift Pulse BOTDA Sensor	
<i>M. S. D. B. Zan et al.</i>	160
Simultaneous Vibration and Humidity Measurement Using a Hybrid WDM/OCDMA Sensor Network	
<i>A. Noura et al.</i>	163
Encoder-Decoder Design for SAC-OCDMA using Flexible Cross Correlation (FCC) Code Algorithms	
<i>Mohd Rashidi Che Beson et al.</i>	166
Beat Noise Mitigation Through Spatial Multiplexing in Spectral Amplitude Coding OCDMA Networks	
<i>Ahmed M. Alhassan et al.</i>	169

Impact of Reflections and ISI on the Throughput of TCP Over VLC Networks with ARQ-SR Protocol <i>Ngoc-Anh Tran et al.</i>	172
BER Analysis of All-Optical AF Dual-Hop FSO Systems Over Gamma-Gamma Channels <i>Phuc V. Trinh et al.</i>	175
Coupling Loss Analysis in Fiber Tip Lens and Micro Fabry Perot Multiplexer and Demultiplexer Connection <i>Nor Hafizah Ngajikin et al.</i>	178
All-Optical Noise Cleaning Based on Co-Propagating Lossless Polarization Attraction <i>Matteo Barozzi et al.</i>	181
Polymer Optical Fiber Fabrication Using Chemical Etching and Lapping Technique <i>L. S. Supian et al.</i>	184
Effect of EDF Position on the Performance of Hybrid Dispersion-Compensating Raman/EDF Amplifier <i>M. H. Ali et al.</i>	187
Cascading Raman Lasers for Reducing Their Threshold <i>Hagen Renner et al.</i>	190
BER Evaluation for 3x3 Reconfigurable Multi-Wavelength Bidirectional Optical Cross-Connect <i>Shien-Kuei Liaw et al.</i>	193
Evanescent Field Maximization of Linear Silicon Nitride Channel Waveguide <i>K. N. Khor et al.</i>	197
Selective Mode Excitation in SCM-OCDMA <i>Aliaa Mamoun Kabbour et al.</i>	200
Fiber Bragg Grating Strain Sensor Validation in Metallic Structures <i>Cristian A. Triana et al.</i>	203
Multi Slot Amplitude Coding Performance Improvement with Level Spacing Optimization <i>R. Talib et al.</i>	206
Frequency Domain Chromatic Dispersion Equalization by Fast Block Normalized Least Mean Square for 64-QAM Optical Coherent Receiver <i>Devapriyo Mithun et al.</i>	209
Spectrum-Controlled LED System for Light Quality Testing <i>Wafa Imad Ibrahim Abu Fares et al.</i>	212
Superresolution Imaging in Synthetic Aperture Digital Holographic Microscopy <i>Chau-Jern Cheng et al.</i>	215
Flexible Pulse-Width Tunable 1.06 μ m Pulsed Laser Source Utilizing a FPGA Based Waveform Generator <i>C. E. Ong et al.</i>	218
Optical Properties of GeO ₂ Doped Silica Preform From Absorption and Vibrational Spectroscopy <i>N. Tamchek et al.</i>	221

Performance Evaluation of 2-D Hybrid Code Vs 2-D M-Matrices Code in SAC-OCDMA Systems	
<i>H. Aishah et al.</i>	224
Effects of High Neutron Fluence on the Electrical Characteristics of InAs Quantum Dot Structures	
<i>Dhiyauddin Ahmad Fauzi et al.</i>	227
12-channel Tapered SOI-based AWG for CWDM System	
<i>Nurjuliana Juhari et al.</i>	230
Effect of Bandpass Filter Bandwidth on the Performance of Linear Cavity Multiwavelength	
<i>Amilia Mansoor et al.</i>	234
Innoval Zero Cross Correlation for Spectral Power Density Efficiency	
<i>II. I. Nur et al.</i>	237
Generation of Transform-Limited Picosecond Pulses At 1.0m From a Gain Switched Semiconductor Laser Diode	
<i>Peh Siong Teh et al.</i>	240
Voltage-Controlled All-Polymer Reconfigurable Optical Power Splitter	
<i>Ajinkya Rajandekar et al.</i>	244
Visible Light Communications Localization Using TDOA-Based Coherent Heterodyne Detection	
<i>J. H. Y. Nah et al.</i>	247
Stacked TDM-PON with Colorless ONU for NG-PON	
<i>M. A. Elmagzoub et al.</i>	250
High-Speed Distributed-Feedback Lasers with Nanoscale Surface Gratings	
<i>M. Dumitrescu et al.</i>	253
Performance Evaluation of 8 Channel CWDM System with Cascaded SOAs	
<i>Khadijah Ismail et al.</i>	256
The Development of Hardware for Optical Tomography System	
<i>Siti Zarina Mohd Muji et al.</i>	259
Optimization of Remote Seeding Source and Gain in Minimizing Backreflections Effects on Colorless ONU in 10 Gbps Bidirectional WDM PON System	
<i>A. Ahmad et al.</i>	262
Simulation of Nanoparticle Enhanced Diffraction Grating Biosensor Using DDA	
<i>Khalid Mahmood Arif et al.</i>	265
Aluminum Doped Silica Preform Fabrication Using MCVD and Solution Doping Technique: Effects of Aluminum Solution Concentration	
<i>S. M. Aljamimi et al.</i>	268
Reflectance Response of Optical Fiber Sensor Coated with Graphene Oxide Towards Ethanol	
<i>A. A. Shabaneh et al.</i>	272
Tapered Multimode Fiber Sensor for Ethanol Sensing Application	
<i>S. H. Girei et al.</i>	275

Performance of TEOS/Octyl- Triethoxylane/Triton X-100 on Tris(4,7'- Diphenyl-1,10'-Phenanthroline) Ruthenium (II) Sol-gel for Fluorescence- Based Optical Sensor	
<i>Noor Hafizah Ismail et al.</i>	278
Secure Communication with Practical Two Way Quantum Key Distribu- tion Protocol and Weak+Vacuum Decoy State	
<i>M. F. Abdul Khir et al.</i>	281
Effect of GeCl ₄ /SiCl ₄ Flow Ratio on Germanium Incorporation in MCVD Process	
<i>K. A. Mat-Sharif et al.</i>	284
Design and Performance of an S-band Thulium Doped Modified Silica Fiber Amplifier	
<i>K. P. W. Dissanayake et al.</i>	288
Thermoluminescence Response of Ge-doped Optical Fiber Dosimeters with Different Core Sizes	
<i>Mahfuza Begum et al.</i>	291
Mesoscopic Particles with Resonant and Anti-Resonant Optical Proper- ties in Microfluidics	
<i>Aminuddin A. Kayani et al.</i>	294
Apparent Uniform of Light Emission From Multiple Spot Sources	
<i>Teh Yen Chin et al.</i>	297
Transimpedance Amplifier with Automatic Bandwidth Compensation Technique for Large Window Optical Front-End Receiver	
<i>N. I. M. Elias et al.</i>	300
Half-Opened Cavity Random Distributed Feedback Laser with FBG Wave- length Variation	
<i>A. Jamalud-din et al.</i>	303
Characterisation of a Polymeric Electro-optic Phase Modulator for Sens- ing Applications	
<i>Nadhira Mat Nashim et al.</i>	306
Performance Evaluation of Optical Fiber Sensor Using Different Oxygen Sensitive Nano-Materials	
<i>Suhairi Saharudin et al.</i>	309