

# **IET Irish Signals and Systems Conference**

**(ISSC 2012)**

**IET Seminar Digests 2012/005**

**Maynooth, Ireland  
28-29 June 2012**

**ISBN: 978-1-62993-586-7**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2012) by the Institution of Engineering and Technology  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Institution of Engineering and Technology  
at the address below.

Institution of Engineering and Technology  
P. O. Box 96  
Stevenage, Hertfordshire  
U.K. SG1 2SD

Phone: 01-441-438-767-328-328  
Fax: 01-441-438-767-328-375

[www.theiet.org](http://www.theiet.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

<b>A Novel Concurrent Error Detection Technique for the Fast Fourier Transform .....</b>	<b>1</b>
<i>P. Reviriego; C.J. Bleakley; J.A. Maestro</i>	
<b>Simulation and Analysis of Stochastic Signals Using the Kolmogorov-Feller Equation.....</b>	<b>6</b>
<i>J. Blackledge; M. Lamphiere; A. Panahi</i>	
<b>A Physics-Aware Dead Reckoning Technique for Entity State Updates in Distributed Interactive Applications.....</b>	<b>12</b>
<i>P.J. Walsh; T.E. Ward; S.C. McLoone</i>	
<b>A Consistency Regulation Algorithm for Client-Server-based Multiplayer Computer Games .....</b>	<b>18</b>
<i>S.C. McLoone; D. Wynne; A.B. McCoy; T.E. Ward</i>	
<b>On Using Fuzzy Logic for Grading Highly Subjective Assessment Material - A Case Study .....</b>	<b>24</b>
<i>S.C. McLoone</i>	
<b>On Inpainting the Adress Algorithm .....</b>	<b>30</b>
<i>D. FitzGerald; D. Barry</i>	
<b>Predicting the Noise Floor at the Output of a Memoryless Piecewise-Linear Nonlinearity Driven by a Digital Delta-Sigma Modulator .....</b>	<b>36</b>
<i>O. Lakhali; M.P. Kennedy; K. Hosseini</i>	
<b>Area Efficient Evaluation Based Coding of Shortened Reed-solomon Codes for Memory Constrained Applications.....</b>	<b>42</b>
<i>S. Srivastava; R. McSweeney; E. Popovici</i>	
<b>Modelling and Implementation of an Accumulator-based ADPLL on a Virtex-5 .....</b>	<b>48</b>
<i>F. Brandonisio; D. Melinn; M.P. Kennedy; D. Guerra; M. Deviato; E. Napoli</i>	
<b>Analysis of Wind Velocity Signals for Estimating the Wave Power Density of Ireland's Coastal Resource .....</b>	<b>54</b>
<i>J. Blackledge; E. Coyle; R. McGuirk; D. Kearney</i>	
<b>Motion Detection using Device-free Passive Localisation (DfPL).....</b>	<b>60</b>
<i>G. Deak; K. Curran; J. Condell; D. Deak</i>	
<b>A High-Speed Fourth-Order Nested Bus-Splitting Error Feedback Modulator .....</b>	<b>66</b>
<i>Hongjia Mo; M.P. Kennedy</i>	
<b>Simulation and Experimental Investigation of a Nonlinear Mechanism for Spur Generation in a Fractional-N Frequency Synthesizer.....</b>	<b>72</b>
<i>V.S. Sadeghi; S.I. Saeed; S. Calnan; M.P. Kennedy; H.M. Naimi; M. Vesterbacka</i>	
<b>The Design and Implementation of a Wireless Mesh Sensor Network for a Housing Community .....</b>	<b>78</b>
<i>J.B. Maloco; S.C. McLoone</i>	
<b>A Statistical Approach to Place Recognition in SLAM .....</b>	<b>84</b>
<i>O.C. Ihemadu; W. Naeem; R.S. Ferguson</i>	
<b>An Architecture for the Java VST Wrapper That Supports the Implementation of Digital Sound Synthesis Algorithms in an Educational Environment.....</b>	<b>90</b>
<i>J. Timoney; R. Voigt; S. Brown; V. Lazzarini</i>	
<b>Runtime Characterisation of Triple Stores: An Initial Investigation.....</b>	<b>96</b>
<i>Long Cheng; S. Kotoulas; T. Ward; G. Theodoropoulos</i>	
<b>350 mV, 0.5 mW, 5 GHz, 130 nm CMOS Class-C VCO Design Using Open Loop Analysis .....</b>	<b>102</b>
<i>G. Szczepkowski; R. Farrell</i>	
<b>Comparison of Time- and Frequency-domain Based LF-model Fitting Methods for Voice Source Parametrisation .....</b>	<b>108</b>
<i>Haoxuan Li; D. O'Brien; R. Scatfe</i>	
<b>Delivering HD Video for Wireless In-Flight Entertainment with IEEE 802.15.3c.....</b>	<b>114</b>
<i>S. Scott-Hayward; E. Garcia-Palacios</i>	
<b>A Bias and Control Circuit for Gain Stabilization in Avalanche Photodiodes .....</b>	<b>120</b>
<i>S. Deng; J. Hayes; A.P. Morrison</i>	
<b>Gene Tagging and the Data Hiding Rate .....</b>	<b>125</b>
<i>F. Balado; D. Haughton</i>	
<b>Efficient Channelization for PMR+4G and GSM Re-Farming Base Stations .....</b>	<b>130</b>
<i>A.P. Navarro; R. Villing; R. Farrell</i>	
<b>Cartesian Pre-distortion using a Sigma Delta Modulator for Multi-Standard RF Power Amplifiers.....</b>	<b>136</b>
<i>K. Finnerty; J. Dooley; R. Farrell</i>	
<b>12 MHz to 5800 MHz Fully Integrated, Dual Path Tuned, Low Jitter, LC-PLL Frequency Synthesizer.....</b>	<b>141</b>
<i>A. Keady; G. Szczepkowski; R. Farrell</i>	

<b>Analysing Ireland's Interurban Communication Network using Call Data Records .....</b>	<b>147</b>
<i>E. Carolan; S.C. McLoone; S.F. McLoone; R. Farrell</i>	
<b>60-GHz Transceivers in Nano-scale CMOS Technology for WirelessHD Standard Applications .....</b>	<b>153</b>
<i>D. Pepe; D. Zito</i>	
<b>Feature Selection Using Visual Saliency for Content-based Image Retrieval.....</b>	<b>158</b>
<i>Z. Zdziarski; R. Dahyot</i>	
<b>Primary-side Sensing for a Flyback Converter in Both Continuous and Discontinuous Conduction Mode .....</b>	<b>164</b>
<i>T.T. Vu; S. O'Driscoll; J.V. Ringwood</i>	
<b>Shape Model fitting using Non-Isotropic GMM.....</b>	<b>170</b>
<i>C. Arellano; R. Dahyot</i>	
<b>Reconfigurable Adaptive Wireless Sensor Node .....</b>	<b>176</b>
<i>Rentao Wang; K. Deevy</i>	
<b>Diagnosis of Breast Cancer by Optical Image Analysis.....</b>	<b>182</b>
<i>S.J. Attia; J.M. Blackledge; Z.M. Abood; I.R. Agool</i>	
<b>Design of a Novel Flexible 4-Moduli RNS and Reverse Converter.....</b>	<b>188</b>
<i>M. Wesolowski; P. Patronik; K. Berezowski; J. Biernat</i>	
<b>DSP-based Implementation of a Half-duplex Orthogonal Frequency Division Multiplexing System .....</b>	<b>194</b>
<i>F. Manzoor; D. Linton; M. Loughlin</i>	
<b>Design of Fractional Order Differentiator Using Feedback System.....</b>	<b>200</b>
<i>Xiaoli Yang; R.C. Kavanagh</i>	
<b>Frequency Tracking of a Sampled Grating Distributed Bragg Reflector (SG-DBR) Laser After a Switching Event .....</b>	<b>206</b>
<i>J. Mountjoy; B. Cardiff; A.D. Fagan</i>	
<b>An Educational Tool for RF LNA Analysis Based on an Implementation of the Smith Chart in Excel .....</b>	<b>211</b>
<i>K.G. McCarthy</i>	
<b>A 56Gb/s PAM-4 VCSEL Driver Circuit.....</b>	<b>217</b>
<i>N. Quadir; P. Ossieur; P.D. Townsend</i>	
<b>Experimental Analysis of Transmit-power for IEEE 802.15.4a UWB Ranging under Multipath Environment .....</b>	<b>222</b>
<i>Tingcong Ye; M. Walsh; B. O'Flynn</i>	
<b>Feasibility and Challenges of a 95-GHz SoC Radiometer for W-band Passive Imaging .....</b>	<b>228</b>
<i>L.O. Mereni; D. Pepe; F. Alimenti; D. Zito</i>	
<b>Evaluating and Overcoming the Challenges in Utilizing Smart Mobile Phones and Standalone Accelerometer for Gait Analysis.....</b>	<b>234</b>
<i>H. Chan; Huiru Zheng; Haiying Wang; R. Sterritt</i>	
<b>A Variable Gain Amplifier with Fast Feedforward DC-offset Compensation for 10Gb/s Burst-mode Receiver Applications.....</b>	<b>239</b>
<i>A. Jain; P. Ossieur; P.D. Townsend</i>	
<b>Potential for Extended Battery Life in Mobile Healthcare with Bluetooth Low Energy and Signal Compression.....</b>	<b>245</b>
<i>D. Craven; M. Glavin; L. Kilmartin; E. Jones</i>	
<b>IC Design of Area Efficient Voltage Controlled Oscillators for UWB Wireless Systems in 0.18<math>\mu</math>m CMOS .....</b>	<b>251</b>
<i>R.M.O. Leary; K.G. McCarthy</i>	
<b>Feature Sets for Automatic Classification of Dimensional Affect.....</b>	<b>257</b>
<i>A. Cullen; N. Harte</i>	
<b>Dealing with the Over-pessimism in ASIC Physical Design Flow.....</b>	<b>263</b>
<i>R. Iqbal</i>	
<b>The Presence of Regional Accents in Electrolarynx Speech and the Resultant Effect on Overall Intelligibility .....</b>	<b>269</b>
<i>B. Madden; E. Coyle</i>	
<b>A Wireless and Digital Electrode Bus Topology for Biopotential Measurement.....</b>	<b>274</b>
<i>M. Nolan; E. Burke; E. Coyle</i>	
<b>Evaluation of a Local Path-planning Algorithm for a Hospital Located Autonomous Mobile Robot.....</b>	<b>278</b>
<i>C. McGinn; K. Kelly; A. Sena; O. Brogan</i>	
<b>Scaling Modular Exponentiation Hardware to the Minimum .....</b>	<b>284</b>
<i>Xiaolin Cao; M. O'Neill</i>	
<b>Performance Evaluation of Storing and Querying Spatial Data on Mobile Devices for Offline Location Based Services .....</b>	<b>289</b>
<i>R. Jacob; S. Smithers; A.C. Winstanley</i>	

<b>P-RASP: An Efficient Packet Reassembly and Segmentation Protocol for Bluetooth Low Data Rate Applications.....</b>	295
<i>Jiangchuan Wen; J. Nelson</i>	
<b>A System Identification Approach to Baroreflex Sensitivity Estimation .....</b>	301
<i>V. McLoone; J.V. Ringwood</i>	
<b>Investigation of Events in the EEG Signal Correlated with Changes in Both Oxygen and Glucose in the Brain.....</b>	307
<i>S. Valente; J. Ringwood; V. Mangourova; J. Lowry</i>	
<b>Ascertaining Age from Mobile Phone Usage .....</b>	313
<i>R. Farrell</i>	
<b>Towards a Quantitative Model of Mobile Phone Usage Ireland - a Preliminary Study .....</b>	318
<i>R. Farrell; E. Carolan; S.C. McLoone; S.F. McLoone</i>	
<b>An FPGA based Stereoptic Image Capture System.....</b>	324
<i>N.E. Murphy; J. Manning; F. Morgan</i>	
<b>Maximising Spectral Efficiency in LTE Cells.....</b>	330
<i>T. Keenan; R. Villing</i>	
<b>Vocal Separation using Nearest Neighbours and Median Filtering .....</b>	336
<i>D. FitzGerald</i>	
<b>Sensorimotor-rhythm Modulation Feedback with 3D Vector-base Amplitude Panning - A Brain-computer Interface Pilot Study.....</b>	341
<i>K.A. McCreadie; D.H. Coyle; G. Prasad</i>	
<b>Visible Light Communication by Using Commercial Phosphor based White LEDs .....</b>	347
<i>Jiabin Tuo; H. Shams; B. Corbett</i>	
<b>Author Index</b>	