

39th European Conference and Exhibition on Optical Communication (ECOC 2013)

IET Conference Publications 622

**London, United Kingdom
22-26 September 2013**

Volume 1 of 2

ISBN: 978-1-62993-593-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by the Institution of Engineering and Technology
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Institution of Engineering and Technology
at the address below.

Institution of Engineering and Technology
P. O. Box 96
Stevenage, Hertfordshire
U.K. SG1 2SD

Phone: 01-441-438-767-328-328
Fax: 01-441-438-767-328-375

www.theiet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

A Review of Few-Mode Fibers for Space-Division Multiplexed Transmissions.....	1
<i>P. Sillard; D. Molin</i>	
Seven-Core Fiber with Enlarged Aeff and Full-C-band Seven-Core EDFA for 100-Tbit/s-Class Transoceanic Transmission	4
<i>K. Igarashi; K. Takeshima; T. Tsuritani; H. Takahashi; S. Sumita; I. Morita; Y. Tsuchida; M. Tadakuma; K. Maeda; T. Saito; K. Watanabe; K. Imamura; R. Sugizaki; M. Suzuki</i>	
Crosstalk Suppressed Hole-assisted 6-core Fiber with Cladding Diameter of 125 μm	7
<i>T. Sakamoto; K. Saitoh; N. Hanzawa; K. Tsujikawa; Lin Ma; M. Koshiba; F. Yamamoto</i>	
Crosstalk Increase in Tightly Bent Multi-Core Fiber Due to Power Coupling Mediated by Cladding Modes	10
<i>T. Hayashi; T. Taru; T. Sasaki; K. Saitoh; M. Koshiba</i>	
Trench-assisted Low-crosstalk Few-mode Multicore Fiber	13
<i>Y. Sasaki; K. Takenaga; S. Matsuo; K. Saitoh; M. Koshiba</i>	
Highly Integrated Monolithic Photonic Integrated Circuits	16
<i>C. R. Doerr</i>	
Systems and Devices in a 30 GHz Silicon-on-Insulator Platform	18
<i>C. Galland; A. Novack; Yang Liu; Ran Ding; M. Gould; T. Baehr-Jones; Qi Li; Yisu Yang; Yangjin Ma; Yi Zhang; K. Padmaraju; K. Bergmen; A. E.-J. Lim; Guo-Qiang Lo; M. Hochberg</i>	
CMOS-Compatible Nonuniform Grating Coupler with 86% Coupling Efficiency	21
<i>W. S. Zaoui; A. Kunze; W. Vogel; M. Berroth; J. Butschke; F. Letzkus</i>	
Spectrally-sliced Coherent Receivers for THz Bandwidth Optical Communications	24
<i>N. K. Fontaine</i>	
Progress in InP-based Photonic Components and Sub-systems for Digital Coherent Systems at 100Gbit/s and beyond	27
<i>W. Forysiak</i>	
Fast Wavelength Switching Digital Coherent OFDM Transceiver	30
<i>R. Maher; Kai Shi; S. J. Savory; B. C. Thomsen</i>	
Fixed Point and Power Consumption Analysis of a Coherent Receiver for Optical Access Networks Implemented in FPGA	33
<i>D. Cardenas; D. Madan; Sai Win; D. Lavery; S. Savory</i>	
Novel Digital Equalizer for XPM-induced Polarization Crosstalk using Overlapped Fast Independent Component Analysis	36
<i>K. Shibahara; M. Fukutoku</i>	
Digital Nonlinear Noise Cancellation Approach for Long-haul Optical Transmission Systems	39
<i>Wei-Ren Peng; T. Tsuritani; I. Morita</i>	
Co-operation of Digital Nonlinear Equalizers and Soft-Decision LDPC FEC in Nonlinear Transmission	42
<i>T. Tanimura; S. Oda; T. Hoshida; Y. Aoki; Zhenning Tao; J. C. Rasmussen</i>	
Decision Feedback Equalization for Bandwidth-constrained 28Gbaud Nyquist-WDM PDM-8QAM over 37.5 GHz Grid	45
<i>J. Fickers; A. Ghazisaeidi; M. Salsi; G. Charlet; F. Horlin; P. Emplit; S. Bigo</i>	
Fiber Nonlinearity Compensation by Digital Backpropagation of an Entire 1.2-Tb/s Superchannel Using a Full-Field Spectrally-Sliced Receiver	48
<i>N. K. Fontaine; Xiang Liu; S. Chandrasekhar; R. Ryf; S. Randel; P. Winzer; R. Delbue; P. Pupalais; A. Sureka</i>	
Towards a Carrier SDN: An Example for Elastic Inter-datacenter Connectivity	51
<i>L. Velasco; A. Asensio; J. L. Berral; A. Castro; V. López</i>	
Design and Demonstration of Multi-Domain, Multi-Technology Software Defined Networks for High-Performance Cloud Computing Infrastructure	54
<i>M. Channegowda; R. Nejabati; S. Peng; N. Amaya; G. Zervas; Y. Shu; M. Rashidifard; D. Simeonidou</i>	
Survivable Resource Orchestration for Optically Interconnected Data Center Networks	57
<i>Qiong Zhang; Qingya She; Yi Zhu; Xi Wang; P. Palacharla; M. Sekiya</i>	
A Novel Architecture for Highly Virtualised Software-Defined Optical Clouds	60
<i>A. Stavdas; C. Matrakidis; C. Politi; T. Orphanoudakis; J. Dunne</i>	
Bandwidth and Routing Assignment for Virtual Machine Migration in Photonic Cloud Networks	63
<i>U. Mandal; M. F. Habib; Shuqiang Zhang; M. Tornatore; B. Mukherjee</i>	
Application-aware and Adaptive Virtual Data Centre Infrastructure Provisioning over Elastic Optical OFDM Networks	66
<i>Shuping Peng; R. Nejabati; M. Channegowda; D. Simeonidou</i>	
Design and Optimization of Fiber-optic Small-cell Backhaul Based on Existing Fiber	69
<i>P. P. Iannone; K. C. Reichmann; M. G. C. Resende; C. Ranaweera; R. K. Sinha; K. N. Oikonomou</i>	
76-Gb/s Highly Spectrally Efficient 2x2 MIMO 60-GHz RoF System Employing I/Q Imbalance Compensation	72
<i>Hou-Tzu Huang; Yu-Hsuan Cheng; Po-Tsung Shih; Chun-Ting Lin; Chun-Hung Ho; Chia-Chien Wei; Wan-Ling Liang; Chung-Shin Sun; Hsun-Hao Hsu; A. Ng'Oma; Sien Chi</i>	
Optical Physical-layer Network Coding Over Fiber-wireless	75
<i>Zhixin Liu; Lu Lu; Lihao You; Chun-Kit Chan; Soung-Chang Liew</i>	
Small Cell Optical Mobile Backhauling: Architectures, Challenges, and Solutions	78
<i>K. Laraqui</i>	

Orbital Angular Momentum Transmission (Invited Paper)	81
<i>A. E. Willner</i>	
Multi-Element Fibre for Space-Division Multiplexed Transmission	84
<i>S. Jain; T. C. May-Smith; V. J. F. Ranaño; P. Petropoulos; D. J. Richardson; J. K. Sahu</i>	
Design and Fabrication of Long DMD Maximally Flattened Two-mode Optical Fibres suitable for MIMO Processing	87
<i>R. Maruyama; T. Shoji; N. Kuwaki; S. Matsuo; K. Sato; M. Ohashi</i>	
Three-mode Multiplexer in Photonic Crystal Fibre	90
<i>S. Yerolatsitis; T. A. Birks</i>	
Simple Crosstalk Characterization Technique without Multiple Core Access	93
<i>K. Nakajima; C. Fukai; Y. Goto; K. Saito</i>	
Heterogeneous Integration of Active Semiconductors with Silica-based PLC	96
<i>Y. Kurata</i>	
Demonstration of 30-Tbps/cm² Bandwidth Density by Silicon Optical Interposers Fully Integrated with Optical Components	99
<i>Y. Urino; S. Akiyama; T. Akagawa; T. Baba; T. Usuki; D. Okamoto; M. Miura; J. Fujikata; T. Shimizu; M. Okano; N. Hatori; M. Ishizaka; T. Yamamoto; H. Takahashi; Y. Noguchi; M. Noguchi; M. Imai; M. Yamagishi; S. Saitou; N. Hirayama; M. Takahashi; E. Saito; D. Shimura; H. Okayama; Y. Onawa; H. Yaegashi; H. Nishi; H. Fukuda; K. Yamada; M. Mori; T. Horikawa; T. Nakamura; Y. Arakawa</i>	
III-V/Silicon First Order Distributed Feedback Lasers Integrated on SOI Waveguide Circuits	102
<i>S. Keyvaninia; S. Verstuyft; L. Van Landschoot; D. Van Thourhout; G. Roelkens; G.-H. Duan; F. Lelarge; J.-M. Fedeli; S. Messaoudene; T. De Vries; E. J. Geluk; B. Smalbrugge; M. Smit</i>	
Recent Advances in Electrically Pumped Ge Lasers	105
<i>J. Michel</i>	
Stable Costas Loop Homodyne Detection for 20-Gbit/s QPSK Signal Fiber Transmission	107
<i>A. Mizutori; S. Y. Set; F. Shirazawa; M. Koga</i>	
120 Gbit/s, 64 QAM Coherent Transmission Employing an Optical Voltage Controlled Oscillator	110
<i>Yixin Wang; K. Kasai; T. Omiya; M. Nakazawa</i>	
Integrated Circuits for Wavelength Division De-multiplexing in the Electrical Domain	113
<i>Hyun-Chul Park; M. Ptiels; E. Bloch; Mingzhi Lu; A. Sivanathan; Z. Griffith; L. Johansson; J. Bowers; L. Coldren; M. Rodwell</i>	
Doubling Direct-detection Data Rate by Polarization Multiplexing of 16-QAM without a Polarization Controller	116
<i>M. Nazarathy; A. Agmon</i>	
All-Optical OFDM Demultiplexing by Spectral Magnification and Optical Band-Pass Filtering	119
<i>E. Palushani; H. C. H. Mulvad; D. Kong; P. Guan; M. Galili; L. K. Oxenløwe</i>	
Wavelength Demultiplexing of Nyquist WDM Signals under Large Frequency Offsets in Digital Coherent Receivers	122
<i>Y. Mori; C. Han; Hongbo Lu; K. Kikuchi</i>	
Enhanced Sampling Frequency Offset Compensation Algorithm for PDM CO-OFDM Transmission System	125
<i>Yingkan Chen; N. Hanik</i>	
Experimental Analysis of Single Carrier POLQAM (6Pol-QPSK) Transmission with Soft-Decoding	128
<i>H. Bülow; Xiaofeng Lu; L. Schmalen</i>	
Blind Adaptive Equalization for 6PolSK-QPSK Signals	131
<i>S. Alreesh; J. K. Fischer; P. W. Berenguer; C. Schubert</i>	
Joint Frame Synchronization and Frequency Offset Estimation in Coherent Optical Transmission Systems	134
<i>F. Pittalà; Juan Qi; M. Msallem; J. A. Nossek</i>	
Challenges and Opportunities of MIMO Processing for Optical Transport Systems	137
<i>S. Bigo; M. Salsi; O. Bertran-Pardo; J. Renaudier; G. Charlet</i>	
Optical Packet and Circuit Integrated Networks and SDN Extensions	140
<i>H. Harai</i>	
Traffic Engineering Database Dissemination for Multi-layer SDN Orchestration	143
<i>O. González De Dios; V. López; C. Haya; C. Liou; Ping Pan; G. Grammel; J. Antich; J. P. Fernández-Palacios</i>	
Experimental Demonstration of Adaptive Virtual Network Topology Control Mechanism Based on SDTN Architecture	146
<i>T. Miyamura; D. Shimazaki; S. Arakawa; Y. Koizumi; S. Kamamura; K. Sasayama; K. Shiimoto; M. Murata</i>	
Novel Approaches for Composition of Online Virtual Optical Networks Utilizing O-OFDM Technology	149
<i>A. Hammad; R. Nejabati; D. Simeonidou</i>	
Dynamic Virtual Network Embedding Scheme based on Network Element Slicing for Elastic Optical Networks	152
<i>Jiawei Zhang; B. Mukherjee; Jie Zhang; Yongli Zhao</i>	
10.3Gb/s Burst-mode XFP Transceiver with Emphasis for 10G-EPON Multi-port OLT using RS(255, 223) FEC	155
<i>S. Yoshima; M. Noda; T. Suehiro; N. Suzuki; T. Nishitani; M. Nogami; J. Nakagawa</i>	
Experimental Demonstration of C-band Burst-mode Transmission for High Power Budget (64-split with 40km Distance) TWDM-PON Systems	158
<i>S. Ihara; S. Yoshima; T. Suehiro; M. Noda; E. Igawa; M. Nogami; J. Nakagawa</i>	
Gigabit SFP Transceiver with Integrated Optical Time Domain Reflectometer for Ethernet Access Services	161
<i>N. Parkin; M. Bartur; D. Nessel; D. Jenkins</i>	
High-Speed Electronics for Short-Link Communication	164
<i>J. Bauwelinck; R. Vaernewyck; J. Verbrugghe; W. Soenen; B. Moeneclaey; C. Van Praet; A. Vyncke; G. Torfs; X. Yin; X. Z. Qiu; J. Vandewee; N. Sotiropoulos; H. De Waardt; R. Cronin; G. Maxwell; T. Tekin; P. Bakopoulos; C. P. Lai; P. D. Townsend</i>	
100-ns γ-selective Burst-Mode Transceiver for 40-km Reach Symmetric 40-Gbit/s WDM/TDM-PON	167
<i>K. Taguchi; H. Nakamura; K. Asaka; S. Nakano; S. Kimura; N. Yoshimoto</i>	

Glasses for Infrared Fibre Applications	170
<i>H. Ebendorff-Heidepriem</i>	
Diode-pumped Wideband Thulium-doped Fiber Amplifiers for Optical Communications in the 1800 - 2050 nm Window	173
<i>Z. Li; A. M. Heidt; S. U. Alam; N. Simakov; Y. Jung; J. M. O. Daniel; D. J. Richardson</i>	
Demonstration of a 2um-OTDR.....	176
<i>M. Belal; S. U. Alam; J. K. Sahu; D. J. Richardson; T. P. Newson</i>	
Advanced Optical Components for Access and Datacenters.....	179
<i>D. Piehler</i>	
Multi-Channel 11.3-Gb/s Integrated Reflective Transmitter for WDM-PON	180
<i>C. P. Lai; R. Vaernewyck; A. Naughton; J. Bauwelinck; X. Yin; X. Z. Qiu; G. Maxwell; D. W. Smith; A. Borgesani; R. Cronin; K. Grobe; N. Parsons; E. Kehayas; P. D. Townsend</i>	
Three-Mode Plc-type Multi/Demultiplexer for Mode-division Multiplexing Transmission	183
<i>N. Hanzawa; K. Saitoh; T. Sakamoto; K. Tsujikawa; T. Uematsu; M. Koshiba; F. Yamamoto</i>	
Employing an Integrated Mode Multiplexer on Silicon-on-Insulator for Few-mode Fiber Transmission	186
<i>Haoshuo Chen; R. Van Uden; C. Okonkwo; B. Snyder; O. Raz; P. O'Brien; H. Van Den Boom; H. De Waardt; T. Koonen</i>	
40 nm Tuneable Source for Colourless ONUs based on Dual Hybridly Integrated Polymer Waveguide Grating Lasers	189
<i>D. De Felipe; C. Zawadzki; Z. Zhang; W. Brinker; H. N. Klein; M. Mohrle; N. Keil; N. Grote; M. Schell</i>	
Demonstration of 74 GHz Parametric Optical Sampled Analog-to-Digital Conversion	192
<i>A. O. J. Wiberg; D. J. Esman; Lan Liu; Zhi Tong; E. Myslivets; N. Alic; S. Radic</i>	
Performance Analysis of Simultaneous Multilevel Amplitude and Phase Regeneration	195
<i>T. Roethlingshoefer; G. Onishchukov; B. Schmauss; G. Leuchs</i>	
Mode-selective Wavelength Conversion Based on Four-wave Mixing in a Multimode Silicon Waveguide	198
<i>Yunhong Ding; Jing Xu; Haiyan Ou; C. Peucheret</i>	
All-Optical Pre-Distortion and Fibre Loop Phase Conjugation of POLMUX Signals for Pre-Compensation of Fibre Nonlinearity	201
<i>M. D. Pelusi</i>	
Tunable Optical Correlator using an Optical Frequency Comb for Generating Multiple Taps in a Tapped-Delay-Line Composed of a Single Nonlinear Element.....	204
<i>M. Ziyadi; M. R. Chitgarha; S. Khaleghi; A. Mohajerin-Ariaei; A. Almaini; J. D. Touch; M. Tur; C. Langrock; M. M. Fejer; A. E. Willner</i>	
Reconfigurable 2-D WDM Optical Tapped-Delay-Line to Correlate 20Gbaud QPSK Data	207
<i>M. R. Chitgarha; M. Ziyadi; S. Khaleghi; A. Mohajerin-Ariaei; A. Almaini; J. D. Touch; M. Tur; C. Langrock; M. M. Fejer; A. E. Willner</i>	
Spectral Shaping for High Spectral Efficiency in Long-Haul Optical Transmission Systems	210
<i>M. Mazurczyk</i>	
401 km Unrepeated Transmission of Dual-Carrier 400 Gb/s PDM-16QAM Mixed with 100 Gb/s Channels.....	213
<i>D. Mongardien; C. Bastide; B. Lavigne; S. Etienne; H. Bissessur</i>	
Transmission of 256 Gb/s PM-16QAM and 128 Gb/s PM-QPSK Signals over Long-Haul and Submarine Systems with Span Lengths Greater than 100 km.....	216
<i>J. D. Downie; J. Hurley; D. Pikula</i>	
Ultra-Long-Haul MCF Transmission Systems.....	219
<i>H. Takahashi; T. Tsuritani</i>	
Constellation Expansion and Iterative Demapping and Decoding for 100G Systems.....	222
<i>P. Leoni; V. Sleiffer; S. Calabrò; B. Lankl</i>	
Simplified Transmitter-Side DSP Implementation for Optical Multilevel Signaling with Delay Detection	225
<i>N. Kikuchi; T. Yano</i>	
DSP for High Spectral Efficiency 400G Transmission.....	228
<i>Xiang Zhou</i>	
Experimental Investigation of Training Sequence for Adaptive Equalizer Initialization in DP-16QAM System	231
<i>Meng Yan; Zhenning Tao; T. Tanimura; S. Oda; Yinwen Cao; Ying Zhao; T. Hoshida; J. C. Rasmussen</i>	
Fully-blind Cycle Slip Compensation with Time-interleaved Polarisation Coding in Two Dimensional Phase Domain.....	234
<i>T. Yoshida; T. Sugihara; T. Fujimori; K. Ishida; T. Mizuocho</i>	
Hybrid InP/Polymer Optical Line Terminals for 40-Channel 100-GHz spectrum-sliced WDM-PON	237
<i>D. De Felipe; C. Zawadzki; Z. Zhang; A. Maese; M. Wenzel; H. Li; G. Przyrembel; A. Sigmund; M. Möhrle; N. Keil; N. Grote; M. Schell</i>	
Optical True-time-delay Microwave Beam-Steering with 1 Gb/s Wireless Transmission for In-building Networks	240
<i>Z. Cao; F. Li; H. P. A. Van Den Boom; E. Tangdiongga; A. M. J. Koonen</i>	
16-Channel Tunable VCSEL Array with 50-GHz Channel Spacing for TWDM-PON ONUs.....	243
<i>Eun-Gu Lee; Jyung Chan Lee; Sil-Gu Mun; Eui-Suk Jung; Jong Hyun Lee; Sang Soo Lee</i>	
Low-Cost Transmitter for Flexible-Format Generation up to 16-QAM for Spectral-Efficiency Conscious PONs.....	246
<i>B. Schrenk; I. Lazarou; S. Dris; P. Bakopoulos; H. Avramopoulos; M. Stierle; H. Leopold</i>	
Integrated Microwave Photonics for Access Systems.....	249
<i>J. Capmany; P. Muñoz</i>	
Precise Tailoring of Longitudinal Acoustic Property of Optical Fibers by a Hydrogen-loading Technique.....	252
<i>Liang Dong; Fanting Kong; T. Hawkins</i>	
Photosensitivity and Luminescence Induced by ArF-Irradiation of Hydrogen Loaded Bi-SiO₂ Fiber	255
<i>G. Violakis; H. G. Limberger; A. S. Zlenko; S. L. Semjonov; V. M. Mashinsky; E. M. Dianov</i>	

Data Transmission Over 1km HC-PBGF Arranged With Microstructured Fiber Spliced To Both Itself And SMF	258
<i>J. P. Woolder; F. Parmigiani; S. R. Sandoghchi; N. V. Wheeler; D. R. Gray; F. Poletti; M. N. Petrovich; D. J. Richardson</i>	
Understanding the Physical Origin of Surface Modes and Practical Rules for their Suppression	261
<i>F. Poletti; E. N. Fokoua</i>	
Fabrication and Properties of Lead-germanate Glasses for High Nonlinearity Fibre Applications	264
<i>H. T. Munasinghe; A. Winterstein-Beckmann; C. Schiele; L. Wondraczek; D. Manzani; A. V. Shahraam; T. M. Monro; H. Ebendorff-Heidepriem</i>	
High Performance MEMS-Based Micro-optic Assembly for Multi-lane Transceivers.....	267
<i>B. Pezeshki</i>	
Free-Space Coherent Optical Communication Demonstration using a 3D Photonic Integrated Circuit Device for	
Orbital Angular Momentum Multiplexing/Demultiplexing	270
<i>R. P. Scott; Binbin Guan; Chuan Qin; N. K. Fontaine; Tiehui Su; C. Ferrari; M. Cappuzzo; F. Klemens; B. Keller; M. Earnshaw; S. J. B. Yoo</i>	
40-Gb/s Cost-Effective FPC-Based Optical Engine for Optical Interconnect Using Novel High-Speed FPC	
Connector	273
<i>T. Yagisawa; T. Shiraishi; M. Sugawara; Y. Miki; M. Kabayashi; K. Tanaka</i>	
Lambda-scale Embedded Active-region Photonic Crystal Lasers for Off-chip Interconnect.....	276
<i>S. Matsuo; K. Takeda; T. Sato; T. Fujii; A. Shinya; E. Kuramochi; M. Notomi; K. Hasebe; T. Kakitsuka</i>	
Bandwidth-Variable Transceivers Based on 4D Modulation Formats for Future Flexible Networks.....	279
<i>J. K. Fischer; S. Alreesh; R. Elschner; F. Frey; M. Nölle; C. Schubert</i>	
Transmitter Mask Testing for 28 GBaud PM-QPSK.....	282
<i>H. Eliasson; P. Johannisson; H. Sunnerud; M. Westlund; M. Karlsson; P. A. Andrekson</i>	
Eight-dimensional Modulation for Coherent Optical Communications	285
<i>T. Koike-Akino; D. S. Millar; K. Kojima; K. Parsons</i>	
Spectrally-Efficient Single-Sideband Subcarrier-Multiplexed Quasi-Nyquist QPSK with Direct Detection	288
<i>M. S. Erkilinc; R. Maher; M. Paskov; S. Kilmurray; S. Pachnicke; H. Griesser; B. C. Thomsen; P. Bayvel; R. I. Killey</i>	
Realistic Energy-saving Potential of Load-adaptive Operation in Conventional and Platform-consolidated	
Operator Networks.....	291
<i>C. Lange; D. Kosiankowski; A. Gladisch</i>	
Adaptive Power Efficiency for Chromatic Dispersion Compensation	294
<i>C. Dorize; Y. Pointurier; F. Vacondio; J.-C. Antona; S. Bigo</i>	
Capacity Planning for Dynamic Inter-Data Center Networking via Erlang Modeling.....	297
<i>A. Nikolaidis; S. Asselin; M. Auster; N. Bragg</i>	
Planning of Converged Optical Wireless Network and DC Infrastructures in Support of Mobile Cloud Services	300
<i>K. N. Georgakilas; M. P. Anastasopoulos; A. Tzanakaki; G. Zervas; D. Simeonidou</i>	
Novel Design of G.ODUSMP to Achieve Sub-50 ms Performance with Shared Mesh Protection in Carrier	
Networks.....	303
<i>W. Wauford; S. Roy; O. Turkcu; S. Ahuja; S. Hand; A. Sadasivarao; Biao Lu</i>	
Techno-Economic Advantages of Cognitive Virtual Topology Design.....	306
<i>N. Fernandez; R. J. Duran; E. Palkopoulou; I. De Miguel; I. Stiakogiannakis; N. Merayo; I. Tomkos; R. M. Lorenzo</i>	
Single-Fibre Operation of a Metro Access System with Network Based Wavelength Control	309
<i>M. Roppelt; M. Lawin; M. Eiselt</i>	
Burst Frame Power Equalizer that Controlling Gains of Cascaded SOAs for Long-Reach WDM/TDM PON	
Systems.....	312
<i>M. Fujiwara; R. Koma; N. Yoshimoto</i>	
Multi System Next-Generation PONs Impact on Video Overlay.....	315
<i>A. Shahpari; J. D. Reis; S. Ziaie; R. Ferreira; M. Lima; A. N. Pinto; A. Teixeira</i>	
Reach Extension of RSOA-Self Seeded Transmitters for DWDM Metropolitan Networks with a Single EDFA.....	318
<i>F. Saliou; Sy Dat Le; Q. Deniel; P. Chanclou</i>	
Experimental Demonstration of a 10 Gb/s 16-QAM SCM WDM PON with Bandwidth-limited RSOA and IM/DD	
Transceivers	321
<i>J. M. Buset; Z. A. El-Sahn; D. V. Plant</i>	
Simultaneous Optical Routing and Millimeter-Wave Generation Exploiting High-Order Resonant Switch for In-	
Building Networks	324
<i>S. Zou; P. Dasmahapatra; K. A. Williams; R. Stabile; E. Tangdiongga; A. M. J. Koonen</i>	
Fiber Raman Amplification for Metrological Transfer of Phase-coherent Optical Frequencies.....	327
<i>G. Bolognini; C. Clivati; D. Calonico; S. Faralli; F. Levi; A. Mura; N. Poli</i>	
Fast and Broadband Fiber Dispersion Measurement with Dense Wavelength Sampling	330
<i>G. M. Ponzio; M. N. Petrovich; Xian Feng; P. Horak; F. Poletti; P. Petropoulos; D. J. Richardson</i>	
Fast Polarimetry of Multipulse Vector Soliton Operation.....	333
<i>V. Tsaturian; S. V. Sergeyev; Chengbo Mou; A. Rozhin; V. Mikhailov; B. Rabin; P. S. Westbrook; S. K. Turitsyn</i>	
Environmental Perturbation Tracking in Coherent OTDR for Recovering Detection Sensitivity.....	336
<i>H. Iida; K. Toge; F. Ito</i>	
Optical Modulators for Advanced Digital Coherent Transmission Systems.....	339
<i>H. Yamazaki; T. Goh; T. Saida</i>	
Very-Low-Voltage Operation of Mach-zehnder Interferometer-type Electroabsorption Modulator.....	342
<i>Y. Ueda; T. Fujisawa; S. Kanazawa; W. Kobayashi; K. Takahata; H. Ishii</i>	
Performance Improvement of Silicon Micro-cavity Modulators by Iteration of the P-I-N Intrinsic Region Width	345
<i>A. Al-Saadi; B. A. Franke; S. Kupijai; C. Theiss; H. Rhee; S. Mahdi; L. Zimmermann; D. Stolarek; H. H. Richter; H. J. Eichler; U. Woggon; S. Meister</i>	

Generation of Dual-Carrier QPSK Signals with Mixed Electronics-Optics Modulator	348
<i>K. Kikuchi; T. Saida; H. Nosaka; H. Yamazaki; M. Nagatani; T. Goh; K. Kurishima; K. Murata</i>	
High-Speed Direct-Modulation of InP Microdisk Lasers	351
<i>J. Hofrichter; O. Raz; S. Keyvaninia; T. De Vries; H. J. S. Dorren; T. Morf; B. J. Offrein</i>	
Transmission of a 1.1 Tb/s Super Channel in 100 GHz Optical Bandwidth Based on PM-256 QAM and Spatially Coupled FEC	354
<i>R. Dischler; L. Schmalen</i>	
Three-carrier 1 Tbit/s Dual Polarization 16-QAM Superchannel Using Look-Up Table Correction and Optical Pulse Shaping	357
<i>Jian Hong Ke; Ying Gao; J. C. Cartledge</i>	
Experimental Comparison of 32-Gbaud Electrical-OFDM and Nyquist-WDM Transmission with 64GSa/s DAC	360
<i>Y. Lu; Y. Fang; B. Wu; K. Wang; W. Wan; F. Yu; L. Li; X. Shi; Q. Xiong</i>	
Detection of 320 Gb/s Nyquist OTDM by Polarization-insensitive Time-domain Optical Fourier Transformation	363
<i>H. Hu; D. Kong; E. Palushani; M. Galili; H. C. H. Mulvad; L. K. Oxenløwe</i>	
Seamless Spectral Defragmentation of Nyquist OTDM-WDM Signals in Add-Drop Node for All-Optical Elastic Network	366
<i>Hung Nguyen Tan; K. Tanizawa; T. Inoue; T. Kurosu; S. Namiki</i>	
Precise Remote Optical Carrier Addition Into 200-Gb/s CO-OFDM Channel Using Fiber Frequency Conversion	369
<i>T. Kato; R. Okabe; T. Richter; R. Elschner; C. Schmidt-Langhorst; C. Schubert; S. Watanabe</i>	
Spatial Multiplexing: The Next Frontier in Network Capacity Scaling	372
<i>P. J. Winzer</i>	
Evolution of Traffic Grooming from SDH/SONET to Flexible Grid	375
<i>Shuqiang Zhang; M. Tornatore; Gangxiang Shen; B. Mukherjee</i>	
Moving Boundary Between Wavelength Resources in Optical Packet and Circuit Integrated Ring Network	378
<i>H. Furukawa; T. Miyazawa; N. Wada; H. Harai</i>	
Impact of Multi-flow Transponder on Equipment Requirements in IP over Elastic Optical Networks	381
<i>T. Tanaka; A. Hirano; M. Jinno</i>	
OpenFlow-Controlled Elastic Optical Networks with Direct-Detection Optical OFDM (DDO-OFDM) Transmission	384
<i>Lei Liu; Wei-Ren Peng; R. Casellas; T. Tsuritani; I. Morita; R. Martínez; R. Munoz; S. J. Ben Yoo</i>	
Experimental Validation of an Elastic Low-Complex OFDM-Based BVT for Flexi-Grid Metro Networks	387
<i>M. Svaluto Moreolo; J. M. Fàbrega; F. J. Vilchez; L. Nadal; V. López; G. Junyent</i>	
Access Networks Based on Tunable Transmitters	390
<i>K. Grobe</i>	
Flexible TDMA Access Optical Networks Enabled by Burst-Mode Software Defined Coherent Transponders	393
<i>F. Vacondio; O. Bertran-Pardo; Y. Pointurier; J. Fickers; A. Ghazisaeidi; G. De Valicourt; J.-C. Antona; P. Chanclou; S. Bigo</i>	
Low Complexity Transmitter-side Compensation for Optical Device Nonlinearities in 100Gb/s Transmission over 500m SMF	396
<i>Bo Liu; Weizhen Yan; Lei Li; Hao Chen; Zhenning Tao; T. Takahara; J. C. Rasmussen; T. Drenski</i>	
Cost-effective Broadband GaAs IQ Modulator Array for Long-Reach OFDM-PONs	399
<i>L. Stampoulidis; E. Giacomidis; M. F. O'Keefe; I. Aldaya; R. G. Walker; Y. Zhou; N. Cameron; E. Kehayas; A. Tsokanos; I. Tomkos; N. J. Doran; L. Zimmermann</i>	
Amplified RSOA Self-Tuning Laser for WDM PON Using Saturated SOA for Noise Reduction and Data Cancellation	402
<i>Q. Deniel; F. Saliou; S. D. Le; P. Chanclou; D. Erasme; R. Brenot</i>	
χ^3 Processes in High Numerical Optical Fibers and Fiber Tapers	405
<i>T. Lee; M. I. M. A. Khudus; R. Ismael; C. A. Codemard; N. G. R. Broderick; G. Brambilla</i>	
High-Peak-Power Femtosecond Pulse Generation using Graphene as Saturated Absorber and Dispersion Compensator	408
<i>Lilin Yi; Zhengxuan Li; Ran Zheng; Zhenhua Ni; Haiyan Nan; Zheng Liang; Rong Ding; Weisheng Hu</i>	
Narrow Linewidth Brillouin Laser Based on Chalcogenide Chip	411
<i>I. V. Kabakova; R. Pant; D.-Y. Choi; S. Debbarma; S. J. Madden; B. Luther-Davies; B. J. Eggleton</i>	
Wavelength Conversion of Optical 64QAM and its Performance Optimization by Constellation Monitoring	414
<i>Guo-Wei Lu; T. Sakamoto; T. Kawanishi</i>	
Monolithic Silicon Photonic Circuits Enable 112-Gb/s PDMQPSK Transmission over 2560-km SSMF	417
<i>Po Dong; Xiang Liu; S. Chandrasekhar; L. L. Buhl; R. Aroca; Y. Baeyens; Young-Kai Chen</i>	
A Compact Silicon-on-insulator Optical Hybrid for Low Loss Integration with Balanced Photodetectors	420
<i>M. S. Hai; M. N. Sakib; O. Liboiron-Ladouceur</i>	
Compact 100 Gb/s DP-QPSK Integrated Receiver Module Employing Three-dimensional Assembly Technology	423
<i>H. Tanobe; Y. Kurata; Y. Nakanishi; H. Fukuyama; M. Itoh; E. Yoshida</i>	
25-Gbit/s Burst-mode Optical Receiver using High-speed Avalanche Photodiode for 100-Gbit/s Optical Packet Switching	426
<i>M. Nada; M. Nakamura; H. Matsuzaki</i>	
A High-Power and High-Linearity Photodetector Module with 25 dBm RF Output Power at 10 GHz	429
<i>E. Rouvalis; Qiugui Zhou; A. Beling; A. S. Cross; A. G. Steffan; J. C. Campbell</i>	
Status and Recent Advances on Forward Error Correction Technologies for Lightwave Systems	432
<i>A. Leven; L. Schmalen</i>	
Tomlinson-Harashima Precoding for Fiber-Optic Communication Systems	435
<i>R. Rath; W. Rosenkranz</i>	

Hybrid Soft/Hard Decision Multilevel Coded Modulation for Beyond 100Gbps Optical Transmission	438
<i>Fan Yu; Deyuan Chang; N. Stojanovic; Changsong Xie; Mo Li; Lili Jin; Zhiyu Xiao; Xiaozhong Shi; Liangchuan Li</i>	
708-km Combined WDM/SDM Transmission over Few-Mode Fiber Supporting 12 Spatial and Polarization Modes	441
<i>R. Ryf; S. Randel; N. K. Fontaine; X. Palou; E. Burrows; S. Corteselli; S. Chandrasekhar; A. H. Gnauck; C. Xie; R.-J. Essiambre; P. J. Winzer; R. Delbue; P. Pupalais; A. Sureka; Y. Sun; L. Gruner-Nielsen; R. V. Jensen; R. Lingle</i>	
20 x 960-Gb/s MDM-DP-32QAM transmission over 60km FMF with inline MM-EDFA	444
<i>V. A. J. M. Sleiffer; P. Leoni; Y. Jung; J. Surof; M. Kuschnerov; V. Veljanovski; D. J. Richardson; S. U. Alam; L. Grüner-Nielsen; Y. Sun; B. Corbett; R. Winfield; S. Calabrò; B. Sommerkorn-Krombholz; H. Von Kirchbauer; H. De Waardt</i>	
Multi-core Fiber Transmission Technologies for Peta b/s per Fiber Capacity	447
<i>H. Takara</i>	
DWDM Transmission of 128Gb/s PM-16QAM Signal over 1815km of 7-core MCF Using Shared Carrier Reception for Improving the Received Signal Quality	450
<i>E. Le Taillandier De Gabory; M. Arikawa; T. Ito; K. Fukuchi</i>	
Interleaved Core Assignment for Bidirectional Transmission in Multi-Core Fibers	453
<i>Feihong Ye; T. Morioka</i>	
What is the Benefit of Elastic Superchannel for WDM Network?	456
<i>T. Zami</i>	
A Novel Semi-flexible Grid Optical Path Network That Utilizes Aligned Frequency Slot Arrangement.....	459
<i>Zhi-Shu Shen; H. Hasegawa; K.-I. Sato; T. Tanaka; A. Hirano</i>	
Effect of Link Margin and Frequency Granularity on the Performance of a Flexgrid Optical Network.....	462
<i>A. Mitra; A. Lord; S. Kar; P. Wright</i>	
Simulation Results of Shannon Entropy based Flexgrid Routing and Spectrum Assignment on a Real Network Topology	465
<i>P. Wright; M. C. Parker; A. Lord</i>	
Is Flexi-grid Needed Anymore with Spectrally Efficient Time Frequency Packing Terabit Superchannel Technology?	468
<i>G. Meloni; G. Berretini; F. Fresi; R. Magri; F. Cavaliere; L. Poti</i>	
Automatic Restoration over a Type B Dual Parented PON Using VLAN Switching.....	471
<i>A. Rafel; N. Parkin; K. Farrow; P. Wright; D. Nesset</i>	
Centralized Monitoring of True Splice Loss in PON Including MFD Mismatched Fibres	474
<i>H. Takahashi; K. Toge; F. Ito</i>	
Frequency-Code Multiplexed End Reflection Assisted Brillouin Analysis for Monitoring PONs	477
<i>C. Kito; F. Ito; H. Takahashi; K. Toge</i>	
Simple ONU Transmitter Based on Direct-Phase Modulated DFB Laser with Heterodyne Detection for udWDM-PON	480
<i>I. N. Cano; A. Lerin; V. Polo; J. Tabares; J. Prat</i>	
An Automatic Load-balancing DWBA Algorithm Considering Long-time Tuning Devices for λ-Tunable WDM/TDM-PON	483
<i>T. Yoshida; S. Kaneko; S. Kimura; N. Yoshimoto</i>	
Mitigation of Nonlinear Impairments on QPSK Data in Phase-Sensitive Amplified Links	486
<i>B. Corcoran; S. L. I. Olsson; C. Lundström; M. Karlsson; P. A. Andrekson</i>	
QAM Phase-Regeneration in a Phase-Sensitive Fiber-Amplifier	489
<i>T. Richter; R. Elschner; C. Schubert</i>	
Demonstration of Degenerate Vector Phase-Sensitive Amplification.....	493
<i>A. L. Riesgo; C. Lundström; M. Karlsson; P. A. Andrekson</i>	
Digital Phase-Locked Loop-Stabilized Four-Mode Phase-Sensitive Parametric Multicasting	496
<i>Lan Liu; Zhi Tong; A. O. J. Wiberg; E. Myslivets; B. Kuo; N. Alic; S. Radic</i>	
Low-penalty Phase De-multiplexing of QPSK Signal by Dual-pump Phase Sensitive Amplifiers.....	499
<i>Mingyi Gao; T. Kurosu; T. Inoue; S. Namiki</i>	
All-optical Signal Processing for 16-QAM Using Four-level Optical Phase Quantizers Based on Phase Sensitive Amplifiers	502
<i>A. Bogris; D. Syvridis</i>	
Monolithically Integrated 10Gbit/sec Silicon Modulator with Driver in 0.25μm SiGe:C BiCMOS.....	505
<i>L. Zimmermann; D. J. Thomson; B. Goll; D. Knoll; S. Lischke; F. Y. Gardes; Y. Hu; G. T. Reed; H. Zimmermann; H. Porte</i>	
20Gb/s Silicon Ring Modulator Co-Integrated with a Ge Monitor Photodetector	508
<i>M. Pantouvaki; P. Verheyen; G. Lepage; J. De Coster; H. Yu; P. De Heyn; P. Absil; J. Van Campenhout</i>	
High-Speed Silicon-Organic Hybrid (SOH) Modulator with 1.6 fJ/bit and 180 pm/V In-Device Nonlinearity	511
<i>R. Palmer; S. Koeber; W. Heni; D. L. Elder; D. Korn; H. Yu; L. Alloatti; S. Koenig; P. C. Schindler; W. Bogaerts; M. Pantouvaki; G. Lepage; P. Verheyen; J. Van Campenhout; P. Absil; R. Baets; L. R. Dalton; W. Freude; J. Leuthold; C. Koos</i>	
High-speed Silicon Modulators	514
<i>Tao Chu; Xi Xiao; Hao Xu; Xianyao Li; Zhiyong Li; Jinzhong Yu; Yude Yu</i>	
Efficient Transmitter-side Nonlinear Equalizer for 16QAM	517
<i>T. Oyama; H. Nakashima; T. Hoshida; Zhenning Tao; C. Ohshima; J. C. Rasmussen</i>	
Simple Optimization Method for Nonlinear Compensation by Filtered Backpropagation-based Equalization Utilizing Intra-stage Dispersion	520
<i>W. Maeda; D. Ogasahara; J. Abe; T. Ito; M. Arikawa; H. Noguchi; K. Fukuchi</i>	
Novel Polarization-diversity Scheme Based on Mutual Phase Conjugation for Fiber-nonlinearity Mitigation in Ultra-long Coherent Optical Transmission Systems	523
<i>Hongbo Lu; Y. Mori; Changyo Han; K. Kikuchi</i>	

Extending Digital Backpropagation to Account for Noise	526
<i>N. V. Irukulapati; H. Wymeersch; P. Johannisson; E. Agrell</i>	
Coherent Intradyne Opto-Electro-Optic Spectral Inverter and its Application for SPM Mitigation and Wavelength Conversion	529
<i>A. Klekamp; F. Buchali</i>	
Simplified Volterra Series Nonlinear Equalizer by Intra-Channel Cross-Phase Modulation Oriented Pruning	532
<i>F. P. Guimar; S. B. Amado; N. J. Muga; J. D. Reis; A. L. Teixeira; A. N. Pinto</i>	
Simultaneous Turbulence Compensation of Multiple Orbital-Angular-Momentum 100-Gbit/s Data Channels using a Gaussian Probe Beam for Wavefront Sensing	535
<i>Yongxiong Ren; Guodong Xie; Hao Huang; Changjing Bao; Yan Yan; N. Ahmed; M. P. J. Lavery; B. Erkmen; S. J. Dolinar; M. Tur; M. Neifeld; M. J. Padgett; R. Boyd; J. H. Shapiro; A. E. Willner</i>	
2.576Tb/s (23×2×56Gb/s) Mode Division Multiplexed 4PAM over 11.8 km Differential Mode Delay Uncompensated Few-Mode Fiber using Direct Detection	538
<i>R. G. H. Van Uden; C. M. Okonkwo; H. S. Chen; F. M. Huijskens; B. Corbett; R. Winfield; H. De Waardt; A. M. J. Koonen</i>	
Nonlinear Equations of Propagation in Multi-Mode Fibers with Random Mode Coupling	541
<i>A. Mecozzi; C. Antonelli; M. Shtaif</i>	
Splice Induced Nonlinear Performance Penalty in Mode-Division Multiplexed Transmission Systems	544
<i>G. Rademacher; S. Warm; K. Petermann</i>	
Control Plane Solutions for Dynamic and Adaptive Flexi-Grid Optical Networks	547
<i>R. Muñoz; R. Casellas; R. Martínez; R. Vilalta</i>	
Software-Defined Fragmentation-Aware Elastic Optical Networks Enabled by OpenFlow	550
<i>Lei Liu; Yawei Yin; Ming Xia; M. Shirazipour; Zuqing Zhu; R. Proietti; Qing Xu; S. Dahlfort; S. J. Ben Yoo</i>	
Experimental Evaluation of Delay-Sensitive Traffic Routing in Multi-Layer (Packet-Optical) Aggregation Networks for Fixed Mobile Convergence	553
<i>R. Martínez; R. Casellas; R. Muñoz; R. Vilalta</i>	
Optical Control Plane Based on an Analytical Model of Non-Linear Transmission Effects in a Self-Optimized Network	556
<i>R. Pastorelli; S. Piciaccia; G. Galimberti; E. Self; M. Brunella; G. Calabretta; F. Forghieri; D. Siracusa; A. Zanardi; E. Salvadori; G. Bosco; A. Carena; V. Curri; P. Poggiolini</i>	
Evaluation of Strategies for Dynamic Routing Algorithms in Support of Flex-Grid based GMPLS Elastic Optical Networks	559
<i>I. Turus; J. Kleist; A. M. Fagertun; L. Dittmann</i>	
Coherent Reflective PON architecture: can it be made compatible with TWDM-PON?	562
<i>S. Straullu; F. Forghieri; G. Bosco; V. Ferrero; R. Gaudino</i>	
System Demonstration of a Time and Wavelength-Set Division Multiplexing PON	565
<i>D. Van Veen; W. Pöhlmann; J. Galaro; B. Deppisch; A. Duque; Man Fai Lau; B. Farah; T. Pfeiffer; P. Vetter</i>	
A Novel Flexible Optical Remote Node Architecture for Dynamic Wavelength Allocation Over Hybrid WDM/TDM PON Systems	568
<i>Ming-Fang Huang; Dayou Qian; N. Cvijetic; P. N. Ji; Ting Wang</i>	
Coherent SCM-WDM-PON System using OFDM or Single Carrier with SSB Modulation and Wavelength Reuse	571
<i>C. Kottke; J. Von Hoyningen-Huene; M. Eiselt; H. Griesser; J. Elbers; K. Habel; W. Rosenkranz</i>	
A 1.25 Gb/s Low-Cost Coherent PON	574
<i>M. Presi; G. Cossu; R. Corsini; F. Bottoni; E. Ciaramella</i>	
Flexible TWDM PON with Load Balancing and Power Saving	577
<i>Ning Cheng; Lei Wang; Dekun Liu; Bo Gao; Jianhe Gao; Xiaoping Zhou; Huafeng Lin; F. Effenberger</i>	
Multicore Erbium Doped Fiber Amplifiers for Space Division Multiplexed System	580
<i>K. Abedin; T. Thierry; J. Fini; Man Yan; Benyuan Zhu; E. Monberg; F. Dimarcello; V. R. Supradeepa; D. Digiovanni</i>	
Few-mode EDFA Supporting 5 Spatial Modes with Reconfigurable Differential Modal Gain Control	583
<i>Y. Jung; Q. Kang; J. K. Sahu; B. Corbett; R. Winfield; F. Poletti; S. U. Alam; D. J. Richardson</i>	
Few Mode Er³⁺-Doped Fiber with Microstructured Core Enabling Spectral and Modal Gain Equalization for Spatial Division Multiplexing	586
<i>G. Le Cocq; L. Bigot; A. Le Rouge; G. Bouwmans; H. El Hamzaoui; K. Delplace; M. Bouazaoui; Y. Quiquempois</i>	
12-Core Double-Clad Er/Yb-Doped Fiber Amplifier Employing Free-space Coupling Pump/Signal Combiner Module	589
<i>H. Ono; K. Takenaga; K. Ichii; S. Matsuo; T. Takahashi; H. Masuda; M. Yamada</i>	
Cladding-Pumped Seven-Core EDFA Using a Multimode Pump Light Coupler	592
<i>S. Takasaka; H. Matsuura; W. Kumagai; M. Tadakuma; Y. Mimura; Y. Tsuchida; K. Maeda; R. Miyabe; K. Aiso; K. Doi; R. Sugizaki</i>	
An 8×8 Broadcast-and-Select Optical Switch Based on Monolithically Integrated EAM-Gate Array	595
<i>T. Segawa; M. Nada; M. Nakamura; Y. Suzuki; R. Takahashi</i>	
Dynamic Multi-Path WDM Routing in a Monolithically Integrated 8×8 Cross-Connect	598
<i>R. Stabile; A. Rohit; K. A. Williams</i>	
Silica-Based 100-GHz-Spacing Integrated 40-λ 1×4 Wavelength Selective Switch	601
<i>T. Yoshida; H. Asakura; T. Mizuno; H. Takahashi; H. Tsuda</i>	
Dynamic Multi-Path Routing in a Fifth-Order Resonant Switch Matrix	604
<i>P. Dasmahapatra; R. Stabile; A. Rohit; K. A. Williams</i>	
Polarization Diversity 2×2 Switch with Silicon-Wire Waveguide	607
<i>Sang-Hun Kim; Y. Shoji; Guangwei Cong; H. Kawashima; T. Hasama; H. Ishikawa</i>	
Fiber-Port-Count in Wavelength Selective Switches for Space-Division Multiplexing	610
<i>N. K. Fontaine; R. Ryf; D. T. Neilson</i>	

5.3 GHz Modulation Passband for Fiber Lengths Up to 100 km Using a Directly Modulated Passive Feedback Laser.....	613
<i>A. S. Karar; M. A. Rezanian; N. Deb; J. C. Cartledge</i>	
Single-channel 1.28 Tbit/s Transmission over 58 km in the 1.1 μm Band with Wideband GVD and Dispersion Slope Compensation	616
<i>K. Koizumi; T. Hirooka; M. Yoshida; M. Nakazawa</i>	
100 Gbit/s Using Intensity Modulation and Direct Detection.....	619
<i>J. C. Cartledge; A. S. Karar</i>	
Pulse-Carver-Free RZ-64 QAM Transmitter with Electronic CD Pre-Compensation and Auto Bias Control.....	622
<i>H. Kawakami; T. Kobayashi; K. Yonenaga; Y. Miyamoto</i>	
Reach Comparison of Next Generation Optical Fibers with EDFA/Raman Amplification	625
<i>K. Balemarchy; R. Lingle</i>	
Nonlinearity Compensation Benefit in High Capacity Ultra-Long Haul Transmission Systems.....	628
<i>J.-X. Cai; O. V. Sinkin; H. Zhang; H. G. Batshon; M. Mazurczyk; D. G. Foursa; A. Pilipetskii; G. Mohs</i>	
Nonlinear Fiber Capacity	631
<i>E. Agrell</i>	
System Benefits of Digital Dispersion Pre-Compensation for Non-Dispersion-Managed PDM-WDM Transmission	634
<i>A. Ghazisaeidi; J. Renaudier; M. Salsi; P. Tran; G. Charlet; S. Bigo</i>	
Experimental Demonstration of Capacity-Achieving Phase-Shifted Superposition Modulation	637
<i>J. Estaran; D. Zibar; A. Caballero; C. Peucheret; I. T. Monroy</i>	

VOLUME 2

Experimental Demonstration of an Active Stateful PCE Performing Elastic Operations and Hitless Defragmentation	640
<i>A. Castro; F. Paolucci; F. Fresi; M. Imran; B. B. Bhowmik; G. Berrettini; G. Meloni; A. Giorgetti; F. Cugini; L. Velasco; L. Poti; P. Castoldi</i>	
Minimization of the Impact of the TED Inaccuracy Problem in Pce-based Networks by Means of Cognition	643
<i>I. Rodríguez; R. J. Durán; D. Siracusa; I. De Miguel; A. Francescon; J. C. Aguado; E. Salvadori; R. M. Lorenzo</i>	
Experimental Demonstration of H-PCE with BPG-LS in Elastic Optical Networks	646
<i>M. Cuaresma; F. Muñoz Del Nuevo; S. Martínez; A. Mayoral; O. González De Dios; V. López; J. P. Fernández-Palacios</i>	
Resilient Provisioning for Multi-Flow Elastic Optical Networking	649
<i>Ming Xia; S. Dahlfort</i>	
Data Center Interconnection Orchestration with Virtual GMPLS-controlled MPLS-TP Networks Over a Shared Wavelength Switched Optical Network	652
<i>R. Vilalta; R. Muñoz; R. Casellas; R. Martínez</i>	
Emergent Optical Network Integration and Control of Multi-Vendor Optical Networks for Quick Disaster Recovery	655
<i>Sugang Xu; N. Yoshikane; M. Shiraiwa; H. Furukawa; T. Tsuritani; Y. Awaji; N. Wada</i>	
On-the-Field Demonstration of Quintuple-Play Service Provision in Long-Reach OFDM-based WDM-PON Access Networks	658
<i>R. Llorente; M. Morant; E. Pellicer; M. Herman; Z. Nagy; T. Alves; A. Cartaxo; J. Herrera; J. Correcher; T. Quinlan; S. Walker; C. Rodrigues; P. Cluzeaud; A. Schmidt; R. Piesiewicz; R. Sambaraju</i>	
Demonstration of SOA-assisted Open Metro-Access Infrastructure for Heterogeneous Services.....	661
<i>H. Schmuck; R. Bonk; W. Poehlmann; C. Haslach; W. Kuebart; D. Karnick; J. Meyer; D. Fritzsche; E. Weis; J. Becker; W. Freude; T. Pfeiffer</i>	
Photonic-Assisted RF Transceiver.....	664
<i>A. Bogoni; P. Ghelfi; F. Laghezza; F. Scotti; G. Serafino; S. Pinna</i>	
Frequency-Reconfigurable Optical-to-Radio Signal Converter Based on Radio-over-Fiber Technology with Optical Frequency Comb.....	667
<i>A. Kanno; T. Kuri; I. Morohashi; I. Hosako; T. Kawanishi; Y. Yoshida; K. Kitayama</i>	
First Demonstration of Energy Efficient IM-DD OFDM-PON using Dynamic SNR Management and Adaptive Modulation	670
<i>H. Kimura; K. Asaka; H. Nakamura; S. Kimura; N. Yoshimoto</i>	
Investigation of Optical Buffer Capacity using Large-scale Fiber Delay Lines for Variable-length Optical Packet Switching	673
<i>S. Shinada; H. Furukawa; N. Wada</i>	
Low Latency and Efficient Optical Flow Control for Intra Data Center Networks.....	676
<i>Wang Miao; S. Di Lucente; Jun Luo; H. Dorren; N. Calabretta</i>	
A 40 Gb/s Scalable Optical Polymer Backplane Using a Regenerative Shared Bus Architecture	679
<i>N. Bamiedakis; A. Hashim; R. V. Penty; I. H. White</i>	
Parallel Optical Interconnects for Data Center Applications	682
<i>M. Fields</i>	
Ten-Channel Wavelength Tunable Single-Mode Laser Array Based on Slots.....	685
<i>Qiaoyin Lu; Weihua Guo; A. Abdullaev; M. Nawrocka; J. O'Callaghan; J. F. Donegan</i>	
Heterogeneously Integrated III-V/Si Distributed Bragg Reflector Laser with Adiabatic Coupling	688
<i>A. Descos; C. Jany; D. Bordel; H. Duprez; G. B. De Farias; P. Brianceau; S. Menezes; B. Ben Bakir</i>	
Narrow Linewidth, High Power, High Operating Temperature Digital Supermode Distributed Bragg Reflector Laser.....	691
<i>S. C. Davies; R. A. Griffin; A. J. Ward; N. D. Whitbread; I. Davies; L. Langley; S. Fourte; J. Mo; Y. Xu; A. Carter</i>	

6.25 GHz Flexible Grid Tuning of Fully Heater-tuned CSG-DR Lasers with Sub-millisecond Wavelength Switching	694
<i>H. Matsuura; T. Kaneko; K. Tanizawa; E. Banno; K. Uesaka; H. Kuwatsuka; S. Namiki; H. Shoji</i>	
56 Gbit/s InGaAlAs-MQW 1300 nm Electroabsorption-Modulated DFB-Lasers with Impedance Matching Circuit	697
<i>H. Klein; C. Bornholdt; G. Przyrembel; A. Sigmund; W.-D. Molzow; H.-G. Bach; M. Moehrle</i>	
110×110 Optical Mode Transfer Matrix Inversion.....	700
<i>J. Carpenter; B. J. Eggleton; J. Schröder</i>	
Spatial Light Modulator-based Few-Mode Fiber Switches for Space-Division Multiplexing Applications	703
<i>E. Ip; N. Cvijetic; Ting Wang</i>	
Reconfigurable 2×2 Orbital-Angular-Momentum-Based Optical Switching of 50-Gbaud QPSK Channels	706
<i>N. Ahmed; Hao Huang; Yongxiong Ren; Yan Yan; Guodong Xie; A. E. Willner</i>	
4×4 MIMO Equalization to Mitigate Crosstalk Degradation in a Four-Channel Free-Space Orbital-Angular-Momentum-Multiplexed System Using Heterodyne Detection	709
<i>Hao Huang; Guodong Xie; Yongxiong Ren; Yan Yan; Changjing Bao; N. Ahmed; M. Ziyadi; M. Chitgarha; M. Neifeld; S. Dolinar</i>	
698.5-Gb/s PDM-2048QAM Transmission over 3km Multicore Fiber	712
<i>Dayou Qian; E. Ip; Ming-Fang Huang; Ming-Jun Li; Ting Wang</i>	
19-core MCF Transmission System using EDFA with Shared Core Pumping Coupled in Free-space Optics	715
<i>J. Sakaguchi; W. Klaus; B. J. Puttnam; J.-M. D. Mendinueta; Y. Awaji; N. Wada; Y. Tsuchida; K. Maeda; M. Tadakuma; K. Imamura; R. Sugizaki; T. Kobayashi; Y. Tottori; M. Watanabe; R. V. Jensen</i>	
Design Rules for Reach Maximization in Uncompensated Nyquist-WDM Links.....	718
<i>V. Curri; A. Carena; G. Bosco; P. Poggiolini; A. Nespola; F. Forghieri</i>	
Semi-Analytical Model for the Performance Estimation of 100Gb/s PDM-QPSK Optical Transmission Systems without Inline Dispersion Compensation and Mixed Fiber Types	721
<i>E. Seve; P. Ramantanis; J.-C. Antona; E. Grellier; O. Rival; F. Vacondio; S. Bigo</i>	
On the Accuracy of the Gaussian Nonlinear Model for Dispersion-unmanaged Coherent Links	724
<i>P. Serena; A. Bononi</i>	
Impact of the Transmitted Signal Initial Dispersion Transient on the Accuracy of the GN-Model of Non-Linear Propagation	727
<i>A. Carena; G. Bosco; V. Curri; P. Poggiolini; F. Forghieri</i>	
Performance Dependence on Channel Baud-Rate of Coherent Single-carrier WDM Systems	730
<i>A. Bononi; N. Rossi; P. Serena</i>	
Stratified-Sampling Estimation of Outage Probability in Nonlinear Coherent Systems with Polarization Dependent Loss.....	733
<i>N. Rossi; P. Serena; A. Bononi</i>	
Solving Routing and Spectrum Allocation Related Optimization Problems	736
<i>L. Velasco; A. Castro; M. Ruiz</i>	
Adaptive Spectrum Defragmentation with Intelligent Timing and Object Selection for Elastic Optical Networks with Time-Varying Traffic	739
<i>Mingyang Zhang; Changsheng You; Huihui Jiang; Zuqing Zhu; Yawei Yin; Lei Liu; S. J. B. Yoo</i>	
Defragmentation-Based Capacity Enhancement for Fixed to Flexible-Grid Migration Scenarios in DWDM Networks	742
<i>A. Eira; J. Pedro; J. Pires; D. Fonseca; J. Fernández-Palacios; V. López; S. Spaelter</i>	
35.2 Gbps 8-PAM Transmission Over 100 m of MMF Using an 850 nm VCSEL	745
<i>K. Szczerba; M. Karlsson; P. Andrekson; A. Larsson; E. Agrell</i>	
Comparison of 100 Gb/s Ethernet Links using PAM-8, Multipulse, and Hybrid CAP-16/QAM-16 Modulation Schemes.....	748
<i>J. L. Wei; J. D. Ingham; D. G. Cunningham; R. V. Penty; I. H. White</i>	
Experimental Comparison of Pulse Amplitude Modulation (PAM) and Discrete Multi-tone (DMT) for Short-Reach 400-Gbps Data Communication.....	751
<i>Y. Kai; M. Nishihara; T. Tanaka; T. Takahara; Lei Li; Zhenning Tao; Bo Liu; J. C. Rasmussen; T. Drenski</i>	
11×5×10Gb/s WDM-CAP-PON Based on Optical Single-side Band Multi-level Multi-band Carrier-less Amplitude and Phase Modulation with Direct Detection.....	754
<i>Junwen Zhang; J. Yu; Fan Li; Hung-Chang Chien; Xinying Li; Ze Dong</i>	
1.5 Gbps PN-ZP-DMT Transmission System for 1-mm Core Diameter SI-POF with RC-LED	757
<i>Linling Peng; S. Haese; M. Hédard; Ming Liu</i>	
Reach Extensions with Chromatic Dispersion Compensated Multimode Fibers.....	760
<i>D. Molin; M. Bigot-Astruc; P. Sillard</i>	
Multi-band OFDM Transmission with Sub-band Optical Switching.....	763
<i>E. Pincemin; M. Song; J. Karaki; A. Poudoulec; N. Nicolas; M. Van Der Keur; Y. Jaouen; P. Gravey; M. Morvan; G. Froc</i>	
40G Burst Mode Optical Clock Recovery after 52 km Transmission Enabled by a Dynamically Switched Quantum Dash Mode-Locked Laser.....	766
<i>Jun Luo; J. Parra-Cetina; P. Landais; H. J. S. Dorren; N. Calabretta</i>	
Wavelength-Tunable Burst-Mode Receiver with Correlation-Based Polarization Separation.....	769
<i>J. Gripp; J. E. Simsarian; S. Corteselli; T. Pfau</i>	
Demonstration of FSK Light Label Receiver Prototype for Light Path Tracing of 112 Gbps DP-QPSK Signal	772
<i>G. Nakagawa; S. Oda; K. Sone; Y. Aoki; K. Hironishi; T. Tanimura; T. Hoshida; J. C. Rasmussen</i>	
A Compact Integrated 40Gb/s Packet Demultiplexer and Label Extractor on Silicon-on-Insulator for an Optical Packet Switch	775
<i>P. De Heyn; J. Luo; A. Trita; S. Pathak; S. Di Lucente; H. Dorren; N. Calabretta; D. Van Thourhout</i>	

Silicon-Organic Hybrid (SOH) Frequency Comb Source for Data Transmission at 784 Gbit/s	778
<i>C. Weimann; S. Wolf; D. Korn; R. Palmer; S. Koeber; R. Schmogrow; P. C. Schindler; L. Alloati; A. Ludwig; W. Heni; D. Bekele; D. L. Elder; H. Yu; W. Bogaerts; L. R. Dalton; W. Freude; J. Leuthold; C. Koos</i>	
A Novel Optoelectronic Serial-to-Parallel Converter for 25-Gb/s Burst-mode Optical Packets	781
<i>S. Ibrahim; H. Ishikawa; T. Nakahara; R. Takahashi</i>	
Silicon Photonic Optical Serial-to-Parallel Converter with Phase Operation	784
<i>H. Kusano; H. Uenohara</i>	
Terahertz Bandwidth Photonic Hilbert Transformers and Implementations in Ultra Wideband Single-sideband Filters	787
<i>C. Sima; J. C. Gates; C. Holmes; M. N. Zervas; P. G. R. Smith</i>	
Flexible True-Time-Delay Beamforming in a Photonics-Based RF Broadband Signals Generator	790
<i>F. Scotti; P. Ghelfi; F. Laghezza; G. Serafino; S. Pinna; A. Bogoni</i>	
Frequency Diversity MIMO Detection for Coherent Optical Transmission	793
<i>N. Kaneda; T. Pfau; J. Lee</i>	
Adaptive Step Size MIMO Equalization for Few-Mode Fiber Transmission Systems	796
<i>R. G. H. Van Uden; C. M. Okonkwo; V. A. J. M. Sleiffer; H. De Waardt; A. M. J. Koonen</i>	
Mode Scramblers and Reduced-Search Maximum-Likelihood Detection for Mode-Dependent-Loss-Impaired Transmission	799
<i>A. Lobato; F. Ferreira; J. Rabe; M. Kuschnerov; B. Spinnler; B. Lankl</i>	
Complexity Analysis of Adaptive Frequency-Domain Equalization for MIMO-SDM Transmission	802
<i>S. Randel; P. J. Winzer; M. Montoliu; R. Ryf</i>	
Modal Statistics in Mode-Division-Multiplexed Systems	805
<i>J. M. Kahn; Keang-Po Ho</i>	
1306-km 20×124.8-Gb/s PM-64QAM Transmission Over PSCF with Net SEDP 11,300 (b.km)/s/Hz using 1.15 samp/symb DAC	808
<i>A. Nespola; S. Straullu; G. Bosco; A. Carena; Yanchao Jiang; P. Poggiolini; F. Forghieri; Y. Yamamoto; M. Hirano; T. Sasaki; J. Bauwelinck; K. Verheyen</i>	
Experimental Comparison between Hybrid-QPSK/8QAM and 4D-32SP-16QAM Formats at 31.2 GBaud using Nyquist Pulse Shaping	811
<i>R. Rios-Muller; J. Renaudier; O. Bertran-Pardo; A. Ghazisaeidi; P. Tran; G. Charlet; S. Bigo</i>	
Comparison of Two Modulation Formats at Spectral Efficiency of 5 Bits/Dual-Pol Symbol	814
<i>Han Sun; R. Egorov; B. E. Basch; J. McNicol; Kuang-Tsan Wu</i>	
Frequency and Polarization Switched QPSK	817
<i>T. A. Eriksson; P. Johannisson; M. Sjodin; E. Agrell; P. A. Andrekson; M. Karlsson</i>	
Long-Haul Transmission of 1-Tb/s Superchannels, 175-GHz Spaced, over SSMF using Nyquist Pulse Shaping and Flex-Grid WDM Architecture	820
<i>J. Renaudier; A. Ghazisaeidi; P. Tran; O. Bertran-Pardo; G. Charlet; S. Bigo</i>	
Dynamic Path Bandwidth Allocation for 1000×10-Scale Optical Layer-2 Switch Network based on Hierarchical Timeslot Allocation Algorithm and Timeslot Converter	823
<i>K. Hattori; M. Nakagawa; N. Kimishima; M. Katayama; A. Misawa</i>	
Performance Evaluation of Large-scale OXCs that Employ Multi-stage Hetero-granular Optical Path Switching	826
<i>Hai-Chau Le; H. Hasegawa; K.-I. Sato</i>	
Subsystem Modular OXC Architecture that Achieves Disruption Free Port Count Expansion	829
<i>Y. Tanaka; Y. Iwai; H. Hasegawa; K.-I. Sato</i>	
Optical Cross-Connect with Adaptive Intra-node Contention	832
<i>T. Zami</i>	
Low Latency, Rack Scale Optical Interconnection Network for Data Center Applications	835
<i>S. Rumley; M. Glick; G. Dongaonkar; R. Hendry; K. Bergman; R. Dutt</i>	
A 64.4 Gbps km Optical Interconnect Employing a High-Power High-Speed Single-Mode 850-nm VCSELs and OFDM Format	838
<i>I-Cheng Lu; Chia-Chien Wei; Jin-Wei Shi; Hsing-Yu Chen; Sheng-Fan Tsai; Zhi-Rui Wei; Jhih-Min Wun; Jun-Xing Wu; Jyehong Chen</i>	
Advancements in Data-Center Networking, and the importance of Optical Interconnections	841
<i>L. Paraschis</i>	
Significant Noise Reduction in Multimode Fiber Links Using Graded-index Plastic Optical Fiber with Microscopic Heterogeneous Core	844
<i>A. Inoue; R. Furukawa; M. Matsuura; Y. Koike</i>	
Experimental Observation of Third-Harmonic Generation in a ZBLAN Fluoride Fiber with Elliptical Core	847
<i>Wei Qing Gao; K. Ogawa; Xiaojie Xue; Meisong Liao; Dinghuan Deng; Tonglei Cheng; T. Suzuki; Y. Ohishi</i>	
A Preliminary Analysis of Spin in Few-Mode Optical Fibers	850
<i>L. Palmieri; A. Galtarossa</i>	
Fibre Grating Filters for Suppression of Near Infrared OH Emission Lines	853
<i>A. Gbadebo; E. Turitsyna; Xuewen Shu; J. Williams; S. Turitsyn</i>	
Reconfigurable Fiber Optical Parametric Amplifier Gain Profile by Phase Matching Control with Gain-Transparent SBS	856
<i>Liang Wang; C. Shu</i>	
Brillouin Optical Correlation Domain Analysis in Linear Configuration based on Differential Lock-in Detection	859
<i>Ji Ho Jeong; Kyu Hwang Chung; Kwanil Lee; Kwang Yong Song; Je-Ha Lee; Je-Myung Jeong; Sang Bae Lee</i>	
Low-loss Physical-contact-type Fan-out Device for 12-core Multicore Fiber	862
<i>Y. Abe; K. Shikama; S. Yanagi; T. Takahashi</i>	

All-fiber, Ultra-wide Band Tunable Laser Source at 2 μm	865
<i>Z. Li; S. U. Alam; Y. Jung; A. M. Heidt; D. J. Richardson</i>	
300-mW Average Output Power Hybrid Mode-Locked Thulium-Doped Fiber Laser	868
<i>M. A. Chernysheva; A. A. Krylov; C. Mou; R. N. Arif; A. Rozhin; M. H. Rmmeli; S. K. Turitsyn; E. M. Dianov</i>	
Virtual Delay Line Interferometer by a Transmissive Phase-modulated Fiber Bragg Grating.....	871
<i>M. A. Preciado; Xuewen Shu; K. Sugden</i>	
Wideband Uniform Generation of Shape-Adjustable Pulses in Two-Pump Fiber Optic Parametric Amplifier	874
<i>M. A. Shoaie; A. Vedadi; C.-S. Brs</i>	
Laser Spectral Linewidth Suppression Scheme for Coherent Detection	877
<i>Deng Pan; Changjian Ke; Songnian Fu; Yaping Liu; Deming Liu; A. E. Willner</i>	
Modeling of Micro-bending in Multimode Fibers with Parabolic Index Profile using Discrete Coupling Points	880
<i>A. A. Juarez; E. Krune; C.-A. Bunge; S. Warm; K. Petermann</i>	
Experiment Verification of Four Wave Mixing Efficiency Characteristics in a Few Mode Fibre.....	883
<i>N. Mac Suibhne; A. D. Ellis; F. C. G. Gunning; S. Sygletos</i>	
The Impact of Fiber Core Ellipticity and Modal Coherency on Few Moded Erbium Doped Fiber Amplifiers	886
<i>Ee-Leong Lim; S. Dasgupta; Qiongyue Kang; J. M. O. Daniel; F. Poletti; S.-U. Alam; D. J. Richardson</i>	
Highly Alignment Tolerant 4 $\times$ 25 Gb/s ROSA Module for 100G Ethernet Optical Transceiver	889
<i>Joon Ki Lee; Sae-Kyoung Kang; Joon Young Huh; Youn-Seon Jang</i>	
60-Gb/s Mode Division Multiplexing and Wavelength Division Multiplexing in Si Multimode Waveguides	892
<i>C. P. Chen; J. B. Driscoll; R. R. Grote; Yue Liu; R. M. Osgood; K. Bergman</i>	
Wavelength Locking of Microring Resonators and Modulators using a Dithering Signal.....	895
<i>K. Padmaraju; D. F. Logan; J. J. Ackert; A. P. Knights; K. Bergman</i>	
Bit Error Rate Performance Evaluation of a Silicon-on-Insulator Optical-Network-on-Chip Router in a WDM configuration	898
<i>A. Parini; G. Bellanca; A. Annoni; F. Morichetti; A. Melloni; M. J. Strain; M. Sorel; C. Pareige; M. Gay; L. Bramerie; M. Thual</i>	
Effective Phase Noise Suppression in Externally Injected Gain Switched Comb Source for Coherent Optical Communications	901
<i>Rui Zhou; V. Vujicic; T. N. Huynh; P. M. Anandarajah; L. P. Barry</i>	
A Prototype Multicore-fiber Optical Switch Unit for a Large-capacity and High-reliability Network	904
<i>Yong Lee; K. Tanaka; K. Hiruma; E. Nomoto; H. Arimoto</i>	
Comparison of InP and Silicon Mach-Zehnder Modulators in Terms of Chirp.....	907
<i>D. Petousi; L. Zimmermann; K. Voigt; J. Kreissl; K. Petermann</i>	
Compact 100G Coherent Receiver Using InP-based 90 $\circ$ Hybrid Integrated with Photodiodes	910
<i>M. Takechi; Y. Tateiwa; S. Ogita</i>	
3D Stacked Transmitter and Receiver Chips for High Bandwidth Density Optical Interconnects.....	913
<i>P. Duan; O. Raz; B. E. Smalbrugge; K. L. Van De Plassche; S. Dorrestein; J. Duis; H. J. S. Dorren</i>	
Single-Pump, Tunable Wavelength Conversion of 8$\times$12.5 Gsymbol/s QPSK Channels in a Quasi-Rectangular PPLN	916
<i>A. Albuquerque; B. J. Puttnam; M. Drummond; S. Shinada; R. Nogueira; N. Wada</i>	
Continuous Wave Phase-sensitive Four-wave Mixing in Silicon Waveguides with Reverse-biased P-I-N Junctions.....	919
<i>F. Da Ros; D. Vukovic; A. Gajda; L. Zimmermann; K. Petermann; C. Peucheret</i>	
Tunable Two-Stage 6th Order FIR-Filter for Residual Dispersion Compensation.....	922
<i>S. Schwarz; A. Rahim; J. Bruns; K. Petermann; C. G. Schaeffer</i>	
Scalable Multi-segment Phase Mask for Spatial Power Splitting and Mode Division Demultiplexing	925
<i>Haoshuo Chen; T. Koonen</i>	
Monolithic Integration of AlInGaAs DS-DBR Tunable Laser and AlInGaAs MZ Modulator with Small Footprint, Low Power Dissipation and Long-Haul 10Gb/s Performance	928
<i>A. J. Ward; V. Hill; R. Cush; S. C. Heck; P. Firth; Y. Honzawa; Y. Uchida</i>	
Single Mach-Zehnder Modulator with Active Y-branch for Higher than 60 dB Extinction-Ratio Operation	931
<i>Y. Yamaguchi; S. Nakajima; A. Kanno; T. Kawanishi; M. Izutsu; H. Nakajima</i>	
Tunable 1550-nm High Contrast Grating VCSEL Detector	934
<i>Weijian Yang; Li Zhu; Yi Rao; C. Chase; M. Huang; C. J. Chang-Hasnain</i>	
Thin-Film Mach-Zehnder Lithium Niobate Optical Modulator on Silicon Substrates with V$\circ$L of 4 V cm.....	937
<i>P. Rabiei; Jichi Ma; J. Chiles; S. Khan; S. Fathpour</i>	
Hybrid Integration of Lens-Integrated Surface-Emitting Laser for Silicon Photonics Light Source	940
<i>T. Suzuki; K. Adachi; T. Okumura; H. Arimoto; S. Tanaka</i>	
Low-crosstalk 2 $\times$ 2 InGaAsP Photonic-wire Optical Switches using III-V CMOS Photonics Platform	943
<i>Y. Ikku; M. Yokoyama; M. Noguchi; O. Ichikawa; T. Osada; M. Hata; M. Takenaka; S. Takagi</i>	
100 Gb/s Multi-Guide Vertical Integration Transmitter PIC in InP for Fiber-Optics Interconnects	946
<i>V. Tolstikhin; S. Ristic; K. Pimenov; C. Watson; M. Florjanczyk</i>	
Novel Baud-Rate Estimation Technique for M-PSK and QAM Signals based on the Standard Deviation of the Spectrum.....	949
<i>M. V. Ionescu; M. S. Erkilinc; M. Paskov; S. J. Savory; B. C. Thomsen</i>	
Chromatic Dispersion Monitoring and Adaptive Compensation in an 8 $\times$ 12.5 Gb/s All-Optical OFDM System	952
<i>S. Shimizu; G. Cincotti; N. Wada</i>	
SSMI Cancellation in Direct-detection Optical OFDM with Novel Half-cycled OFDM.....	955
<i>Fan Li; Zizheng Cao; Xinying Li; Lin Chen</i>	
Polarization-Time Coded OFDM for PDL Mitigation in Long-Haul Optical Transmission Systems.....	958
<i>E. Awwad; Y. Jaoun; G. R.-B. Othman; E. Pincemin</i>	

Modified Walsh-Hadamard Transform for PDL Mitigation	961
<i>Wei-Ren Peng; T. Tsuritani; I. Morita</i>	
A Low-Complexity Carrier Phase and Frequency Offset Estimator with Adaptive Filter Length for Coherent Receivers	964
<i>A. Meiyappan; Pooi-Yuen Kam; Hoon Kim</i>	
Low-Complexity Linewidth-Tolerant Carrier Phase Estimation for 64-QAM Systems Based on Constellation Transformation	967
<i>S. M. Bilal; G. Bosco; P. Poggiolini; C. R. S. Fludger</i>	
Enhanced Performance for Implicit Training-Aided Coherent Optical Systems by Self-Interference Removal	970
<i>Chen Zhu; A. V. Tran; T. Anderson; E. Skafidas</i>	
Investigation of Polarization-Insensitive Phase Regeneration Using Polarization-Diversity Phase-Sensitive Amplifier	973
<i>Jeng-Yuan Yang; M. Ziyadi; Y. Akasaka; S. Khaleghi; M. R. Chitgarha; J. Touch; M. Sekiya</i>	
DFT-based Offset-QAM OFDM with Arbitrary Orthogonal Waveform Generation	976
<i>Jian Zhao</i>	
Improved Performance of Optical F-OFDM over Conventional OFDM for Residual Frequency Offset Compensation	979
<i>Jian Zhao</i>	
In-band OSNR Monitor Using An Optical Bandpass Filter and Optical Power Measurements for Superchannel Signals	982
<i>S. Oda; Jeng-Yuan Yang; Y. Akasaka; K. Sone; Y. Aoki; M. Sekiya; J. C. Rasmussen</i>	
Tunable Optical Code Converter using Two Linear-Slope Pulse Streams and Cross Phase Modulation	985
<i>T. Kodama; N. Wada; G. Cincotti; K.-I. Kitayama</i>	
A Direct Sequence Coherent OCDMA proposal employing a Code-Tunable SOI integrated encoder and a Multi-band & Multi-code SSFBG Decoder	988
<i>R. Baños; D. Pastor; D. Domenech</i>	
WDM-PDM Signal Processing Based on a Silicon Polarization Insensitive Filter	991
<i>Yaguang Qin; Yu Yu; Lei Xiang; Jinghui Zou; Bingrong Zou; Xinliang Zhang</i>	
Blind Cycle-Slip Detection and Correction for Coherent Communication Systems	994
<i>Yuliang Gao; A. P. T. Lau; Chao Lu; Yongheng Dai; Xiaogeng Xu</i>	
Employing DDBPSK in Optical Burst Switched Systems to Enhance Throughput	997
<i>A. J. Walsh; J. Mountjoy; A. Fagan; A. D. Ellis; L. P. Barry</i>	
Joint Iterative Carrier Synchronization and Signal Detection for Dual Carrier 448 Gb/s PDM 16-QAM	1000
<i>D. Zibar; L. Carvalho; J. Estaran; E. Silva; C. Franciscangeli; V. Ribeiro; R. Borkowski; J. Oliveira; I. Tafur Monroy</i>	
Wideband Wavelength Conversion of 5 Gbaud 64-QAM Signals in a Semiconductor Optical Amplifier	1003
<i>B. Filion; W. C. Ng; A. T. Nguyen; L. A. Rusch; S. Larochele</i>	
TONAK: A Distributed Low-latency and Scalable Optical Switch Architecture	1006
<i>R. Proietti; C. J. Nitta; Yawei Yin; V. Akella; S. J. B. Yoo</i>	
Optical Grooming of OOK and DQPSK Signals by 8-APSK Signal Generation in PPLN Waveguide	1009
<i>S. Pinna; A. Malacarne; A. Bogoni</i>	
Optical and RF Power Requirements for a New Injection-locked Semiconductor Laser Diode Method Compared with Conventional Approaches for QPSK and QAM Modulation	1012
<i>R. Slavík; B. Kelly; R. Phelan; J. O'Carroll; D. J. Richardson</i>	
Fast Optical Spectrum Estimation Using a Digital Coherent Receiver	1015
<i>Hou-Man Chin; Kai Shi; R. Maher; M. Paskov; B. Thomsen; S. Savory</i>	
All-Optical Phase-Preserving Amplitude Regeneration of a 640 Gbit/s RZ-DPSK Signal	1018
<i>Z. Lali-Dastjerdi; M. Galili; H. C. H. Mulvad; Hao Hu; L. K. Oxenløwe; K. Rottwitz; C. Peucheret</i>	
Receiver Sensitivity Enhancement by Using Subcarrier Reliability Aware Soft LDPC in CO-OFDM Systems	1021
<i>Di Che; H. Khodakarami; An Li; Xi Chen; T. Anderson; W. Shieh</i>	
Time-lens Based Optoelectronic Oscillator for Simultaneous Clock Recovery and Demultiplexing of OTDM Signal	1024
<i>Yanfei Xing; Li Huo; Qiang Wang; Xiangyu Jiang; Hongfeng Li; Caiyun Lou</i>	
Method for Determining the Low-Pass Filter Bandwidth for the Low-Pass Filter Assisted Digital Back Propagation Algorithm	1027
<i>Ying Gao; Jian Hong Ke; J. C. Cartledge; S. S.-H. Yam</i>	
A Novel Single-Input Multiple-Output Encoder/Decoder and its Application to Optical Packet Switching	1030
<i>Bo Dai; Xu Wang; S. Shimizu; N. Wada</i>	
Self-pumping Wavelength Conversion of Mixed Order PSK Signals by FWM to Realise Band Conversion	1033
<i>K. Bottrill; F. Parmigiani; D. Richardson; P. Petropoulos</i>	
Autonomous Software-Defined Coherent Optical Receivers Performing Modulation Format Recognition in Stokes-Space	1036
<i>P. Isautier; A. Stark; Jie Pan; K. Mehta; S. E. Ralph</i>	
Statistical Properties of Broadband Chaotic Signals for Ultrafast True Random Bit Sequence Generation	1039
<i>A. Argyris; M. Boumpos; A. Bogris; D. Syvridis</i>	
First All-optical Alamouti Coding Demonstration for Polarization Diversity Transmissions via Optical Phase Conjugation	1042
<i>S. Inudo; Y. Yoshida; A. Maruta; K.-I. Kitayama</i>	
High Spectral Efficiency for Long-haul Optical Links: Time-frequency Packing VS High-order Constellations	1045
<i>G. Colavolpe; T. Foggi</i>	

Self-Homodyne Detection of Polarization-Multiplexed Pilot Tone Signals Using a Polarization Diversity Coherent Receiver	1048
<i>R. S. Luís; B. J. Puttnam; J.-M. D. Mendinueta; J. Sakaguchi; S. Shinada; M. Nakamura; Y. Kamio; N. Wada</i>	
Feasibility Study of Wide-Band In-line SOA Amplification for PDM-MQAM Long-haul WDM Transmission Systems	1051
<i>D. F. Bendimerad; A. Ghazisaeidi; J. Vuong; P. Ramantanis; A. Seck; J. Renaudier; Y. Frignac</i>	
Transmission of a DAC-Free 1.12-Tb/s Superchannel with 6-b/s/Hz over 1000 km with Hybrid Raman-EDFA Amplification and 10 Cascaded 175-GHz Flexible ROADMs	1054
<i>L. H. H. Carvalho; C. Franciscangelis; E. P. Silva; S. H. Linakis; V. E. Parahyba; J. R. F. Oliveira; G. E. R. Paiva; N. G. Gonzalez; A. C. Bordonalli; J. C. R. F. Oliveira</i>	
System Performance of Long-Haul 112-Gb/s PDM-QPSK DWDM Transmission over Large-area Fiber and SSMF Spans	1057
<i>B. Zhu; D. W. Peckham; X. Jiang; R. Lingle</i>	
48.8-Gb/s 16-QAM Direct-Detection Optical OFDM Based on Block-wise Signal Phase Switching	1060
<i>An Li; Di Che; Xi Chen; Qian Hu; Yifei Wang; W. Shieh</i>	
Optimization Method for PSA-based Multi-Level Regenerators	1063
<i>M. Sorokina; S. Sygletos; S. Turitsyn</i>	
Nonlinear Compensation for 1.76Tbit/s PDM-16QAM Nyquist-SCFDE Superchannel Transmission	1066
<i>Rui Ding; Zhennan Zheng; Zhiyuan Huang; Fan Zhang; Zhangyuan Chen; Chuanchuan Yang</i>	
Optical Link Design for Minimum Power Consumption and Maximum Capacity	1069
<i>N. J. Doran; A. D. Ellis</i>	
Optimum Design for Compensation Method of Intra-channel Nonlinear Distortions based on Digital Backpropagation Assisted by Mitigation with CD Pre-compensation	1072
<i>D. Ogasahara; W. Maeda; M. Arikawa; T. Ito; H. Noguchi; J. Abe; K. Fukuchi</i>	
Nonlinear Performance Limits in Highly Dispersive Transmission Systems	1075
<i>F. Matera</i>	
Information Quality (IQ) Factor as Soft-Decision Decoding Threshold for Optical Communications	1078
<i>T. Fehenberger; N. Hanik</i>	
Iterative Bit and Power Loading for Coherent Optical OFDM to Account for Fiber Nonlinearities	1081
<i>F. Wäckerle; S. Stern; R. Fischer</i>	
Comparison of Numerical Bit Error Rate Estimation Methods in 112Gbs QPSK CO-OFDM Transmission	1084
<i>S. T. Le; K. J. Blow; V. K. Menzentssev; S. K. Turitsyn</i>	
Improved Analytical Model for Intra-Channel Nonlinear Distortion by Relaxing the Lossless Assumption	1087
<i>Ying Zhao; Liang Dou; Zhenning Tao; Meng Yan; S. Oda; T. Tanimura; T. Hoshida; J. C. Rasmussen</i>	
Improved Bounds on the Nonlinear Fiber-Channel Capacity	1090
<i>R. Dar; M. Shtaif; M. Feder</i>	
Experimental Study of the Impact of Dispersion Pre-Compensation on PDM-QPSK and PDM-16QAM Performance in Inhomogeneous Fiber Transmission	1093
<i>Xiang Liu; S. Chandrasekhar</i>	
Extending 100G Transatlantic Optical Transmission over Legacy DMF Fibers using Time-Domain Four-Dimensional Nonbinary LDPC-Coded Modulation	1096
<i>Yequn Zhang; Shaoliang Zhang; I. B. Djordjevic; F. Yaman; Ting Wang</i>	
Optimization of Subcarrier Spacing of 400-Gb/s Dual-Carrier Nyquist PDM-16QAM in a Flexgrid Scenario	1099
<i>C. Schmidt-Langhorst; F. Frey; M. Nölle; R. Elschner; C. Meuer; P. Wilke-Berenguer; C. Schubert</i>	
Online Repurposing and Dimensioning of a Programmable Fixed-grid Optical Network	1102
<i>B. R. Rofoee; G. Zervas; Yan Yan; D. Simeonidou</i>	
Dynamic Provisioning via a Stateful PCE with Instantiation Capabilities in GMPLS-Controlled Flexi-grid DWDM Networks	1105
<i>R. Casellas; R. Martinez; R. Muñoz; L. Liu; T. Tsuritani; I. Morita</i>	
Energy and Cost-Efficient Protection in Core Networks by a Differentiated Quality of Protection Scheme	1108
<i>J. López; Yabin Ye; F. Jiménez; P. M. Krummrich</i>	
Interest of the MIXGRID Setup for Elastic Spectral Efficiency	1111
<i>T. Zami</i>	
Unified Approach of Top-down and Bottom-up Methods for Estimating Network Energy Consumption	1114
<i>K. Ishii; F. Okazaki; J. Kurumida; K. Mizutani; H. Takeshita; K. Kobayashi; D. Mochinaga; S. Namiki; K. Sato; T. Kudoh</i>	
Design and Experimental Evaluation of Dynamic Inverse-multiplexing Provisioning in GMPLS-controlled Flexi-Grid DWDM Networks with Sliceable OTN BVTs	1117
<i>R. Muñoz; R. Vilalta; R. Casellas; R. Martínez; S. Frigerio; A. Lometti</i>	
Open Virtual Infrastructure: Implementation Framework for Integrated Provisioning of Virtualized Network and Application Resources Based on Software Defined Networking (SDN)	1120
<i>Yiming Yu; Jie Zhang; Yongli Zhao; Shouyu Wang; Hui Yang; Hui Li; Yuefeng Ji; Yi Lin; Jianrui Han; Shaofeng Qiu</i>	
Influence of Embodied Energy in the Energy Efficiency of Optical Transport Networks	1123
<i>J. Mata; Yabin Ye; J. Lopez; I. T. Monroy</i>	
Fiber Routing, Wavelength Assignment and Multiplexing DWDM-Centric Converged Metro/Aggregation Networks	1126
<i>Shuqiang Zhang; Ming Xia; S. Dahlfort</i>	
Fixed Versus Flex Grid with Route Optimised Modulation Formats and Channel Data Rates of 400 Gbits and Above	1129
<i>D. J. Ives; S. J. Savory</i>	

Dynamic Advance Reservation Multicast in Data Center Networks over Elastic Optical Infrastructure.....	1132
<i>Sheng Shen; Wei Lu; Xiahe Liu; Long Gong; Zuqing Zhu</i>	
Experimental Demonstration of a Contentionless GMPLS-based Light Path Setup using Colourless and Directionless ROADMs.....	1135
<i>A. Frikha; M. D. Mbaye; J. Meuric; E. Le Rouzic</i>	
An Efficient Model for the Multilayer Network Planning of IP-over-WDM Networks.....	1138
<i>M. Nikolayev; A. Morea; Y. Pointurier; J.-C. Antona</i>	
Dynamic Resource Allocation with Virtual Grid for Space Division Multiplexed Elastic Optical Network.....	1141
<i>S. Fujii; Y. Hirota; H. Tode</i>	
Reachability Matrix-based Path Computation Using Matrix Self-Multiplication.....	1144
<i>Xi Wang; Chengyi Gao; Qiong Zhang; M. Bouda; P. Palacharla; M. Sekiya</i>	
Hitless Network Re-Optimization to Reduce Spectrum Fragmentation in Distributed GMPLS Flexible Optical Networks.....	1147
<i>D. Siracusa; A. Broglio; A. Zanardi; E. Salvadori; G. Galimberti; D. La Fauci</i>	
Self-Healing Optical Networks with Architecture on Demand Nodes.....	1150
<i>M. Dzanko; M. Furdek; N. A. Gonzalez; G. Zervas; B. Mikac; D. Simeonidou</i>	
Demonstration of WDM/TDM-PON Prototype Transceiver Employing SOA to Suppress Beat Noise.....	1153
<i>H. Iwamura; M. Sarashina; H. Saito; H. Tamai; S. Kobayashi; N. Minato; M. Kashima</i>	
Real-time Demonstration of DMT-based DDO-OFDM Transmission and Reception at 50Gb/s	1156
<i>Fan Li; Xin Xiao; Xinying Li; Ze Dong</i>	
Modal Noise Impact in Plastic Optical Fiber Links for Radio-over-Fiber Systems	1159
<i>M. Matsuura; R. Furukawa; A. Inoue; Y. Koike</i>	
4.64-bit/s/Hz 46.4-Gbps W-band Direct-Detection OFDM-RoF System Employing Two Cascaded Single-drive MZMs.....	1162
<i>Hou-Tzu Huang; Wan-Ling Liang; Chun-Ting Lin; Chia-Chien Wei; Yu-Hsuan Cheng; Chun-Hung Ho; Huan-Ching Liu; Meng-Fan Wu; Sien Chi</i>	
Energy Demand of High-speed Connectivity Services in NG-PON Massive Deployments	1165
<i>S. Lambert; J. Montalvo; J. A. Torrijos; B. Lannoo; D. Colle; M. Pickavet</i>	
Performance Enhancement of a Hybrid Wired/wireless OFDM Based PON Infrastructure Using an Integrated Device with Optical Injection	1168
<i>A. Saljoghei; C. Browning; L. Barry</i>	
30Gb/s Real-Time Triple Sub-band OFDM Transceivers for Future PONs Beyond 10Gb/s/λ	1171
<i>R. P. Giddings; E. Hugues-Salas; J. M. Tang</i>	
Electrical Splitting OEO G-PON Reach Extender Demonstration	1174
<i>B. Le Guyader; W. Poehlmann; F. Saliou; L. Jentsch; L. Guillo; P. Chanclou; T. Pfeiffer</i>	
140 km Long-Reach WDM-PON Experiment for Ring-based Access Network Architectures.....	1177
<i>E. I. De Betou; C.-A. Bunge; H. Ahlfeldt; M. Olson</i>	
Novel DBA Algorithm for Energy Efficiency in TWDM-PONs.....	1180
<i>A. Dixit; B. Lannoo; D. Colle; M. Pickavet; P. Demeester</i>	
A Multi-gigabit W-band Bidirectional Seamless Fiber-wireless Transmission System with Simple Structured Access Point.....	1183
<i>Xiaodan Pang; J. J. V. Olmos; A. Lebedev; I. T. Monroy</i>	
Power Reduction by Adaptively Optimizing Optical Power Using Actual BER for 10G-EPON Systems.....	1186
<i>N. Ikeda; H. Uzawa; K. Terada; S. Shigematsu; H. Koizumi; M. Urano</i>	
Experimental Demonstration of Remote Unified Control for OpenFlow-based Software Defined Access Optical Networks.....	1189
<i>Hui Yang; Yongli Zhao; Jie Zhang; Rentao Gu; Jialin Wu; Jianrui Han; Yu Yao; Yi Lin; Young Lee; Yuefeng Ji</i>	
Inter-channel Crosstalk Impairment of Time and Wavelength Division Multiplexing Passive Optical Network.....	1192
<i>Hee Yeal Rhy; Gwang Yong Yi; Han Hyub Lee; Sang Soo Lee</i>	
15-Gbit/s Slow Adaptive Uplink OFDMA-PON Employing Channel Stabilization Technique Using Low Frequency Seed Carrier Modulation and Gain Saturated SOA at OLT.....	1195
<i>Sang-Min Jung; Moon-Ki Hong; Sun-Young Jung; Seung-Min Yang; Sang-Kook Han</i>	
Comparative Analysis of M-PAM vs OOK for Multimode Fiber Links with Intersymbol Interference.....	1198
<i>K. Balemarchy; R. Lingle</i>	
Experimental Demonstration of 39Gbps for FDM PON.....	1201
<i>A. Lebreton; B. Charbonnier; J. Le Masson; Rongping Dong; P. Chanclou</i>	
Ultra-fast 1+1 Protection in 10 Gb/s Symmetric Long Reach PON.....	1204
<i>S. McGettrick; Lei Guan; A. Hill; D. B. Payne; M. Ruffini</i>	
Propagation Impairments due to Raman Effect on the Coexistence of GPON, XG-PON, RF-Video and TWDM-PON.....	1207
<i>R. Gaudino; V. Curri; S. Capriata</i>	
Upper Bound for Energy Efficiency in Multi-cell Fibre-wireless Access Systems.....	1210
<i>A. M. J. Koonen; M. Popov; H. Wessing</i>	
Simplified Wavelength Control of Uncooled Widely Tuneable DSDBR Laser for Optical Access Networks.....	1213
<i>L. Ponnampalam; C. C. Renaud; R. Cush; R. Turner; M. J. Wale; A. J. Seeds</i>	
Tapered Mode Multiplexers Based on Standard Single-mode Fibre	1216
<i>S. Yerolatsitis; T. A. Birks</i>	
First Demonstration of an Amplified Transmission Line Based on Multi-Element Fibre Technology	1219
<i>V. J. F. Ranao; S. Jain; T. C. May-Smith; J. K. Sahu; P. Petropoulos; D. J. Richardson</i>	

Mode-selective Dissimilar Fiber Photonic-lantern Spatial Multiplexers for Few-mode Fiber	1222
<i>N. K. Fontaine; S. G. Leon-Saval; R. Ryf; J. R. S. Gil; B. Ercan; J. Bland-Hawthorn</i>	
Wavelength-selective Switch for Few-mode Fiber Transmission	1225
<i>R. Ryf; N. K. Fontaine; J. Dunayevsky; D. Sinefeld; M. Blau; M. Montoliu; S. Randel; Chang Liu; B. Ercan; M. Esmaelpour; S. Chandrasekhar; A. H. Gnauck; S. G. Leon-Saval; J. Bland-Hawthorn; J. R. Salazar-Gil; Y. Sun; L. Gruner-Nielsen; R. Lingle; D. M. Marom</i>	
First Demonstration of High-order QAM Signal Amplification in Ppln-based Phase Sensitive Amplifier	1228
<i>T. Umeki; O. Tadanaga; M. Asobe; Y. Miyamoto; H. Takenouchi</i>	
Tandem-Phase-Modulator-Based Optical Isolator in Silicon.....	1231
<i>C. R. Doerr; L. Chen; D. Vermeulen</i>	
Ultra-Compact Si-Wire 8×8 Strictly-Non-Blocking PILOSS Switch	1234
<i>K. Suzuki; K. Tanizawa; T. Matsukawa; Guangwei Cong; Sang-Hun Kim; S. Suda; M. Ohno; T. Chiba; H. Tadokoro; M. Yanagihara; Y. Igarashi; M. Masahara; H. Kawashima</i>	
All-ETDM 107-Gbaud PDM-16QAM (856-Gb/s) Transmitter and Coherent Receiver	1237
<i>G. Raybon; A. Adamiecki; P. P. J. Winzer; M. Montoliu; S. Randel; A. Umbach; M. Margraf; J. Stephan; S. Draving; M. Grove; K. Rush</i>	
A 100-Gb/s Real-time Burst-mode Coherent PDM-DQPSK Receiver	1240
<i>Mo Li; Ning Deng; Qingsong Xue; Guowei Gong; Zhiyong Feng; Shiyi Cao</i>	
1-Tb/s Transceiver Spanning Over just Three 50-GHz Frequency Slots for Long-Haul Systems.....	1243
<i>J. Renaudier; R. Rios-Muller; L. Schmalen; M. Salsi; P. Tran; G. Charlet; S. Bigo</i>	
44.1 Tb/s Transmission over 9,100 km Using Coded Modulation based on 16QAM Signals at 4.9 bits/s/Hz Spectral Efficiency	1246
<i>D. G. Foursa; H. G. Batshon; H. Zhang; M. Mazurczyk; J.-X. Cai; O. Sinkin; A. Pilipetskii; G. Mohs; N. S. Bergano</i>	
38.75 Tb/s Transmission Experiment Over Transoceanic Distance	1249
<i>M. Salsi; R. Rios-Muller; J. Renaudier; P. Tran; L. Schmalen; A. Ghazisaeidi; H. Mardoyan; P. Brindel; G. Charlet; S. Bigo</i>	
1.03-Exabit/s.km Super-Nyquist-WDM Transmission over 7,326-km Seven-Core Fiber.....	1252
<i>K. Igarashi; T. Tsuritani; I. Morita; Y. Tsuchida; K. Maeda; M. Tadakuma; T. Saito; K. Watanabe; K. Imamura; R. Sugizaki; M. Suzuki</i>	
2×344 Tb/s Propagation-direction Interleaved Transmission Over 1500-km MCF Enhanced by Multicarrier Full Electric-field Digital Back-propagation	1255
<i>T. Kobayashi; H. Takara; A. Sano; T. Mizuno; H. Kawakami; Y. Miyamoto; K. Hiraga; Y. Abe; H. Ono; M. Wada; Y. Sasaki; I. Ishida; K. Takenaga; S. Matsuo; K. Saitoh; M. Yamada; H. Masuda; T. Morioka</i>	
Reducing the Complexity of Nonlinearity Pre-compensation Using Symmetric EDC and Pulse Shaping	1258
<i>Y. Gao; J. C. Cartledge; A. S. Karar; S. S.-H. Yam</i>	
First Field Demonstration of Cloud Datacenter Workflow Automation Employing Dynamic Optical Transport Network Resources Under OpenStack & Openflow Orchestration	1261
<i>T. Szyrkowiec; A. Autenrieth; P. Gunning; P. Wright; A. Lord; J. Elbers; A. Lumb</i>	
First Demonstration of Software Defined Networking (SDN) over Space Division Multiplexing (SDM) Optical Networks.....	1264
<i>N. Amaya; S. Yan; M. Channegowda; B. R. Rofoee; Y. Shu; M. Rashidi; Y. Ou; G. Zervas; R. Nejabati; D. Simeonidou; B. J. Puttnam; W. Klaus; J. Sakaguchi; T. Miyazawa; Y. Awaji; H. Harai; N. Wada</i>	
Novel Flat Datacenter Network Architecture Based on Scalable and Flow-controlled Optical Switch System.....	1267
<i>Wang Miao; Jun Luo; S. Di Lucente; H. Dorren; N. Calabretta</i>	
World's First Demonstration of Pluggable Optical Transceiver Modules for Flexible TWDM PONs	1270
<i>Ning Cheng; Jianhe Gao; Chengzhi Xu; Bo Gao; Xuming Wu; Dekun Liu; Lei Wang; Xiaoping Zhou; Huafeng Lin; Frank Effenberg</i>	
25 Gb/s Transmission Over 820m of MMF using a Multimode Launch from an Integrated Silicon Photonics Transceiver	1273
<i>Xin Chen; S. R. Bickham; Hai-Feng Liu; O. I. Dosunmu; J. E. Hurley; Ming-Jun Li</i>	
Author Index	