

2nd IET Renewable Power Generation Conference

(RPG 2013)

IET Conference Publications 623

**Beijing, China
9 - 11 September 2013**

ISBN: 978-1-62993-601-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by the Institution of Engineering and Technology
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Institution of Engineering and Technology
at the address below.

Institution of Engineering and Technology
P. O. Box 96
Stevenage, Hertfordshire
U.K. SG1 2SD

Phone: 01-441-438-767-328-328
Fax: 01-441-438-767-328-375

www.theiet.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|------------------------------------------------------------------------------------------------------------------------------------|----|
| ALGORITHM FOR CHARACTERISTIC HARMONICS ANALYSIS BASED ON SPECTRAL REFINEMENT AND INTERPOLATION | 1 |
| <i>Da Zhang; LiJun Jin</i> | |
| STUDY ON UTILIZING PROSPECT IN CHINA OF FACTS AND NEW TRANSMISSION TECHNOLOGY | 5 |
| <i>Yihong Wang; Yichi Zhang; Qinyong Zhou; Guangquan Bu; Xiaojiang Guo</i> | |
| IDENTIFICATION OF LIGHTNING STRIKES ON TRANSMISSION LINES BASED ON MATHEMATICAL MORPHOLOGY AND INTEGRAL METHOD | 9 |
| <i>Zehui Liang; Yongli Zhu; Lili Dai; Qingfeng Wen</i> | |
| INFORMATION FUSION METHOD OF MULTI-DATA RESOURCES AND ITS APPLICATION TO FAULT DIAGNOSIS IN POWER SYSTEM | 13 |
| <i>Qingfeng Wen; Xueping Gu; Wenyun Li</i> | |
| RULE-BASED INTRUSION DETECTION SYSTEM FOR SCADA NETWORKS | 17 |
| <i>Y. Yang; K. McLaughlin; T. Littler; S. Sezer; H.F. Wang</i> | |
| THERMOELECTRIC POWER GENERATION RESEARCH BASED ON THE BOILER TAIL FLUE WASTE HEAT | 21 |
| <i>Zhang Hongyuan; Li Zhaohao; Zhou Nan; Shuai Zhi'ang</i> | |
| APPROACH FOR LINEAR STATE ESTIMATION CONSIDERING ZERO-INJECTED CURRENTS | 26 |
| <i>L. Chen; T.S. Bi; A.C. Xue; Q.X. Yang</i> | |
| PROGNOSTIC HEALTH MANAGEMENT TECHNIQUES FOR INTELLIGENT CONDITION MONITORING OF OFFSHORE RENEWABLE GENERATION ASSETS | 31 |
| <i>D.S. Herd; D. Flynn</i> | |
| WIND SPEED AND DIRECTION MEASUREMENT WITH NARROWBAND ULTRASONIC SENSORS USING DUAL FREQUENCIES | 35 |
| <i>H.I. Schlager; Yan Liu; Zhihong Li; Shi Liu</i> | |
| ACOUSTIC TOMOGRAPHY OF TEMPERATURE AND WIND FLOW FIELDS IN A WIND POWER PLANT | 39 |
| <i>Y. Liu; H.I. Schlager; S. Liu; S.Y. Ren</i> | |
| SHORT-TERM SOLAR RADIATION PREDICTION BASED ON SVM WITH SIMILAR DATA | 43 |
| <i>Xiyun Yang; Feifei Jiang; Huan Liu</i> | |
| ROTATIONAL SPEED MEASUREMENT USING ELECTROSTATIC SENSORS WITH SINGLE OR DOUBLE ELECTRODES | 47 |
| <i>L.J. Wang; Y.H. Hu; Y. Yan; X.C. Qian</i> | |
| ON-LINE IDENTIFICATION OF BIOMASS FUELS BASED ON FLAME RADICAL AND APPLICATION OF SUPPORT VECTOR MACHINE TECHNIQUES | 51 |
| <i>X.L. Li; N. Li; G. Lu; Y. Yan</i> | |
| A PROBABILISTIC LOAD MODEL BASED ON CHI-SQUARE METHOD FOR DISTRIBUTION NETWORK | 55 |
| <i>Tianshu Zhang; Xiaohui Song; Xiaoli Meng; Jie Yu; Xiaoyi Chen</i> | |
| THE METHOD OF IMPROVING WIND POWER INTEGRATION BASED ON SMART COMBINED HEATING AND COOLING SYSTEMS | 59 |
| <i>Xu Yan; Jianchao Gao; Yulong Yang; Kai Wu; Shang Lv; Xinyu Liu</i> | |
| SPARSE BAYESIAN LEARNING USING COMBINED KERNELS FOR MEDIUM TERM LOAD FORECASTING | 63 |
| <i>Duan Qing; Sheng Wan-xing; Ma Yan; Ma Kang</i> | |
| THE DIGITAL-ANALOG HYBRID SIMULATION SYSTEM OF LARGE SCALE WIND AND THERMO ELECTRIC POWER TRANSMISSION WITH HVDC LINK | 67 |
| <i>Zhu Yi-ying; Dong Peng; Hu tao; Xie Guo-ping</i> | |
| A STRATEGY OF NEUTRAL-POINT POTENTIAL BALANCING CONTROL FOR THREE-LEVEL INDIRECT MATRIX CONVERTER | 72 |
| <i>Haipeng Jiang; Yongqiang Liu</i> | |
| SELF-INTELLIGENT ACTIVE MANAGEMENT SYSTEM FOR ELECTRICAL DISTRIBUTION NETWORKS WITH PHOTOVOLTAIC SYSTEMS | 76 |
| <i>Jianhui Wong; Yun Seng Lim; S. Morris</i> | |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| PROFILING THE CORRELATION AND COMPLEMENTATION CHARACTERISTICS AMONG RENEWABLE RESOURCES | 80 |
| <i>Li Yaping; Ju Ping; Wang Junyu</i> | |
| PHILLIPS-HEFFRON POWER SYSTEM MODEL FOR SMARTPARK AND SUPPRESSION OF INTER-AREA OSCILLATIONS | 85 |
| <i>H. Cai; W. Du; Y.F. Rao; S. Gao; T. Littler; H.F. Wang</i> | |
| ANALYSIS OF LOAD IMPACT ON SMALL-SIGNAL STABILITY BASED ON LOAD ACTIVE POWER SENSITIVITY | 89 |
| <i>H. Cai; W. Du; Z.A. Zhang; S. Gao; T. Littler; H.F. Wang</i> | |
| DC FAULT ANALYSIS OF MMC BASED HVDC SYSTEM FOR LARGE OFFSHORE WIND FARM INTEGRATION | 93 |
| <i>Yang Gao; M. Bazargan; Lie Xu; Wuxing Liang</i> | |
| SHORT CIRCUIT CURRENT ANALYSIS OF DFIG WITH CROWBAR UNDER UNSYMMETRICAL GRID FAULT | 97 |
| <i>Z.P. Wei; T. Zheng; J. Li</i> | |
| STUDY ON VOLTAGE STABILITY AND SIMULATION ON OUTAGE OF WIND POWER BASE WITH DFIGS DUE TO GRID FAULT | 101 |
| <i>Yuefeng Wang; Hongbo Zhao; Yongning Chi; Wenhui Shi; Wei Sun</i> | |
| RECONFIGURATION OF DISTRIBUTION NETWORK INTO ISLANDED MICROGRIDS CONSIDERING DEVELOPMENT OF DISTRIBUTED ENERGY RESOURCES | 105 |
| <i>J. Yang</i> | |
| A GENERIC INERTIA EMULATION CONTROLLER FOR MULTI-TERMINAL VSC-HVDC SYSTEMS | 109 |
| <i>Jiebei Zhu; J.M. Guerrero; C.D. Booth; Haotian Zhang; G.P. Adam</i> | |
| THE IMPACT OF LVRT CHARACTERISTIC ON THE STABILITY OF NORTHWEST CHINA GRID WITH LARGE SCALE WIND POWER | 115 |
| <i>Dong Peng; Zhu Yiying; Liu Chong; Hu Tao; Wang Weiwei</i> | |
| THE EFFECT OF MASSIVE RENEWABLE DEPLOYMENT ON THE SARDINIAN POWER SYSTEM..... | 121 |
| <i>G. Celli; S. Mocchi; N. Natale; F. Pilo</i> | |
| MULTIPLE-OBJECTIVE DG OPTIMAL SIZING IN DISTRIBUTION SYSTEM USING AN IMPROVED PSO ALGORITHM | 125 |
| <i>Ke-yan Liu; Kaiyuan He; Wanxing Sheng</i> | |
| TRANSIENT STABILITY STUDIES OF POWER SYSTEM WITH SHARED TRANSMISSION OF WIND POWER AND THERMAL POWER | 129 |
| <i>Zhongyi Liu; Chongru Liu; Yi Ding; Gengyin Li</i> | |
| A BANG-BANG CONTROL STRATEGY OF HVDC TO IMPROVE TRANSIENT STABILITY IN THE AC/DC SYSTEM..... | 133 |
| <i>Huang Zhenlin; Zeng Yihao; Guan Lin; Cao Jiandong</i> | |
| MODELLING OF THE DFIG BASED WIND FARMS FOR SMALL SIGNAL STABILITY ANALYSIS OF WEAK POWER GRIDS..... | 137 |
| <i>Xinze Xi; Hua Geng; Geng Yang</i> | |
| THE STATE OF ART FOR FAULT LOCATION IN MULTI-TERMINAL DC SYSTEM..... | 141 |
| <i>M.M. Xu; L.Y. Xiao; H.F. Wang</i> | |
| INTEGRATED MODE AND KEY ISSUES OF RENEWABLE ENERGY SOURCES AND ELECTRIC VEHICLES' CHARGING AND DISCHARGING FACILITIES IN MICROGRID | 145 |
| <i>Zheng Chen; Quan Liu; Xiangning Xiao; Nian Liu; Xiangwu Yan</i> | |
| A CAPACITY OPTIMIZATION METHOD FOR HYBRID ENERGY STORAGE SYSTEM CONSIDERING SOC AND EFFICIENCY | 149 |
| <i>J. Xiao; H.S. Liang; J.C. Yu; P. Zhang; X.D. Wang; S.Q. Yuan</i> | |
| BACKSTEPPING CONTROL FOR ACTIVE POWER FILTER WITH LCL FILTER..... | 153 |
| <i>J.J. Ge; Z.M. Zhao; J.J. Li</i> | |
| STUDY ON THE CO-ORDINATED PLANNING OF POWER DISTRIBUTION AND UTILIZATION FOR IMPROVING RENEWABLE ENERGY EFFICIENCY | 157 |
| <i>Yuanhong Liu; Hai Chen; Limei Zhou; Cong Liu; Wei Zhang</i> | |
| RESEARCH ON TOU PRICE CONSIDERING ELECTRIC VEHICLES ORDERLY CHARGING AND DISCHARGING..... | 161 |
| <i>Yajing Gao; Mengkuo Lv; Dinghui Shen</i> | |
| INPUT-OUTPUT FEEDBACK LINEARIZATION CONTROL OF GRID-CONNECTED INVERTER WITH LCL FILTER | 165 |
| <i>Mingyong Cui; Rui Yao</i> | |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| POWER CONTROL STRATEGY DESIGN IN AN ISLANDED MICROGRID BASED ON VIRTUAL FREQUENCY | 170 |
| <i>Chunfeng Gao; Rengang Yang; Jiao Jiao; Zhenhai Dou</i> | |
| STUDY ON VOLTAGE COORDINATING CONTROL OF A LV DC MICRO-GRID BASED VOLTAGE-SOURCE CONVERTERS | 174 |
| <i>Chen Xiao; Han Minxiao; Wen Jialiang; Wang Yu; Zhang Binbin</i> | |
| A PRONY-BASED METHOD OF LOCATING SHORT-CIRCUIT FAULT IN DC DISTRIBUTION SYSTEM | 178 |
| <i>M.M. Xu; L.Y. Xiao; H.F. Wang</i> | |
| CO-ORDINATED DESIGN OF PHASE MEASUREMENT UNIT AND POWER SYSTEM STABILIZERS IN LARGE SCALE POWER SYSTEMS | 182 |
| <i>Y. Ge; W. Du; T. Littler</i> | |
| DAMPING TORQUE ANALYSIS OF AVR IN LARGE-SCALE MULTI-MACHINE POWER SYSTEMS | 187 |
| <i>Y. Ge; W. Du; T. Littler; S.Q. Bu</i> | |
| APPLYING STATCOM/BESS STABILIZERS IN A REAL LARGE-SCALE POWER SYSTEM | 191 |
| <i>Y. Ge; W. Du; T. Littler</i> | |
| DECOMPOSED ANALYSIS OF DAMPING CONTRIBUTION FROM A PSS IN LARGE MULTI-MACHINE POWER SYSTEMS | 195 |
| <i>Y. Ge; W. Du; T. Littler; J. Cao</i> | |
| RESEARCH ON PLATFORM FOR ADVANCED CONTROL OF ENERGY STORAGE SYSTEM | 199 |
| <i>Hanchen Xu; Zhichang Yuan; Chao Lu; Can Wang; Haifeng Guo; Yongxing Li</i> | |
| WIND AND PV INTEGRATION TO SLOW DOWN NEW CONVENTIONAL POWER PLANTS' DEVELOPMENT IN CHINA | 203 |
| <i>G. Caralis; K. Rados; Zhiqiu Gao; Meng Huang; A. Zervos</i> | |
| THE HYBRID HVDC TRANSMISSION USING LINE COMMUTATED CONVERTER AND FULL BRIDGE MODULAR MULTILEVEL CONVERTER | 207 |
| <i>Xu Jie; Zhao Cheng-Yong; Li Tan; Xu Jian-Zhong; Pang Hui; Lin Chang</i> | |
| FEASIBILITY STUDY OF DISTRICT HEATING WITH CHP, THERMAL STORE AND HEAT PUMP | 211 |
| <i>Zongxiang Wu; Jianzhong Wu</i> | |
| PASSIVITY-BASED CONTROL SCHEME FOR DOUBLY-FED INDUCTION GENERATOR UNDER UNBALANCED GRID VOLTAGE | 215 |
| <i>Xuemei Zheng; Yi Ren; Chun Wang</i> | |
| AN INTEGRATED CONTROL STRATEGY OF BATTERY ENERGY STORAGE SYSTEM IN MICROGRID | 223 |
| <i>Lei Zhang; Yipeng Dong; Zhigang Chen; Xiaorong Xie; Hao Sun; Zhiwen Liu</i> | |
| HYBRID POWER GENERATING SYSTEM FOR OFF-GRID COMMUNITIES IN SOUTH AUSTRALIA | 227 |
| <i>M. Karutz; M.H. Haque</i> | |
| INCORPORATION OF FIXED SPEED WIND FARMS IN POWER FLOW ANALYSIS | 231 |
| <i>M.H. Haque</i> | |
| PROBABILITY ASSESSMENT OF POWER SYSTEM ACCIDENT CAUSED BY POLLUTION FLASHOVER | 235 |
| <i>Q.L. Liu; Y.S. Xue; Y.Y. Xie</i> | |
| DESIGN OF THE CONTROL STRATEGY FOR IMPROVING THE SERVICE LIFE OF BATTERY IN WIND-PV-ES HYBRID GENERATION SYSTEM | 240 |
| <i>Gan-gui Yan; Xin-zhen Cui; Jun-hui Li; Shuang Feng; Zhi-ming Wang</i> | |
| TRANSMISSION GRID FLEXIBILITY ASSESSMENT IN ELECTRICITY MARKET: BULK SYSTEM INDICES FOR THE OPERATIONAL PLANNING | 244 |
| <i>M.C. Falvo; A. Cervone</i> | |
| THE IMPACT OF VEHICLE-TO-GRID ON ELECTRIC POWER SYSTEMS: A REVIEW | 249 |
| <i>B.W. Zhou; T. Littler; H.F. Wang</i> | |
| CO-ORDINATED CONTROL OF OFFSHORE WIND FARMS AND HVDC TRANSMISSION GRID | 253 |
| <i>Sun Wei; Miao Lu; Yao Liangzhong; Wen Jinyu; Suo Zhiwen</i> | |
| STATISTICAL EVALUATION OF VOLTAGE UNBALANCE IN RESIDENTIAL DISTRIBUTION NETWORKS WITH A HIGH PENETRATION LEVEL OF SMALL WIND TURBINES | 259 |
| <i>Chao Long; M.E.A. Farrag; D.M. Hepburn; Chengke Zhou</i> | |
| ANALYSIS OF WIND ENERGY CONVERSION SYSTEM BASED ON MARKOV STATE MODEL | 264 |
| <i>S.M. Abdelkader</i> | |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| DEVELOPING THE MULTI-LEVEL FUNCTIONING INTERFACE FRAMEWORK FOR DER MODELS | 270 |
| <i>X. Han; H.W. Bindner; S. You; F.R. Isleifsson</i> | |
| CO-ORDINATION OF FREQUENCY RESPONSIVE WIND PLANT IN FUTURE POWER SYSTEMS | 274 |
| <i>L. Rutledge; D. Flynn</i> | |
| DC COLLECTION NETWORKS FOR OFFSHORE GENERATION | 278 |
| <i>Yiqing Lian; S.J. Finney</i> | |
| PASSIVITY-BASED CONTROL OF HVDC TRANSMISSION SYSTEM BASED ON MODULAR MULTILEVEL CONVERTER UNDER UNBALANCED GRID CONDITIONS | 282 |
| <i>Xinhong Cai; Chengyong Zhao; Tan Li; Luyao Li</i> | |
| POWER SYSTEM FREQUENCY MANAGEMENT CHALLENGES - A PROBABILISTIC APPROACH TO ASSESSING WIND FARM POTENTIAL FOR AIDING SYSTEM FREQUENCY STABILITY | 286 |
| <i>Lei Wu; D. Infield</i> | |
| START-UP SCHEME FOR HVDC SYSTEM BASED ON MODULAR MULTILEVEL CONVERTER | 291 |
| <i>Li Tan; Zhao Chengyong; Xu Jie; Cai Xinhong; Pang Hui; Lin Chang</i> | |
| RESEARCH ON THE FLEXIBLE PERFORMANCE OF WIND POWER FORECAST SYSTEM IN SOUTHERN CHINA | 295 |
| <i>Junjie Wei; Ying Qiao; Jinyong Lei; Xuzhu Dong; Man Xu</i> | |
| THE CONTROL STRATEGY FOR HYBRID HVDC USING VOLTAGE MARGIN CONTROL AND VOLTAGE DEPENDENT CURRENT ORDER LIMITER CONTROL | 299 |
| <i>Liu Wenjing; Zhao Chengyong; Guo Chunyi</i> | |
| MODELING FOR VSC-HVDC ELECTROMECHANICAL TRANSIENT BASED ON DYNAMIC PHASOR METHOD | 303 |
| <i>Yao Shujun; Bao Mingran; Hu Ya'nan; Han Minxiao; Hou Junxian; Wan Lei</i> | |
| OPTIMAL ELECTRIC VEHICLE CHARGING SCHEDULE BASED ON MINIMUM MARGINAL ENERGY PRODUCTION COST | 307 |
| <i>X.S. Zhang; Y. Yuan; C.C. Sun; M. Wang; Z.X. Fu</i> | |
| IMPACT OF CAPACITY VALUE OF RENEWABLE ENERGY RESOURCES ON RAPS SYSTEM ENERGY MANAGEMENT | 311 |
| <i>Y. Tan; K.M. Muttaqi; L. Meegahapola</i> | |
| ESTIMATION OF CAPACITY CREDITS FOR WIND GENERATION PLANTS IN THE SOUTH EAST AUSTRALIAN POWER GRID | 315 |
| <i>M.A. Abdullah; K.M. Muttaqi; A.P. Agalgaonkar; D. Sutanto</i> | |
| OPTIMAL DISPATCHING OF DISTRIBUTED GENERATION BASED ON DEMAND RESPONSE PROGRAMS | 319 |
| <i>Huiying Zhao; Guangyi Liu; Hongjie Jia; Zhanyong Yang; Shixiong Fan</i> | |
| VERIFICATION OF A REAL-TIME WIND POWER MONITORING AND FORECAST SYSTEM FOR TURKEY | 323 |
| <i>M.B. Özkan; E. Terciyani?; D. Küçük; S. Buhan; T. Demirci; C. Y?ld?z; M. Günindi</i> | |
| AN INTEGRATED VOLT-VAR CONTROL METHOD IN DISTRIBUTION NETWORK BASED ON DISTRIBUTED GENERATION | 327 |
| <i>Wang Xu-qiang; Liu Guang-yi; Zeng Yuan; Yang Zhan-yong; Fan Shi-xiong</i> | |
| THE INFLUENCE OF OXYGEN CONCENTRATION ON BIOMASS GAS MICRO GAS TURBINE OXYGEN-ENRICHED COMBUSTION | 331 |
| <i>Wang Neng; Liu Shi; Liu Jing</i> | |
| A METHOD FOR OPTIMAL SIZING OF STAND-ALONE HYBRID PV/WIND/BATTERY SYSTEM | 335 |
| <i>Y. Nian; S. Liu; D. Wu; J. Liu</i> | |
| EXPANDING RENEWABLES AND THE CHALLENGE OF DESIGNING MARKET PAYMENTS | 339 |
| <i>A. Shortt; M.J. O'Malley</i> | |
| REAL-TIME CONTROL AND MONITORING TECHNOLOGIES USED FOR MULTI-TYPE ENERGY STORAGE LABORATORY IN ZHANGBEI | 343 |
| <i>Xiangjun Li; Dong Hui; Liang Zhang</i> | |
| DAY-AHEAD OPTIMAL CHARGING/DISCHARGING SCHEDULING FOR ELECTRIC VEHICLES IN MICRO-GRIDS | 349 |
| <i>H. Cai; W. Du; X.P. Yu; S. Gao; T. Littler; H.F. Wang</i> | |
| OPTIMAL PROPORTION OF GRID-CONNECTED MICROGRID CAPACITY IN LOW-CARBON ECONOMY | 353 |
| <i>Guo Siqi; Yuan Yue; Cao Yang; He Guoqing; Bao Wei</i> | |

| | |
|--------------------------------------------------------------------------------------------------------------------------------------|-----|
| ACTIVE POWER CONTROL OF VSC-HVDC TRANSMISSION LINKED ISLANDED WIND FARM | 358 |
| <i>X.M. Fan; L. Guan; C.J. Xia; J.M. He; S.K. Xu; X.L. Li</i> | |
| STUDY ON REACTIVE POWER COMPENSATION OF 3000 MW WIND POWER OF JIUQUAN WIND POWER BASE INTEGRATION | 364 |
| <i>Yihong Wang; Baiyang Song; Yingdan Fan; Bin Huang; Hong Shen</i> | |
| DESIGN OF AN INTERIOR PERMANENT MAGNET SYNCHRONOUS MACHINE SUITABLE FOR DIRECT DRIVE WIND TURBINE | 368 |
| <i>K. Ahsanullah; R. Dutta; J. Fletcher; M.F. Rahman</i> | |
| INTEGRATED CONTROL STRATEGY FOR DFIG WIND TURBINE POWER REGULATION | 372 |
| <i>T. Lei; H. Zhang; M. Barnes; O. Marjanovic</i> | |
| SYSTEM FREQUENCY SUPPORT USING WIND TURBINE KINETIC ENERGY AND ENERGY STORAGE SYSTEM | 376 |
| <i>G. Xu; Lie Xu; J. Morrow</i> | |
| REAL-TIME RECOGNITION OF WIND POWER RAMP EVENTS | 380 |
| <i>Huan Ma; Yutian Liu</i> | |
| A SIMPLIFIED TOWER MODEL FOR MASS AND COST ESTIMATION | 384 |
| <i>R. Kazacoks; P. Jamieson</i> | |
| WIND GENERATION RAMPING COORDINATED CONTROL | 388 |
| <i>Yongzhi Qi; Yutian Liu</i> | |
| SENSORLESS POSITION CONTROL OF SWITCHED RELUCTANCE GENERATOR FOR WIND TURBINE | 392 |
| <i>Lixin Xiong; Bingyin Xu; Dunxin Bian</i> | |
| AN INTEGRATION OF ENHANCED WIND POWER INTERVAL FORECASTING INTO REACTIVE POWER DISPATCHING | 396 |
| <i>Jie Yan; Yongqian Liu; Shuang Han; Yang Yang</i> | |
| THE IMPORTANCE OF FULLY-ATTACHED UNSTEADY AERODYNAMICS IN FLOATING WIND TURBINE DESIGN | 402 |
| <i>R. Proskovics; S. Huang; J. Feuchtwang</i> | |
| THE SANDWICH-TYPED SIX-PHASE PERMANENT MAGNET SYNCHRONOUS GENERATOR FOR WIND TURBINES-OPERATIONAL PRINCIPLES AND DESIGN | 406 |
| <i>Q. Gao; F. Mei; B.C. Xie; X. Cai</i> | |
| WIND TURBINE FAULT SIMULATION | 410 |
| <i>Qiu Yingning; Sun Juan; Feng Yanhui</i> | |
| DESIGNING WIND TURBINE CONDITION MONITORING SYSTEMS SUITABLE FOR HARSH ENVIRONMENTS | 414 |
| <i>D. Ferguson; Y.M. Catterson; C. Booth; A. Cruden</i> | |
| AN OPEN SOURCE TOOL TO ESTIMATE MASS AND EFFICIENCY OF WIND TURBINE POWER TAKE-OFF SYSTEMS | 418 |
| <i>O. Keysan; M.A. Mueller</i> | |
| A DYNAMIC ECONOMIC DISPATCH METHOD OF WIND INTEGRATED POWER SYSTEM CONSIDERING THE TOTAL PROBABILITY OF WIND POWER | 422 |
| <i>Dewei Liu; Jianbo Guo; Yuehui Huang; Weisheng Wang; Ping Wang</i> | |
| THE TIME SCALE STUDY OF WIND SPEED PROBABILITY DISTRIBUTION | 426 |
| <i>Y.Q. Liu; J.T. Huang; S. Han</i> | |
| AN EQUIVALENTS STUDY ON PERTURBATION STABILITY MODEL IN WIND POWER GRID BASED ON OPTIMAL COMBINATION THEORY | 430 |
| <i>Liu Haitao; Li Huan; Gong Lenian</i> | |
| A NOVEL 3-D NEAR WAKE VORTEX MODEL FOR FAR WAKE SIMULATION | 434 |
| <i>H. Meng; Y.Q. Liu; L. Li; S. Han</i> | |
| IMPACT OF WAKE EFFECT ON WIND POWER PREDICTION | 439 |
| <i>Li Li; Yi-mei Wang; Yong-qian Liu</i> | |
| WIND POWER FORECASTING BASED ON WAVELET NEURAL NETWORK AND PARTICLE SWARM OPTIMIZATION | 443 |
| <i>Yajing Gao; Hongjia Miao</i> | |
| RESEARCH ON THE WIND RESOURCE ASSESSMENT IN MOUNTAINOUS COMPLEX TERRAINS BASED ON ARCGIS | 447 |
| <i>Hua Zhang; Haiqing Ou; Yu Zhang; Xiaoling Zhu</i> | |
| RESEARCH ON THE DIRECTLY DRIVEN PERMANENT MAGNET SYNCHRONOUS GENERATOR CONNECTED TO DC GRID | 453 |
| <i>Zhang Binbin; Han Minxiao; Chen Xiao</i> | |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| FAULT TOLERANCE FOR WIND TURBINE POWER CONVERTER | 457 |
| <i>Feng Yanhui; Zhou Junwei; Qiu Yingning; Feng Kai</i> | |
| STUDY OF CHINA'S 1ST LARGE OFFSHORE WIND PROJECT | 461 |
| <i>Feng Yanhui; Qiu Yingning; Zhou Junwei</i> | |
| AIRFOIL DYNAMIC STALL RESEARCH OF WIND TURBINE | 465 |
| <i>De Tian; Hang Lei; Ying Deng; Yujie Jiang; Ningbo Wang</i> | |
| EXTREME LOADS CALCULATE AND SECURITY ANALYSIS OF WIND TURBINE VARIABLE PITCH ACTUATOR | 469 |
| <i>Deng Ying; Jiang Yujie; Xie Ting; Zhou Feng; Lei Hang</i> | |
| A FAST TRANSIENT SIMULATION MODEL OF DFIG BASED ON THE PIECEWISE AVERAGING METHOD | 474 |
| <i>G. Feng; Y. Xu; Y. Chen; H. Gao; L. Chen</i> | |
| CURRENT STATUS OF OFFSHORE WIND POWER DEVELOPMENT IN CHINA | 478 |
| <i>G.Y. Wang; T. Littler; H.F. Wang</i> | |
| PROBABILISTIC LOAD FLOW COMPUTATION IN POWER SYSTEM INCLUDING WIND FARMS WITH CORRELATED PARAMETERS | 482 |
| <i>Xue Li; Jia Cao; Pan Lu</i> | |
| NEW TYPE OF WIND FARM PLANNING METHOD RESEARCH | 486 |
| <i>Zhao Hongbo; Chi Yongning; Shi Wenhui; Wang Yuefeng; Chen Ziyu</i> | |
| WIND DIRECTION ERROR IN THE LILLGRUND OFFSHORE WIND FARM | 490 |
| <i>Xi Yu; D. Infield; E. Maguire</i> | |
| CHALLENGES TO DIFFUSION OF SMALL WIND TURBINES IN INDIA | 496 |
| <i>A. Roy; A. Rathod; G.N. Kulkarni</i> | |
| BLADE TIP DEFLECTION CALCULATIONS AND SAFETY ANALYSIS OF WIND TURBINE | 500 |
| <i>Deng Ying; Xie Ting; Zhang Guoqiang; Lei Hang; Tian De</i> | |
| PARTICIPATION TO FREQUENCY REGULATION OF WIND POWER SYSTEM WITH SPINNING RESERVE CONTROL TO PERMANENT MAGNET SYNCHRONOUS GENERATORS (PMSGs) | 505 |
| <i>Ying Zhu; Shenghu Li</i> | |
| A CURRENT OUTPUT HARD-SWITCHED FULL BRIDGE DC/DC CONVERTER FOR WIND ENERGY CONVERSION SYSTEM | 509 |
| <i>S. Fan; W. Ma; G. Liu; Z. Yang; B.W. Williams; H. Zhao</i> | |
| DAMPING CONTROL OF PMSG-BASED WIND TURBINES FOR POWER SYSTEM STABILITY ENHANCEMENT | 513 |
| <i>Yuan Fu; Yi Wang; Xiangyu Zhang; Yingli Luo</i> | |
| VARIABLE SPEED CONTROL OF SERIES-CONNECTED DC WIND TURBINES BASED ON GENERALIZED DYNAMIC MODEL | 517 |
| <i>Gang Shi; Zhibing Wang; Miao Zhu; Xu Cai; Liangzhong Yao</i> | |
| TRIPPING CONTROL FOR TRANSIENT STABILITY IN COORDINATED HYDRO AND WIND GENERATION | 523 |
| <i>QiYu Chen; T. Littler; Haifeng Wang</i> | |
| ANALYSIS ON COORDINATED OPERATION BENEFITS OF WIND POWER WITH CARBON CAPTURE POWER PLANT | 527 |
| <i>Z. Ji; Q.X. Chen; B.Y. Sun; X.B. Geng; K.X. Song</i> | |
| A STUDY OF CONVERTER RATING FOR BRUSHLESS DFIG WIND TURBINES | 531 |
| <i>A. Oraee; E. Abdi; S. Abdi; R.A. McMahon</i> | |
| INVESTIGATION OF MAGNETIC WEDGE EFFECTS IN LARGE-SCALE BDFMS | 535 |
| <i>S. Abdi; E. Abdi; A. Oraee; A. McMahon</i> | |
| DESIGN AND PERFORMANCE ANALYSIS OF A 6 MW MEDIUM-SPEED BRUSHLESS DFIG | 539 |
| <i>E. Abdi; M.R. Tatlow; R.A. McMahon; P.J. Tavner</i> | |
| SIZING OF HYBRID ENERGY STORAGE SYSTEM IN INDEPENDENT MICROGRID BASED ON BP NEURAL NETWORK | 543 |
| <i>Chengchen Sun; Yue Yuan</i> | |
| A CRITICAL ASSESSMENT OF AIRBORNE WIND ENERGY SYSTEMS | 547 |
| <i>J. Samson; R. Katebi; C. Vermillion</i> | |
| WIND SPEED PREDICTION BASED ON EMPIRICAL MODE DECOMPOSITION AND IMPROVED LS-SVM | 551 |
| <i>Chengchen Sun; Yue Yuan</i> | |
| A COMPARISON BETWEEN DUCTED TURBINE THEORY AND INVISCID SIMULATION | 555 |
| <i>S. McLaren-Gow; P. Jamieson; J.M.R. Graham</i> | |
| THE STUDY OF THE TRIPPING OF WIND FARM CONNECTION BASED ON VSC-HVDC | 559 |
| <i>Dou Haoxiang; Zhao Cheng-Yong; Xu Jie; Pang Hui; Lin Chang</i> | |

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| ANALYSIS ON THE STATIC VOLTAGE STABILITY OF AN ACTUAL POWER SYSTEM WITH LARGE-SCALE WIND FARM | 563 |
| <i>Cui Biao; Xue An-cheng; Bi Tian-shu; Zheng Yuan-jie</i> | |
| IMPROVED RIDE-THROUGH OF PMSG WIND TURBINE DURING SYMMETRICAL VOLTAGE DIP USING A MAGNETIC AMPLIFIER | 568 |
| <i>R.A. Ibrahim; M.S. Hamad; K.H. Ahmed; Y.G. Dessouky; B.W. Williams</i> | |
| THE OPERATING RISK EVALUATION OF POWER SYSTEM WITH A LARGE SCALE OF WIND FARMS CONSIDERING UNCERTAINTY OF WIND POWER PREDICTION AND EXTREME WEATHER | 574 |
| <i>Yinli Cao; Haibo Li; Zongxiang Lu; Wei Wang</i> | |
| A SENSORLESS MPPT TECHNIQUE FOR A GRIDCONNECTED PMSG WIND TURBINE SYSTEM..... | 578 |
| <i>A.M. El-Sebaiti; M.S. Hamad; A.A. Helal</i> | |
| NONLINEAR DIRECT POWER CONTROL OF DFIG WIND TURBINES FOR VPP INTEGRATION | 584 |
| <i>M.K. Bourdoulis; A.T. Alexandridis</i> | |
| HYBRID EXCITATION OF SYNCHRONOUS GENERATORS FOR WIND TURBINES | 588 |
| <i>A.S. McDonald</i> | |
| LOSS SENSITIVITY OF A PARALLEL WOUND LOW VOLTAGE AIRGAP WINDING PM GENERATOR FOR OFFSHORE WIND TURBINES | 592 |
| <i>K. Hart; A.S. McDonald</i> | |
| A REVIEW OF SHORT-TERM WIND POWER FORECASTING APPROACHES | 598 |
| <i>G.J. Osório; J.C.O. Matias; J.P.S. Catalão</i> | |
| WIND FARM POWER OPTIMUM DISPATCHING STRATEGY FOR VARIABLE-SPEED WIND TURBINE BASED ON ROTATING ENERGY STORAGE | 602 |
| <i>Xiao Yunqi; Lv Yuegang; He Guanju; Liu Juncheng; Wang Kunpeng</i> | |
| A CONTROL STRATEGY COMBINING SLIDING MODE CONTROLLER WITH CROWBAR CIRCUIT FOR LOW VOLTAGE RIDE THROUGH OF DIRECT-DRIVE WIND POWER SYSTEM..... | 607 |
| <i>Xiyun Yang; Lixia Li; Feifei Jiang</i> | |
| FAULT DIAGNOSIS OF WIND ENERGY CONVERSION SYSTEMS WITH SENSOR FAULTS | 611 |
| <i>J.H. Zhang; J. Xiong; M.F. Ren; M. Jiang; G.L. Hou</i> | |
| MODELLING AND SIMULATION OF GRID-CONNECTED PV SYSTEM IN DIGSILENT/POWERFACTORY | 618 |
| <i>Zheng Fei; Ding Mingchang; Zhang Junjun</i> | |
| ADAPTIVE HYSTERESIS BAND CONTROL FOR CONVERTER WITH LOW OUTPUT RIPPLE AND CONSTANT SWITCHING FREQUENCY..... | 624 |
| <i>Yongxiao Liu; Jinbin Zhao; Jianfeng Dai; Keqing Qu</i> | |
| STEADY STATE ANALYSIS OF DC-DC CONVERTER WITH HIGH STEP-UP RATIO | 628 |
| <i>Xiaoxia Liang; Jinbin Zhao; Cailing Huo; Keqing Qu</i> | |
| PWM HYSTERESIS CONTROL WITH INDUCTOR CURRENT FOR BUCK CONVERTER | 632 |
| <i>Jianfeng Dai; Jinbin Zhao; Yongxiao Liu; Keqing Qu</i> | |
| COMPARISON AND ANALYSIS OF POWER QUALITY TEST METHOD IN PV GRID SYSTEM..... | 636 |
| <i>Yinghua Dong; Meiyin Liu; Jingsheng Huang</i> | |
| A NEW APPROACH FOR SILICON SOLAR CELL MODEL ANALYSIS AND PARAMETER CORRECTION..... | 640 |
| <i>Yawei Wang; Jinbin Zhao; Keqing Qu; Fen Li</i> | |
| CONTROL OF PARALLEL GRID-CONNECTED PHOTOVOLTAIC INVERTERS WITH COMMON DC BUS | 644 |
| <i>F. He; Z. Zhao; L. Yuan; T. Lu</i> | |
| A NOVEL NEGATIVE-OUTPUT CONVERTER WITH HIGH STEP-DOWN RATIO | 648 |
| <i>Cailing Huo; Jinbin Zhao; Xiaoxia Liang; Keqing Qu</i> | |
| COMPARATIVE ASSESSMENT OF STANDARDS FOR GRID-CONNECTED PV SYSTEM IN CHINA, THE U.S. AND EUROPEAN COUNTRIES | 652 |
| <i>Zhen Li; Hualing Han; Chenhui Niu; Zhilei Chen</i> | |
| ROBUST DROOP MULTIPLE LOOP CONTROL METHOD FOR RESISTANCE OUTPUT PARALLEL INVERTERS | 656 |
| <i>Yandong Chen; An Luo; Zhiqiang Peng</i> | |
| PHOTOVOLTAIC NON-LINEAR MEDEL SOLUTION AND IMPROVED P&O METHOD FOR MPPT..... | 660 |
| <i>Zhang Yang; Lin Heyun; Yan Jianhu; Feng Yi; Guo Yujing; Lu Xiaoquan</i> | |

| | |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| AN OPTIMIZATION METHOD OF HARMONIC ANALYSIS IN IEC FRAMEWORK | 664 |
| <i>Dong Wei; Huang Jingsheng; Liu Meiyin</i> | |
| AN IMPROVED SYNCHRONVERTER MODEL AND ITS DYNAMIC BEHAVIOUR COMPARISON WITH SYNCHRONOUS GENERATOR | 668 |
| <i>Chang-Hua Zhang; Qing-Chang Zhong; Jin-Song Meng; Xin Chen; Qi Huang; Shu-heng Chen; Zhi-peng Lv</i> | |
| STUDY ON A NOVEL CONTROL STRATEGY OF THREE-PHASE INVERTER UNDER UNBALANCED LOAD | 672 |
| <i>Chen Xin; Zhang Chang-hua; Huang Qi; Meng Jin-song</i> | |
| ANALYSIS OF CURRENT DISTORTION FOR SINGLE PHASE PV SYSTEM WITH ISOLATED TRANSFORMER | 676 |
| <i>Yawei Wang; Jinbin Zhao; Keqing Qu; Fen Li</i> | |
| EFFECT OF WIND DIRECTION ON HEAT LOSS OF A FULLY OPEN CYLINDRICAL CAVITY WITH ONLY THE BOTTOM WALL HEATED | 680 |
| <i>Shuang-Ying Wu; Jing-Yu Guan; Lan Xiao; Zu-Guo Shen; De-Lei Li</i> | |
| PARAMETER OPTIMIZATION OF PI CONTROLLER IN PV INVERTER | 684 |
| <i>Yao Shujun; Hu Yanan; Bao Mingran; Han Minxiao</i> | |
| DEVELOPMENT OF A NOVEL MOLTEN-SALT FILLED WITH NANOPARTICLES FOR CONCENTRATION SOLAR PLANTS | 688 |
| <i>Shi Liu; Di Wu; Jing Liu; Yue Nian; Pengguang Qiu</i> | |
| SIMULATION OF MOLTEN SALT FLOW IN SOLAR THERMAL SYSTEM USING PROCESS TOMOGRAPHY | 692 |
| <i>J. Liu; S. Liu</i> | |
| Author Index | |