

THIRD INTERNATIONAL SYMPOSIUM ON NEGATIVE IONS, BEAMS AND SOURCES (NIBS 2012)

Jyväskylä, Finland 3 – 7 September 2012

EDITORS

Olli Tarvainen
Taneli Kalvas

University of Jyväskylä, Jyväskylä, Finland

All papers have been peer reviewed.

SPONSORING ORGANIZATIONS

Dehnel - Particle Accelerator Components and Engineering, Inc.
Federation of Finnish Learned Societies
City of Jyväskylä
University of Jyväskylä



Melville, New York, 2013
AIP | CONFERENCE PROCEEDINGS ■ 1515

Editors

Olli Tarvainen
Taneli Kalvas
Accelerator Laboratory
Department of Physics
University of Jyväskylä
P.O. Box 35 (YFL), 40014
Jyväskylä
Finland

Email: olli.tarvainen@jyu.fi
taneli.kalvas@jyu.fi

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1136-4/13/\$30.00.

© 2013 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1NO1, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1136-4 **Qtki kpcnRtlpvw+
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1515
**Third International Symposium on Negative Ions, Beams and Sources
(NIBS 2012)**

Table of Contents

Preface - Third International Symposium on Negative Ions, Beams and Sources Olli Tarvainen	1
FUNDAMENTAL PROCESSES AND MODELING	
Plasma grid shape and size effects on the extraction of negative ions F. Taccogna, P. Minelli, M. Capitelli, S. Longo, and R. Schneider	3
Modeling the particle transport and ion production in a RF driven negative hydrogen ion source for ITER NBI D. Wunderlich, P. McNeely, L. Schiesko, U. Fantz, P. Franzen, and NNBI-Team	12
Study of negative hydrogen ion beam optics using the 2D PIC method K. Miyamoto, S. Okuda, A. Hatayama, M. Hanada, and A. Kojima	22
Numerical modeling of the Linac4 negative ion source extraction region by 3D PIC-MCC code ONIX S. Mochalskyy, J. Lettry, T. Minea, A. F. Lifschitz, C. Schmitzer, O. Midttun, and D. Steyaert	31
Negative ion production by plasma-surface interaction in caesiated negative ion sources M. Bacal and M. Wada	41
The response of surface negative ion yield and virtual cathode formation to the effective work function of caesium D. B. King, A. J. T. Holmes, R. McAdams, and E. Surrey	49
Effects due to adsorbed atoms upon angular and energy distributions of surface produced negative hydrogen ions M. Wada, M. Bacal, T. Kasuya, S. Kato, T. Kenmotsu, and M. Sasao	59

VUV-diagnostics of a filament-driven arc discharge H⁻ ion source	
J. Komppula, O. Tarvainen, S. Lätti, T. Kalvas, H. Koivisto, V. Toivanen, and P. Myllyperkiö	66
Analysis of the double-ion plasma in the extraction region in hydrogen negative ion sources	
T. Fukuyama, S. Okuda, A. Fukano, K. Tsumori, H. Nakano, and A. Hatayama	74
Estimation of sputtering damages on a magnetron H⁻ ion source induced by Cs⁺ and H⁺ ions	
H. Pereira, J. Lettry, J. Alessi, and T. Kalvas	81
Neutral resonant ionization in the high-intensity cesium sputter source	
John S. Vogel	89
Small-radius planar-coil driven inductive discharge as a source of negative hydrogen ions	
Tsvetelina V. Paunsa, Antonia P. Shivarova, Khristo Ts. Tarnev, and Dimitar T. Todorov	99
Study of plasma meniscus formation and beam halo in negative hydrogen ion sources	
S. Okuda, K. Miyamoto, T. Fukuyama, S. Nishioka, A. Hatayama, A. Fukano, M. Hanada, and A. Kojima	107
Operation and thermal modeling of the ISIS H⁻ source from 50 to 2 Hz repetition rates	
H. Pereira, D. Faircloth, and J. Lettry	114
Distribution of the background gas in the MITICA accelerator	
E. Sartori, S. Dal Bello, G. Serianni, and P. Sonato	121
 ION SOURCES FOR FUSION	
Commissioning of the negative ion testbed ELISE	
W. Kraus, U. Fantz, P. Franzen, M. Fröschele, B. Heinemann, C. Martens, R. Riedl, and D. Wunderlich	129
Development of intense hydrogen-negative-ion source for neutral beam injectors at NIFS	
Y. Takeiri, K. Tsumori, M. Osakabe, K. Ikeda, K. Nagaoka, H. Nakano, M. Kisaki, O. Kaneko, E. Asano, T. Kondo, M. Sato, M. Shibuya, S. Komada, and H. Sekiguchi	139

Polar distribution of ions and electrons in extraction region of a large-scaled caesium seeded ion source K. Tsumori, H. Nakano, M. Kisaki, K. Ikeda, K. Nagaoka, M. Osakabe, Y. Takeiri, O. Kaneko, M. Shibuya, E. Asano, T. Kondo, M. Sato, S. Komada, and H. Sekiguchi	149
Construction of a versatile negative ion source and related developments M. Cavenago, G. Serianni, T. Kulevoy, S. Petrenko, P. Agostinetti, V. Antoni, M. Bigi, D. Conventi, F. Fellin, A. Minarello, M. De Muri, R. Pasqualotto, M. Recchia, M. Rigato, M. Sattin, M. Barbisan, F. Rossetto, M. Valente, and P. Veltri	157
Multiaperture negative ion source Yu. I. Belchenko, A. I. Gorbovsky, A. A. Ivanov, S. G. Konstantinov, A. L. Sanin, I. V. Shikhovtsev, and M. A. Tiunov	167
Analysis of electron temperature distribution by Kinetic modeling of electron energy distribution function in JAEA 10 ampere negative ion source T. Shibata, R. Terasaki, M. Kashiwagi, T. Inoue, M. Dairaku, M. Taniguchi, H. Tobari, N. Umeda, K. Watanabe, K. Sakamoto, and A. Hatayama	177
A comparison of hydrogen and deuterium plasmas in the IPP prototype ion source for fusion U. Fantz, L. Schiesko, D. Wunderlich, and NNBI Team	187
Development of a negative ion-based neutral beam injector in Novosibirsk A. A. Ivanov, G. F. Abdrashitov, V. V. Anashin, Yu. I. Belchenko, A. V. Burdakov, V. I. Davydenko, P. P. Deichuli, G. I. Dimov, A. N. Dranichnikov, V. A. Kapitonov, V. V. Kolmogorov, A. A. Kondakov, S. S. Popov, A. L. Sanin, I. V. Shikhovtsev, A. V. Sorokin, N. V. Stupishin, M. A. Tiunov, V. P. Belov, A. I. Gorbovsky, V. V. Kobets, M. Binderbauer, S. Putvinski, A. Smirnov, and L. Sevier	197
Proposal of actively heated, long stem based Cs delivery system for diagnostic neutral beam source in ITER G. Bansal, S. Mishra, K. Pandya, M. Bandyopadhyay, J. Soni, A. Gahlaut, K. G. Parmar, S. Shah, A. Phukan, G. Roopesh, I. Ahmed, A. K. Chakraborty, M. J. Singh, B. Schunke, R. Hemsworth, L. Svensson, J. Chareyre, and J. Graceffa	207
Flexible magnetic design of the MITICA plasma source and accelerator G. Chitarin, N. Marconato, P. Agostinetti, G. Serianni, and P. Sonato	217

Compensations of beamlet deflections for 1 MeV accelerator of ITER NBI	
Mieko Kashiwagi, Masaki Taniguchi, Naotaka Umeda, Masayuki Dairaku, Hiroyuki Tobari, Haruhiko Yamanaka, Kazuhiro Watanabe, Takashi Inoue, H. P. L. de Esch, Larry R. Grisham, Deirdre Boilson, Ronald S. Hemsworth, and Masanobu Tanaka	227
H⁻ density profile and response to applied bias and extraction voltages in H⁻ source	
H. Nakano, K. Tsumori, M. Kisaki, K. Ikeda, K. Nagaoka, M. Osakabe, O. Kaneko, E. Asano, T. Kondo, M. Sato, M. Shibuya, S. Komada, H. Sekiguchi, and Y. Takeiri	237
Cesium dynamics and H⁻ density in the extended boundary layer of negative hydrogen ion sources for fusion	
C. Wimmer, U. Fantz, and NNBI-Team	246
Influence of cesium on the plasma parameters in front of the plasma grid in sources for negative hydrogen ions	
R. Friedl and U. Fantz	255
Characteristics of volume produced negative hydrogen ions in a field-effect-transistor based ion source	
N. Tanaka, T. Funaoi, K. Oikawa, Y. Saito, H. Nakano, and A. Ando	263
Diagnostics of a negative hydrogen ion source based on a planar-coil inductively-driven discharge	
Stiliyan St. Lishev, Antonia P. Shivarova, Dimitar I. Iordanov, Dimitar T. Todorov, and Angel P. Demerdzhiev	270
Investigation of Helicon discharges as RF coupling concept of negative hydrogen ion sources	
S. Briefi and U. Fantz	278
Conceptual design of data acquisition and control system for two Rf driver based negative ion source for fusion R&D	
Jigenesh Soni, R. K. Yadav, A. Patel, A. Gahlaut, H. Mistry, K. G. Parmar, V. Mahesh, D. Parmar, B. Prajapati, M. J. Singh, M. Bandyopadhyay, G. Bansal, K. Pandya, and A. Chakraborty	284

ION SOURCES FOR ACCELERATORS

Recent performance of the SNS H⁻ source for 1-MW neutron production	
Martin P. Stockli, B. X. Han, S. N. Murray, T. R. Pennisi, M. Santana, and R. F. Welton	292

H⁻ ion sources for CERN's Linac4 J. Lettry, D. Aguglia, Y. Coutron, E. Chaudet, A. Dallocchio, J. Gil Flores, J. Hansen, E. Mahner, S. Mathot, S. Mattei, O. Midttun, P. Moyret, D. Nisbet, M. O'Neil, M. Paoluzzi, C. Pasquino, H. Pereira, J. Sanchez Arias, C. Schmitzer, R. Scrivens, and D. Steyaert	302
H⁻ ion source development for the FNAL 750keV injector upgrade D. S. Bollinger	312
Negative ion source development at the cooler synchrotron COSY/Jülich O. Felden, R. Gebel, R. Maier, and D. Prasuhn	321
Over 60mA RF-driven H⁻ ion source for the J-PARC A. Ueno, Y. Namekawa, S. Yamazaki, K. Ohkoshi, I. Koizumi, K. Ikegami, A. Takagi, and H. Oguri	331
Developing reliable internal antennas and standardizing performance of H⁻ RF ion sources R. F. Welton, V. G. Dudnikov, B. X. Han, S. N. Murray, T. R. Pennisi, R. T. Roseberry, M. Santana, and M. P. Stockli	341
Recent negative ion source activity at JYFL T. Kalvas, O. Tarvainen, J. Komppula, M. Laitinen, T. Sajavaara, H. Koivisto, A. Jokinen, and M. P. Dehnel	349
Developing the RAL front end test stand source to deliver a 60 mA, 50 Hz, 2 ms H⁻ beam Dan Faircloth, Scott Lawrie, Alan Letchford, Christoph Gabor, Mike Perkins, Mark Whitehead, Trevor Wood, Olli Tarvainen, Jani Komppula, Taneli Kalvas, Vadim Dudnikov, Hugo Pereira, Zunbelitz Izaola, and John Simkin	359
Potential for improving of the compact surface plasma sources V. Dudnikov, D. Bollinger, D. Faircloth, and S. Lawrie	369
Operation status of the J-PARC negative hydrogen-ion source H. Oguri, K. Ikegami, K. Ohkoshi, I. Koizumi, Y. Namekawa, A. Ueno, A. Takagi, and S. Yamazaki	379
RF plasma modeling of the Linac4 H⁻ ion source S. Mattei, M. Ohta, A. Hatayama, J. Lettry, Y. Kawamura, M. Yasumoto, and C. Schmitzer	386

Optimization of magnetic field structure of a compact 14 GHz ECR ion source	T. Ichikawa, T. Kasuya, T. Kenmotsu, S. Maeno, T. Nishida, M. Nishiura, H. Yamaoka, and M. Wada	394
Vacuum simulation and characterization for the Linac4 H⁻ source	C. Pasquino, P. Chiggiato, A. Michet, J. Hansen, and J. Lettry	401
Perfectly matched pulsed 2MHz RF network and CW 30MHz RF matching network for the J-PARC RF-driven H⁻ ion source	A. Ueno, Y. Namekawa, S. Yamazaki, K. Ohkoshi, I. Koizumi, K. Ikegami, A. Takagi, and H. Oguri	409
Emittance measurements of the J-PARC RF-driven H⁻ ion source	A. Ueno, Y. Namekawa, S. Yamazaki, K. Ohkoshi, I. Koizumi, K. Ikegami, A. Takagi, and H. Oguri	417
Gas injection and fast pressure-rise measurements for the Linac4 H⁻ source	E. Mahner, P. Chiggiato, J. Lettry, S. Mattei, M. O'Neil, H. Neupert, C. Pasquino, and C. Schmitzer	425
Beam enhancement by axial magnetic field optimization of the J-PARC RF-driven H⁻ ion source	S. Yamazaki, A. Ueno, Y. Namekawa, K. Ohkoshi, I. Koizumi, K. Ikegami, A. Takagi, and H. Oguri	433
Design study of a test vessel to investigate the ISIS H⁻ Penning ion source plasma	Scott R. Lawrie and Daniel C. Faircloth	440
Upgrade of CW negative hydrogen ion source	Yu. I. Belchenko, A. I. Gorbovskiy, A. A. Ivanov, A. L. Sanin, V. Y. Savkin, and M. A. Tiunov	448
Improving efficiency of plasma generation in H⁻ ion source with saddle antenna	V. Dudnikov, R. Johnson, S. Murrey, T. Pinnisi, C. Piller, M. Santana, M. Stockli, R. Welton, and C. Johnson	456

BEAM FORMATION AND LOW ENERGY TRANSPORT

Injection optics for fast mass switching for accelerator mass spectrometry

- D. C. Weisser, L. K. Fifield, S. G. Tims, N. R. Lobanov, G. G. Crook,
D. Tsifakis, and T. B. Tunningley 464

Emittance characterization of the spallation neutron source H⁻ injector

- B. X. Han, M. P. Stockli, R. F. Welton, S. N. Murray Jr., T. R. Pennisi,
and M. Santana 473

A magnetized Einzel lens electron dump for the Linac4 H⁻ ion source

- Ø. Midttun, T. Kalvas, M. Kronberger, J. Lettry, H. Pereira,
and R. Scrivens 481

Metal negative ion production by an RF sputter self-extraction ion source

- N. Yamada, T. Kasuya, T. Kenmotsu, M. R. Vasquez Jr., and M. Wada 491

Heat load estimation in the duct and blanket module region of the HNB during various operating scenarios of the ITER machine

- M. J. Singh, D. Boilson, R. Hemsworth, E. Dlougach, F. Geli,
J. Chareyre, M. Urbani, A. Krylov, A. Panasenkov, S. Lisgo, R. Pitts,
and M. Roccella 498

Tube entrance lens focus control

- D. C. Weisser, L. K. Fifield, T. F. G. Kitchen, T. B. Tunningley,
N. R. Lobanov, and A. G. Muirhead 506

BEAM ACCELERATION AND NEUTRALIZATION

Status of physics design of the HNB accelerator for ITER

- H. P. L. de Esch, M. Kashiwagi, T. Inoue, G. Serianni, P. Agostinetti,
G. Chitarin, N. Marconato, E. Sartori, P. Sonato, P. Veltri,
and R. S. Hemsworth 512

Benchmark of the SLACCAD code against data from the MANITU testbed at IPP

- P. Agostinetti, G. Chitarin, P. Franzen, B. Ruf, G. Serianni, and P. Veltri 522

The beam driven plasma neutralizer

- E. Surrey and A. Holmes 532

Spatial characterization of the space charge compensation of negative ion beams

- P. Veltri, M. Cavenago, and G. Serianni 541

BEAMLINES AND FACILITIES

Status of PRIMA, the test facility for ITER neutral beam injectors

P. Sonato, V. Antoni, M. Bigi, G. Chitarin, A. Luchetta, D. Marcuzzi,
R. Pasqualotto, N. Pomaro, G. Serianni, V. Toigo, P. Zaccaria,
and ITER International Team

549

Advanced energy recovery concepts for negative ion beamlines in fusion power plants

R. McAdams, A. J. T. Holmes, M. Porton, A. Benn, E. Surrey,
and T. T. C. Jones

559

Preliminary results from the Small Negative Ion Facility (SNIF) at CCFE

J. Zacks, R. McAdams, J. Booth, K. Flinders, A. J. T. Holmes,
M Simmonds, B. Stevens, P. Stevenson, E. Surrey, S. Warder,
A. Whitehead, and D. Young

569

Thermal simulations of STRIKE tiles for the assessment of the CFC prototypes and of the configuration for SPIDER

G. Serianni, M. De Muri, D. Fasolo, R. Pasqualotto, V. Cervaro,
S. Dal Bello, M. Dalla Palma, L. Franchin, A. Rizzolo, and M. Tollin

579

Upgrade of the ITUR extraction system at ESS-Bilbao

Zunbeltz Izaola, Aitor Zugazaga, Jorge Feuchtwanger,
David Fernández-Cañoto, Ibon Bustinduy, Juan Luis Munoz,
Dan Faircloth, and Scott R. Lawrie

587

WORKSHOP ON PERFORMANCE VARIATIONS IN H- ION SOURCES

Workshop on performance variations in H⁻ ion sources 2012: PV H⁻12

M. P. Stockli, D. Faircloth, W. Kraus, A. Ando, D. S. Bollinger, S. Briefi,
U. Fantz, R. Friedl, M. Kashiwagi, D. King, H. Koivisto, B. X. Han,
J. Lettry, Y. Takeiri, O. Tarvainen, K. Tsumori, R. F. Welton,
and Ch. Wimmer

594

Author Index

599