

The Physics of Semiconductors

Proceedings of the 31st International Conference on the Physics of Semiconductors (ICPS) 2012

Zurich, Switzerland

29 July–3 August 2012

Editors

Thomas Ihn

Clemens Rössler

Aleksey Kozikov

ETH Zurich, Zurich, Switzerland

All papers have been peer reviewed.

Sponsoring Organizations

ETH Zurich

ETH Board

International Union of Pure and Applied Physics

Swiss National Science Foundation

Swiss National Centre of Competence in Research, Quantum Science and Technology

Swiss National Centre of Competence in Research, Quantum Photonics

SPECS

SENSIRION

Swiss Airlines

ATTOCUBE

The City of Zurich

The Canton of Zurich

IBM

ID Quantique



Melville, New York, 2013
AIP Proceedings

Volume 1566

Editors

Thomas Ihn
Clemens Rössler
Aleksey Kozikov

Department of Physics
ETH Zurich
Solid State Physics Laboratory
Schafmattstrasse 16 CH-8093
Zurich, Switzerland

E-mail: ihn@phys.ethz.ch
roessler@phys.ethz.ch
akozikov@phys.ethz.ch

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the AIP Publishing LLC for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1194-4/13/\$30.00



© 2013 AIP Publishing LLC

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP Publishing and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Publishing Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1194-4
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1566
The Physics of Semiconductors
Proceedings of the 31st International Conference on the Physics of Semiconductors
(ICPS) 2012

Table of Contents

Preface to the Proceedings of the 31st International Conference on the Physics of Semiconductors, Zurich, 2012

T. Ihn, A. Kozikov, and C. Rössler 1

MATERIAL STRUCTURE

Solution-phase synthesis and photoluminescence characterization of quaternary $\text{Cu}_2\text{ZnSnS}_4$ nanocrystals

Yasushi Hamanaka, Masakazu Tsuzuki, Kohei Ozawa, and Toshihiro Kuzuya 3

Effects of hydrogen irradiation on the optical and electronic properties of site-controlled InGaAsN V-groove quantum wires

M. Felici, G. Pettinari, A. Polimeni, R. Carron, G. Lavenuta, E. Tartaglini, M. De Luca, A. Notargiacomo, D. Fekete, P. Gallo, B. Dwir, A. Rudra, P. C. M. Christianen, J. C. Maan, M. Capizzi, and E. Kapon 5

Vibrational modes of oxygen complexes in CdSe

Wei Cheng, Lei Liu, and Peter Y. Yu 7

Dynamical properties of vacancy in Si

Koun Shirai and Jun Ishisada 9

Physical origins of ON-OFF switching in ReRAM via V_O based conducting channels

Katsumasa Kamiya, Moon Young Yang, Seong-Geon Park, Blanka Magyari-Köpe, Yoshio Nishi, Masaaki Niwa, and Kenji Shiraishi 11

Synthesis and characterization of copper oxide nanopowders produced via chemical method

M. Amin Baghchesara, Hossein Abdizadeh, and Farhad Bagheri Jebeli 13

Understanding polarization properties of InAs quantum dots by atomistic modeling of growth dynamics

Vittorianna Tasco, Muhammad Usman, Maria Teresa Todaro, Milena De Giorgi, and Adriana Passaseo 15

Surfactant role of (TM)Sb in MOVPE growth of metamorphic InGaAs graded buffers

A. Gocalinska, M. Manganaro, and E. Pelucchi 17

Frustration of photocrystallization in amorphous selenium films and film-polymer structures near the glass transition	
G. P. Lindberg, R. E. Tallman, S. Abbaszadeh, K. S. Karim, J. A. Rowlands, A. Reznik, and B. A. Weinstein	19
Theory of the electronic structure of dilute bismide and bismide-nitride alloys of GaAs: Tight-binding and k.p models	
Muhammad Usman, Christopher A. Broderick, and Eoin P. O'Reilly	21
Ohmic contact recipe on $Ti_xCr_{2-x}O_3$ and its application to temperature dependent Hall measurements	
Victor-Tapio Rangel-Kuoppa and Agustin Conde-Gallardo	23
Electrically-detected magnetic resonance in semiconductor nanostructures inserted in microcavities	
Nikolay Bagraev, Eduard Danilovskii, Wolfgang Gehlhoff, Dmitrii Gets, Leonid Klyachkin, Andrey Kudryavtsev, Roman Kuzmin, Anna Malyarenko, Vladimir Mashkov, and Vladimir Romanov	25
The LDA-1/2 technique: Recent developments	
Luiz G. Ferreira, Ronaldo R. Pelá, Lara K. Teles, Marcelo Marques, Mauro Ribeiro Jr., and Jürgen Furthmüller	27
Ohmic contacts on TiO_2 films and its temperature dependence study	
Victor-Tapio Rangel-Kuoppa and Sergio A. Tomas	29
Morphological evolution of seeded self-limiting quantum dots on patterned substrates	
Valeria Dimastrodonato, Emanuele Pelucchi, and Dimitri D. Vvedensky	31
Two orders of magnitude reduction in the temperature dependent resistivity of $Ga_{1-x}Mn_xAs$ grown on (6 3 1) GaAs insulating substrates	
Victor-Tapio Rangel-Kuopp, Isaac Martinez-Velis, Salvador Gallardo-Hernandez, and Maximo Lopez-Lopez	33
<i>Ab initio</i> study of phase transition of boron nitride between zinc-blende and rhombohedral structures	
S. Nishida, H. Funashima, K. Sato, and H. Katayama-Yoshida	35
Photoluminescence polarization anisotropy for studying long-range structural ordering within semiconductor multi-atomic alloys and organic crystals	
T. Prutskij, J. Percino, T. Orlova, and L. Vavilova	37
Transport properties of $Nd_{1-x}Fe_xO_2$ polycrystalline films	
I. Corrales-Mendoza, Victor-Tapio Rangel-Kuoppa, and A. Conde-Gallardo	39
A first-principles core-level XPS study on the boron impurities in germanium crystal	
Jun Yamauchi, Yoshihide Yoshimoto, and Yuji Suwa	41

Investigation of electronic properties of the thienoacenes using first principles methods R. Lelis-Sousa, N. M. Sotomayor, and L. Y. A. Dávila	43
Monte Carlo studies of ordering in nitride ternary alloys Michał Łopuszyński and Jacek A. Majewski	45
Band structure properties of (BGa)P semiconductors for lattice matched integration on (001) silicon Nadir Hossain, Jeff Hosea, Sven Liebich, Martin Zimprich, Kerstin Volz, Bernerdette Kunert, Wolfgang Stolz, and Stephen Sweeney	47
WIDE BANDGAP	
Terahertz photoluminescence from n-GaN(Si) layers A. V. Andrianov, A. O. Zakhar'in, and A. V. Bobylev	49
Homojunction p-n photodiodes based on As-doped single ZnO nanowire H. D. Cho, A. S. Zakirov, Sh. U. Yuldashev, C. W. Ahn, Y. K. Yeo, and T. W. Kang	51
Wannier-Stark localization and terahertz electroluminescence of natural SiC superlattice V. I. Sankin, A. V. Andrianov, A. G. Petrov, and A. O. Zakhar'in	53
<i>Ab initio</i> studies of early stages of AlN and GaN growth on 4H-SiC E. Wachowicz, M. Sznajder, N. Kędroń, and J. A. Majewski	55
A novel method for the determination of the full energetic distribution of interface state density in metal/insulator/GaN structures from capacitance - voltage and photocapacitance - light intensity measurements Maciej Matys, Bogusława Adamowicz, and Tamotsu Hashizume	57
Structural, optical and magnetic properties of ZnOFe/ZnO multilayers H. Nakayama, R. Kinoshita, I. Sakamoto, M. Yasumoto, M. Koike, and S. Honda	59
A new mechanism of contact resistance formation in ohmic contacts to semiconductors with high dislocation density A. V. Sachenko, A. E. Belyaev, N. S. Boltovets, R. V. Konakova, Ya. Ya. Kudryk, S. V. Novitskii, V. N. Sheremet, A. O. Vinogradov, J. Li, and S. A. Vitusevich	61
Temperature-dependent hysteresis of the emission spectrum of Eu-implanted, Mg-doped HVPE GaN K. P. O'Donnell, R. W. Martin, P. R. Edwards, K. Lorenz, E. Alves, and M. Boćkowski	63
Optical and electrical properties of Si doped polar and nonpolar GaN Keun Man Song, Chang Zoo Kim, and Hogyoun Kim	65
Neutron-transmuted carbon-14 in neutron-irradiated GaN: Compensation of DX-like center T. Ida, T. Oga, K. Kuriyama, K. Kushida, Q. Xu, and S. Fukutani	67

Spin noise spectroscopy of ZnO H. Horn, F. Berski, A. Balocchi, X. Marie, M. Mansur-Al-Suleiman, A. Bakin, A. Waag, J. Hübner, and M. Oestreich	69
Effect of annealing on photocatalytic activities of hydrothermally grown ZnO nanorods F. Z. Liu, Y. Y. Mok, M. Y. Guo, A. M. C. Ng, A. B. Djurišić, and W. K. Chan	71
Built-in electric field and radiative efficiency of polar (0001) and semipolar (11-22) $\text{Al}_{0.5}\text{Ga}_{0.5}\text{N}/\text{GaN}$ quantum dots J. Brault, A. Kahouli, M. Leroux, B. Damianno, D. Elmaghraoui, P. Vennéguès, T. Guillet, and C. Brimont	73
Influence of native defects on photocatalytic activity of ZnO F. Z. Liu, M. Y. Guo, Y. H. Leung, A. M. C. Ng, A. B. Djurišić, and W. K. Chan	75
Exciton recombination dynamics in single ZnO tetrapods Lígia C. Fernandes-Silva, Maria D. Martín, Herko P. van der Meulen, Lukasz Klotowski, José M. Calleja, and Luis Viña	77
Origins of low resistivity and Ge donor level in Ge ion-implanted ZnO bulk single crystals K. Kamioka, T. Oga, Y. Izawa, K. Kuriyama, and K. Kushida	79
Persistent photoconductivity in AlGaIn/GaN heterojunction channels caused by the ionization of deep levels in the AlGaIn barrier layer H. Murayama, Y. Akiyama, R. Niwa, H. Sakashita, T. Kachi, M. Sugimoto, and H. Sakaki	81
Elastic properties of InGaIn and InAlIn from first-principles calculations S. P. Łepkowski and I. Gorczyca	83
The identification and nature of bound exciton I-line PL systems in ZnO K. Johnston, J. Cullen, M. O. Henry, Enda McGlynn, and Rehab I. Khawaga	85
Conduction band offset determination between strained CdSe and ZnSe layers using DLTS Victor-Tapio Rangel-Kuoppa	87
Native defects in MBE-grown CdTe Karolina Olender, Tadeusz Wosinski, Andrzej Makosa, Zbigniew Tkaczyk, Valery Kolkovsky, and Grzegorz Karczewski	89
NARROW-GAP SEMICONDUCTOR	
Role of nitrogen ion on photoluminescence variation observed in III-N-V semiconductors Shogo Nonoguchi, Shuichi Emura, and Masahiko Kondow	91

Tuning of the optical properties of In-rich $\text{In}_x\text{Ga}_{1-x}\text{N}$ ($x=0.82-0.49$) alloys by light-ion irradiation at low energy	
Marta De Luca, Giorgio Pettinari, Antonio Polimeni, Mario Capizzi, Gianluca Ciatto, Lucia Amidani, Emiliano Fonda, Federico Boscherini, Francesco Filippone, Aldo Amore Bonapasta, Andreas Knübel, Volker Cimalla, Oliver Ambacher, Damiano Giubertoni, and Massimo Bersani	93
Phonons in $\text{Hg}_{1-x}\text{Cd}_x\text{Se}$ crystalline alloys	
David A. Miranda, S. A. López R., and A. H. Romero	95
Synthesis and characterization of electrodeposited SnS films	
W. Y. Jim, Y. C. Sun, A. B. Djurišić, and W. K. Chan	97
Magneto-infrared study of electron-hole system in strained semimetallic HgTe quantum wells	
Yu. B. Vasilyev, N. N. Mikhailov, A. A. Greshnov, S. D. Suchalkin, L.-C. Tung, D. Smirnov, F. Gouider, and G. Nachtwei	99
Investigation of $\text{InP}_x\text{As}_{1-x}$ solid solutions and creation of the radiation-resistant materials on their basis	
Nodar Kekelidze, Gizo Kekelidze, David Kekelidze, and Vugar Aliyev	101
Carriers mobility of InAs- and InP- rich InAs-InP solid solutions irradiated by fast neutrons	
Elza Khutsishvili, Bella Kvirkvelia, David Kekelidze, Vugar Aliyev, David Khomasuridze, Leonti Gabrichidze, Zurab Guguchia, and Nodar Kekelidze	103
Nexus between coherent longitudinal-optical phonons and electronic diffusions in low-gap semiconductors	
Kyung-Gu Min, Ki-Ju Yee, C. J. Stanton, Jin-Dong Song, and Young-Dahl Jho	105
Fundamental optical properties of InN grown by epitaxial lateral overgrowth method	
Tatsuma Kametani, Jumpei Kamimura, Yuta Inose, Hideyuki Kunugita, Akihiko Kikuchi, Katsumi Kishino, and Kazuhiro Ema	107
The absence of Fraunhofer patterns in narrow Nb/InAs-nanowire/Nb junctions	
H. Yusuf Günel, Igor E. Batov, Hilde Hardtdegen, Kamil Sladek, Andreas Winden, Gregor Panaitov, Detlev Grützmacher, and Thomas Schäpers	109
High resolution InSb quantum well ballistic nanosensors for room temperature applications	
Adam Gilbertson, C. J. Lambert, S. A. Solin, and L. F. Cohen	111
CARBON: NANOTUBES AND GRAPHENE	
Even-odd oscillation and valley polarization of transmission between multilayer graphenes	
Takeshi Nakanishi and Tsuneya Ando	113
Microwave near-field imaging of electrical and magnetic properties of graphene and graphite	
Vladimir V. Talanov, Christopher Del Barga, Lee Wickey, Mekan Ovezmyradov, Eric A. Shaner, Aaron Gin, and Nikolai G. Kalugin	115

Terahertz graphene lasers: Injection versus optical pumping Victor Ryzhii, Taiichi Otsuji, Maxim Ryzhii, and Vladimir Mitin	117
Ratchet effects in graphene and quantum wells with lateral superlattice L. E. Golub, A. V. Nalitov, E. L. Ivchenko, P. Olbrich, J. Kamann, J. Eroms, D. Weiss, and S. D. Ganichev	119
Identifying the distinct phases of THz waves from K-valley electrons in graphite Muhammad Irfan, Changyoung Kim, Jong-Hyuk Yim, and Young-Dahl Jho	121
Mechanical, electronic, and transport properties of functionalized graphene monolayers from <i>ab initio</i> studies Karolina Z. Milowska, Magdalena Birowska, and Jacek A. Majewski	123
Difference of operation mechanisms in SWNTs network FETs studied via scanning gate microscopy Xiaojun Wei, Masahiro Matsunaga, Tatsuro Yuhagi, Kenji Maeda, Jonathan P. Bird, Koji Ishibashi, Yuichi Ochiai, and Nobuyuki Aoki	125
A theoretical study of fluorographene as substrates for mono-/Bi-layer graphene Zhendong Guo, Lei Fan, Lingqi Mei, Yang Xu, and Bin Yu	127
First principles approach to C aggregation process during 0th graphene growth on SiC(0001) Masato Inoue, Hiroyuki Kageshima, Yoshihiro Kangawa, and Koichi Kakimoto	129
Transition from Schottky-barrier-determined to channel transport regime with low noise in carbon nanotube field effect transistors V. A. Sydoruk, M. V. Petrychuk, A. Ural, G. Bosman, A. Offenhusser, and S. A. Vitusevich	131
Chirality dependence of exciton energies in double-wall carbon nanotubes Yuh Tomio, Hidekatsu Suzuura, Seiji Uryu, and Tsuneya Ando	133
The graphene phonon dispersion with C¹² and C¹³ isotopes Eric Whiteway, Simon Bernard, Victor Yu, D. Guy Austing, and Michael Hilke	135
Stability of exciton states and screening effects in doped carbon nanotubes Yuh Tomio, Byoung-young Lee, and Hidekatsu Suzuura	137
Ballistic phonon thermal conductance in graphene nano-ribbon: First-principles calculations Jun Nakamura and Hiroki Tomita	139
Quantum interference in an electron-hole graphene ring system D. Smirnov, H. Schmidt, and R. J. Haug	141
<i>Ab initio</i> modeling of graphene layer functionalized with boron and nitrogen Magdalena Wonska, Karolina Milowska, and Jacek A. Majewski	143

Infrared cyclotron resonances of Dirac electrons in SiC epitaxial graphene in ultra-high magnetic fields	
H. Saito, D. Nakamura, S. Takeyama, and H. Hibino	145
<i>Ab-initio</i> study of structural, mechanical and electronic properties of functionalized carbon nanotubes	
Karolina Z. Milowska, Magdalena Birowska, and Jacek A. Majewski	147
Plateau structure in the Faraday rotation in the graphene quantum Hall system and the frequency-driven two-parameter scaling	
Takahiro Morimoto and Hideo Aoki	149
Graphlocons: Large dendritic graphene crystals and their electronic properties	
Mathieu Massicotte, Victor Yu, Eric Whiteway, and Michael Hilke	151
Interacting spins and holes in zigzag edge nanographene	
Sudipta Dutta and Katsunori Wakabayashi	153
Weak localization in graphene: Experiments and the localization length	
Michael Hilke, Mathieu Massicotte, Victor Yu, and Eric Whiteway	155
Effect of strain on thermoelectric power of suspended graphene	
R. G. Vaidya, N. S. Sankeshwar, and B. G. Mulimani	157
Microwave studies of weak localization and antilocalization in epitaxial graphene	
Aneta Drabińska, Agnieszka Wołoś, Maria Kamińska, Wlodek Strupinski, and J. M. Baranowski	159
Universal conductance fluctuations as a direct probe to valley coherence and universality class of disordered graphene	
Vidya Kochat, Atindra Nath Pal, and Arindam Ghosh	161
Trion dynamics in hole-doped single-walled carbon nanotubes	
Arao Nakamura, Satoru Shimizu, Takeshi Koyama, Yasumitsu Miyata, and Hisanori Shinohara	163
Raman spectroscopy of graphite in high magnetic fields: Electron-phonon coupling and magnetophonon resonance	
Youngee Kim, Yinbin Ma, Adilet Imambekov, Nikolai G. Kalugin, Antonio Lombardo, Andrea C. Ferrari, Junichiro Kono, and Dmitry Smirnov	165
Dynamics of photoexcited carriers in monolayer epitaxial graphene probed by photoluminescence in the near-infrared region	
Takeshi Koyama, Yoshito Ito, Kazuma Yoshida, Hiroki Ago, and Arao Nakamura	167
Magneto-optical study of Dirac fermion in quartz CVD-grown graphene above 100 T	
Daisuke Nakamura, Hiroaki Saito, Weihang Zhou, Yasuhiro H. Matsuda, Shojiro Takeyama, Katsunori Yagi, Kenjiro Hayashi, and Shintaro Sato	169

Magneto-optical survey of 1st and 2nd sub-bands in chirality specific (6, 5) single-walled carbon nanotube up to 190T	171
T. Sasaki, W. Zhou, D. Nakamura, H. Liu, H. Kataura, and S. Takeyama	
Role of step in initial stage of graphene growth on SiC(0001)	173
Hiroyuki Kageshima, Hiroki Hibino, Hiroshi Yamaguchi, and Masao Nagase	
Multi-terminal magnetotransport measurements over a tunable graphene p-n junction created by AFM-nanomachining	175
H. Schmidt, D. Smirnov, J. Rode, and R. J. Haug	
ORGANIC SEMICONDUCTORS	
Effect of electron collecting metal oxide layer in normal and inverted structure polymer solar cells	177
A. Ng, X. Liu, Y. C. Sun, A. B. Djurišić, A. M. C. Ng, and W. K. Chan	
Intensity and temperature-dependent photoluminescence of tris (8-hydroxyquinoline) aluminum films	179
A. M. Ajward, X. Wang, and H. P. Wagner	
Influence of the solvent on the performance of the bulk heterojunction solar cells	181
A. Ng, X. Liu, A. B. Djurišić, A. M. C. Ng, and W. K. Chan	
Origin of electronic transport of lithium phthalocyanine iodine crystal	183
Noritake Koike, Masato Oda, and Yuzo Shinozuka	
Electrical field manipulation of peptide nanotube at finite temperature (a DFT/MD study)	185
Richard Clark, Daiki Igami, and Kyozauro Takeda	
TOPOLOGICAL INSULATORS	
Topological <i>p-n</i> junction	187
Jing Wang, Xi Chen, Bang-Fen Zhu, and Shou-Cheng Zhang	
LA phonons scattering of surface electrons in Bi₂Se₃	189
Lang-Tao Huang and Bang-Fen Zhu	
Nucleation and growth dynamics of MBE-grown topological insulator Bi₂Te₃ films on Si (111)	191
Svetlana Borisova, Julian Krumrain, Gregor Mussler, Martina Luysberg, and Detlev Grützmacher	
Conductance fluctuation and weak antilocalization in epitaxial Bi₂Se₃	193
Sadashige Matsuo, Tomohiro Koyama, Kazutoshi Shimamura, Tomonori Arakawa, Yoshitaka Nishihara, Daichi Chiba, Kensuke Kobayashi, Teruo Ono, Cui-Zu Chang, Ke He, Xu-Cun Ma, and Qi-Kun Xue	
Topological Hall insulator	195
Annika Kriisa, R. G. Mani, and W. Wegscheider	

Three-dimensional topological insulators Bi_2Te_3, Bi_2Se_3, and $\text{Bi}_2\text{Te}_2\text{Se}$ - a microwave spectroscopy study	
A. Wolos, A. Drabinska, S. Szyszko, M. Kaminska, S. G. Strzelecka, A. Hruban, A. Materna, and M. Piersa	197
Topological insulators in silicene: Quantum hall, quantum spin hall and quantum anomalous Hall effects	
Motohiko Ezawa	199
TRANSPORT IN HETEROSTRUCTURES	
Depletion of parallel conducting layers in high mobility $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{0.52}\text{Al}_{0.48}\text{As}$ modulation doped field effect transistors	
E. Skuras, A. Gavalas, D. Spathara, Th. Makris, D. Anagnostopoulos, C. R. Stanley, and A. R. Long	201
Evidence of impurity assisted tunneling in SiGe/Si heterostructures	
R. Kh. Zhukavin, N. A. Bekin, D. N. Lobanov, M. N. Drozdov, Yu. N. Drozdov, D. V. Kozlov, D. A. Pryakhin, V. N. Shastin, and V. G. Shengurov	203
Hyperfine-induced hysteretic funnel structure in spin blockaded tunneling current of coupled vertical quantum dots at low magnetic field	
A. Leary, A. Wicha, B. Harack, W. A. Coish, M. Hilke, G. Yu, C. Payette, J. A. Gupta, and D. G. Austing	205
Quantum size effects and transport phenomena in PbSe quantum wells and PbSe/EuS superlattices	
E. I. Rogacheva, O. N. Nashchekina, S. I. Ol'khovskaya, A. Yu. Sipatov, and M. S. Dresselhaus	207
Disorder effects on resonant hole tunneling transport in $(\text{Ga},\text{Mn})\text{As}/\text{GaAs}$ heterostructures	
C. Ertler and W. Pötzt	209
Ballistic electron transport in structured suspended semiconductor membranes	
A. G. Pogosov, M. V. Budantsev, E. Yu. Zhdanov, and D. A. Pokhabov	211
Two-path transport measurements with bias dependence on a triple quantum dot	
M. Kotzian, M. C. Rogge, and R. J. Haug	213
Phonon-drag thermopower in anisotropic AIs quantum wells	
Dietmar Lehmann, Margarita Tsaousidou, and Shrishail Kubakaddi	215
DC response of hot carriers under circularly polarized intense microwave fields and intense magnetic fields in quantum wells	
Norihisa Ishida	217

Magneto-transport properties of InAs nanowires laterally-grown by selective area molecular beam epitaxy on GaAs (110) masked substrates	
M. Akabori and S. Yamada	219
Temperature dependent transport study of the $\text{SiO}_x/\text{Ge}/\text{SiO}_x$ system	
Victor-Tapio Rangel-Kuoppa, Thomas Plach, Arturo Hernandez-Hernandez, Francisco De Moure-Flores, José G. Quiñones-Galván, Luis A. Hernández-Hernandez, and Miguel Melendez-Lira	221
Quantum dot device tunable from single to triple dot system	
M. C. Rogge, K. Pierz, and R. J. Haug	223
Shot-noise at a Fermi-edge singularity: Non-Markovian dynamics	
N. Ubbelohde, K. Roszak, F. Hohls, N. Maire, T. Novotný, and R. J. Haug	225
Anomalous magnetotransport properties of a ballistic non-interacting three-dimensional electron gas confined to narrow potential wells with corrugated barriers	
N. M. Sotomayor, L. Y. D. Davila, B. C. Lima, and G. M. Gusev	227
Planning the electron traffic in semiconductor networks: A mesoscopic analog of the Braess paradox encountered in road networks	
S. Huant, S. Baltazar, P. Liu, H. Sellier, B. Hackens, F. Martins, V. Bayot, X. Wallart, L. Desplanque, and M. G. Pala	229
Resonance enhancement of electron-phonon interaction in nanostructures	
A. Yu. Maslov and O. V. Proshina	231
Electron heating due to microwave photoexcitation in the high mobility GaAs/AlGaAs two dimensional electron system	
A. N. Ramanayaka, R. G. Mani, and W. Wegscheider	233
Observation of linear-polarization-sensitivity in the microwave-radiation-induced magnetoresistance oscillations	
R. G. Mani, A. N. Ramanayaka, and W. Wegscheider	235
Power spectra and auto correlation analysis of hyperfine-induced long period oscillations in the tunneling current of coupled quantum dots	
B. Harack, A. Leary, W. A. Coish, M. Hilke, G. Yu, C. Payette, J. A. Gupta, and D. G. Austing	237
Acoustic-phonon-limited mobility and giant phonon-drag thermopower in MgZnO/ZnO heterostructures	
M. Tsaousidou	239
Significance of decay mechanism into continuum in dynamical Wannier-Stark ladder	
Yuya Nemoto, Nobuya Maeshima, and Ken-ichi Hino	241
Ballistic thermal point contacts made of GaAs nanopillars	
Th. Bartsch, A. Wetzel, D. Sonnenberg, M. Schmidt, Ch. Heyn, and W. Hansen	243

Effect of low transverse magnetic field on the confinement strength in a quasi-1D wire Sanjeev Kumar, K. J. Thomas, L. W. Smith, M. Pepper, I. Farrer, D. A. Ritchie, G. A. C. Jones, and J. Griffiths	245
Influence of an in-plane magnetic field in the off-resonance magnetoresistance spike in irradiated ultraclean 2DES J. Iñarrea	247
Suspended two-dimensional electron and hole gases D. Kazazis, E. Bourhis, J. Gierak, O. Bourgeois, T. Antoni, and U. Gennser	249
Zero-resistance states in Hall bars at low microwave frequency irradiation J. Iñarrea	251
Magnetotransport in very long wave infrared quantum cascade detectors: Analyzing the current with and without illumination François-Régis Jasnot, Simon Maëro, Louis-Anne de Vaulchier, Yves Guldner, Francesca Carosella, Robson Ferreira, Alexandre Delga, Laetitia Doyennette, Vincent Berger, and Mathieu Carras	253
Large linear magnetoresistance in a GaAs/AlGaAs heterostructure Mohammed Ali Aamir, Srijit Goswami, Matthias Baenninger, Vikram Tripathi, Michael Pepper, Ian Farrer, David A. Ritchie, and Arindam Ghosh	255
Electrostatic modulation of periodic potentials in a two-dimensional electron gas: From antidot lattice to quantum dot lattice Srijit Goswami, Mohammed Ali Aamir, Saquib Shamim, Christoph Siegert, Michael Pepper, Ian Farrer, David A. Ritchie, and Arindam Ghosh	257
Phonon lasing in transport through double quantum dots Rin Okuyama, Mikio Eto, and Tobias Brandes	259
Fluctuation theorem for a double quantum dot coupled to a point-contact electrometer D. Golubev, Y. Utsumi, M. Marthaler, and G. Schön	261
Energy relaxation of hot electrons in lattice-matched AlInN/AlN/GaN heterostructures J.-Z. Zhang, A. Dyson, and B. K. Ridley	263
Topological excitations in semiconductor heterostructures R. Koushik, Matthias Baenninger, Vijay Narayan, Subroto Mukerjee, Michael Pepper, Ian Farrer, David A. Ritchie, and Arindam Ghosh	265
Circuit QED in a double quantum dot system Hiraku Toida, Takashi Nakajima, and Susumu Komiyama	267

QUANTUM HALL EFFECTS

- Spin-pseudospin intertwined excitation at the $\nu = 1$ bilayer quantum Hall state investigated by nuclear-spin relaxation**
S. Tsuda, D. Terasawa, M. H. Nguyen, A. Fukuda, Y. D. Zheng, T. Arai, A. Sawada, and Z. F. Ezawa 269
- Imaging of quantum Hall edge states under quasiresonant excitation by a near-field scanning optical microscope**
H. Ito, Y. Shibata, S. Mamyoda, S. Kashiwaya, M. Yamaguchi, T. Akazaki, H. Tamura, Y. Ootuka, and S. Nomura 271
- Quasiparticle agglomerates and environmental effects in the fractional quantum Hall edge states at $\nu = 5/2$**
A. Braggio, M. Carrega, D. Ferraro, N. Magnoli, and M. Sasseti 273
- Landau-level dispersion and the quantum Hall plateaus in bilayer graphene**
M. Zarenia, P. Vasilopoulos, N. Pourtolami, and F. M. Peeters 275
- Magnetic thaw-down and boil-off due to magneto acceptors in 2DEG**
C. Chaubet, I. Bisotto, A. Raymond, J. C. Harmand, M. Kubisa, and W. Zawadzki 277
- Bias voltage dependence of the electron spin depolarization in quantum wires in the quantum Hall regime detected by the resistively detected NMR**
K. Chida, M. Hashisaka, Y. Yamauchi, S. Nakamura, T. Arakawa, T. Machida, K. Kobayashi, and T. Ono 279
- Study of reflection and transport in the microwave photo-excited GaAs/AlGaAs two dimensional electron system**
Tianyu Ye, Ramesh G. Mani, and Werner Wegscheider 281
- Chiral symmetry and fermion doubling in the zero-mode Landau levels of massless Dirac fermions with disorder**
Tohru Kawarabayashi, Takahiro Honda, Hideo Aoki, and Yasuhiro Hatsugai 283
- Phase transitions in quantum Hall multiple layer systems**
Yu A. Pusep, L. Fernandes dos Santos, D. Smirnov, A. K. Bakarov, and A. I. Toropov 285
- A novel method of including Landau level mixing in numerical studies of the quantum Hall effect**
Rachel Wooten, John Quinn, and Joseph Macek 287
- Interaction-induced huge magnetoresistance in a high mobility two-dimensional electron gas**
L. Bockhorn, I. V. Gornyi, D. Schuh, W. Wegscheider, and R. J. Haug 289
- Low-temperature scanning tunneling microscopy and transport measurements on adsorbate-induced two-dimensional electron systems**
Ryuichi Masutomi, Naotaka Triyama, and Tohru Okamoto 291

Interlayer transport of nuclear spin polarization in $\nu = 2/3$ quantum Hall states	
S. Tsuda, M. H. Nguyen, D. Terasawa, A. Fukuda, Y. D. Zheng, T. Arai, and A. Sawada	293
Inelastic transport through Aharonov-Bohm interferometer in Kondo regime	
Ryosuke Yoshii, Rui Sakano, Mikio Eto, and Ian Affleck	295
Josephson inplane and tunneling currents in bilayer quantum Hall system	
Z. F. Ezawa, G. Tsitsishvili, and A. Sawada	297
Locating an individual quantum hall island inside a quantum ring	
F. Martins, S. Faniel, M. G. Pala, H. Sellier, S. Huant, L. Desplanque, X. Wallart, V. Bayot, and B. Hackens	299
Electrical control of flying spin precession in chiral 1D edge states	
Takashi Nakajima, Kuan-Ting Lin, and Susumu Komiyama	301
SPINTRONICS AND SPIN PHENOMENA	
<i>Ab initio</i> studies of bulk uniaxial anisotropy in (Ga,Mn)As	
M. Birowska, C. Śliwa, J. A. Majewski, and T. Dietl	303
RKKY interaction in a chirally coupled double quantum dot system	
A. W. Heine, D. Tutuc, G. Zwicknagl, D. Schuh, W. Wegscheider, and R. J. Haug	305
Exchange interaction and rashba spin splitting effects in electron spin resonance in narrow-gap quantum wells	
S. S. Krishtopenko, A. V. Malyzhenkov, K. P. Kalinin, A. V. Ikonnikov, K. V. Maremyanin, V. I. Gavrilenko, and M. Goiran	307
Spin injection and filtering in halfmetal/semiconductor (CrAs/GaAs) heterostructures	
B. A. Stickler, C. Ertler, L. Chioncel, E. Arrigoni, and W. Pötz	309
Shot noise at the quantum point contact in InGaAs heterostructure	
Yoshitaka Nishihara, Shuji Nakamura, Kensuke Kobayashi, Teruo Ono, Makoto Kohda, and Junsaku Nitta	311
Ferromagnetic (Ga,Mn)As nanostructures for spintronic applications	
Tadeusz Wosinski, Tomasz Andrearczyk, Tadeusz Figielski, Andrzej Makosa, Jerzy Wrobel, and Janusz Sadowski	313
Spin-polarized photoemission from SiGe heterostructures	
A. Ferrari, F. Bottegoni, G. Isella, S. Cecchi, D. Chrastina, M. Finazzi, and F. Ciccacci	315
Strain-induced reduction of surface roughness dominated spin relaxation in MOSFETs	
Dmitri Osintsev, Zlatan Stanojevic, Oskar Baumgartner, Viktor Sverdlov, and Siegfried Selberherr	317

Dynamic nuclear polarization and Hanle effect in (In,Ga)As/GaAs quantum dots. Role of nuclear spin fluctuations	
I. Ya. Gerlovin, R. V. Cherbunin, I. V. Ignatiev, M. S. Kuznetsova, S. Yu. Verbin, K. Flisinski, D. Reuter, A. D. Wieck, D. R. Yakovlev, and M. Bayer	319
Temperature and donor concentration dependence of the conduction electron Lande g-factor in silicon	
Anton A. Konakov, Alexander A. Ezhevskii, Andrey V. Soukhorukov, Davud V. Guseinov, Sergey A. Popkov, and Vladimir A. Burdov	321
Fractional quantum conductance in edge channels of silicon quantum wells	
Nikolay Bagraev, Leonid Klyachkin, Andrey Kudryavtsev, and Anna Malyarenko	323
Evaluation of minority and majority spin band energies of ferromagnetic GdN thin film using optical absorption spectroscopy	
R. Vidyasagar, H. Yoshitomi, S. Kitayama, T. Kita, H. Ohta, and T. Sakurai	325
Magneto-optical studies of ensembles of semimagnetic self-organized Cd(Mn)Se/Zn(Mn)Se Quantum Dots	
I. I. Reshina, S. V. Ivanov, and A. A. Toropov	327
Verification of electrical spin injection into InGaAs two-dimensional electron gas from CoFe electrode by four-terminal non-local geometry	
S. Hidaka, T. Kondo, M. Akabori, and S. Yamada	329
Cross-sectional STM study of impurity states in diluted magnetic semiconductor (Zn,Cr)Te	
Ken Kanazawa, Shoji Yoshida, Hidemi Shigekawa, and Shinji Kuroda	331
Two-current spin-dependent conduction in polycrystalline LaMnO₃ produced under oxygen gas flow	
H. Kobori, A. Hoshino, T. Taniguchi, T. Horie, Y. Naitoh, and T. Shimizu	333
Fano-type coupling of a bound paramagnetic state with 2D continuum	
I. V. Rozhansky, N. S. Averkiev, and E. Lähderanta	335
Electrical spin injection in 2D semiconductors and topological insulators	
L. E. Golub and E. L. Ivchenko	337
Valley spin-orbit interaction for the triplet and doublet 1s ground states of lithium donor center in monoisotopic ²⁸Si	
Alexander A. Ezhevskii, Sergey A. Popkov, Andrey V. Soukhorukov, Davud V. Guseinov, Nikolai V. Abrosimov, Helge Riemann, and Anton A. Konakov	339
Structural analysis of Cr aggregation in ferromagnetic semiconductor (Zn,Cr)Te	
H. Kobayashi, K. Yamawaki, Y. Nishio, K. Kanazawa, S. Kuroda, M. Mitome, and Y. Bando	341

Band-structure analysis from photoreflectance spectroscopy in (Ga,Mn)As Oksana Yastrubchak, Tadeusz Wosinski, Lukasz Gluba, Tomasz Andrearczyk, Jaroslaw Z. Domagala, Jerzy Zuk, and Janusz Sadowski	343
Effect of transverse current on Andreev bound state Y. Takahashi, Y. Hashimoto, D. H. Yun, S. W. Kim, T. Nakamura, Y. Iye, and S. Katsumoto	345
Mechanical modification of magnetic anisotropy in (Ga,Mn)As Y. Hashimoto, Y. Iye, and S. Katsumoto	347
Anomalously large spin susceptibility enhancement in n-doped CdMnTe quantum wells Z. Ben Cheikh, S. Cronenberger, M. Vladimirova, D. Scalbert, K. Boujdaria, F. Baboux, F. Perez, T. Wojtowicz, and G. Karczewski	349
Observation of the Kondo effect in a spin-3/2 hole quantum dot O. Klochan, A. P. Micolich, A. R. Hamilton, K. Trunov, D. Reuter, and A. D. Wieck	351
Optically induced magnetic polarons in EuTe A. B. Henriques, E. Abramof, P. H. O. Rappl, and G. D. Galgano	353
Spin-orbit interaction and novel shell structure for multi-electron system confined in 2D QD Takahiro Yokozuka, Kouta Ido, Richard Clark, and Kyozauro Takeda	355
Ordering ferromagnetic In_{1-x}Mn_xAs quantum dots Fabio A. Ferri, Vasyly P. Kunets, Gregory J. Salamo, and Euclides Marega Jr.	357
g-factor anisotropy in nanowire-based InAs quantum dots Samuel d'Hollosy, Gábor Fábíán, Andreas Baumgartner, Jesper Nygård, and Christian Schönenberger	359
Dyakonov-perel electron spin relaxation in a highly degenerate wurtzite semiconductor J. Rudolph, J. H. Buß, F. Semond, and D. Hägele	361
Spin-current noise from fluctuation relations Jong Soo Lim, David Sánchez, and Rosa López	363
Extended coherence length of spatially oscillating electron-spin polarization in dilute-magnetic-semiconductor quantum wells Takuma Tsuchiya	365
Tailoring the spin polarization in Ge/SiGe multiple quantum wells Anna Giorgioni, Fabio Pezzoli, Federico Bottegoni, Stefano Cecchi, Eleonora Gatti, Dhara Trivedi, Pengki Li, Yang Song, Emanuele Grilli, Franco Ciccacci, Giovanni Isella, Hanan Dery, and Mario Guzzi	367
Spin structure of electron subbands in (110)-grown quantum wells M. O. Nestoklon, S. A. Tarasenko, J.-M. Jancu, and P. Voisin	369

ELECTRON DEVICES AND APPLICATIONS

Electronic spectrum of a deterministic single-donor device in silicon Martin Fuechsle, Jill A. Miwa, Suddhasatta Mahapatra, Lloyd C. L. Hollenberg, and Michelle Y. Simmons	371
Observation of negative differential capacitance (NDC) in Ti Schottky diodes on SiGe islands Victor-Tapio Rangel-Kuoppa, Alexander Tonkikh, Nikolay Zakharov, Peter Werner, and Wolfgang Jantsch	373
Terahertz techniques for solar cell imaging L. Minkevičius, R. Suzanovičienė, G. Molis, A. Krotkus, S. Balakauskas, R. Venckevičius, I. Kašalynas, I. Šimkienė, G. Valušis, and V. Tamošiūnas	375
Photoconductivity of graphene devices induced by terahertz radiation at various photon energies M. Salman, F. Gouider, M. Friedemann, H. Schmidt, F. J. Ahlers, M. Göthlich, R. J. Haug, and G. Nachtwei	377
Theoretical study of energy states of two-dimensional electron gas in pseudomorphically strained InAs HEMTs taking into account the non-parabolicity of the conduction band Yui Nishio, Satoshi Yamaguchi, Youichi Yamazaki, Akira Watanabe, Takahiro Tange, Tsutomu Iida, and Yoshifumi Takanashi	379
Effects of atomic disorder on impact ionization rate in silicon nanodots N. Mori, M. Tomita, H. Minari, T. Watanabe, and N. Koshida	381
Field tailored SiC MESFET design and modeling Samson Mil'shtein and Lalitha Devarakonda	383
Monte Carlo simulation of THz frequency range Gunn effect in InP MOSFET at impact ionization conditions S. Asmontas, V. Gružinskis, P. Shiktorov, and E. Starikov	385
Stabilization of temperature dependence of band Gap by introducing nitrogen ion into GaInNP alloy Shuichi Emura, Shogo Nonoguchi, and Kang Min Kim	387
Transport and noise properties of Si nanowire channels with different lengths before and after gamma radiation treatment Jing Li, Svetlana Vitusevich, Mykhailo Petrychuk, Sergii Pud, Viktor Sydoruk, Boris Danilchenko, and Andreas Offenhäusser	389
The electronic structure of an S-pair in barrier-less metal/silicon junctions K. Kato, Y. Nishi, T. Marukame, and Y. Mitani	391
Surface barrier height for different Al compositions and barrier layer thicknesses in AlGaIn/GaN heterostructure field effect transistors Nitin Goyal, Benjamin Iniguez, and Tor A. Fjeldly	393

A hybrid double-dot in silicon	395
M. F. Gonzalez-Zalba, D. Heiss, and A. J. Ferguson	
Electrical characterization of large surface area semi-transparent Si solar cells	397
Th. Makris and E. Skuras	
Kinetics of band bending and electron affinity at GaAs(001) surface with nonequilibrium cesium overlayers	399
A. G. Zhuravlev, M. L. Savchenko, A. G. Paulish, H. E. Scheibler, A. S. Jaroshevich, and V. L. Alperovich	
Transport properties characterization of individual molecule device using noise spectroscopy: A new approach	401
Anton Vladyka, Viktor Sydoruk, Svetlana Vitusevich, Mykhailo Petrychuk, Dong Xiang, Andreas Offenhäusser, Vyacheslav Kochelap, Alexander Belyaev, and Dirk Mayer	
Time resolved measurements of ultrafast transport pulses using photoconductive switches	403
K. Ohtaki, K. Ohmori, and S. Nomura	
Observation of localized states in atomically thin MoS₂ field effect transistor	405
Subhamoy Ghatak, Atindra Nath Pal, and Arindam Ghosh	
A study of beta ratio improvement for solving the SRAM disturbance issue	407
S. J. Kim, I. Chung, M. H. Hong, S. H. Kim, and J. U. Han	
One-dimensional silicon nanolines in the Si(001):H surface	409
F. Bianco, S. A. Köster, M. Longobardi, J. H.G. Owen, D. R. Bowler, and Ch. Renner	
Extraordinary magnetoresistance in two and three dimensional metal-semiconductor hybrid structures	411
Lisa M. Pugsley, L. R. Ram-Mohan, and S. A. Solin	
Origin of noise in two dimensionally doped silicon and germanium	413
Saquib Shamim, Suddhasatta Mahapatra, Giordano Scappucci, Craig Polley, Michelle Y. Simmons, and Arindam Ghosh	
Full potential calculation of electronics and thermoelectric properties of doped Mg₂Si	415
P. Poopanya and A. Yangthaisong	
Photon induced Schottky barrier effects in inverse-extraordinary optoconductance structures	417
L. Tran, S. A. Solin, A. Gilbertson, and L. F. Cohen	
Improving GaInP/GaAs/Ge triple junction solar cell efficiency with reduced growth temperature of GaAs base layer	419
Ho Kwan Kang, Dong Hwan Jim, Chang Zoo Kim, Keun Man Song, Wonkyu Park, Chul Gi Ko, Jinsub Park, and Hogyoung Kim	

Effect of Coulomb interaction on multi-electronwave packet dynamics	421
T. Shiokawa, Y. Takada, S. Konabe, M. Muraguchi, T. Endoh, Y. Hatsugai, and K. Shiraishi	
Asymmetric current-phase relation due to spin-orbit interaction in semiconductor nanowire Josephson junction	423
Tomohiro Yokoyama, Mikio Eto, and Yuli V. Nazarov	
OPTICAL PROPERTIES OF HETEROSTRUCTURES	
Transient Rayleigh scattering from single semiconductor nanowires	425
Mohammad Montazeri, Howard E. Jackson, Leigh M. Smith, Jan M. Yarrison-Rice, Jung-Hyun Kang, Qiang Gao, Hark Hoe Tan, and Chennupati Jagadish	
Transparently wrap-gated semiconductor nanowire arrays for studies of gate-controlled photoluminescence	427
Gustav Nylund, Kristian Storm, Henrik Torstensson, Jesper Wallentin, Magnus T. Borgström, Dan Hessman, and Lars Samuelson	
Near infrared frequency dependence of high-order sideband generation	429
Benjamin Zaks, Hunter Banks, Ren-Bao Liu, and Mark Sherwin	
High excitation power photoluminescence studies of ultra-low density GaAs quantum dots	431
D. Sonnenberg, A. Graf, V. Paulava, Ch. Heyn, and W. Hansen	
High quality GaAs single photon emitters on Si substrate	433
S. Bietti, L. Cavigli, N. Accanto, S. Minari, M. Abbarchi, G. Isella, C. Frigeri, A. Vinattieri, M. Gurioli, and S. Sanguinetti	
Influence of image charge effect on exciton fine structure in an organic-inorganic quantum well material	435
Hidetsugu Takagi, Mikio Sato, Yuko Takeoka, Hideyuki Kunugita, and Kazuhiro Ema	
Optical anisotropy in [0001] oriented GaN/Al_xGa_{1-x}N quantum wells under pressure	437
W. Bardyszewski and S. P. Łepkowski	
Zinc oxide based diluted magnetic semiconductor nanoparticles: Synthesis by laser ablation in liquids, microstructural and optical properties	439
Andriy I. Savchuk, Alessio Perrone, Ihor D. Stolyarchuk, Oleksandr A. Savchuk, Vitaliy V. Makoviy, Mykhailo M. Smolinsky, and Oleksandra A. Shporta	
Mid infrared optical properties of Ge/Si quantum dots with different doping level	441
A. N. Sofronov, D. A. Firsov, L. E. Vorobjev, V. A. Shalygin, V. Yu. Panevin, M. Ya. Vinnichenko, A. A. Tonkikh, and S. N. Danilov	
Quasi-equilibrium phase diagram and optical response in two-dimensional electron-hole system	443
Takuya Yoshioka and Kenichi Asano	

Fast luminescence decay of electron-hole quasi-two dimensional systems in Si nanolayer Y. Sakurai, T. Tayagaki, K. Ohmori, K. Yamada, Y. Kanemitsu, K. Shiraishi, and S. Nomura	445
Tuning the optical properties of dilute nitride site controlled quantum dots G. Juska, V. Dimastrodonato, L. O. Mereni, A. Gocalinska, and E. Pelucchi	447
Emission of terahertz radiation from GaN/AlGaN heterostructure under electron heating in lateral electric field V. A. Shalygin, L. E. Vorobjev, D. A. Firsov, A. N. Sofronov, G. A. Melentyev, W. V. Lundin, A. V. Sakharov, and A. F. Tsatsulnikov	449
Optical and structural properties of $\text{In}_{0.64}\text{Ga}_{0.36}\text{As}/\text{Al}_x\text{Ga}_{1-x}\text{As}(x \leq 0.2)/\text{AlAsSb}$ coupled double quantum wells Shin-ichiro Gozu, Teruo Mozume, and Hiroshi Ishikawa	451
Hetero-structure solar cell made with Si and Ge layers Lalitha Devarakonda, Samson Mil'shtein, and Jalpen Shah	453
GaP ring-like nanostructures on GaAs (100) with $\text{In}_{0.15}\text{Ga}_{0.85}\text{As}$ compensation layers Patchareewan Prongjit, Naraporn Pankaow, Poonyasiri Boonpeng, Supachok Thainoi, Somsak Panyakeow, and Somchai Ratanathamphan	455
Direct and indirect excitons and polaritons in coupled quantum well microcavities K. Sivalertporn and E. A. Muljarov	457
Inter-branch terahertz lasing in asymmetric intersubband polariton systems Simone De Liberato, Cristiano Ciuti, and Chris C. Phillips	459
Exciton-polaritons condensate in a microwire O. Kamoun and S. Jaziri	461
Intrinsic optical confinement for ultrathin InAsN quantum well superlattices A. Sakri, C. Robert, L. Pedesseau, C. Cornet, O. Durand, J. Even, and J.-M. Jancu	464
Mode switching of acoustic phonons by external bias Hoonil Jeong, Ki-Ju Yee, Christopher J. Stanton, and Young-Dahl Jho	466
Light emission from nanoscale silicon heterojunctions Roman Kuzmin, Nikolay Bargaev, Leonid Klyachkin, Anna Malyarenko, and Vladimir Mashkov	468
Relaxation and recombination processes in Ge/SiGe multiple quantum wells E. Gatti, A. Giorgioni, E. Grilli, M. Guzzi, D. Chrastina, G. Isella, A. Chernikov, K. Kolata, V. Bornwasser, N. S. Köster, R. Woscholski, and S. Chatterjee	470
Control of the dephasing process due to many-body interactions among excitons by using non-Markovian effect in GaAs single quantum well Y. Ogawa and F. Minami	472

Optical method of atomic ordering estimation T. Prutskij, G. Attolini, V. Lantratov, and N. Kalyuzhnyy	474
Determining wurtzite band structure using optical spectroscopies on single InP nanowires Karunananda Pemasiri, Saranga Perera, Yuda Wang, Mohammad Montazeri, Howard Jackson, Leigh Smith, Jan Yarrison-Rice, Qian Gao, Hoe Tan, and Chennupati Jagadish	476
Electron transfer and capture dynamics in ZnSe quantum wells grown on GaAs A. Dongol and H. P. Wagner	478
Dynamics of charge carrier recombination and capture in laser nanostructures with InGaAsSb/AlGaAsSb quantum wells Maxim Ya. Vinnichenko, Leonid E. Vorobjev, Dmitry A. Firsov, Marina O. Mashko, Anton N. Sofronov, Leon Shterengas, and Gregory Belenky	480
GaAs single quantum dot embedded into AlGaAs nanowire V. P. Kochereshko, V. N. Kats, A. V. Platonov, G. E. Cirlin, A. D. Bouravleuv, Yu. B. Samsonenko, L. Besombes, and H. Mariette	482
Coherent spectral change of four-wave mixing signals from exciton-polaritons in ZnSe epitaxial layer H. Tahara, M. Bamba, Y. Ogawa, and F. Minami	484
Decoherence mechanisms of Landau level THz excitations in two dimensional electron gases Curdin Maissen, Giacomo Scalari, Christian Reichl, Werner Wegscheider, and Jérôme Faist	486
Auger recombination suppression and band alignment in GaAsBi/GaAs heterostructures K. Hild, Z. Batool, S. R. Jin, N. Hossain, I. P. Marko, T. JC. Hosea, X. Lu, T. Tiedje, and S. J. Sweeney	488
Generation of three polarization-correlated photons from a single semiconductor quantum dot Y. Arashida, Y. Ogawa, and F. Minami	490
Micro-Raman study of GaAs nanowires Wang Peng, Fauzia Jabeen, J. C. Harmand, and B. Jusserand	492
Raman scattering from surface phonons in GaN nanostructures R. Iwaya, Y. Komatsu, S. Mitsui, H. Kuroe, T. Sekine, K. Yamano, T. Kouno, A. Kikuchi, and K. Kishino	494
Collective properties of dipolar excitons in double-layer gapped graphene Oleg L. Berman, Roman Ya. Kezerashvili, and Klaus G. Ziegler	496
Comparative optical study of epitaxial InGaAs quantum rods grown with As₂ and As₄ sources Ramūnas Nedzinskas, Bronislovas Čechavičius, Julius Kavaliauskas, Vytautas Karpus, Gintaras Valušis, Lianhe Li, Suraj P. Khanna, and Edmund H. Linfield	498
Rabi-split states broadened by a continuum M. Z. Maialle, M. H. Degani, and J. R. Madureira	500

Photoreflectance and photoluminescence study of InAs dots-in-a-well nanostructures Ramūnas Nedzinskas, Bronislovas Čechavičius, Julius Kavaliauskas, Vytautas Karpus, Gintaras Valušis, Lianhe Li, Suraj P. Khanna, and Edmund H. Linfield	502
Mode-locked terahertz quantum cascade laser by direct phase synchronization K. Maussang, J. Maysonave, N. Jukam, J. R. Freeman, P. Cavalié, S. P. Khanna, E. H. Linfield, A. G. Davies, H. E. Beere, D. A. Ritchie, S. S. Dhillon, and J. Tignon	504
The structural parameters of self-assembled quantum dots determined from the optical spectra Boon Hon Hong, Lloyd Tinkler, Matthew Beaumont, Sergey I. Rybchenko, Igor E. Itskevich, Stephanie K. Haywood, and Maxime Hugues	506
The two-level model of the excitonic Aharonov-Bohm effect in strained self-assembled semiconductor nanorings M. Tadić, V. Arsoski, N. Čukarić, and F. M. Peeters	508
Coexistence of nearly free and strongly bound trions from magneto-photoluminescence of two-dimensional quantum structures with tunable electron or hole concentration J. Jadczyk, L. Bryja, J. Misiewicz, A. Wójs, M. Potemski, F. Liu, D. R. Yakovlev, M. Bayer, D. Reuter, A. Wieck, C. A. Nicoll, I. Farrer, and D. A. Ritchie	510
Polarization dependences of electroluminescence and absorption of vertically correlated InAs/GaAs QDs M. M. Sobolev, I. M. Gadzhiev, I. O. Bakshaev, V. N. Nevedomskii, M. S. Buyalo, Yu. M. Zadiranov, and R. V. Zolotareva	512
Laser-induced Fano resonance in semiconductor superlattice N. Maeshima, K. Yamada, and K. Hino	514
Optical spectroscopy of quantum confined states in GaAs/AlGaAs quantum well tubes Teng Shi, Melodie Fickenscher, Leigh Smith, Howard Jackson, Jan Yarrison-Rice, Qiang Gao, Hoe Tan, Chennupati Jagadish, Joanne Etheridge, and Bryan M. Wong	516
Design of cascaded low cost solar cell with CuO substrate Mil'shtein Samson, Pillai Anup, Sharma Shiv, and Yessayan Garo	518
Fast electron transfer from PbSe quantum dots to TiO₂ Yasuaki Masumoto, Hayato Takagi, Hikaru Umino, and Eri Suzumura	520
Valley and electric photocurrents in 2D silicon and graphene S. A. Tarasenko, E. L. Ivchenko, P. Olbrich, and S. D. Ganichev	522
Mott transition and crossover in quasi-one-dimensional electron-hole systems Kenichi Asano	524

QUANTUM OPTICS, NANOPHOTONICS

Recharging dynamics of single nitrogen-vacancy centers in ultrapure diamond K. Beha, A. Batalov, N. B. Manson, R. Bratschitsch, and A. Leitenstorfer	526
Quantum optics with single nanodiamonds flying over gold films: Towards a Robust quantum plasmonics O. Mollet, A. Drezet, and S. Huant	528
Raman scattering for probing semiconductor nanostructures: From nanocrystal arrays towards a single nanocrystal Alexander Milekhin, Nikolay Yeryukov, Larisa Sveshnikova, Tatyana Duda, Sergey Kosolobov, Ekaterina Rodyakina, Alexander Latyshev, Cameliu Himcinschi, Volodymyr Dzhagan, Wen-Bin Jian, and Dietrich Zahn	530
Time-dependent resonant UHF CI approach for the photo-induced dynamics of the multi-electron system confined in 2D QD Takuma Okunishi, Richard Clark, Kyozauro Takeda, Kouichi Kusakabe, and Norikazu Tomita	532
Bloch-Zener oscillations in a tunable optical honeycomb lattice Thomas Uehlinger, Daniel Greif, Gregor Jotzu, Leticia Tarruell, and Tilman Esslinger	534
Anomalous decay of photon echo in a quantum dot ensemble in the strong excitation regime Ryosuke Suemori, Kouichi Akahane, Naokatsu Yamamoto, and Junko Ishi-Hayase	536
Biexciton emission from single isoelectronic traps formed by nitrogen-nitrogen pairs in GaAs Kengo Takamiya, Toshiyuki Fukushima, Shuhei Yagi, Yasuto Hijikata, Toshimitsu Mochizuki, Masahiro Yoshita, Hidefumi Akiyama, Shigeyuki Kuboya, Kentaro Onabe, Ryuji Katayama, and Hiroyuki Yaguchi	538
Properties of InGaAlAs/AlGaAs quantum dots for single photon emission in the near infrared and visible spectral range Ł. Dusanowski, A. Golnik, M. Syperek, J. Suffczyński, M. Nawrocki, G. Sęk, J. Misiewicz, T. W. Schlereth, C. Schneider, S. Höfling, M. Kamp, and A. Forchel	540
Asymmetrical In_{0.1}Ga_{0.9}As/Al_{0.3}Ga_{0.7}As quantum rings and their optical properties O. Tangmettakitkul, P. Changmoung, S. Thainoi, S. Ratanathamphan, and S. Panyakeow	542
Fourier spectroscopy of individual nitrogen impurity centers in GaAs Michio Ikezawa, Liao Zhang, Yoshiki Sakuma, Tatsuya Mori, Kazuaki Sakoda, and Yasuaki Masumoto	544
Transfer and retrieval of optical coherence to strain-compensated quantum dots using a heterodyne photon-echo technique Kazumasa Suzuki, Kouichi Akahane, Naokatsu Yamamoto, and Junko Ishi-Hayase	546
Anderson localization of light in two-dimensional random arrays of semiconductor nanocolumns Yuta Inose, Kazuhiro Ema, Masaru Sakai, Akihiko Kikuchi, Katsumi Kishino, and Tomi Ohtsuki	548

QUANTUM INFORMATION

- Enhanced charge detection: Amplification factor, phase reversal and measurement time dependence**
J. Thorgrimson, S. A. Studenikin, G. C. Aers, A. Kam, P. Zawadzki, Z. R. Wasilewski, A. Bogan, and A. S. Sachrajda 550
- Bi donor hyperfine state populations studied by optical transitions of donor bound excitons in enriched ^{28}Si**
K. Saeedi Ilkhchy, M. Steger, M. L. W. Thewalt, N. Abrosimov, H. Riemann, P. Becker, and H.-J. Pohl 552
- Nonequilibrium thermal effects on exciton time correlations in coupled semiconductor quantum dots**
J. C. Castillo, F. J. Rodríguez, and L. Quiroga 554
- Simulations of magnetic field gradients due to micro-magnets on a triple quantum dot circuit**
G. Poulin-Lamarre, C. Bureau-Oxton, A. Kam, P. Zawadzki, S. Studenikin, G. Aers, M. Pioro-Ladrière, and A. S. Sachrajda 556
- Nuclear-spin observation of noise spectra in semiconductors**
Susumu Sasaki, Tatsuro Yuge, Masashi Nishimori, Takashi Kawanago, and Yoshiro Hirayama 558
- Quantum emitters dynamically coupled to a quantum field**
O. L. Acevedo, L. Quiroga, F. J. Rodríguez, and N. F. Johnson 560

LATE NEWS

- Developing an array of site-controlled pyramidal quantum dots emitting polarization-entangled photons**
G. Juska, V. Dimastrodonato, L. O. Mereni, A. Gocalinska, and E. Pelucchi 562
- Author Index** 565