

**Topical Meeting held by the ANS
Nuclear Criticality Safety Division
(NCSD 2013)**

**Criticality Safety in the Modern
Era: Raising the Bar**

**Wilmington, North Carolina, USA
29 September – 3 October 2013**

ISBN: 978-1-62993-816-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by the American Nuclear Society
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the American Nuclear Society
at the address below.

American Nuclear Society
555 North Kensington Avenue
LaGrange Park, Illinois 60526

Phone: (800) 323-3044
(708) 352-6611
Fax: (708) 352-0499

www.ans.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Methods I

Fission Matrix Capability for MCNP

Forrest B. Brown (1), Sean E. Carney (2), Brian C. Kiedrowski (1), William R. Martin (2)

1) Monte Carlo Codes Group, Los Alamos National Laboratory, Los Alamos NM, 2) NERS Department, University of Michigan, Ann Arbor, MI

Verification of MCNP5-1.60 and MCNP6.1 for Criticality Safety Applications

Forrest B. Brown, Brian C. Kiedrowski, Jeffrey S. Bull

Monte Carlo Codes Group, Los Alamos National Laboratory, Los Alamos NM

Status of MCNP Sensitivity/Uncertainty Capabilities for Criticality

Brian C. Kiedrowski, Albert C. Kahler, III, and Michael E. Rising

Los Alamos National Laboratory, Los Alamos, NM

Determination of Correlations among Benchmark Experiments by Monte Carlo Sampling Techniques

Matthias Bock and Maik Stuke

Gesellschaft für Anlagen- und Reaktorsicherheit (GRS) mbH, München, Germany

Impact of Correlated Benchmark Experiments on the Computational Bias in Criticality Safety Assessment

Matthias Bock and Matthias Behler

Gesellschaft für Anlagen- und Reaktorsicherheit (GRS) mbH, München, Germany

Trends of the deterministic route APOLLO2.8/JEFF-3.1.1 of CRISTAL V2 Criticality Package in ICSBEP benchmarks

C. Riffard, C. Carmouze and A. Santamarina (1), G. Grassi (2)

1) Commissariat à l'Énergie Atomique et aux Énergies Alternatives, CEA, DEN, DER, SPRC, Saint-Paul-lez-Durance, France, 2) AREVA NC, Paris La Défense, France

Feedback on nuclear data for separated Burnup fission products oscillations in the MINERVE reactor with JEFF-3 library in PWR-MOX fuel criticality-safety studies

A. Chambon, A. Santamarina, G. Noguère and C. Riffard (1), F. Lavaud and D. Lecarpentier (2)

1) CEA, DEN, DER, SPRC, Cadarache Center, Saint Paul-lez-Durance, France, 2) EDF, Clamart, France

Innovative Method to Calculate the Atomic Densities of any Compound Mixed with a Moderator

D. Noyelles, F.X. Giffard and E. Gagnier

Commissariat à l'Énergie Atomique et aux Énergies Alternatives - Centre de Saclay, DEN/DANS/DM2S/SERMA, Gif sur Yvette Cedex, France

Hybrid Technique in SCALE for Fission Source Convergence Applied to Used Nuclear Fuel Analysis

A.M. Ibrahim, D.E. Peplow, K.B. Bekar, C. Celik, J.M. Scaglione, D. Ilas, J.C. Wagner

Oak Ridge National Laboratory, Oak Ridge, TN

Criticality Safety Demonstration Using Low Fissile Concentration in Waste

A. Coulaud, G. Néron de Surgy (1), E. Guillou (2), L. Cholvy (3)

1) AREVA E&P, Montigny-le-Bretonneux, France, 2) AREVA NC La Hague, Beaumont-Hague Cedex, France, 3) CEA Marcoule, Bagnols sur Cèze, France

Analysis & Experiments I

Exclusion of Criticality for a Final Repository in a Saline Host Rock based on the Neutron Absorbing Properties of Cl-35

Robert Kilger, Matthias Bock, and Bernhard Gmal

Gesellschaft fuer Anlagen- und Reaktorsicherheit (GRS) mbH, Munich, Germany

Criticality Safety Analyses for Solid Fuel Thorium Molten Salt Reactor (SF-TMSR) Core Replacement

Zhaozhong HE, and Kun CHEN (1), Guoshun YOU and Jianping JING (2)

1) Center for Thorium Molten Salt Reactor (TMSR) Research, Shanghai Institute of Applied, Physics (SINAP), Chinese Academy of Sciences (CAS), Shanghai, China, 2) Nuclear and Radiation Safety Centre, Ministry of Environmental Protection of the People's Republic of China, Beijing, China

Above 5% 235U enrichment – A new AREVA challenge for criticality safety assessments in an UO2 fuel fabrication plant

N. Comte And M. Doucet (1), M. Manhes (2), P. Bouvet (3)

1) AREVA - AREVA NP Fuel Business Unit, Lyon, France, 2) 2011 Internship in the frame of a Master Degree Graduation, 3) AREVA - FBFC, Romans sur Isère, France

Reevaluation of the Jezebel Benchmark: Assumptions About Masses and Dimensions%)

Jeffrey A. Favorite and Roger W. Brewer (1), Raymond L. Reed (2)

1) X-Computational Physics Division, Los Alamos National Laboratory, Los Alamos, NM, 2) URS Professional Solutions LLC, Aiken, SC

Low Enrichment Uranium Conservative Modeling: Homogeneous or Heterogeneous Fissile Medium?% ,

D. Noyelles And E. Gagnier

Commissariat à l'Énergie Atomique et aux Énergies Alternatives - Centre de Saclay, DEN/DANS/DM2S/SERMA, Gif sur Yvette Cedex, France

The ORSphere Benchmark Evaluation and Its Potential Impact on Nuclear Criticality Safety% (

John D. Bess, Margaret A. Marshall, and J. Blair Briggs

Idaho National Laboratory, Idaho Falls, ID

Additions to the ICSBEP and IRPhEP Handbooks Since NCS 2009% *

John D. Bess and J. Blair Briggs (1), Jim Gulliford and Ian Hill (2)

1) Idaho National Laboratory, Idaho Falls, ID, 2) Organization for Economic Co-operation and Development (OECD) Nuclear Energy Agency (NEA), Paris, France

Interspersed Moderation, What is Credible?% +

Lary L. Wetzel, P. E., Brandon M. O'Donnell, Daniel L. Ashworth

Babcock & Wilcox Nuclear Operations Group, Inc., Lynchburg, VA

Full Burnup Credit Conservatism in PWR-UOx Industrial Applications, due to the Correction and Penalty Factors Derived from the French Experiments using the JEFF3.1.1 Evaluation% -

C. Carmouze, C. Riffard, A. Santamarina (1), G. Grassi (2)

1) Commissariat à l'Énergie Atomique et aux Énergies alternatives, CEA, DEN, DER, SPRC, Saint-Paul-lez-Durance, France, 2) AREVA-NC, Paris La Défense, France

Validation of 108 MOX Powder Applications for ANS and ISO Standards% &\$

Dennis Mennerdahl

E Mennerdahl Systems, Täby, Sweden

Use of Gadolinium as a Criticality Safety Control in Fuel Fabrication Process% &%

David Eghbali

GE Hitachi Nuclear Energy, Wilmington, NC

Sub-critical Mass Determination for Cylindrical Systems of U-235, U-233 and Pu-239% &&

Nhu-Thuy Tran and Eugene Masala

Atomic Energy of Canada Limited (AECL) – Chalk River Laboratories, Ontario, Canada

Methods II

Use of Tsunami in validation of Scale 6.1 for the Swedish spent fuel repository – Selection of experiments% &' -

Fredrik Johansson and Henrik Liljenfeldt

Swedish Nuclear Fuel and Waste Management Co (SKB), Stockholm, Sweden

The Development and V&V of the Transport Module Based on MOC Method in Lattice Code LATC% &) \$

Li Shuo, Chen Yixue, Yu Hui, Liu Zhiyan, Yan Yuhang

State Nuclear Power Software Development Center, Xicheng District, Beijing, China

Calculating Alpha-eigenvalue Spectra with Monte Carlo% &),

Benjamin R. Betzler (1), Brian C. Kiedrowski and Forrest B. Brown (2), William R. Martin (3)

1) University of Michigan, Ann Arbor, MI, 2) Los Alamos National Laboratory, Los Alamos, NM, 3) University of Michigan, Ann Arbor, MI

Importance of Scattering Distributions on Criticality% &* -

Brian C. Kiedrowski

Los Alamos National Laboratory, Los Alamos, NM

Comparison of Validation Results for GEMER, MCNP, and SCALE/KENO-VI

David Eghbali, Qi Ao and John Hannah
GE Hitachi Nuclear Energy, Wilmington, NC

Use of SCALE Continuous-Energy Monte Carlo Tools for Eigenvalue Sensitivity Coefficient Calculations

Christopher M. Perfetti and Bradley T. Rearden
Oak Ridge National Laboratory, Oak Ridge, TN

Recycling Facility Periodic Safety Review: A Methodology Used for the Nuclear Criticality Safety Review Of Geometrically Safe or Favorable Equipment

M. Hampartzounian, Y. Blin, A. Coulaud, G. Néron de Surgy and A. Bardelay (1), E. Guillou (2), G. Grassi (3)
1) AREVA E&P, Montigny-le-Bretonneux, France, 2) AREVA NC, Beaumont-Hague Cedex, France, 3) AREVA NC, Paris La Défense Cedex, France

The SCALE Verified, Archived Library of Inputs and Data - VALID

W.J. Marshall and B.T. Rearden
Oak Ridge National Laboratory, Oak Ridge, TN

Benefits of Using EPRI Depletion Reactivity Benchmarks for Burnup Credit Validation

Dale B. Lancaster (1), K. S. Smith (2), A. J. Machiels (3)
1) NuclearConsultants.com, Boalsburg, PA, 2) Department of Nuclear Engineering, Cambridge, MA, 3) Electric Power Research Institute, Inc., Palo Alto, CA

Analysis & Experiments II

Evaluation of the Kyoto University Critical Assembly Erbium Oxide Experiments

Joseph A. Christensen
U.S. Department of Energy – Idaho Operations Office, Idaho Falls, ID

EPRI Depletion Benchmark Calculations Using PARAGON

Vefa N. Kucukboyaci
Westinghouse Electric Company, LLC, Cranberry Woods, PA

Validation of Critical Parameter Calculations for Sodium Diuranate using Sensitivity and Uncertainty Analysis

Philip Sewell and Peter Vescovi
DAHER-TLI, Columbia, SC

Measurement and Modeling of Void Effects on Multiplication in a Homogeneous Thermal Reactor

Robert D. Busch
University of New Mexico, Chemical and Nuclear Engineering Department, Albuquerque, NM

Credible Moderation Content of Uranium Oxide Powder and Pellet Systems

Elisabeth Dunn, Steven Brown, Mark Dodds, Alison Thomas
Global Nuclear Fuels – America (GNF-A), Wilmington, NC

Effects of Particle Size and Density on UO2 Systems

Elisabeth Dunn and David Eghbali
Global Nuclear Fuels – America (GNF-A), Wilmington, NC

Production of a Criticality Safety Case for Reprocessing Enriched Material Through the MAGNOX Reprocessing Plant at Sellafield

D Ellis, S Hollman, D McCrindle and G Palmer
Sellafield Ltd, Seascale, CA20 1PG, United Kingdom

Results of Critical Experiments on Water-Moderated Fully-Reflected 6.90% Enriched UO2 Fuel Pin Arrays with a Fuel-to-Water Volume Ratio of 0.52

Gary A. Harms, Allison D. Miller, and John T. Ford
Sandia National Laboratories, Albuquerque, NM

Justification to Disregard U-234 Mass in Certain Uranium Systems

Andrew R. Wysong
Lawrence Livermore National Laboratory, Livermore, CA

Programs/Training/Risk Assessment/Post-Fukushima

Generic Criticality Considerations for Spent Fuel Pool Storage Racks under Beyond Design Basis Accident Conditions(' (

Robert Kilger, Matthias Bock, and Bernhard Gmal

Gesellschaft fuer Anlagen- und Reaktorsicherheit (GRS) mbH, Munich

The Official Website of the U.S. Department of Energy's Nuclear Criticality Safety Program 444

Brian L. Koponen, David P. Heinrichs, Chuck K. Lee (1), Lori Scott (2)

1) Lawrence Livermore National Laboratory, Livermore CA, 2) SAIC, Solana Beach, CA

Evolution of Nuclear Criticality Safety Training at Atomic Energy of Canada Ltd. to Meet its Changing Needs 455

David Pilgrim

Atomic Energy of Canada Limited, Chalk River, ON, Canada

Evidence of a Criticality Accident Occurring with Spent Fuels: Basic Considerations and Lessons Learned from the Fukushima Accident 463

M. Duluc, G. Caplin And W. Haeck

Institut de Radioprotection et de Sûreté Nucléaire (IRSN), Fontenay-aux-Roses Cedex, FRANCE

Developing and Implementing Online Nuclear Criticality Safety Training and Education 477

Charlotta E. Sanders and Kevin L. Wilcoxon

University of Nevada, Las Vegas, NV

Uncertainty Evaluation of Reactivity for Long-term Dry Cask Storage 487

Jeremiah Boles, Aaron McGee, Quentin Newell, Charlotta Sanders

Department of Mechanical Engineering, University of Nevada, Las Vegas, Nevada

Multidisciplinary Assessment of Firefighting 497

B. Webborn

Sellafield Ltd, Seascale, CA20 1PG, United Kingdom

The Horizontal Band Saw Incident at Babcock & Wilcox, NOG-L 504

Larry L. Wetzel

Babcock & Wilcox Nuclear Operations Group, Inc., Lynchburg, VA

NCS Approach for Decommissioning of Low and Intermediate Level Waste Soils and Process Piping Using the InSpector 1000 with LaBr 514

Megan Pritchard

Nuclear Safety Associates, Charlotte, NC

Los Alamos National Laboratory Criticality Safety Boot Camp – Rebuilding the Core 528

David Solms (1), Fitz Trumble (2)

1) Los Alamos National Laboratory, 2) URS Professional Solutions, Aiken, SC

Current Status of the DOE Nuclear Criticality Safety Program Hands-On Criticality Safety Training Course at Sandia 536

Gary A. Harms, Ronald A. Knief, Allison D. Miller, and John T. Ford

Sandia National Laboratories, Albuquerque, NM

Criticality Accidents and Response

Methodology to Determine Requirements for Installation of Criticality Accident Alarm Systems 544

J. Wang and C. McNally

Atomic Energy of Canada Limited - Chalk River Laboratories, Chalk River, ON, Canada

Analysis of Measured Data From Experiments 2 and 3 of the 2010 Criticality Accident Alarm System Benchmark at the CEA Valduc Silene Facility 552

T. M. Miller, M. E. Dunn, J. C. Wagner, and K. L. McMahan (1), N. Authier, X. Jacquet, G. Rousseau, H. Wolff, J. Piot, L. Savanier, and N. Baclet (2), Y.-K. Lee, V. Masse1, J.-C. Trama, E. Gagnier, S. Naury, and P. Blanc-Tranchant (3), R. Hunter (4), S. Kim and G. M. Dulik (5), K. H. Reynolds (6)

1) Oak Ridge National Laboratory, Oak Ridge, TN, 2) Commissariat à l'Énergie Atomique et aux Énergies Alternatives —Centre de Valduc, Is sur Tille, France, 3) Commissariat à l'Énergie Atomique et aux Énergies Alternatives —Centre de Saclay, Gif sur Yvette Cedex, France, 4) Babcock International Group, Warrington, England, 5) Lawrence Livermore National Laboratory, Livermore, CA, 6) Y-12 National Security Complex, Oak Ridge, TN

- Methodology to Assess Minimum Accident of Concern and Criticality Accident Alarm System Location** 565
R. Dranga and J. Wang
Atomic Energy of Canada Limited - Chalk River Laboratories, Chalk River, ON, Canada
- Guidance Detailing Methods to Calculate Criticality Accident Alarm System Detector Response and Coverage** 572
T. M. Miller and D. E. Peplow
Oak Ridge National Laboratory, Oak Ridge, TN
- Sensitivity and Uncertainty Analysis of a Fixed Source Criticality Accident Alarm System Benchmark Experiment** 584
Kevin H. Reynolds (1), Thomas M. Miller (2), Laurence F. Miller (3)
1) Y-12 National Security Complex, Oak Ridge, TN, 2) Oak Ridge National Laboratory, Oak Ridge, TN, 3) University of Tennessee Knoxville, Knoxville, TN
- The Development of a New Criticality Accident Alarm System** 600
Richard Hunter (1), Russell King, Philip Bodman and Kevin Freer (2)
1) Babcock International Group, Warrington, Cheshire, England, 2) Babcock International Group, Seascale, Cumbria, England
- Radiation Tolerance Assessment of a Criticality Accident Alarm System** 608
Richard Hunter (1), Russell King, Philip Bodman and Kevin Freer (2)
1) Babcock International Group, Warrington, Cheshire, England, 2) Babcock International Group, Seascale, Cumbria, England
- High Safety Level New Generation of Criticality Accident Alarm Systems Designed to Address Operational Gain** 619
P. Blot, P. Chaudun, N. Mena (1), J. Handley, J.M. Kirkpatrick, S. Philips (2), R. Abou Khalil (3)
1) AREVA/Business Unit Nuclear Measurements - CANBERRA, Saint-Quentin-en-Yvelines, France, 2) CANBERRA, Meriden, CT, 3) AREVA/DRD - Research and Development, 3) PARIS La Defense, France
- Criticality Accident Alarm System Detector Placement Methodology at the GNF-A Fuel Manufacturing Operations Facilities** 633
Christopher A. Geiser, Qi Ao, and John F. Zino
GE Hitachi Nuclear Energy, Wilmington, NC
- On the Kinetics of Critical Excursions Pertinent to the ANS-8.3 Minimum Accident - A Focus on the 'Rapid Transient'** 643
Peter L. Angelo, Jason J. McCall, Ronald T. Nore
Y-12 National Security Complex, Oak Ridge, TN
- Proposed Guidance and Specification for a Process-Specific Minimum Accident of Concern** 661
Peter L. Angelo
Y-12 National Security Complex, Oak Ridge, TN

Methods III

- Fission Products Credit for PWR MOX Burnup Credit Implementation** 679
Ludyvine Jutier and Stéphane Evo (1), Eric Guillou (2), Gabriele Grassi (3)
1) Institut de Radioprotection et de Sûreté Nucléaire, Fontenay-aux-Roses Cedex, FRANCE, 2) AREVA, Beaumont Hague, FRANCE, 3) AREVA, BU Recycling, Paris La Défense, FRANCE
- Criticality Safety Calculation Package for Fuel Transport and Storage Systems** 691
K.M. Rantamäki
VTT Technical Research Centre of Finland, VTT, Finland
- On the Assumption of the Maximum Void Fraction in Burnup Credit Implementation for BWR Fuel** 700
Ludyvine Jutier, Stéphane Evo and Grégory Caplin (1), Gabriele Grassi (2)
1) Institut de Radioprotection et de Sûreté Nucléaire, Fontenay-aux-Roses Cedex, FRANCE, 2) AREVA, BU Recycling, Paris La Défense, FRANCE
- Quantification of Uncertainties and Correlations in Criticality Experiments with SCALE** 713
Bradley T. Rearden (1), Kevin J. Dugan (2), František Havlůj (3)
1) Oak Ridge National Laboratory, Oak Ridge, TN, 2) Department of Nuclear Engineering Texas A&M University, College Station, TX, 3) Nuclear Research Institute at Rez Husinec - Řež, Hlavní, Czech Republic
- The Use of the Density-Law-Invariant Parameters for Criticality Safety Assessment** 729
Song T. Huang and Philip Chou
Lawrence Livermore National Laboratory, Livermore, CA

Enhancements in Continuous-Energy Monte Carlo Capabilities in SCALE 734

K. B. Bekar, C. Celik, D. Wiarda, D. E. Peplow, B. T. Rearden, and M. E. Dunn

Oak Ridge National Laboratory, Oak Ridge, TN

Validation of Criticality Safety Calculations with SCALE 6.2 747

W. J. Marshall, D. Wiarda, C. Celik, and B. T. Rearden (1), D. R. Wentz (2)

1) Oak Ridge National Laboratory, Oak Ridge, TN, 2) University of Tennessee-Knoxville, Knoxville, TN

Validation of SCALE 6.1 at Spectra Tech Inc. 760

D. F. Hollenbach and K. E. Hollenbach and R. G. Taylor

Spectra Tech, Inc., Oak Ridge, TN

Comparison of Burnup Credit Uncertainty Quantification Methods 777

W. A. Wieselquist, K. S. Kim, G. Ilas, and I. C. Gauld

Oak Ridge National Laboratory, Oak Ridge, TN

Overview of SCALE 6.2 793

B. T. Rearden, M. E. Dunn, D. Wiarda, C. Celik, K. Bekar, M. L. Williams, D. E. Peplow, C. M. Perfetti, I. C. Gauld, W. A. Wieselquist, J. P. Lefebvre, and R. A. Lefebvre (1), F. Havluj (2), S. E. Skutnik (3), K. J. Dugan (4)

1) Oak Ridge National Laboratory, Oak Ridge, TN, 2) Nuclear Research Institute at Řež, Hlavní, Czech Republic, 3) University of Tennessee, Knoxville, TN, 4) Texas A&M University, College Station, TX

SCALE Uncertainty Quantification Methodology for Criticality Safety Analysis of Used Nuclear Fuel 804

M. L. Williams, F. Havluj, D. Wiarda, M. Pigni, I. Gauld

Reactor and Nuclear Systems Division, Oak Ridge National Laboratory, Oak Ridge, TN