

LIGHT AT EXTREME INTENSITIES 2011

Szeged, Hungary 14 – 18 November 2011

EDITORS

Karoly Osvay

University of Szeged, Szeged, Hungary

Peter Dombi

*Wigner Research Centre for Physics of the Hungarian
Academy of Sciences, Budapest, Hungary*

Jozsef Andras Fülöp

University of Pecs, Pecs, Hungary

Katalin Varjú

University of Szeged, Szeged, Hungary

SPONSORING ORGANIZATIONS

ELI-Hu NKft., Hungary

ELI-Beamlines, Czech Republic

ELI-Nuclear Physics, Romania

Institute de Lumiere Extreme, France

University of Szeged, Hungary

AIP
American Institute
of Physics

Melville, New York, 2012

AIP I CONFERENCE PROCEEDINGS ■ 1462

Editors

Karoly Osvay
Department of Optics and Quantum
Electronics
H-6720 Szeged, Dóm tér 9
Hungary

E-mail: osvay@physx.u-szeged.hu

Peter Dombi
Wigner Research Centre for Physics
Konkoly-Thege M. ut 29-33
H-1121 Budapest
Hungary

E-mail: dombi.peter@wigner.mta.hu

Jozsef Andras Fulöp
Department of Experimental Physics
University of Pecs
Ifjusag u. 6, 7624 Pecs
Hungary

E-mail: fulop@fizika.ttk.pte.hu

Katalin Varjú
Department of Optics and Quantum
Electronics
University of Szeged
6720 Szeged, Dóm tér 9
Hungary

E-mail: varju@physx.u-szeged.hu

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1066-4/12/\$30.00.

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

L.C. Catalog Card No. 2012941995
ISBN 978-0-7354-1066-4
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1462
Light at Extreme Intensities 2011

Table of Contents

Preamble Karoly Osvay	1
---------------------------------	---

Committees	2
-------------------	---

EXTREME LIGHT

Simulation of pair production in extreme strong EM fields Dániel Berényi, Péter Lévai, and Vladimir Skokov	5
--	---

Testing general relativity with laser accelerated electron beams L. A. Gergely and T. Harko	9
---	---

Effects of radiation damping on the dynamics of electrons in ELI intensity laser fields Christopher Harvey and Mattias Marklund	13
---	----

Probing the vacuum structure by combinations of high-intensity laser technologies Kensuke Homma	17
---	----

Streaking at high energies with electrons and positrons Andreas Ipp, Jörg Evers, Christoph H. Keitel, and Karen Z. Hatsagortsyan	25
--	----

HIGH HARMONICS GENERATION

Controlling the light waveform of attosecond pulse train by synthesized multi-colored laser fields Wei-Jan Chen, Hong-Zhe Wang, Ruei-Yin Lin, Chao-Kuei Lee, and Ci-Ling Pan	33
--	----

Fundamental difference of subpicosecond laser interaction compared to longer pulses for ultrahigh acceleration I. B. Földes, P. Lalouis, S. Moustazis, and H. Hora	37
--	----

Quasi-phase-matching high-harmonics with THz assistance K. Kovács, E. Balogh, J. Hebling, V. Toşa, and K. Varjú	41
Two-color mid-IR optical parametric amplifier for attosecond pulse generation M. Negro, C. Vozzi, K. Kovács, C. Altucci, R. Velotta, F. Frassetto, P. Villorresi, L. Poletto, S. De Silvestri, V. Tosa, and S. Stagira	45
Focusing to transform-limited, phase-controlled, few-cycle pulses with lenses Miguel A. Porras, Balazs Major, and Zoltan L. Horvath	49
High order harmonics driven by an infrared parametric source: Application to molecular orbital reconstruction C. Vozzi, M. Negro, F. Calegari, G. Sansone, M. Nisoli, S. De Silvestri, and S. Stagira	53
Attosecond time-resolved photoelectron spectroscopy of surfaces Uwe Thumm and Chang-hua Zhang	57
LASER	
High internal electric fields and built-in strain effects in $\text{ZnO}/\text{Mg}_x\text{Zn}_{1-x}\text{O}$ and $\text{Zn}_{1-y}\text{Cd}_y\text{O}/\text{ZnO}$ quantum well lasers N. Tari, K. Zitouni, A. Kadri, and F. Benharrats	65
Real-time two-dimensional measurement of angular dispersion of broadband laser beams A. Börzsönyi, L. Mangin-Thro, G. Cheriaux, and Karoly Osvay	70
A front end for ultra-intense OPCPA J. Bromage, C. Dorrer, M. Millicchia, J. Bunkenburg, R. Jungquist, and J. D. Zuegel	74
Apollon-10P: Status and implementation G. Chériaux, F. Giambruno, A. Fréneaux, F. Leconte, L. P. Ramirez, P. Georges, F. Druon, D. N. Papadopoulos, A. Pellegrina, C. Le Blanc, I. Doyen, L. Legat, J. M. Boudenne, G. Mennerat, P. Audebert, G. Mourou, F. Mathieu, and J. P. Chambaret	78
High-energy regenerative thin disk amplifier Michal Chyla, Martin Smrz, and Tomas Mocek	84

Build-up of quantum entanglement during rescattering Attila Czirják, Szilárd Szilárd, Judit Kovács, and Mihály G. Benedict	88
Generation of sub-30 fs tunable infrared pulses by parametric visible-to-infrared frequency conversion J. Darginavičius, G. Tamošauskas, G. Valiulis, A. Piskarskas, and A. Dubietis	92
Ultrashort pulse induced currents in solids: Theoretical approaches Péter Földi and Mihály G. Benedict	96
Spatio-spectral coupling in multi-petawatt Ti:Sapphire lasers Fabio Giambruno, Gabriel Mennerat, Antoine Freneaux, and Gilles Chériaux	100
High-energy, high-repetition rate, few-cycle and CEP-stable mid-IR OPCPA Michaël Hemmer, Alexandre Thai, Matthias Baudisch, and Jens Biegert	104
Temporal contrast of high intensity laser systems above 10^{11} with double CPA technique M. P. Kalashnikov, K. Osvay, G. Priebe, L. Ehrentraut, S. Steinke, and W. Sandner	108
Measurement of higher order dispersion in a photonic fiber using spectral interferometry A. P. Kovács, T. Grósz, and M. Kiss	112
Development of 100 terawatt hybrid laser system on base of photochemically driven XeF(C-A) amplifier V. Losev, S. Alekseev, N. Ivanov, B. Kovalchuk, L. Mikheev, G. Mesyats, Yu. Panchenko, N. Ratakhin, and A. Yastremsky	116
Ytterbium Innoslab amplifiers - The high average power approach of ultrafast lasers P. Rußbüldt, J. Weitenberg, Th. Sartorius, G. Rotarius, H. D. Hoffmann, and R. Poprawe	120
100-J level amplifier concepts for HiLASE and ELI-Beamlines P. Sikocinski, M. Divoky, A. Lucianetti, M. Sawicka, J. Novak, B. Rus, and T. Mocek	124
Graphene-based carrier-Envelope phase difference meter Sándor Varró	128

PARTICLE

- Biological cell irradiation at ultrahigh dose rate employing laser driven protons**
D. Doria, K. F. Kakolee, S. Kar, S. K. Litt, F. Fiorini, H. Ahmed, S. Green, J. C. G. Jeynes, J. Kavanagh, D. Kirby, K. J. Kirkby, C. L. Lewis, M. J. Merchant, G. Nersisyan, R. Prasad, K. M. Prise, G. Schettino, M. Zepf, and M. Borghesi 135
- Secondary particle production from laser accelerated beams**
Josef Krása and Daniele Margarone 139
- Electron acceleration in a two-stage laser wakefield accelerator**
Ruxin Li, Jiansheng Liu, Changquan Xia, Wentao Wang, Haiyang Lu, Cheng Wang, Aihua Deng, Wentao Li, Hui Zhang, Xiaoyan Liang, Yuxin Leng, Xiaoming Lu, Cheng Wang, Jianzhou Wang, Baifei Shen, Kazuhisa Nakajima, and Zhizhan Xu 143
- Employing laser-accelerated proton beams to diagnose high intensity laser-plasma interactions**
G. Sarri, C. A. Cecchetti, K. Quinn, P. A. Norreys, R. Trines, O. Willi, J. Fuchs, P. McKenna, M. Quinn, F. Pegoraro, S. V. Bulanov, and M. Borghesi 149
- Particle physicist's dreams about PetaelectronVolt laser plasma accelerators**
G. Vesztergombi 155
- Acceleration of protons to above 6 MeV using H₂O "snow" nanowire targets**
I. Pomerantz, E. Schleifer, E. Nahum, S. Eisenmann, M. Botton, D. Gordon, P. Sprangel, and A. Zigler 159

PHOTONUCLEAR

- Nuclear photofission studies with monochromatic γ ray beams**
L. Csige, J. Gulyás, D. Habs, A. Krasznahorkay, P. G. Thirolf, and T. G. Torny 167
- Seeded quantum FEL at 478 keV**
M. M. Günther, M. Jentschel, P. G. Thirolf, T. Seggebrock, and D. Habs 173

Nuclear photonics	
D. Habs, M. M. Günther, M. Jentschel, and P. G. Thirolf	177
Gamma ray optics	
M. Jentschel, M. M. Günther, D. Habs, and P. G. Thirolf	185
Photo-fusion reactions in a new compact device for ELI	
S. D. Moustazis, P. Auvray, H. Hora, P. Lalouis, J. Larour, and G. Mourou	191
Photonuclear reactions: Past, present, and future	
N. Pietralla	195
Nuclear γ-ray coincidence experiments in high-intensity photon beams	
D. Savran and B. Löher	203
Nuclear astrophysics with intense photon beam	
Toshiyuki Shizuma	209
Nuclear photonics at ultra-high counting rates and higher multipole excitations	
P. G. Thirolf, D. Habs, D. Filipescu, R. Gernhäuser, M. M. Günther, M. Jentschel, N. Marginean, and N. Pietralla	214
Pile-up recovery in gamma-ray detection	
Matjaž Vencelj, Andrej Likar, Bastian Löher, Mojca Miklavec, Roman Novak, Norbert Pietralla, and Deniz Savran	218

X-RAY

LASERIX: An open facility for developments of soft X-ray and EUV lasers and applications	
D. Ros, O. Guilbaud, S. Kazamias, M. Pittman, K. Cassou, S. Daboussi, O. Neveu, J. Demailly, B. Cros, G. Maynard, B. Zielbauer, D. Zimmer, T. Kühl, S. Lacombe, G. J. Tallents, E. Wagenaars, Lucy Wilson, and Ph. Zeitoun	225

Betatron radiation based measurement of the electron-beam size in a wakefield accelerator	
Michael Schnell, Alexander Sävert, Björn Landgraf, Maria Reuter, Maria Nicolai, Oliver Jäckel, Christian Peth, Tobias Thiele, Oliver Jansen, Alexander Pukhov, Oswald Willi, Malte C. Kaluza, and Christian Spielmann	231
Architecture and Bloch-Maxwell modelling of multi-mJ 100 fs fully-coherent soft X-ray laser based on X-ray CPA	
Ph. Zeitoun, E. Oliva, M. Fajardo, G. Cheriaux, T. T. T. Le, L. Li, M. Pitman, D. Ros, S. Sebban, and P. Velarde	235
List of Participants	243
Group Photograph	247
Author Index	249