

8TH INTERNATIONAL CONFERENCE ON CONCENTRATING PHOTOVOLTAIC SYSTEMS

CPV-8

Toledo, Spain 16 – 18 April 2012

All papers have been peer reviewed.

SPONSORING ORGANIZATIONS

Gold

Amonix, Inc.
AZUR SPACE Solar Power GmbH
Soitec Solar GmbH
SolFocus

Silver

Abengoa
Aescusoft GmbH
Evonik
JDSU

Bronze

AL Systems GmbH
Black Photon Instruments GmbH
Centro Nacional de Energías Renovables (CENER)
Concentrator Optics GmbH
Daido Steel
DOCTER OPTICS GmbH
ISOFOTON, S.A.
Grenzebach Maschinenbau GmbH
Renovalia Energy, S.A.
Teknia Manufacturing Group, S.L.
Umicore Electro-Optic Materials
Zhejiang Lante Optics Co., Ltd.

Exhibitor

Axt, Inc.
Boschman Technologies/APC
Eschenbach Optik GmbH
EKO INSTRUMENTS Europe B.V.
Geónica S.A.
Okaya & Co., LTD
Suntrack - P4Q Electronics
TITAN TRACKER, S.L.
W. L. Gore y Asociados, S. L.

EDITORS

Frank Dimroth
Fraunhofer ISE, Germany

Francisca Rubio
ISFOC, Spain

Ignacio Antón
IES-UPM, Spain

Editors

Frank Dimroth
Fraunhofer ISE
Heidenhofstraße 2
79110 Freiburg
Germany

E-mail: Frank.Dimroth@ise.fraunhofer.de

Francisca Rubio
ISFOC
C/ Francia 7
Polígono Industrial La Nava III
13500 Puertollano, Ciudad Real
Spain

E-mail: frubio@isfoc.com

Ignacio Antón
Universidad de Madrid Politecnica de Madrid
Instituto Energía Solar
28040 Madrid
Spain

E-mail: nacho@ies-def.upm.es

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1086-2/12/\$30.00

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1NO1, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1086-2 *Qtli kpcrlRtlpv+
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1477
8th International Conference on Concentrating Photovoltaic Systems
CPV-8

Table of Contents

Preface: 8th International Conference on Concentrating Photovoltaic Systems	
Francisca Rubio, I. Antón, K. Araki, A. W. Bett, F. Dimroth, S. Kurtz, B. McConnell, and G. Sala	1
Committees	3
 CONCENTRATOR SOLAR CELLS, CELL ASSEMBLIES AND RELATED MATERIALS	
Optimization of the silicon subcell for III-V on silicon multijunction solar cells: Key differences with conventional silicon technology	
Elisa García-Tabarés, Diego Martín, Iván García, Jean François Lelièvre, and Ignacio Rey-Stolle	5
The effect of concentration on the performance of quantum dot intermediate-band solar cells	
Yoshitaka Okada, Katsuhisa Yoshida, Yasushi Shoji, Akio Ogura, Pablo García-Linares, Antonio Martí, and Antonio Luque	10
High-efficiency multijunction solar cells employing dilute nitrides	
Vijit Sabnis, Homan Yuen, and Mike Wiemer	14
Effects of quantum dot layers on the behavior of multijunction solar cell operation under concentration	
Olivier Thériault, Alex Walker, Jeffrey F. Wheeldon, and Karin Hinzer	20
III-V-N materials for super high-efficiency multijunction solar cells	
Masafumi Yamaguchi, Boussairi Bouzazi, Hidetoshi Suzuki, Kazuma Ikeda, Nobuaki Kojima, and Yoshi Ohshita	24
Multijunction solar cell with intermediate IR reflector	
M. Z. Shvarts, E. A. Aronova, V. M. Emelyanov, N. A. Kalyuzhnyy, V. M. Lantratov, S. A. Mintairov, A. A. Soluyanov, and N. Kh. Timoshina	28
In situ control of Si(100) and Ge(100) surface preparation for the heteroepitaxy of III-V solar cell architectures	
Sebastian Brückner, Oliver Supplie, Enrique Barrigón, Anja Dobrich, Johannes Luczak, Claas Löbbel, Ignacio Rey-Stolle, Peter Kleinschmidt, Henning Döscher, and Thomas Hannappel	32

Scalable virtual Ge templates for III-V integration on Si wafers	36
Radek Roucka, Andrew Clark, Scott Semans, John Tolle, and Michael Lebby	
Open-circuit-voltage enhancement of the III-V super-lattice solar cells under optical concentration	40
Kentaro Watanabe, Yunpeng Wang, Hassanet Sodabanlu, Shaojun Ma, Boram Kim, Masakazu Sugiyama, and Yoshiaki Nakano	
Optimization of 3-junction inverted metamorphic solar cells for high-temperature and high-concentration operation	44
John F. Geisz, Anna Duda, Ryan M. France, Daniel J. Friedman, Ivan Garcia, Waldo Olavarria, Jerry M. Olson, Myles A. Steiner, J. Scott Ward, and Michelle Young	
Comparison of GaInNAs and GaInNAsSb solar cells grown by plasma-assisted molecular beam epitaxy	49
Arto Aho, Antti Tukiainen, Ville-Markus Korpiläärvi, Ville Pololäärvi, Joel Salmi, and Mircea Guina	
Electroless copper contacts for low concentration silicon solar cells	53
Julius Janušonis, Algirdas Galdikas, Valdemaras Juzumas, Lina Jaraminė, Tomas Lukštaraupis, Darius Andrijauskas, Vida Janušonienė, Darius Janušonis, and Juras Ulbikas	
1 eV $In_{0.3}Ga_{0.7}As$ subcell towards the high-efficiency inverted metamorphic solar cells	57
Jingfeng Bi, Guijiang Lin, Jianqing Liu, Minghui Song, Liangjun Wang, Weiping Xiong, Zhiming Wu, and Zhidong Lin	
Transfer of GaAs-based solar cells onto molybdenum and silicon substrates	61
Yu-Li Tsai, Chih-Hung Wu, Jei-Li Ho, and Chun-Ming Lai	
High power GaSb PV cells with nanocrystalline Si inclusions in the space charge region	65
V. S. Kalinovsky, R. V. Levin, B. V. Pushniy, V. D. Rumyntsev, and V. M. Andreev	

CONCENTRATING OPTICS AND RELATED MATERIALS

The dome-shaped Fresnel-Köhler concentrator	69
P. Zamora, P. Benitez, Y. Li, J. C. Miñano, J. Mendes-Lopes, and K. Araki	
Double curvature mirrors for linear concentrators	73
Tamir Lance, Harold Ackler, and Marc Finot	
Comparison of primary optics in amonix CPV arrays	77
Aditya Nayak, Geoffrey S. Kinsey, Mingguo Liu, William Bagienski, and Vahan Garboushian	

Triple-junction solar cell performance under Fresnel-based concentrators taking into account chromatic aberration and off-axis operation	
P. Espinet-González, R. Mohedano, I. García, P. Zamora, I. Rey-Stolle, P. Benitez, C. Algora, A. Cvetkovic, M. Hernández, J. Chaves, J. C. Miñano, and Y. Li	81
Indoor characterization of secondary optical elements	
Tobias Schmid, Thorsten Hornung, and Peter Nitz	85
Thermal deformation impacts on SOG Fresnel lens performance	
Murat Büyükoşkun, Hans Philipp Annen, and Luis Felipe González Muñoz	89
A single reflection approach to HCPV: Very high concentration ratio and wide acceptance angles using low cost materials	
Davide De Nardis	94
LOW CONCENTRATION CPV SYSTEMS	
Solar cells design for low and medium concentrating photovoltaic systems	
Hasan Baig, Keith C. Heasman, Nabin Sarmah, and Tapas Mallick	98
Field experience and performance evaluation of a medium-concentration CPV system	
Matthew Norton, Roger Bentley, George E. Georghiou, Sylvain Chonavel, and Alfredo De Mutiis	102
Design of nonimaging static solar concentrator for window integrated photovoltaic	
Nazmi Sellami and Tapas K. Mallick	106
Indoor performance analysis of a low concentrating photovoltaic module for building integration	
Nabin Sarmah, Aritra Ghosh, and Tapas K. Mallick	110
Results from the first ANU-chromasun CPV-T microconcentrator prototype in Canberra	
Marta Vivar, Vernie Everett, Manuel Fuentes, Elizabeth Thomsen, Judy Harvey, Matthieu Ebert, Peter le Lievre, Michael Greaves, Andrew Tanner, and Andrew Blakers	114
CHARACTERIZATION OF CELLS, MODULES AND SYSTEM COMPONENTS	
The “fill-factor bias measurement” for advanced triple-junction solar cell characterization and quality control	
Simon Fafard, Christopher E. Valdivia, and Steven G. Wallace	118
Generalized spectral performance evaluation of multijunction solar cells using a multicore, parallelized version of SMARTS	
Joachim Jaus and Christian A. Gueymard	122
Probing the effects of non-uniform light beams and chromatic aberration on the performance of concentrators using multijunction cells	
César Domínguez, Marta Victoria, Rebeca Herrero, Steve Askins, Ignacio Antón, and Gabriel Sala	127

Spectrally resolved DNI measurements: Results of a field comparison of spectroradiometers, component cells and the SOLIS satellite model	Tobias Gerstmaier, Sascha van Riesen, Jan Schulz-Gericke, Andreas Gombert, Tanja Behrendt, Elke Lorenz, Marc Steiner, Michael Schachtner, Gerald Siefer, and Andreas W. Bett	131
Influence of ambient conditions in the power rating of CPV modules	Pablo Trujillo, Juan Pablo Ferrer, María Martínez, and Francisca Rubio	135
Intercomparison of spectroradiometers for solar spectral irradiance measurements preliminary results	R. Galleano, W. Zaaiman, P. Morabito, A. Minuto, A. Spena, S. Bartocci, R. Fucci, G. Leanza, D. Pavanello, A. Virtuani, D. Fasanaro, M. Catena, and M. Norton	139
Three years of observed failures and performance related issues associated with on-sun CPV module testing	Matthew Muller, Sarah Kurtz, and Jose Rodriguez	143
Open circuit voltage temperature coefficients vs. concentration: Theory, indoor measurements, and outdoor measurements	Will Bagienski, Geoffrey S. Kinsey, Mingguo Liu, Adi Nayak, and Vahan Garboushian	148
Evaluation of the solar cell internal resistance in I-V measurements under flash illumination	V. D. Rumyantsev, V. R. Larionov, D. A. Malevskiy, P. V. Pokrovskiy, A. V. Chekalin, and M. Z. Shvarts	152
On-site measurement of limiting subcell in multijunction solar devices	E. Muñoz-Cerón, J. C. Miñano, P. Benítez, G. Almonacid, and M. Buljan	157
Indoor characterization at production scale: 200 kW_p of CPV solar simulator measurements	Juan Pablo Ferrer, María Martínez, Pablo Trujillo, Francisca Rubio, Steve Askins, César Domínguez, Rebeca Herrero, and Gabriel Sala	161
Measurement of mismatch loss in CPV modul	Mingguo Liu, Geoffrey S. Kinsey, Will Bagienski, Adi Nayak, and Vahan Garboushian	165
Indoor characterization of the receiver for the novel InPhoCUS concrete tracker CPV system	Mauro Pravettoni, Thomas Cooper, Gianluca Ambrosetti, and Aldo Steinfeld	168
Estimating cell temperature in a concentrating photovoltaic system	M. D. Yandt, J. F. Wheeldon, J. Cook, R. Beal, A. W. Walker, O. Thériault, H. Schriemer, T. J. Hall, and K. Hinzer	172
Analysis and characterization of an outdoor CPV system comparative with other PV technologies	B. García-Domingo, J. V. Muñoz, J. Aguilera, and M. Fuentes	176

Modelling CPV silicon solar cells under inhomogeneous irradiation F. Reis, J. Wemans, G. Sorasio, N. Pereira, and M. C. Brito	181
Non-radiative carrier recombination mechanism in the InGaAs/GaAsP strain-balanced quantum well solar cells with different number of stacks by using a piezoelectric photothermal method Atsuhiko Fukuyama, Yosuke Nakano, Taketo Aihara, Hiroaki Fujii, Masakazu Sugiyama, Yoshiaki Nakano, and Tetsuo Ikari	185
Temperature coefficients of monolithic III-V triple-junction solar cells under different spectra and irradiance levels E. F. Fernández, G. Siefer, M. Schachtner, A. J. García Loureiro, and P. Pérez-Higueras	189
Quantifying the effect of air temperature in CPV modules under outdoor conditions Eduardo F. Fernández, P. Pérez-Higueras, F. Almonacid, A. J. García Loureiro, J. I. Fernández, P. Rodrigo, P. G. Vidal, and G. Almonacid	194
Artificial neural networks for the generation of direct normal solar annual irradiance synthetic series J. Rodrigo, L. Hontoria, F. Almonacid, Eduardo F. Fernández, P. M. Rodrigo, and P. J. Pérez-Higueras	198
HIGH CONCENTRATION CPV MODULES, COMBINED HEAT AND POWER SYSTEMS	
From a 32 m² system with 90 CPV modules to a 105 m² system with 12 CPV modules - Soitec's new CPV system CX-S530 Andreas Gombert, Sven Wanka, Eckart Gerster, Sascha van Riesen, Martin Neubauer, Gerrit Lange, Amir Hamidi, Thomas Burke, Jakob Stör, Wolfgang Aipperspach, Cecile Taliercio, Lucas Mader, Alessandro Valli, Martin Ziegler, Stefan Hepp, Inka Heile, Tobias Gerstmaier, and Karl-Friedrich Haarburger	200
Front-side interconnected large area concentrator cells for compact concentrator modules Maike Wiesenfarth, Marc Steiner, Henning Helmers, Gerald Siefer, Eduard Oliva, Frank Dimroth, Gil Shelef, Guy Polonsky, Yuri Flitsanov, Abraham Kribus, and Andreas W. Bett	204
Outdoor performance of fluid dielectric CPV modules M. Victoria, S. Askins, C. Domínguez, I. Antón, and G. Sala	208
From cell to module in a CPV system: Design for mass production of a 31.5% efficiency module M. Castro and O. González	213
Tilt optimization of a building integrated solar concentrating unit D. Chemisana, Y. Tripanagnostopoulos, Chr. Lamnatou, M. Soulriotis, J. I. Rosell, and J. Barrau	217

Hybrid lighting-CPV, a new efficient concept combining illumination with CPV R. Núñez, I. Antón, and G. Sala	221
Performance of solmaes, a high PV solar concentrator with efficient optics T. Thibert, M.-L. Hellin, J. Loicq, E. Mazy, L. Jacques, D. Verstraeten, J.-M. Gillis, F. Languy, C. Emmerechts, E. Beeckman, S. Habraken, and J.-H. Lecat	225
Towards an innovative spectral-splitting hybrid PV-T micro-concentrator Vernie Everett, Yiliang Wu, Alois Resch, Matthieu Ebert, Marta Vivar, Elizabeth Thomsen, Judy Harvey, Paul Scott, Michael Greaves, Andrew Tanner, and Andrew Blakers	230
Modelling an actively-cooled CPV system A. Buonomano, G. Mittelman, D. Faiman, S. Biryukov, V. Melnichak, D. Bukobza, and S. Kabalo	235
Thermal management and overall performance of a high concentration PV Werner Escher, Stephan Paredes, Severin Zimmermann, Chin Lee Ong, Patrick Ruch, and Bruno Michel	239
TRACKING AND RELATED COMPONENTS	
Two interactive and practical methods for optimization of tracker allocation in a given land Kenji Araki	244
Maximum energy yield approach for CPV tracker design E. Aldaiturriaga, O. González, and M. Castro	248
MISPS: Module integrated solar position sensor for concentration photovoltaics Ricard Pardell	252
Assessing the spectral distribution on different tracking confederations G. Gaspar, J. M. Pó, C. Magarreiro, A. Los, and M. C. Brito	258
New sensor for measuring tracking accuracy, tracker vibration, and structural deflection T. Missbach and J. Jaus	262
RELIABILITY OF CPV SYSTEMS AND COMPONENTS, ACCELERATED TESTING PROCEDURES	
Simulation and experiment of thermal fatigue in the CPV die attach Nick Bosco, Timothy Silverman, and Sarah Kurtz	267
Experience from reliability field trials Mark Spencer, Andrew Kearney, and John Bowman	272
Degradation study on optical materials for concentrator photovoltaics Fabian Eltermann, Kerstin Roeder, Maike Wiesenfarth, Juergen Wilde, and Andreas W. Bett	276

Fatigue failure of concentrator III-V solar cells - Does forward bias current injection really kill III-V CPV cells?	281
Kenji Araki, Hirokazu Nagai, and Kazuyuki Tamura	
Performance and reliability of silicone polymers in 1000X concentration CPV applications	285
Michael R. Winter, Ian Aeby, and James Foresi	
Development of CPV solar receiver based on insulated metal substrate (IMS): Comparison with receiver based on the direct bonded copper substrate (DBC) - A reliability study	289
Loïc Mabille, Christophe Mangeant, and Mathieu Baudrit	
Reliability of concentrix™ CPV modules	294
E. Gerster, A. Gombert, and S. Wanka	
Benefits of a water-borne CPV system	297
Stephanie Rosenthal and Duncan Earl	
FIELD PERFORMANCE, UTILITY SCALE INSTALLATIONS, GRID INTEGRATION AND ENERGY PREDICTION, CODES AND STANDARDS	
Analysis of energy production at a 1 MW CPV site in southern California	301
John Bowman, Steffen Jensen, and Jane Melia	
How predictable is DNI? An evaluation of day ahead DNI forecasts from four different providers	305
Tobias Gerstmaier, Michael Bührer, Michael Röttger, Andreas Gombert, Clifford W. Hansen, and Joshua S. Stein	
Realistic power output modeling of CPV modules	309
Marc Steiner, Gerald Siefer, Armin Bösch, Thorsten Hornung, and Andreas W. Bett	
Contribution of concentrator photovoltaic installations to grid stability and power quality	313
Xavier del Toro García, Pedro Roncero-Sánchez, Alfonso Parreño Torres, and Javier Vázquez	
Evaluation of DNI forecast based on the WRF mesoscale atmospheric model for CPV applications	317
V. Lara-Fanego, J. A. Ruiz-Arias, A. D. Pozo-Vázquez, C. A. Gueymard, and J. Tovar-Pescador	
CPV plants data analysis. ISFOC and NACIR projects results	323
M. Martínez, F. Rubio, G. Sala, D. Pachón, A. Bett, G. Siefer, M. Vetter, A. Schies, J. Wachtel, A. Gombert, J. Wüllner, V. Díaz, M. A. Vázquez, F. Abulfotuh, K. Fetyan, A. el Moussaoui, S. Mansouri, K. Loudiyi, H. Darhmaoui, and T. Mrabti	
Performance of a micro-cell based transfer printed HCPV system in the South Eastern US	327
Kanchan Ghosal, Doug Lilly, John Gabriel, Steve Seel, Etienne Menard, Scott Burroughs, Ron Daniel, Scott Lowe, and Charles Kudija	

Power rating of CPV systems based on spectrally corrected DNI	
I. Antón, M. Martínez, F. Rubio, R. Núñez, R. Herrero, C. Domínguez, M. Victoria, S. Askins, and G. Sala	331
Validation of energy harvest modeling for X14 system	
Marc Finot, Bob MacDonald, and Tamir Lance	336
Impact of volcanic ash on CPV system in Miyazaki Japan	
Yasuyuki Ota, Kenji Araki, and Kensuke Nishioka	340
Proposal of an energy rating method fair to countries of lower irradiance resources	
Kenji Araki	344
CPV performance versus soiling effects: Cleaning policies	
D. Sanchez, P. Trujillo, M. Martinez, J. P. Ferrer, and F. Rubio	348
Modeling a grid-connected, passively-cooled CPV system	
E. Strobach, D. Faiman, V. Melnichak, D. Bukobza, S. Kabalo, A. Gombert, T. Gerstmaier, and M. Roettger	352
Beyond the 45th parallel: Northern climate direct normal irradiance data and analysis	
R. M. Beal, J. Mohammed, A. Muron, M. Yandt, J. E. Haysom, P. Dufour, S. Myrskog, and K. Hinzer	356
CPV hybrid system in ISFOC building, first results	
Pablo Trujillo, César Alamillo, Eduardo Gil, Óscar de la Rubia, María Martínez, Francisca Rubio, Andros Cadavid, José Navarro, Sascha Hillenbrand, Isabel Ballesteros-Sánchez, Manuel Castillo-Cagigal, Daniel Masa-Bote, Eduardo Matallanas, Estefanía Caamaño-Martín, and Álvaro Gutiérrez	360
Temperature distribution in 820X CPV module during outdoor operation	
Yasuyuki Ota, Hirokazu Nagai, Kenji Araki, and Kensuke Nishioka	364
CPV Vs. PV from a grid-matching perspective	
E. Strobach, S. Bader, D. Faiman, A. A. Solomon, and G. Meron	368
Performance of CPV system using three types of III-V multi-junction solar cells	
Jun Hashimoto, Sarah Kurtz, Keiichiro Sakurai, Matthew Muller, and Kenji Otani	372
APPLICATIONS, POLICIES AND MARKET STUDIES, CPV MANUFACTURING ASPECTS	
Scalability of CPV towards multi-gigawatt deployment	
Ben Depuydt, Eelco Bergman, Victor Khorenko, Ralf Leutz, Jane Melia, and Axel Höflich	376

Natural conditions and administrative settings for concentrating photovoltaics in China	
Ling Fu, Xiaoyuan Chen, and Ralf Leutz	383
Trajectories of concentrating photovoltaics (CPV) in market space based on comparisons with offshore wind power	
Ralf Leutz	387
Calculation of direct normal irradiation from global horizontal irradiation	
Pedro Rodrigo, Pedro J. Pérez-Higueras, Florencia Almonacid, Leocadio Hontoria, Eduardo F. Fernández, Catalina Rus, Juan I. Fernández, Pedro Gómez, and Gabino Almonacid	391
Author Index	395