## 11TH INTERNATIONAL SYMPOSIUM ON THERAPEUTIC ULTRASOUND

New York, NY, USA 11-13 April 2011

#### **EDITORS**

Robert Muratore Quantum Now LLC, New York, USA

Elisa E. Konofagou Columbia University, New York, USA

#### All papers have been peer reviewed.

#### **SPONSORING ORGANIZATIONS**

International Society for Therapeutic Ultrasound American Institute of Ultrasound in Medicine Focused Ultrasound Foundation Philips Imasonic SAS Verasonics, Inc. InSightec Ltd. EyeTechCare SuperSonic Imagine, SA Image Guided Therapy Electronics & Innovation Ltd. Onda Corp. Sonic Concepts, Inc. GE



Melville, New York, 2012
AIP | CONFERENCE PROCEEDINGS ■ 1481

#### **Editors**

Robert Muratore Quantum Now LLC 49 Cedar Drive Huntington, NY 11743 USA

E-mail: wave@quantumnow.com

Elisa E. Konofagou Columbia University Biomedical Engineering 1210 Amsterdam Ave ET 351, MC 8904 New York, NY 10027 USA

E-mail: ek2191@columbia.edu

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: http://www.copyright.com. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1093-0/12/\$30.00.

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at http://proceedings.aip.org, then simply click on the RightsLink icon/"Permissions/Reprints" link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1NO1, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1093-0 (Original Print) ISSN 0094-243X Printed in the United States of America

# AIP Conference Proceedings, Volume 1481 11th International Symposium on Therapeutic Ultrasound

### **Table of Contents**

Preface: 11 <sup>th</sup> International Symposium on Therapeutic Ultrasound	
Robert Muratore and Elisa E. Konofagou	1
Nonlinear modeling of pulsed and CW HIFU beams for dual-mode ultrasound arrays	
Mohamed Almekkawy, Andrew Casper, John Ballard, and Emad Ebbini	3
Multiple-frequency phased array patterns for therapeutic ultrasound	
John R. Ballard, Dalong Liu, Andrew J. Casper, Yayun Wan, Mohamed Almekkawy, and Emad S. Ebbini	9
Aesthetic ultrasound therapy Peter G. Barthe and Michael H. Slayton	14
Numerical study of cavitation threshold by use of bifrequency excitation	
Jean-Christophe Bera, Bruno Gilles, Izella Saletes, Claude Inserra, and Hiva Shamsborhan	20
Acoustic characterization of multi-element, dual-frequency transducers for high-intensity contact ultrasound therapy	
M. Burtnyk, W. A. N'Djin, L. Persaud, M. Bronskill, and R. Chopra	26
MR-guided interstitial thermal therapy for the treatment of brain tumors with a multi-element ultrasound probe Michael Canney, Alexandre Carpentier, Kevin Beccaria,	
Rémi Souchon, Françoise Chavrier, Cyril Lafon, and Jean-Yves Chapelon	32

Continuous monitoring of pulsed HIFU beams using dual-mode ultrasound array systems	
Andrew Casper, John Ballard, Dalong Liu, Alyona Haritonova, and Emad Ebbini	37
Mechanisms for microvascular damage induced by ultrasound-activated microbubbles	
Hong Chen, Andrew A. Brayman, Andrew P. Evan, and Thomas J. Matula	41
Comparison between 1-3 piezocomposite and PZT ceramic for high-intensity focused ultrasound transducer applications Gin-Shin Chen, Hsin-Chih Liu, and Yu-Li Lin	47
Validation of tissue change monitoring (TCM) on the Sonablate® 500 during high intensity focused ultrasound (HIFU) treatment of prostate cancer with real-time thermometry	
Wo-Hsing Chen, Narendra T. Sanghvi, Roy Carlson, Georg Schatzl, and Michael Marberger	53
Temperature mapping for ultrasound scanner using backscattered changes	<b>5</b> 0
Jérémy Chenot, David Melodelima, and Jean-Yves Chapelon	59
In vivo localized harmonic motion imaging of VX2 tumors Laura Curiel and Kullervo Hynynen	64
Modeling HMI measurement of HIFU lesion formation with temperature-dependent tissue properties	
Andrew B. Draudt and Robin O. Cleveland	70
Optically triggered solid state driver for shock wave therapy Alexander P. Duryea, William W. Roberts, Charles A. Cain,	76
and Timothy L. Hall	70
High-intensity focused ultrasound-mediated doxorubicin delivery with thermosensitive liposomes	
Jean-Michel Escoffre, Christophoros Mannaris, Anthony Novell, Laëtitia Rioc, Marie-Edith Meyre, Matthieu Germain,	
Michalakis Averkiou, and Ayache Bouakaz	81

Simultaneous measurements of thermo-physical properties of egg white phantoms for HIFU by using the step-wise transient plane source technique	
Jing Gao, Jiang You, Sandy Cochran, George Corner, and Zhihong Huang	88
Focusing through the rib cage for MR-guided transcostal FUS J. Gao, A. Volovick, Y. Pekelny, ZH. Huang, S. Cochran, and A. Melzer	94
Applicator for <i>in-vitro</i> ultrasound-activated targeted drug delivery	
B. Gerold, D. Gourevich, A. Volovick, D. Xu, F. Arditti, P. Prentice, S. Cochran, J. Gnaim, Y. Medan, L. Wang, and A. Melzer	100
and A. IVICIZCI	100
Changes in quantitative ultrasound parameters during HIFU application	
Goutam Ghoshal, Jeremy P. Kemmerer, and Michael L. Oelze	106
Nonlinear effects in the radiation force generated by amplitude-modulated focused beams  Nuria González, Noé Jiménez, Javier Redondo, Bernardino Roig, Rubén Picó, Víctor Sánchez-Morcillo, Elisa E. Konofagou, and Francisco Camarena	112
An MR-compatible phantom for evaluating the propagation of high intensity focused ultrasound through the skull	
V. Hadjisavvas, N. Mylonas, K. Ioannides, and C. Damianou	119
A low-cost, easy-to-handle calibration phantom for MR thermometry in HIFU fields	
Julian Haller, Klaus-Vitold Jenderka, Christian Koch, Frank Seifert, Tobias Klepsch, and Adam Shaw	125
Dual-modality image guided high intensity focused ultrasound device design for prostate cancer: A numerical study	
Dexter Hobson, Laura Curiel, Jean-Yves Chapelon, and Samuel Pichardo	131

Fundamental analysis and <i>ex vivo</i> validation of thermal lesion mapping using harmonic motion imaging for focused ultrasound (HMIFU)	
Gary Y. Hou, Jianwen Luo, Caroline Maleke, Jonathan Vappou, Fabrice Marquet, and Elisa E. Konofagou	137
Infrared thermography for noninvasive real-time monitoring of HIFU ablation	1.10
Yi-Sing Hsiao, Ronald E. Kumon, and Cheri X. Deng	143
Using FOCUS to determine the radiation impedance for square transducers	
Matthew R. Jennings and Robert J. McGough	149
Numerical study of nonlinear, transcranial focused ultrasound wave propagation for blood-brain barrier (BBB) opening Noé Jiménez, Bernardino Roig, Javier Redondo, Rubén Picó, Fabrice Marquet, Elisa E. Konofagou, and Francisco Camarena	155
Histologic analysis of rabbit liver cancer treated by bulk	
ultrasound ablation Chandra Priya Karunakaran, Steven M. Rudich, Amel Alqadah, Mark T. Burgess, Daria A. Narmoneva, and T. Douglas Mast	162
Quantitative ultrasound assessment of thermal damage in excised	
liver Jeremy P. Kemmerer, Goutam Ghoshal, and Michael L. Oelze	169
Cancer treatment using an optically inert Rose Bengal derivative combined with pulsed focused ultrasound Yoo-Shin Kim, Valentina Rubio, Jianjun Qi, Rongmin Xia,	
Zheng-Zheng Shi, Leif Peterson, Ching-Hsuan Tung, and Brian E. O'Neill	175
Near-field heating of volumetric MR-HIFU hyperthermia Max Köhler, Charles Mougenot, and Mika Ylihautala	180
Ultrasound thermal ablation system and methods for treatment of	
O. D. Kripfgans, A. Covert, F. R. Padilla, J. B. Fowlkes, M. L. Fabiilli, M. Moghaddam, and P. L. Carson	185

High-frequency ultrasound M-mode monitoring of HIFU ablation in cardiac tissue	
R. E. Kumon, M. S. R. Gudur, Y. Zhou, and C. X. Deng	191
BBB disruption with unfocused ultrasound alone-A paradigm shift	
Al Kyle	197
The advantages of small-size focus in ultrasound surgery Li Dehui, Shen Guofeng, Bai Jinfeng, and Chen Yazhu	204
High intensity focused ultrasound treatment in late stage bone	
and soft tissue malignances Li Min, Wang Baosheng, Sun Baoyong, Wang Hui, Li Xianghong, Zhao Yuehuan, and Zhang Xin	210
Temperature-dependent physical properties of egg white for	
HIFU applications Yunbo Liu, Subha Maruvada, Bruce A. Herman, and Gerald R. Harris	216
Transcranial threshold of inertial cavitation induced by	
diagnostic ultrasound and microbubbles Jinjin Liu, Shunji Gao, Thomas Porter, Carr Everbach, William Shi, Francois Vignon, Jeffry Powers, John Lof,	
Joseph Turner, and Feng Xie	221
Real-time monitoring of thermal and mechanical tissue response to modulated phased-array HIFU beams in vivo	
Dalong Liu, John R. Ballard, Alyona Haritonova, Jeungwan Choi, John Bischof, and Emad S. Ebbini	227
Feasibility study of a single-element transcranial focused ultrasound system for blood-brain barrier opening	
Fabrice Marquet, Yao-Sheng Tung, Tobias Teichert, Vincent P. Ferrera, and Elisa E. Konofagou	233
Ablation produced using a toroidal high intensity focused ultrasound device is independent of hepatic perfusion	
David Melodelima, Aurélien Dupre, Alessandro Gandini,	220
Jean-Yves Chapelon, and Michel Rivoire	239

Optimal conditions for tissue perforation using high intensity focused ultrasound	
Takashi Mochizuki, Taizo Kihara, Kouji Ogawa, Ryoko Tanabe, Shin Yosizawa, Shin-ichiro Umemura, Takashi Kakimoto, Hiromasa Yamashita, and Toshio Chiba	245
Large aperture transducer designed for MR-HIFU treatment of breast tumors	
C. Mougenot, M. Köhler, M. Tillander, C. Moonen, L. W. Bartels, and G. Ehnholm	250
Hippocampal culture stimulus with 4-megahertz ultrasound Robert Muratore, Justine K. LaManna, Michael R. Lamprecht, and Barclay Morrison III	254
Determination of cytotoxic thermal dose during HIFU ablation Sacha D. Nandlall, Miriam Bazán-Peregrino, Steven Mo, and Constantin-C. Coussios	259
MRI-guided transurethral ultrasound therapy enables full prostate gland coagulation: Investigations in gel phantoms W. A. N'Djin, M. Burtnyk, X. Patel, M. Bronskill, and R. Chopra	265
Cavitation monitoring and passive beamforming using a hemispherical random sparse array  Meaghan A. O'Reilly, Sami Rahman, and Kullervo Hynynen	271
Modeling and simulation of HIFU induced lesions using different treatment pattern	
Shan Qiao, Guofeng Shen, Jingfeng Bai, and Yazhu Chen	276
Acoustic and thermal properties of tissue L. Retat, I. Rivens, and G. R. ter Haar	282
Significant skin burns may occur with the use of a water balloon in HIFU treatment	
Robert Ritchie, Jamie Collin, Feng Wu, Constantin Coussios, Tom Leslie, and David Cranston	289
Reducing the number of ultrasound array elements using the matrix pencil method	
Kirk Sales and Robert J. McGough	294

Pressure and microbubble size dependence study of focused ultrasound-induced blood-brain barrier opening reversibility in vivo	
Gesthimani Samiotaki, Fotios Vlachos, Yao-Sheng Tung, Jameel Feshitan, Mark Borden, and Elisa E. Konofagou	300
Enhanced cytotoxic effect of cisplatin using diagnostic ultrasound and microbubbles <i>in vitro</i>	
Noboru Sasaki, Kensuke Nakamura, Masahiro Murakami, Sue Yee Lim, Hiroshi Ohta, Masahiro Yamasaki, and Mitsuyoshi Takiguchi	307
Acoustic hemostasis device for automated treatment of bleeding in limbs	
K. Michael Sekins, Xiaozheng Zeng, Stephen Barnes, Jerry Hopple, John Kook, Romain Moreau-Gobard, Stephen Hsu, Alexis Ahiekpor-Dravi, Chi-Yin Lee, Suresh Ramachandran, Caroline Maleke, John Eaton, Keith Wong, and Scott Keneman	311
Delivery of dopamine transporter tracer (PE2I) through blood brain barrier with ultrasound and microbubbles Sophie Serrière, Jean-Michel Escoffre, Sylvie Bodard,	
Anthony Novell, Jackie Vergote, Johnny Vercouillie, Jean-Claude Thiéry, Sylvie Chalon, and Ayache Bouakaz	317
Salvage high-intensity focused ultrasound for the recurrent prostate cancer after radiotherapy in Japan	
S. Shoji, M. Nakano, Y. Nagata, and T. Uchida	323
Time reversal ultrasound focusing to a point away from the beacon location	
Yegor Sinelnikov, Alexander Sutin, Gaurav Gandhi, and Armen Sarvazyan	329
Renal denervation by intravascular ultrasound: Preliminary in vivo study	
Yegor Sinelnikov, Steve McClain, Yong Zou, David Smith, and Reinhard Warnking	337

The utilization of the bubble pressure dependent harmonic resonance frequency for enhanced heating during high intensity focused ultrasound treatments	
Amin Jafari Sojahrood and Michael C. Kolios	345
Optimization of the shear stress induced by ultrasonically- stimulated oscillating MBs: A theoretical investigation Amin Jafari Sojahrood, Raffi Karshafian, and Michael C. Kolios	351
Practical limits of the parabolic approximation for focused ultrasound beams  Joshua E. Soneson	357
Investigations into the use of MRI-controlled focused ultrasound for hyperthermia-mediated drug delivery	262
Robert Staruch, Rajiv Chopra, and Kullervo Hynynen	362
Histotripsy and metastasis: Assessment in a renal VX-2 rabbit tumor model Nicholas R. Styn, Timothy L. Hall, J. Brian Fowlkes,	
Charles A. Cain, and William W. Roberts	368
In vivo thermal ablation monitoring by echo decorrelation imaging	
Swetha Subramanian, Steven M. Rudich, Amel Alqadah, Chandra Priya Karunakaran, and T. Douglas Mast	374
Overcoming biological barriers with ultrasound Dhaval Thakkar, Roohi Gupta, Praveena Mohan,	
Kenneth Monson, and Natalya Rapoport	381
3D volume MR temperature mapping for HIFU heating trajectory comparisons	
Nick Todd, Urvi Vyas, Josh de Bever, Allison Payne, and Dennis L. Parker	388
The bubble-dependent mechanism of FUS-induced blood-brain barrier opening in mice and in monkeys <i>in vivo</i>	
Yao-Sheng Tung, Fabrice Marquet, Fotios Vlachos,  Jameel A. Feshitan, Mark A. Borden, and Elisa F. Konofagou	395

Twelve years' experience with high-intensity focused ultrasound (HIFU) using sonablate™ devices for the treatment of localized prostate cancer	
Toyoaki Uchida, Muyura Nakano, Sunao Shoji, Yoshihiro Nagata, Yukio Usui, and Toshiro Terachi	401
Real-time two-dimensional imaging of microbubble cavitation Francois Vignon, W. T. Shi, J. E. Powers, J. Liu, L. Drvol, J. Lof, C. Everbach, S. Gao, F. Xie, and T. Porter	407
The effect of pulsed HIFU on the porosity and permeability of collagen gels: An <i>in vitro</i> study  Geethanjali Vipulanandan and Brian E. O'Neill	414
Non-invasive patient-specific acoustic property estimation for MR-guided focused ultrasound surgery Urvi Vyas, Allison Payne, Nick Todd, Dennis L. Parker,	
Robert B. Roemer, and Douglas A. Christensen  Sonosensitive nanoparticles for controlled instigation of cavitation	419
and drug delivery by ultrasound Sarah J. Wagstaffe, Heiko A. Schiffter, Manish Arora, and Constantin-C. Coussios	426
Acoustically accessible window determination for ultrasound mediated treatment of glycogen storage disease type Ia patients Shutao Wang, Balasundar I. Raju, Evgeniy Leyvi,	
David A. Weinstein, and Ralf Seip  An ex vivo feasibility experimental study on targeted cell surgery by high intensity focused ultrasound	432
Zhi Biao Wang, Junru Wu, Liao Qiong Fang, Hua Wang, Fa Qi Li, Yun Bo Tian, Xiao Bo Gong, Hong Zhang, Lian Zhang, and Ruo Feng	437
Quasi-static elastography and its application in investigation of focused ultrasound induced tissue lesions  Bin Wang, Tao Ling, Yong Shen, Yan Wang, Hairong Zheng,	444
and Faqi Li	444

Comparison of hydrophone phase response obtained via time delay spectrometry measurement and Hilbert transformation Keith A. Wear, Paul M. Gammell, Subha Maruvada, Yunbo Liu, and Gerald R. Harris	450
Ultrasound-induced hyperthermia for the spatio-temporal control	430
of gene expression in bone repair Christopher Wilson, Frédéric Padilla, Man Zhang, Nuria Vilaboa, Oliver Kripfgans, Brian Fowlkes, and Renny Franceschi	457
Mechanical destruction of <i>pseudomonas aeruginosa</i> biofilms by ultrasound exposure	
Jin Xu, Timothy A. Bigelow, Larry J. Halverson, Jill Middendorf, and Ben Rusk	463
The ultrasound fields estimation using uncooled infrared system Yu Ying, Shen Guofeng, Bai Jingfeng, and Chen Yazhu	469
Acoustic hemostasis of porcine superficial femoral artery: Simulation and <i>in-vivo</i> experimental studies  Xiaozheng Zeng, Stuart Mitchell, Matthew Miller, Stephen Barnes, Jerry Hopple, John Kook, Romain Moreau-Gobard, Stephen Hsu, Alexis Ahiekpor-Dravi, Lawrence A. Crum, John Eaton, Keith Wong, and K. Michael Sekins	475
Ultrasound-mediated gene transfection: A comparison between cells irradiated in suspension and attachment status	
Yiwei Zhang, Takashi Azuma, Akira Sasaki, Kiyoshi Yoshinaka, Shu Takagi, and Yoichiro Matsumoto	481
<b>Modification of the edge wave in shock wave lithotripsy</b> Yufeng Zhou	488
Histological evaluation of high-intensity focused ultrasound with lower-intensity focused ultrasound pre-exposure on the treatment of rabbit VX2 liver tumors	
Hairong Zou, Jianzhong Zou, Yan Wang, and Xia Ou	496
Author Index	509