

MEDICAL PHYSICS

Twelfth Mexican Symposium on Medical Physics

Oaxaca, Mexico 16 – 19 March 2012

EDITORS

Flavio E. Trujillo Zamudio

Hospital Regional de Alta Especialidad de Oaxaca, OAX, Mexico

María-Ester Brandan

Instituto de Física UNAM, Mexico City, Mexico

Isabel Gamboa-deBuen

Instituto de Ciencias Nucleares UNAM, Mexico City, Mexico

Gerardo Herrera-Corral

Departamento de Física, CINVESTAV, Mexico City, Mexico

Luis A. Medina-Velázquez

Instituto de Física UNAM, Mexico City, Mexico

SPONSORING ORGANIZATIONS

División de Física Médica, Sociedad Mexicana de Física
Hospital Regional de Alta Especialidad de Oaxaca
Centro Latinoamericano de Física, CLAF

AIP
American Institute
of Physics

Melville, New York, 2012
AIP I CONFERENCE PROCEEDINGS ■ 1494

Editors

Flavio E. Trujillo Zamudio
Hospital Regional de Alta Especialidad
Aldama s/n, paraje “El Tule”, San Bartolo
Coyotepec
71256 Oaxaca, OAX
Mexico

E-mail: flaviotrujillo@gmail.com

María-Ester Brandan
Instituto de Física UNAM
A.P. 20-364
01000 DF
Mexico

E-mail: brandan@fisica.unam.mx

Isabel Gamboa-deBuen
Instituto de Ciencias Nucleares UNAM
A. P. 70-543
04510 DF
Mexico

E-mail: gamboa@nucleares.unam.mx

Gerardo Herrera-Corral
Departamento de Física CINVESTAV
A.P. 14-740
07300 DF
Mexico

E-mail: gherrera@fis.cinvestav.mx

Luis A. Medina-Velázquez
Instituto de Física UNAM
A.P. 20-364
01000 DF
Mexico

E-mail: medina@fisica.unam.mx

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1106-7/12/\$30.00.

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon “Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1106-7 (Original Print)
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1494
Medical Physics
Twelfth Mexican Symposium on Medical Physics

Table of Contents

Preface: Medical Physics

Flavio E. Trujillo Zamudio, María-Ester Brandan,
Isabel Gamboa-deBuen, Gerardo Herrera-Corral, and
Luis A. Medina-Velázquez 1

Acknowledgments N/A

Organization N/A

ORAL CONTRIBUTIONS

Neutron spectrum and dose in a CMOS
H. R. Vega-Carrillo, L. Paredes-Gutierrez, and C. G. Borja-Hernandez 4

**Spectra of photons and neutrons generated in a heterogeneous head of a
15 MV LINAC at different field sizes**
J. L. Benites-Rengifo, H. R. Vega-Carrillo, and
J. B. Velazquez-Fernandez 8

**Geometrical splitting technique to improve the computational efficiency
in Monte Carlo calculations for proton therapy**
J. A. Ramos-Mendez, J. Perl, B. Faddegon, and H. Paganetti 12

**Intricacies and strategies for the implementation of new technologies in
radiotherapy: Reflections on the meaning and prevention of the error**
J. D. Espejo-Villalobos, M. C. Franco-Cabrera, C. Estrada-Hernandez,
and M. S. Quintero-Castelan 16

**Intricacies and strategies for the implementation of new technologies in
radiotherapy: Experience in the startup of a radiosurgery service**
M. C. Franco-Cabrera, J. D. Espejo-Villalobos, C. Estrada-Hernandez,
and M. S. Quintero-Castelan 19

**Dosimetric comparison of volumetric modulated Arc therapy,
step-and-shoot, and sliding window IMRT for prostate cancer**
Erich Schnell, Tania De La Fuente Herman, Julie Young, Kim
Hildebrand, Ozer Algan, Elizabeth Syzek, Terence Herman, and
Salahuddin Ahmad 23

Radiobiological compensation: A case study of uterine cervix cancer with concurrent chemotherapy	
Higmar Herrera, Elvia Yañez, and Jesús López	27
Mean glandular dose in a breast screening programme	
H. A. Galván, M. P. Pérez-Badillo, and Y. Villaseñor	31
Analysis of errors detected in external beam audit dosimetry program at Mexican radiotherapy centers	
José T. Álvarez-Romero and Víctor M. Tovar-Muñoz	35
Characterization of a triboelectric x-ray spectrum	
E. Ulises Moya-Sánchez, J. A. Romo-Espejel, and F. J. Aceves-Aldrete	39
CR mammography: Design and implementation of a quality control program	
A. Moreno-Ramírez, M. E. Brandan, Y. Villaseñor-Navarro, H. A. Galván, and C. Ruiz-Trejo	43
Magnetic resonance imaging compatibility test of a cranial prosthesis with titanium screws	
R. Jimenez, A. Benavides, D. Flores, S. S. Hidalgo, S. E. Solis, E. Uribe, and A. O. Rodriguez	47
Variation of MRI coil uniformity caused by μPET shieldings	
S. E. Solis-Najera, D. Tomasi, and A. O. Rodriguez	50
Unshielded gradient coils design for magnetic resonance imaging	
S. S. Hidalgo, C. Gadzinski, and B. Rutt	54
Fractal dynamics of heartbeat time series of young persons with metabolic syndrome	
A. Muñoz-Diosdado, A. Alonso-Martínez, L. Ramírez-Hernández, and G. Martínez-Hernández	58
Heat flux measurement in biological tissues by photothermal beam deflection	
C. Sánchez-Pérez, A. Gutiérrez-Arroyo, and N. Alemán-García	62
Pulse-echo sound speed estimation using second order speckle statistics	
Ivan M. Rosado-Mendez, Kibo Nam, Ernest L. Madsen, Timothy J. Hall, and James A. Zagzebski	66

POSTER CONTRIBUTIONS

- Dosimetric evaluation of PLATO and Oncentra treatment planning systems for High Dose Rate (HDR) brachytherapy gynecological treatments**
Hardev Singh, Tania De La Fuente Herman, Barry Showalter,
Spencer J. Thompson, Elizabeth J. Syzek, Terence Herman, and
Salahuddin Ahmad 70
- Dose received by occupationally exposed workers at a nuclear medicine department**
O. Ávila, N. A. Sánchez-Uribe, A. Rodríguez-Laguna, L. A. Medina,
E. Estrada, A. E. Buenfil, and M. E. Brandan 73
- Entrance surface dose in cerebral interventional radiology procedures**
M. Barrera-Rico, X. López-Rendón, C. E. Rivera-Ordóñez, and
I. Gamboa-deBuen 76
- Assessment of OEP health's risk in nuclear medicine**
K. Santacruz-Gomez, C. Manzano, R. Melendrez, B. Castaneda,
M. Barboza-Flores, and M. Pedroza-Montero 79
- Solid state dosimeters used in medical physics "A review"**
Juan Azorín-Nieto 82
- Searching early bone metastasis on plain radiography by using digital imaging processing**
A. Jaramillo-Núñez and M. Pérez-Meza 85
- Implementation of test for quality assurance in nuclear medicine gamma camera**
A. Montoya Moreno, A. Rodríguez Laguna, and
Flavio E. Trujillo Zamudio 88
- Transcranial magnetic stimulation assisted by neuronavigation of magnetic resonance images**
N. Angeline Viesca, S. Sarael Alcauter, A. Fernando Barrios,
O. Jorge J. González, and F. Jorge A. Márquez 91
- MR imaging with remote reception using a coil array**
F. Vazquez, O. Marrufo, R. Martin, and A. O. Rodriguez 94

Dedicated phantom to study susceptibility artifacts caused by depth electrode in magnetic resonance imaging	
J. Garcia, S. S. Hidalgo, S. E. Solis, D. Vazquez, J. Nuñez, and A. O. Rodriguez	97
Determination of the transversal relaxation times in MRI using the FID-modulation method	
R. F. Nava-Juarez, R. Hernandez, and A. O. Rodriguez	100
Diffusion and ideal MRI techniques to characterize limb-girdle muscular dystrophy	
G. Hernández-Salazar, S. Hidalgo-Tobon, S. Vargas-Cañas, O. Marrufo-Melendez, S. Solis-Najera, J. Taboada-Barajas, A. O. Rodríguez, and R. Delgado-Hernández	103
Numerical characterization of a flexible circular coil for magnetic resonance imaging	
T. Bautista, R. Hernandez, S. E. Solis-Najera, and A. O. Rodriguez	106
Simulation of concomitant magnetic fields on fast switched gradient coils used in advanced application of MRI	
G. Salinas-Muciño, E. Torres-García, and S. Hidalgo-Tobon	109
Magnetic field measurements of a clinical MR imager at 1.5 tesla	
A. Muhech, I. Tellez, M. Esteva, O. Marrufo, L. Jimenez, F. Vazquez, J. Taboada, and A. O. Rodriguez	112
The relationship between time to peak of fMRI-BOLD responses and difficulty of a task suggests neuronal origins to the BOLD contrast	
Benito De Celis Alonso	115
BI-ground microstrip array coil vs. conventional microstrip array coil for mouse imaging at 7 tesla	
Ricardo Hernández, M. A. López Terrones, and P. M. Jakob	118
Preliminary diffusion tensor imaging studies in limb-girdle muscular dystrophies	
S. Hidalgo-Tobon, G. Hernandez-Salazar, S. Vargas-Cañas, O. Marrufo-Melendez, S. Solis-Najera, J. Taboada-Barajas, A. O. Rodriguez, and R. Delgado-Hernandez	121
Automatic computation of signal-to-noise ratio for magnetic resonances images	
J. F. Vazquez and A. O. Rodríguez	124

Comparative study of approximation models by the diffusion theory and adjustments of the Fourier series by characterization of the response of diffused reflectance radial resolved	
Aarón A. Muñiz Morales and Sergio Vazquez y Montiel	127
Effect of contrast agent on the structural change of ex-vivo chicken tissues using OCT	
A. Villa Vazquez, J. A. Atencio Delgado, N. S. Leon Cancino, S. Montiel Y Vazquez, F. Delgado Gutiérrez, S. Toledo Marcial, and L. Mercado Chávez	131
Biospectral analysis of the bladder channel point in chronic low back pain patients	
Alberto Espinosa Vidal, Juan José Godina Nava, Miguel Ángel Rodríguez Segura, and Albino Villegas Bastida	134
Intracellular localization analysis of npAu-PpIX in HeLa cells using specific dyes and confocal microscopy	
Victoria Gabriela Roblero-Bartolón, Elizabeth Maldonado-Alvarado, José Iván Galván-Mendoza, and Eva Ramón-Gallegos	137
Analysis of the impregnation of ZnO:Mn²⁺ nanoparticles on cigarette filters for trapping polycyclic aromatic hydrocarbons (PAHs)	
Irma Estrada-Izquierdo, Esther Sánchez-Espindola, Raúl Uribe-Hernández, and Eva Ramón-Gallegos	140
Possible quantum mechanical mechanism for hepatocarcinogenesis	
G. Torres-Vega, J. J. Godina-Nava, A. Morales-Peñaloza, and M. N. Jiménez-García	143
Magnetic exposure system to stimulate human lymphocytes proliferation	
H. Perez-Olivas, T. Cordova-Fraga, F. Gómez-Aguilar, E. Rosas-Padilla, S. Lopez-Briones, A. A. Espinoza-García, J. C. Villagómez-Castro, J. J. Bernal-Alvarado, and M. Sosa-Aquino	146
Extraction and characterization of collagen from different biological tissues	
Karla K. Gómez, María L. Del Prado, M. Cristina Piña, and M. Carmen García de León	149
An exhaustive study of mutation process in 139 sequences of dengue virus	
R. S. Arroyo Duarte and S. Chumakov	152

Isoluminant chromatic pupillometry an evaluation of peak velocity contraction in pseudophakic eyes	155
A. S. Sánchez and E. Suaste	
Comparative study of two routes of administration of 5-aminolevulinic acid (oral and intratumoral via) and their effect on the accumulation of PpIX in tissues in murine model of breast cancer	158
G. González-Agüero and E. Ramón-Gallegos	
Mathematical modeling of DNA's transcription process for the cancer study	161
A. Morales-Peñaloza, C. D. Meza-López, and J. J. Godina-Nava	
The bioinformatics of microarrays to study cancer: Advantages and disadvantages	164
M. A. Rodríguez-Segura, J. J. Godina-Nava, and S. Villa-Treviño	
Determining the scale factor of a video-reflectometry set-up	167
M. Cunill-Rodríguez, J. A. Delgado-Atencio, S. Vázquez-Montiel, and B. Morales-Cruzado	
Author Index	171