

ADVANCES IN CRYOGENIC ENGINEERING

Transactions of the International Cryogenic
Materials Conference - ICMC

Spokane, Washington, USA 13 – 17 June 2011

VOLUME 58

CHIEF TECHNICAL EDITOR

U. (Balu) Balachandran
Argonne National Laboratory, Argonne, Illinois

All papers have been peer reviewed.

SPONSORING ORGANIZATIONS

Sponsors

ATI Wah Chang
Burkert Fluid Control Systems
Cryocomp
Cryofab, Inc.
Cryomagnetics, Inc.
Eden Cryogenics
GE Global Research
Linde
Luvata Waterbury, Inc.
Meyer Tool & Manufacturing, Inc.
PHPK Technologies
RUAG Space GmbH

Supporters

Fermi National Accelerator Laboratory
U.S. Department of Energy, Office of High Energy Physics

AIP
American Institute
of Physics

Melville, New York, 2012

AIP I CONFERENCE PROCEEDINGS ■ 1435

Chief Technical Editor

U. (Balu) Balachandran
Argonne National Laboratory
9700 S. Cass Avenue, Building #212
Argonne, IL 60439
USA

E-mail: balu@anl.gov

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1022-0/12/\$30.00

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

L.C. Catalog Card No. 2011946185
ISBN 978-0-7354-1022-0 (Original Print)
ISSN 0094-243X
Printed in the United States of America

AIP Conference Proceedings, Volume 1435
Advances in Cryogenic Engineering
Transactions of the International Cryogenic Materials Conference—ICMC
Table of Contents

Preface: Advances in Cryogenic Engineering (Chief Technical Editor: U. (Balu) Balachandran) A. Zeller and K. Marken	1
ICMC Awards	3
Organizing Committees	6
Acknowledgments	8

REVIEW OF SUPERCONDUCTOR TECHNOLOGY

A century of superconducting technology M. N. Wilson	11
--	----

MECHANICAL PROPERTIES OF ALLOYS AT LOW-TEMPERATURES

Influence of high pressure hydrogen environment on tensile and fatigue properties of stainless steels at low temperatures T. Ogata	39
Fatigue crack growth rate and fracture toughness of ITER central solenoid jacket materials at 7 K A. Nyilas, K.-P. Weiss, S. Sgobba, M. Scheubel, and P. Libeyre	47
Effect of specimen shape on the elongation of 316LN jacket used in the ITER toroidal field coil K. Hamada, K. Kawano, T. Saito, M. Iguchi, H. Nakajima, O. Teshima, and H. Matsuda	55
Cold work study on a 316LN modified alloy for the ITER TF coil conduit R. P. Walsh, V. J. Toplosky, D. M. McRae, K. Han, and N. N. Martovetsky	63

Estimation of tensile strengths at 4K of 316LN forging and hot rolled plate for the ITER toroidal field coils	
M. Iguchi, T. Saito, K. Kawano, K. Takano, F. Tsutsumi, Y. Chida, and H. Nakajima	70

Mechanical tensile testing of titanium 15-3-3-3 and Kevlar 49 at cryogenic temperatures	
B. L. James, R. M. Martinez, P. Shirron, J. Tuttle, N. M. Galassi, D. S. McGuinness, D. Puckett, J. J. Francis, and Y. Flom	78

RESINS AND COMPOSITES AT LOW-TEMPERATURES

Assessment of possible failure modes and non-destructive examination of the ITER pre-compression rings	
J. Knaster, D. Evans, and H. Rajainmaki	89

Radiation effect on interlaminar shear strength of the electric insulation system with cyanate ester and epoxy blended resin	
A. Nishimura, Y. Izumi, M. Imaizumi, and S. Nishijima	99

Qualification of a cyanate ester epoxy blend supplied by Japanese industry for the ITER TF coil insulation	
R. Prokopec, K. Humer, H. Fillunger, R. K. Maix, H. W. Weber, J. Knaster, and F. Savary	107

METALS AND INSULATORS AT LOW-TEMPERATURES

Tensile tests of ITER TF conductors jacket materials	
O. P. Anashkin, V. E. Keilin, A. V. Krivykh, D. N. Diev, A. S. Dinisilov, V. I. Shcherbakov, and V. I. Tronza	117

Mechanical properties of cold-rolled and aged MP35N alloys for cryogenic magnet applications	
V. J. Toplosky and K. Han	125

Effect of cryogenic treatment on thermal conductivity properties of copper	
D. S. Nadig, V. Ramakrishnan, P. Sampathkumaran, and C. S. Prashanth	133

Magnetoresistance of 5N, 6N, and 6N8 high purity aluminum H. Hoshikawa, T. Megumi, H. Tabuchi, K. Sasaki, T. Tomaru, and T. Shintomi	140
Determination of mechanical and thermal properties of electrical insulation material at 4.2 K K.-P. Weiss, S. Westenfelder, A. Jung, N. Bagrets, and W. Fietz	148
Cryogenic properties of hollow glass microsphere/epoxy composites Z. X. Wu, R. J. Huang, X. X. Chu, C. J. Huang, J. J. Zhang, and L. F. Li	156

CONDUCTORS FOR LARGE-SCALE APPLICATIONS

Low-temperature neutron irradiation tests of superconducting magnet materials using reactor neutrons at KUR M. Yoshida, T. Nakamoto, T. Ogitsu, Q. Xu, T. Itahashi, Y. Kuno, Y. Kuriyama, Y. Mori, B. Qin, A. Sato, K. Sato, and T. Yoshiie	167
A Nb_{0.36}Ti_{0.64} superconductor with ferromagnetic artificial pinning centers for low magnetic field applications L. R. Motowidlo	174
The effect of final processing steps on RRR of NbTi strands for ITER PF coils Y. V. Karasev, V. I. Pantsyrny, D. S. Novosiliva, M. V. Polikarpova, L. V. Potanina, I. N. Gubkin, and A. V. Malchenkov	182

LOW-TEMPERATURE SUPERCONDUCTORS

Measurements of Nb₃Sn conductor dimension changes during heat treatment D. Bocian, G. Ambrosio, and G. M. Whitson	193
Procedures for evaluating filament cracking during fatigue testing of Nb₃Sn strand M. K. Sheth, P. J. Lee, D. M. McRae, R. P. Walsh, W. L. Starch, M. C. Jewell, A. Devred, and D. C. Larbalestier	201
Novel methods for the measurement of the critical current of superconducting wires A. Godeke, P. Bish, D. R. Dietderich, C. S. Gorham, A. R. Hafalia, H. C. Higley, N. L. Liggins, M. G. T. Mentink, and G. L. Sabbi	209

Fast neutron irradiation effect on superconducting properties of Nb₃Sn and Nb₃Al strands	
A. Nishimura, T. Takeuchi, S. Nishijima, H. Oguro, K. Ochiai, K. Watanabe, and T. Shikama	217
Towards analysis of the electron density of states of Nb₃Sn as a function of strain	
M. G. T. Mentink, M. M. J. Dhalle, D. R. Dietderich, A. Godeke, W. Goldacker, F. Hellman, and H. H. J. ten Kate	225
ELECTROMAGNETIC AND ELECTROMECHANICAL PROPERTIES OF CONDUCTORS AND COILS	
Magnetic measurement of interstrand contact resistance and persistent-current magnetization of Nb₃Sn Rutherford cables with cores of MgO tape and woven S-glass ribbon	
E. W. Collings, M. D. Sumption, M. A. Susner, D. R. Dietderich, and A. Nijhuis	235
Fundamental simulations of transverse load effects on Nb₃Sn strands using finite element analysis	
T. Wang, L. Chiesa, and M. Takayasu	243
Compact 20 T superconducting magnet for a 50 T-class hybrid magnet	
K. Watanabe, S. Awaji, H. Oguro, S. Hanai, and H. Tsubouchi	252
Transport property measurement of practical coated conductor with copper stabilizer	
G. Nishijima, H. Kitaguchi, S. Awaji, and H.-S. Shin	258
Quench propagation studies using a small bifilar YBCO coil	
Y. Shiroyanagi, W. B. Sampson, and A. K. Ghosh	265
Investigation of twisted stacked-tape cable conductor	
M. Takayasu, J. V. Minervini, L. Bromberg, M. K. Rudziak, and T. Wong	273
Thermal conductivity of materials used for preparation of the hybrid layered conductors based on high temperature superconductors	
N. Bagrets, M. Schwarz, C. Barth, and K.-P. Weiss	281

SRF MATERIALS

Annealing to mitigate pitting in electropolished niobium coupons and SRF cavities

L. D. Cooley, E. Hahn, D. Hicks, A. Romanenko, R. Schuessler,
and C. Thompson 289

Studies on thin film MgB_2 for applications to RF structures for particle accelerators

T. Tajima, N. F. Haberkorn, L. Civale, R. K. Schulze, H. Inoue, J. Guo,
V. A. Dolgashev, D. Martin, S. Tantawi, C. Yoneda, B. Moeckly,
C. Yung, T. Proslir, M. Pellin, A. Matsumoto, and E. Watanabe 297

Analysis of materials properties of niobium tube from the results of a virtual bulge test

H. S. Kim, M. D. Sumption, H. Lim, and E. W. Collings 305

BSCCO AND MgB_2 CONDUCTORS

Development of Bi-2212 round wires for high field magnet applications

H. Miao, Y. Huang, M. Meinesz, S. Hong, and J. Parrell 315

Fabrication and characterization of green-state Bi-2212 ribbons

K. Damborsky, F. Lu, A. McInturff, P. McIntyre, N. Pogue, and E. Sooby 325

Studies of porosity, connectivity, and parasitic phases in textured Bi-2212/Ag after non-melt heat treatments

F. Lu, K. Damborsky, P. McIntyre, A. McInturff, N. Pogue, K. Smit, and
E. Sooby 332

Effect of pre-annealing in thermal processing of Bi-2212 round wires

F. J. Baca, T. G. Holesinger, J. Y. Coulter, H. Miao, Y. Huang, J. Parrell,
S. Campbell, J. Searcy, E. Sooby, J. Kennison, R. DePaula, I. Apodaca,
and K. Marken 340

Effect of proton irradiation on the critical current and critical temperature of Bi-2212 wires

A. K. Ghosh and George A. Greene 346

Technical aspects of cold high pressure densification (CHPD) on long lengths of *In Situ* MgB_2 wires with enhanced J_c values

R. L. Flükiger, M. S. A. Hossain, M. Kulich, and C. Senatore 353

The cabling of MgB₂ hollow wires by react and wind process A. Figini Albisetti, C. Schiavone, G. Ripamonti, G. Giunchi, and L. Saglietti	363
NEW MATERIALS	
Phase diagrams for P- and D-wave superconducting states J. S. Millan, L. A. Perez, and C. Wang	371
Study of variable range hopping conduction in insulating n-type InSb semiconductor at very low temperature S. Sybous, A. El kaaouachi, A. Narjis, L. Limouny, S. Dlimi, R. Abdia, G. Biskupski, and J. Hemine	377
Low temperature electrical transport properties in dilute 2D GaAs hole systems with magnetic field S. Dlimi, A. El kaaouachi, R. Abdia, A. Narjis, G. Biskupski, J. Hemine, L. Limouny, and S. Sybous	385
Cryogenic thermal expansion and electrical conductivities of Mn₃CuN co-doped with Sb and Sn X. X. Chu, R. J. Huang, Z. X. Wu, Z. Chen, and L. F. Li	393
Study of electrical resistivity in 2D Si-MOSFETS at very low temperature L. Limouny, A. El kaaouachi, R. Abdia, A. Narjis, G. Biskupski, J. Hemine, S. Sybous, and S. Dlimi	401
Author Index	409
ICMC Materials Index	413
ICMC Subject Index	415