

# **SPE Hydraulic Fracturing Technology Conference 2014**

**The Woodlands, Texas, USA  
4-6 February 2014**

**ISBN: 978-1-62993-996-4**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2014) by the Society of Petroleum Engineers  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Society of Petroleum Engineers  
at the address below.

Society of Petroleum Engineers  
P. O. Box 833836  
Richardson, Texas 75083-3836

Phone: (800) 456-6863  
Fax: (972) 952-9435

[books@spe.org](mailto:books@spe.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

<b>SPE-168576-MS Improvements in Multistage Fracturing Remolino Field, Mexico</b> .....	1
<i>G. Gutierrez, L. Ramirez, J. R. Sierra, E. Medina, L. J. Gutierrez, J. Salguero</i>	
<b>SPE-168577-MS Pumping Balls: A Study on Flow Conditions for Frac Ball Launching and Conveyance</b> .....	10
<i>M. Dardis, G. Melenzyer, I. Aviles</i>	
<b>SPE-168578-MS Fracture Propagation, Fluid Flow, and Geomechanics of Water-Based Hydraulic Fracturing in Shale Gas Systems and Electromagnetic Geophysical Monitoring of Fluid Migration</b> .....	18
<i>J. Kim, E. S. Um, G. J. Moridis</i>	
<b>SPE-168579-MS Laboratory Results of Proppant Transport in Complex Fracture Systems</b> .....	35
<i>R. Sahai, J. L. Miskimins, K. E. Olson</i>	
<b>SPE-168580-MS Microseismic Estimates of Stimulated Rock Volume Using a Detection-Range Bias Correction: Theory and Case Study</b> .....	61
<i>X. Zhang, M. Holland, W. Van Der Zee, D. Moos</i>	
<b>SPE-168581-MS Fully-Coupled Numerical Evaluations of Multiwell Completion Schemes: The Critical Role of In-Situ Pressure Changes and Well Configuration</b> .....	68
<i>N. B. Nagel, F. Sheibani, B. Lee, A. Agharazi, F. Zhang</i>	
<b>SPE-168582-MS Discrete Fracture Network Generation from Microseismic Data using Moment-Tensor Constrained Hough Transforms</b> .....	89
<i>X. Yu, J. T. Rutledge, S. Leaney, S. C. Maxwell</i>	
<b>SPE-168583-MS New Processes and Tools for Design and Execution to Optimize Hydraulic Fracturing Treatments in Shale Reservoirs</b> .....	106
<i>R. G. Dusterhoft, A. Kumar, S. Siddiqui, G. Spade, N. W. Schischka, B. J. Johnson, J. A. Dahl, J. Spaid</i>	
<b>SPE-168585-MS Comprehensive Multiple Fracture Pressure Analysis Tests to Appraise and Develop Unconventional Organic-Rich Carbonaceous Shales in North Kuwait</b> .....	121
<i>E. Fidan, C. Darous, T. Bloushi, S. P. Pradhan, J. R. Singh, Q. M. Dashti, M. D. Al-Mutairi</i>	
<b>SPE-168586-MS Changes in Shale Fracture Conductivity due to Interactions with Water-Based Fluids</b> .....	134
<i>J. Pedlow, M. M. Sharma</i>	
<b>SPE-168589-MS Fracability Evaluation in Shale Reservoirs - An Integrated Petrophysics and Geomechanics Approach</b> .....	153
<i>X. Jin, S. N. Shah, J. Roegiers, B. Zhang</i>	
<b>SPE-168591-MS Enhancing Recovery in Shales Through Stimulation of Pre-Existing Fracture Networks</b> .....	167
<i>T. I. Urbancic, A. Baig</i>	
<b>SPE-168593-MS Mid-Continent Water Management for Stimulation Operations</b> .....	176
<i>D. S. Tipton</i>	
<b>SPE-168594-MS Calibration of Well Logs with Mini-Frac Data for Estimating the Minimum Horizontal Stress in the Tight Gas Monteith Formation of the Western Canada Sedimentary Basin: A Case Study</b> .....	181
<i>B. Lopez, G. Yu, R. Aguilera, A. Settari</i>	
<b>SPE-168595-MS A Methodology for Statistical Propped Fracture Treatment Design in Fluvial Environments</b> .....	201
<i>P. Smith, S. Dunn-Norman, M. B. Smith</i>	
<b>SPE-168596-MS Stimulated Reservoir Volume: A Misapplied Concept?</b> .....	216
<i>C. L. Cipolla, J. Wallace</i>	
<b>SPE-168597-MS Pressurized-Fracture Propagation Using A Phase-Field Approach Coupled to a Reservoir Simulator</b> .....	242
<i>T. Wick, G. Singh, M. F. Wheeler</i>	
<b>SPE-168598-MS Fracture Architecture from Flowback Signature: A Model for Salt Concentration Transient</b> .....	253
<i>A. Zolfaghari Sharak, E. Ghanbari, H. Dehghanpour, D. Bearinger</i>	
<b>SPE-168599-MS Factors Controlling the Simultaneous Propagation of Multiple Competing Fractures in a Horizontal Well</b> .....	269
<i>D. H. Shin, M. M. Sharma</i>	
<b>SPE-168600-MS Poroelastic versus Poroplastic Modeling of Hydraulic Fracturing</b> .....	289
<i>H. Wang, M. Marongiu-Porcu, M. J. Economides</i>	

<b>SPE-168601-MS Diagnosis of Fracture Flow Conditions With Acoustic Sensing</b> .....	310
<i>R. Martinez, A. D. Hill, D. Zhu</i>	
<b>SPE-168602-MS Acid Fracture Treatment Design with Three-Dimensional Simulation</b> .....	325
<i>C. Oeth, A. D. Hill, D. Zhu</i>	
<b>SPE-168603-MS Application of Integrated Advanced Diagnostics and Modeling To Improve Hydraulic Fracture Stimulation Analysis and Optimization</b> .....	347
<i>G. A. Ugueto, M. O. Ehiwario, A. Grae, M. M. Molenaar, K. McCoy, P. T. Huckabee, R. D. Barree</i>	
<b>SPE-168604-MS Discrete Element Modeling Results of Proppant Rearrangement in the Cooke Conductivity Cell</b> .....	361
<i>E. Mattson, H. Huang, M. W. Conway, L. O'Connell</i>	
<b>SPE-168605-MS Improvements in Downhole Chemical Delivery: Development of Multifunctional Proppants</b> .....	370
<i>R. J. Duenckel, J. Leasure, T. T. Palisch</i>	
<b>SPE-168606-MS A New Method for Fracture Diagnostics Using Low Frequency Electromagnetic Induction</b> .....	380
<i>S. Basu, M. M. Sharma</i>	
<b>SPE-168607-MS Re-fracturing Horizontal Shale Wells: Case History of a Woodford Shale Pilot Project</b> .....	391
<i>S. W. French, J. L. Rodgerson, C. Feik</i>	
<b>SPE-168608-MS On the Analysis of Production Data: Practical Approaches for Hydraulically Fractured Wells in Unconventional Reservoirs</b> .....	415
<i>G. Fuentes-Cruz, E. Gildin, P. P. Valko</i>	
<b>SPE-168610-MS Using Distributed Optical Sensing to Constrain Fracture Models and Confirm Reservoir Coverage in the Permian Basin</b> .....	434
<i>E. H. Holley, T. A. Jones, R. J. Dodson, J. Salazar</i>	
<b>SPE-168612-MS Economic Optimization of Horizontal Well Completions in Unconventional Reservoirs</b> .....	448
<i>R. D. Barree, S. A. Cox, J. L. Miskimins, J. V. Gilbert, M. W. Conway</i>	
<b>SPE-168613-MS Actual and Optimal Hydraulic Fracture Design in a Tight Gas Reservoir</b> .....	478
<i>T. Zhang, W. Pang, J. Du, Y. He, Q. He, H. Liu, X. Feng, B. Song, C. A. Ehlig-Economides</i>	
<b>SPE-168614-MS Effect of Dissolved Solids on Reuse of Produced Water and Proppant Handling in Hydraulic Fracturing Jobs in Tight Sand Gas Reservoirs</b> .....	487
<i>A. Haghshenas, H. A. Nasr-El-Din</i>	
<b>SPE-168615-MS Gulf of Mexico Frac-Pack with a 10% Loading of an Intermediate Strength, Chemical-Infused Proppant-Sized Particle Designed to Provide Long-Term Inhibition for Barium Sulfate Scale</b> .....	498
<i>S. Szymczak, D. V. Gupta, D. Shen, W. H. Steiner, K. Langlinais</i>	
<b>SPE-168616-MS A New Look on Fracture Injection Test for Shale Gas: Marcellus Case</b> .....	508
<i>M. J. Farinas, E. R. Fonseca</i>	
<b>SPE-168617-MS A Fully Coupled Geomechanics and Fluid Flow Model for Proppant Pack Failure and Fracture Conductivity Damage Analysis</b> .....	524
<i>J. Han, J. Y. Wang, V. Puri</i>	
<b>SPE-168618-MS A Statistical Study of Proppant Type vs. Well Performance in the Bakken Central Basin</b> .....	540
<i>J. R. Flowers, D. Guetta, C. J. Stephenson, P. Jeremie</i>	
<b>SPE-168619-MS Innovative Use of NMR to Study the Fracture Fluid Propagation in Shale Formation</b> .....	554
<i>A. M. Gooma, B. Zhang, J. Chen, Q. Qu, S. G. Nelson</i>	
<b>SPE-168620-MS Multiphysics Investigation of Diagnostic Fracture Injection Tests in Unconventional Reservoirs</b> .....	567
<i>J. Wallace, C. Kabir, C. L. Cipolla</i>	
<b>SPE-168622-MS Limited Height Growth and Reduced Opening of Hydraulic Fractures due to Fracture Offsets: An XFEM Application</b> .....	587
<i>S. Abbas, E. Gordeliy, A. Peirce, B. Lecampion, D. A. Chuprakov, R. Prioul</i>	
<b>SPE-168623-MS Evaluation of Multi-Fractured Horizontal Well Performance: Babbage Field Case Study</b> .....	600
<i>B. Al-Shamma, H. Nicole, P. R. Nurafza, W. Feng</i>	
<b>SPE-168624-MS On the Mechanisms of Shale Microfracture Propagation</b> .....	612
<i>A. Padin, A. N. Tutuncu, S. Sonnenberg</i>	
<b>SPE-168628-MS Application of Multivariate Statistical Modeling and Geographic Information Systems Pattern-Recognition Analysis to Production Results in the Eagle Ford Formation of South Texas</b> .....	641
<i>R. F. Lafollette, G. Izadi, M. Zhong</i>	

<b>SPE-168629-MS Performance of Mixed Proppant Sizes</b> .....	658
<i>D. D. Schmidt, R. Rankin, B. L. Williams, T. T. Palisch, J. Kullman</i>	
<b>SPE-168630-MS Impact of Accurate Fractured Reservoir Flow Modeling on Recovery Predictions</b> .....	668
<i>G. Singh, G. Pencheva, K. Kumar, T. Wick, B. Ganis, M. F. Wheeler</i>	
<b>SPE-168631-MS New Technology Yields Ultrahigh-Strength Proppant</b> .....	678
<i>T. T. Palisch, B. Wilson, R. J. Duenckel</i>	
<b>SPE-168632-MS A Comparison of the Effectiveness of Various Fracture Fluid Systems Used in Multistage Fractured Horizontal Wells: Montney Formation, Unconventional Gas</b> .....	685
<i>M. M. Reynolds, R. C. Bachman, W. E. Peters</i>	
<b>SPE-168633-MS Achieving a More Efficient Frac Network for Horizontal Development of the Bone Spring Sandstone</b> .....	706
<i>A. Carrasco, J. Degeare, J. Hunter</i>	
<b>SPE-168634-MS Comprehensive Fracture Calibration Test Design</b> .....	713
<i>M. Marongiu Porcu, A. Retnanto, M. J. Economides, C. A. Ehlig-Economides</i>	
<b>SPE-168636-MS Evolution of Frac-Pack Design and Completion Procedures for High Permeability Gas Wells in Subsea Service</b> .....	731
<i>V. J. Pandey, R. C. Burton, M. Nozaki</i>	
<b>SPE-168637-MS Quantifying Proppant Transport in Thin Fluids: Theory and Experiments</b> .....	768
<i>M. G. Mack, J. Sun, C. Khadilkar</i>	
<b>SPE-168638-MS Multiple Fracture Initiation in Openhole Without Mechanical Isolation: First Step to Fulfill an Ambition</b> .....	782
<i>F. F. Chang, K. M. Bartko, S. J. Dyer, G. A. Aidagulov, R. Suarez-Rivera, J. B. Lund</i>	
<b>SPE-168640-MS Spatial and Statistical Analysis of Hydraulic Fracturing Activities in US Shale Plays and the Effectiveness of the FracFocus Chemical Disclosure System</b> .....	800
<i>J. D. Arthur, M. A. Layne, H. Hochheiser, R. Arthur</i>	
<b>SPE-168641-MS Measuring Field Supplied Proppant Conductivity: Issues Discovered in an Operator's Multi-Year Testing Program in the Bakken Shale</b> .....	814
<i>C. M. Pearson, L. G. Griffin, J. Chikaloff</i>	
<b>SPE-168642-MS Cement Sheath Integrity During Hydraulic Fracturing; An Integrated Modeling Approach</b> .....	826
<i>W. Wang, A. Dahi Taleghani</i>	
<b>SPE-168643-MS Development of the Wolfbone Formation Using Open Hole Multistage Vertical Completion Technology</b> .....	844
<i>D. S. Lohoefer, B. Keener, D. Snyder, S. Ezeldin</i>	
<b>SPE-168645-MS Analysis of US Hydraulic Fracturing Fluid System and Proppant Trends</b> .....	854
<i>P. S. Patel, C. J. Robart, M. L. Ruegamer, Y. A. Yang</i>	
<b>SPE-168647-MS Time Dependent b and D-values, Scalar Hydraulic Diffusivity, and Seismic Energy From Microseismic Analysis in the Marcellus Shale: Connection to Pumping Behavior During Hydraulic Fracturing</b> .....	874
<i>E. V. Zorn, R. Hammack, W. Harbert</i>	
<b>SPE-168649-MS Reducing Proppant Flowback From Fractures: Factors Affecting the Maximum Flowback Rate</b> .....	893
<i>R. J. Shor, M. M. Sharma</i>	
<b>SPE-168650-MS Cement Sheath Durability: Increasing Cement Sheath Integrity to Reduce Gas Migration in the Marcellus Shale Play</b> .....	904
<i>J. A. McDaniel, L. T. Watters, A. Shadravan</i>	
<b>Author Index</b>	