

# **XIX Symposium on Physics of Switching Arc 2011**

**Brno, Czech Republic  
5 – 9 September 2011**

**ISBN: 978-1-63266-006-0**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2011) by Brno University of Technology  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Brno University of Technology  
at the address below.

Brno University of Technology  
c/o Milada Bartlová - Department of Physics  
Technical 2848/8, Zabovresky, 61600  
Brno, Czech Republic

Phone: +420 541 143 431  
Fax: +420 541 143 133

[bartlova@feec.vutbr.cz](mailto:bartlova@feec.vutbr.cz)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# CONTENTS

## INVITED LECTURES

1

ELECTRIC ARCS IN SWITCHGEAR – THEORY, NUMERICAL SIMULATION AND EXPERIMENTS <i>Anheuser M., Beckert T. and Kosse S.</i> .....	3
REFORMING OF SIMPLE HYDROCARBONS IN PLASMA LIQUID SYSTEMS <i>Chernyak V.Ya., Nedybaliuk O.A., Yukhymenko V.V., Sidoruk S.M., Solomenko O.V., Olshevskii S.V., Prisyazhnevych I.V., Martysh E.V., Shchedrin A.I., Levko D.S., Demchina V.P., Kudryavzev V.S.</i> .....	17
IMPROVEMENT OF RADIATION TRANSFER IN SF <sub>6</sub> HVCB ARC PLASMAS <i>Gleizes A., Randrianandraina H.Z., Cressault Y.</i> .....	27
ABOUT THE WORKING CONDITIONS FOR COLD PLASMA ELECTROCHEMICAL REACTORS GLIDARC TYPE HAVING AUXILIARY ELECTRODES <i>Hnatiuc E., Gavril B., Hnatiuc B.</i> .....	37
APPLICATION OF LOW TEMPERATURE PLASMA JET SYSTEMS FOR THE DEPOSITION OF THIN FILMS <i>Hubicka Z., Kment S., Olejnicek J., Cada M., Stranak V., Kluson J., Tichy M., Kluson P.</i> .....	47
THE EFFECTS OF METAL VAPOUR IN ATMOSPHERIC-PRESSURE ARCS <i>Murphy A.B.</i> .....	57
MODELLING OF NON-EQUILIBRIUM EFFECTS IN ARCS AND THERMAL PLASMAS <i>Tanaka Y.</i> .....	67
THE DEVELOPMENT OF AN OBJECT BASED SIMULATION TOOL FOR SWITCHING ARCS <i>Yan J.D., Pei Y. and Fang M.T.C.</i> .....	77

ABOUT INSTABILITY PROGRESS IN SWITCHING ARC IN HV-GAS BLAST CIRCUIT BREAKER <i>Averyanova S., Akatnov N., Tonkonogov E.</i>	89
APPLICATION OF PLASMA-RADIOWAVE TREATMENT FOR PLANT SEEDS METABOLISM STIMULATION AND BIOMEDICAL MATERIALS STERILIZATION <i>Azharonok V.V., Filatova I.I., Goncharik S.V., Shedikova O.E., Autko A.A., Gajdarov A.G.</i>	93
INVESTIGATION OF EFFECTIVENESS OF LIQUID FLOW ACTION ON ARC DISCHARGE INITIATED DURING A CONTACT BREAKING <i>Azizov E.A., Emelyanov A.A., Rodionov N.B.</i>	97
THERMAL PLASMA OF ELECTRIC ARC DISCHARGE WITH SILVER VAPOURS: PECULIARITIES OF SPECTROSCOPIC INVESTIGATIONS <i>Babich I.L., Boretskij V.F., Kryachko L.A., Minakova R.V., Semenyshyn R.V., Veklich A.N.</i>	101
STUDY OF PLASMA TORCHES USED FOR AIR PLASMA SPRAYING OF PROTECTIVE AND DECORATIVE COATINGS <i>Baeva M., Zalach J., Petrov G., Ushin B., Ivanov D., Frolov V., Uhrlandt D.</i>	105
NUMERICAL STUDY OF BTF INTERRUPTION PERFORMANCE OF SF <sub>6</sub> GAS CIRCUIT BREAKER <i>Bang B.H., Ahn H.S., Park S.W., Lee J.H.</i>	109
ON THE OPTICAL RADIATION OF ABLATION DOMINATED ARCS IN AIR <i>Becerra M., Piva D., Gati G., Dominguez G.</i>	113
APROXIMATE DESCRIPTION OF RADIATION TRANSFER IN ELECTRIC ARC PLASMA <i>Bogatyreva N., Bartlova M., Aubrecht V.</i>	117
PLASMA OF ELECTRIC ARC DISCHARGE IN CARBON DIOXIDE WITH COPPER VAPOURS <i>Boretskij V.F., Cressault Y., Teulet Ph., Veklich A.N.</i>	121
INVESTIGATION OF THE INFLUENCE OF MAGNETRON POWER SUPPLY CHARACTERISTICS ON MICROWAVE PLASMA CHEMICAL ACTIVITY <i>Bordusau S.V., Madveika S.I.</i>	125
UNDERWATER DISCHARGE METHOD FOR TREATMENT OF TEXTILE MATERIALS <i>Brablec A., Neagoe G., Cernak M.</i>	129
DIFFUSE COPLANAR SURFACE BARRIER DISCHARGE: PATTERN BEHAVIOR UNDER DIFFERENT CONDITIONS <i>Cech J., Hanusova J., Stahel P., Cernak M.</i>	133
EXPERIMENTAL STUDIES OF MICRODISCHARGES IN AIR <i>Chernyak V.Ya., Solomenko O.V., Prisyazhnevych I.V., Zrazhevskii V.A., Olshewskii S.V., Martysh E.V., Belenok N.V.</i>	137
PLASMA ASSISTED COMBUSTION OF PARAFFIN <i>Chernyak V.Ya., Nedybaliuk O.A., Olshewskii S.V., Martysh E.V., Aktan O.Yu., Orlovska S.G., Belenok N.V.</i>	141
CHARACTERIZATION OF FLUCTUATING DISCHARGE <i>Chumak O., Hrabovsky M.</i>	145
IMPROVEMENT OF THE EFFICIENCY OF AN AIR PLASMA SPRAYING TECHNOLOGY <i>Churkin I.S., Ivanov D., Frolov V., Uhrlandt D.</i>	149
EUROPEAN VIRTUAL ATOMIC AND MOLECULAR DATA CENTER - VAMDC <i>Dimitrijević M.S., VAMDC Consortium (Dubernet P. I. M-L.), Kovačević A., Jevremović D., Popović L.Č., Sahal-Bréchot S.</i>	153

ARC QUENCHING MATERIALS ON DC CIRCUIT BREAKERS <i>Dominguez G., Friberg A., Noisette P.</i>	157
DEPENDENCY OF THE TEMPERATURE RISE ON A SCREW CONNECTION OF A CIRCUIT BREAKER <i>Dostal L., Valenta J. and Makki Z.</i>	161
ENCAPSULATED LIGHTNING CURRENT ARRESTER WITH SPARK GAP AND DEION CHAMBER <i>Ehrhardt A., Schreiter S., Strangfeld U. and Rock M.</i>	165
EXPERIMENTAL STUDY OF ARC TRACKING IN AERONAUTICS CABLES IN DC CIRCUITS: DETERMINATION OF THE ENERGY LOSSES <i>El Bayda H., Valensi F., Masquère M., Gleizes A.</i>	169
PROBE MEASUREMENTS AT ATMOSPHERIC PRESSURE <i>Ferdinand J., Kapicka V., Slavicek P.</i>	173
DIFFERENT APPROACHES TO REPRESENT THE SELF INDUCED MAGNETIC FIELD IN THERMAL PLASMA CONFIGURATIONS <i>Freton P., Gonzalez J.-J., Reichert F., Petchanka A., Andrianantoandro V., Ranarijaona Z.A.</i>	177
INFLUENCE OF THE ARC QUENCHING MATERIALS ON THE SPECIFIC ENERGY OF CIRCUIT BREAKERS <i>Friberg A., Dominguez G.</i>	181
INVESTIGATIONS ON CONDENSED METAL VAPOUR LAYERS ON ALUMINA CERAMICS IN VACUUM INTERRUPTERS CAUSED BY SWITCHING LOAD- AND SHORT CIRCUIT CURRENTS <i>Gramberg I., Kurrat M., Gentsch D.</i>	185
POSSIBILITIES OF PERFORMING TREATMENTS ON SEEDS USING COLD PLASMA DISCHARGES <i>Gavril B., Hnatiuc E., Sera B., Hruskova I., Padureanu S., Häisan C.</i>	189
FAST-ACTING THERMAL AND CURRENT PROTECTIONS OF POWER ELEMENTS OF PULSED POWER SOURCE FOR TECHNOLOGICAL GAS-DISCHARGE SYSTEMS <i>Godun D.V., Dostanko A.P., Bordusau S.V., Belevich V.V.</i>	193
SIMULATION OF MOSAIC TARGET SPUTTERING <i>Golosov D.A., Melnikov S.N.</i>	197
DEPENDENCE OF THERMAL PLASMA FLOW VELOCITY ON ARC CURRENT DETERMINED BY CORRELATION ANALYSIS OF OPTICAL RECORDS <i>Gruber J., Sonsky J., Hlina J.</i>	201
RESEARCH ON THE PRESSURE BUILD-UP OF HIGH VOLTAGE SELF-BLAST CIRCUIT BREAKER <i>Ha M.J., Yeo C.H., Jung H.S., Sohn H.S., Kim J.H.</i>	205
THE STUDY OF GLIDARC TYPE COLD PLASMA ELECTRICAL DISCHARGES MANAGED BY MICROCONTROLLER <i>Häisan C., Hnatiuc E., Gavril B.</i>	209
PHASE COUPLING BETWEEN CORE AND BOUNDARY REGIONS OF A THERMAL PLASMA JET <i>Hlina J., Sonsky J.</i>	213
INFLUENCE OF ELECTRICAL PARAMETERS ON THE DIAGNOSIS OF PLASMA PRODUCED BY A DOUBLE SPARK PLUG <i>Hnatiuc B., Pellerin S., Hnatiuc E., Astanei D., Hnatiuc M.</i>	217
CROSS-CORRELATION SPECTROSCOPY APPLIED TO STREAMER DISCHARGES AT ATMOSPHERIC PRESSURE <i>Hoder T., Brandenburg R., Gerling T., Paillol J., Kozlov K.V., and Wagner H.E.</i>	221
INFLUENCE OF THE BLOW GAS PRESSURE ON THE THERMAL INTERRUPTION CAPABILITY OF A NON-SF <sub>6</sub> SELF-BLAST CIRCUIT BREAKER MODEL <i>Hoffacker M., Kurz A., Nikolic P.G. and Eichhoff D.</i>	225

FUNDAMENTAL ANALYSIS OF ENCAPSULATION OF A LOW-VOLTAGE SPARK GAP WITH DEION CHAMBER	
<i>Hüttner L., Jurčacko L., Valent F., Ehrhardt A., Schreiter S., Rock M.</i>	229
CONTRIBUTION OF THE NUNERICAL SIMULATION TO THE 160KA GENERATOR CIRCUIT-BREAKER CONCEPTION	
<i>Jacquier F., Robin-Jouan Ph., Song W., Willieme J-M.</i>	235
PROPERTIES OF THE ELECTRIC ARC GENERATED IN ARGON-WATER DC ARC PLASMA TORCH	
<i>Kavka T., Maslani A., Sember V., Hrabovsky M., Chumak O.</i>	239
ANALYSIS AND DESIGN OF SHORT LINE FAULT INTERRUPTION PERFORMANCE FOR SELF-BLAST GAS CIRCUIT BREAKERS	
<i>Kim H.K., Chong J.K., Song K.D. and Lee J.C.</i>	243
THE PHYSICAL PHENOMENA IN CLOSING CONTACTS OF A ELECTRICAL SWITCHES	
<i>Kolimas L., Kulas S. J.</i>	247
SPECTROSCOPIC DIAGNOSTICS OF A SWITCHING ARC IN CARBON DIOXIDE ATMOSPHERE	
<i>Kozakov R., Gött G., Eichhoff D., Kurz A., Uhrlandt D.</i>	251
DIAGNOSTICS OF UNDERWATER DISCHARGES IN ELECTROLYTES	
<i>Kozakova Z., Hlavata L., Hlochova L., Krcma F., Nemcova L.</i>	255
INFLUENCE OF THE ADSORBED MOLECULES ON THE FLOWING NITROGEN POST-DISCHARGE	
<i>Krcma F., Mazankova V., Padera P.</i>	259
INVESTIGATIONS ON THE INFLUENCE OF ALTERNATIVE NOZZLE GEOMETRIES ON THE SWITCHING BEHAVIOUR OF A CIRCUIT BREAKER PROTOTYPE	
<i>Kurz A., Kahlen J.C., Nikolic P.G., Hoffacker M. and Eichhoff D.</i>	263
UNDERSTANDING THE DIELECTRIC RECOVERY CHARACTERISTIC OF HOT AIR IN INSULATING NOZZLES	
<i>Kurz A., Seeger M., Nikolic P.G., Eichhoff D., Schnettler A.</i>	267
TRANSPORT COEFFICIENTS OF AR-N <sub>2</sub> PLASMA	
<i>Lázničková I.</i>	271
NUMERICAL STUDY ON SF <sub>6</sub> ARCS AND THEIR SURROUNDINGS	
<i>Lee J.C., Lee W.H., Kim H.K.</i>	275
EFFECT OF NOZZLE THROAT GEOMETRY ON THE PRESSURIZATION OF THERMAL VOLUME IN HVCB.	
<i>Madarász G., Király L., Szabó K.</i>	279
STUDY OF NITROGEN-METHANE POST-DISCHARGE BY NO TITRATION COUPLED WITH OPTICAL EMISSION SPECTROSCOPY	
<i>Mazankova V., Polachova L., Krcma F., Horvath G. and Mason N.J.</i>	283
PROBABILISTIC APPROACH FOR CIRCUIT-BREAKER AVAILABILITY	
<i>Nemes C., Costandache N., Munetanu F.</i>	287
3D SIMULATION OF GENERATOR CIRCUIT BREAKERS	
<i>Ostrowski J., Galletti B., Iordanidis A.</i>	291
APPLICABILITY OF DIFFERENT RADIATION MODELS FOR THE SIMULATION OF THE HOT GAS FLOW IN SF <sub>6</sub> CIRCUIT BREAKERS	
<i>Reichert F., Petchanka A., Freton P., Gonzalez J.-J.</i>	295
CONSIDERATIONS TO SIMPLIFY THE NUMERICAL GAS FLOW SIMULATION OF LOW VOLTAGE ARCS	
<i>Riβ J., Lindmayer M., Kurrat M.</i>	299

INTERACTION OF HYDROGEN MICROWAVE-INDUCED PLASMA WITH METALLIC  
MEMBRANES

<i>Savitsky A., Vecher A.A., Pankov V.V.</i> .....	303
STUDIES ON ARC QUENCHING BEHAVIOR OF VARIOUS LIGHTWEIGHT COMPOSITES AS ARCING CHAMBER MATERIAL FOR DC APPLICATIONS	
<i>Schrank T., Wilkening E-D., Kurrat M.</i> .....	307
DIELECTRIC RECOVERY IN SF <sub>6</sub> IN A CO-AXIAL GEOMETRY	
<i>Seeger M., Bini R., Mahdizadeh N. and Votteler T.</i> .....	311
PARAMETERS OF HIGH-TEMPERATURE DEVICE WITH INTENSIVELY BLASTED ELECTRIC ARC UNDER VARIOUS GAS FLOW RATE	
<i>Senk J., Jakubova I., Gregor J.</i> .....	315
STUDY OF STERILIZATION EFFECT OF DIELECTRIC BARRIER DISCHARGE	
<i>Slamova J., Vojkovska H., Bittnerova Z., Kozakova Z., Mazankova V., Krcma F., Runstuk J., Nedela V.</i> .....	319
DIAGNOSTICS OF DCSBD DISCHARGE AT ATMOSPHERIC PRESSURE	
<i>Slavicek P., Brablec A., Cernak M.</i> .....	323
DETERMINING THE DYNAMIC CHARACTERISTICS OF DOUBLE – BREAK ELECTROMAGNETIC CONTACTORS AT SWITCHING-ON	
<i>Smugala D., Stosur M.</i> .....	327
VOLUMETRIC VELOCIMETRY AND ACCELEROMETRY OF INJECTED PARTICLES IN THERMAL PLASMA JET	
<i>Sonsky J.</i> .....	331
TRANSPORT PROPERTIES OF CARBON-ARGON AND CARBON-HELIUM PLASMAS	
<i>Wang W.Z., Rong M.Z., Murphy A.B., Wu Y., Spencer J.W., Yan J.D. and Fang M.T.C.</i> .....	335
THERMOPHYSICAL PROPERTIES OF THERMAL EQUILIBRIUM AND NON-EQUILIBRIUM NITROGEN PLASMAS	
<i>Wang W.Z., Yan J.D., Rong M.Z., Murphy A.B., Fang M.T.C.</i> .....	339
COMPOSITION AND THERMODYNAMIC PROPERTIES OF HIGH TEMPERATURE MIXTURES OF CARBON AND WATER VAPOUR	
<i>Wang W.Z., Yan J.D., Murphy A.B., Spencer J.W., Rong M.Z., and Fang M.T.C.</i> .....	343
PHYSICAL MODELLING AND NUMERICAL SIMULATION OF HIGH-CURRENT VACUUM ARCS IN AXIAL MAGNETIC FIELD CONTACTS	
<i>Wenzel N., Hauser A., Lawall A., Renz R., Hartmann W.</i> .....	347
SPECTROSCOPIC DIAGNOSTIC OF ARC AND WELDPOOL IN GAS METAL SHORT ARC WELDING PROCESSES	
<i>Wilhelm G., Sperl A., Kozakov R., Gött G., Schöpp H., Uhrlandt D.</i> .....	351
NON-CONTACT TEMPERATURE MEASUREMENT ON CUCR-ELECTRODES IN VACUUM AFTER HIGH-CURRENT INTERRUPTION	
<i>Wolf C., Kurrat M., Lindmayer M., Gentsch D.</i> .....	355