

XX Symposium on Physics of Switching Arc 2013

**Brno, Czech Republic
2 – 6 September 2013**

Editors:

**V. Aubrecht
M. Bartlova**

ISBN: 978-1-63266-010-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by Brno University of Technology
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact Brno University of Technology
at the address below.

Brno University of Technology
c/o Milada Bartlová - Department of Physics
Technical 2848/8, Zabovresky, 61600
Brno, Czech Republic

Phone: +420 541 143 431
Fax: +420 541 143 133

bartlova@feec.vutbr.cz

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

CONTENTS

INVITED LECTURES

SOME CONSIDERATIONS ON ARC BEHAVIOUR IN REALISTIC CIRCUIT BREAKER GEOMETRIES	
<i>Anheuser M., Beckert T.</i>	13
MINIMIZING THE IGNITION VOLTAGE OF AUTOMOTIVE HID LAMPS USING DBD WITHIN THE OUTER BULB	
<i>Bergner A., Groeger S., Hoebing T., Ruhrmann C., Mentel J., Awakowicz P.</i>	21
FROM STREAMER DISCHARGES TO THERMALIZATION	
<i>Ebert U.</i>	26
THE PROBLEM OF ELECTRIC ARCS IN AERONAUTICS	
<i>Gleizes A.</i>	27
NEW ADJUSTMENT POSSIBILITIES OF THE ELECTRICAL DISCHARGE POWER FOR THE NON-THERMAL PLASMA REACTORS	
<i>Hnatiuc E.</i>	28
THERMAL PLASMA GASIFICATION OF ORGANIC WASTE AND BIOMASS	
<i>Hrabovsky M.</i>	29
NEW FINDINGS ON CURRENT INTERRUPTION IN HIGH VOLTAGE CIRCUIT BREAKERS	
<i>Seeger M., Galletti B., Bini R., Dousset V., Iordanidis A., Over D., Mahdizadeh N., Schwinne M., Stoller P. C., Votteler T.</i>	39
STUDY OF RADIATION OF HIGH PRESSURE ARCS	
<i>Uhrlandt D., Gött G., Kozakov R., Methling R., Franke St., Baeva M., Schöpp H., Schein J., Bachmann B.</i>	49
THE INFLUENCE OF PRODUCT DESIGN PARAMETERS ON THE PERFORMANCE OF HIGH VOLTAGE CIRCUIT BREAKERS	
<i>Yan J.D., Pei Y., Zhang Q. and Wang H.</i>	58

CONTRIBUTED PAPERS

MODELING OF THERMAL PLASMA JET IN OPEN ATMOSPHERE - INVESTIGATION OF THE METHOD FOR CALCULATING THERMODYNAMIC AND TRANSPORT PROPERTIES OF THE GAS MIXTURE	
<i>Agon N., Vierendeels J., Hrabovsky M., Van Oost G.</i>	71
MODIFICATION OF THE STRUCTURE AND PROPERTIES OF FILLING DENTAL CEMENT BY CARBON NANOMATERIALS	
<i>Azharonok V. V., Belous N.Ch., Radtsevich S.P., Koshevar V.D., Veklich A.N., Boretskij V.F., Lopatko K.G., Aftandilyants Y.G.</i>	75
INVESTIGATION OF ARC DISCHARGE IN LIQUID, INITIATED BETWEEN HOLLOW CYLINDRICAL CONTACTS OF HIGH-CURRENT HIGH-VOLTAGE SWITCH	
<i>Azizov E.A., Emelianov A.I., Rodionov N.B.</i>	76
NONEQUILIBRIUM MODELLING OF TRANSFERRED ARCS	
<i>Baeva M., Gorchakov S., Kozakov R., Uhrlandt D.</i>	80
TIME-RESOLVED ABLATION OF POLYMERS EXPOSED TO AC ARCS IN AIR	
<i>Becerra M., Gati R.</i>	84
MODELLING CATHODE SPOTS IN VACUUM ARCS WITH ACCOUNT OF GRANULAR STRUCTURE OF MULTI-COMPONENT CONTACTS	
<i>Benilov M. S., Cunha M. D., Hartmann W., Wenzel N.</i>	88
APPROXIMATE CALCULATIONS OF RADIATION EMISSION FROM SF ₆ ARC PLASMAS WITH CU VAPOURS	
<i>Bogatyreva N., Bartlova M., Aubrecht V., Skarvada P., Dallaeva D.</i>	92
SPECIFIC CHARACTERISTICS OF «LOADING EFFECT» AT MICROWAVE PLASMA CHEMICAL PROCESSING OF SILICON WAFERS	
<i>Bordusau S.V., Madveika S.I., Dostanko A.P.</i>	96
SURFACE TREATMENT OF POLYPROPYLENE TEXTILE BY UNDERWATER PULSED HV DISCHARGE	
<i>Brablec A., Neagoe G. and Galmiz O.</i>	100
FEATURES OF NON-EQUILIBRIUM PLASMA OF THE DYNAMIC GAS-DISCHARGE SYSTEMS AND ITS APPLICATIONS	
<i>Chernyak V.Y., Nedybaliuk O.A., Yukhymenko V., Martysh E.V., Prysiashnevych I., Veremij Yu., Solomenko O.V., Yukhymenko K., Levko D., Tsimbaliuk A., Fedorovich O.A., Liptuga A., Bogaenko N., Popkov V., Marchuk V.</i>	104
PLASMA-LIQUID SYSTEM WITH ROTATIONAL GLIDING ARC WITH LIQUID ELECTRODE	
<i>Chernyak V.Y., Nedybaliuk O.A., Solomenko O. V., Martysh E.V., Fedirchuk I. I.</i>	112
EFFECT OF FLOW ON ARC-ANODE ATTACHMENT BEHAVIOUR AND ON ANODE EROSION	
<i>Chumak O. M., Mašláni A., Mušálek R., Hrabovský M.</i>	116
DIAGNOSTICS OF HEAT FLUX OF THE PLASMA	
<i>Dohnal P.</i>	120
ELECTRODE GAP INFLUENCE ON POLYMERIC ARC MEDIUM	
<i>Dominguez G. and Friberg A.</i>	121

ANALYSIS OF TEMPERATURE ON THE ROTARY BREAKING SYSTEM OF A MOLDED CASE CIRCUIT BREAKER AT NOMINAL CURRENT AND OVERLOAD	
<i>Dostal L.</i>	122
BASIC STUDY ON THE DYNAMIC BEHAVIOUR OF ASYMMETRICALLY BLOWN ARCS IN NON-ROTATIONALLY SYMMETRIC NOZZLE ARRANGEMENTS	
<i>Eichhoff D., Nikolic P.G. and Schnettler A.</i>	126
DC ARC EXTINGUISHING PRINCIPLES FOR SPARK GAPS	
<i>Ehrhardt A., Schreiter S.</i>	130
NEW SOLUTION TO INCREASE EFFICIENCY OF ELECTROCHEMICAL REACTORS WITH COLD PLASMA DISCHARGES	
<i>Felea I. C., Hnatiuc E., Ursache M.</i>	134
BIOLOGICAL EFFECTIVENESS OF PLASMA AND ELECTROMAGNETIC FIELD SEEDS TREATMENTS AGAINST PLANT PATHOGENIC BACTERIA AND FUNGI	
<i>Filatova I. I., Azharonok V. V., Goncharik S. V., Lyushkevich V. A., Zhukovsky A. G., Gadzhieva G. I., Spasić K., Živković S., Puač N., Lazović S., Malović G. and Petrović Z. Lj.</i>	135
IMPROVEMENT OF A PSEUDO KINETIC METHOD FOR THE CALCULATION OF TWO-TEMPERATURE THERMAL PLASMA COMPOSITION	
<i>Freton P., Choquet I., Gonzalez J.J., Teulet P.</i>	139
POLYMERIC ABLATION INFLUENCE ON GENERATED PRESSURE	
<i>Friberg A. and Dominguez G.</i>	143
MATHEMATICAL MODELING OF PLASMA PROCESS OF NANOPOWDER PRODUCTION USING A COMBINED PLASMA TORCH	
<i>Frolov V., Ivanov D. V., Shibaev M. A.</i>	147
CHARACTERISTIC FEATURES OF PLASMA REACTIVITY AS A LOAD IN GLOW DISCHARGE IMPULSE EXCITATION UNDER LOW VACUUM CONDITIONS	
<i>Godun D.V., Bordusau S.V., Dostanko A.P.</i>	151
EROSION OF METALLIC TARGETS AT MAGNETRON SPUTTERING	
<i>Golosov D.A., Melnikov S.N., Zavatskiy S.M.</i>	155
MINIMIZING THE IGNITION VOLTAGE OF AUTOMOTIVE HID LAMPS USING LONG ACTIVE ANTENNAS	
<i>Groeger S., Bergner A., Ruhrmann C., Hoebing T., Mentel J., Awakowicz P.</i>	159
INFLUENCE OF CATHODE AND NOZZLE WEAR ON DISTRIBUTIONS OF FLUCTUATIONS IN CUTTING ARC	
<i>Gruber J., Šonský J., Hlina J.</i>	163
SIMULATION OF HOT GAS FLOW IN A HIGH VOLTAGE CIRCUIT BREAKER WITH P1 RADIATION MODEL	
<i>Ha M.J., Park J.H., Kim K.H., Kim J.H.</i>	167
TRANSIENT ELECTROMAGNETISM ANALYSIS FOR HIGH POWER CIRCUIT BREAKERS	
<i>Haddad A., Robin-Jouan Ph.</i>	171
DELAYED RE-IGNITION PHENOMENA IN LOW VOLTAGE CIRCUIT BREAKER	
<i>Hauer W., Zhou X., Zeller P.</i>	175
EFFECT OF ACTIVE ANTENNAS ON THE HOT-RESTRIKE OF HID-LAMPS – EXPERIMENT AND SIMULATION	
<i>Hoebing T., Bergner A., Koch B., Manders F., Ruhrmann C., Woelfel C., Mentel J., Awakowicz P.</i>	179

ELECTRIC-THERMAL ANALYSIS OF METAL OXIDE VARISTOR <i>Hüttner L., Glasa M.</i>	183
SIMULATING THE BEHAVIOUR OF LIGHTNING CURRENT ARRESTERS WHEN INTERRUPTING MAINS FOLLOW CURRENTS <i>Hüttner L., Jurcacko L., Valent F., Ehrhardt A., Schreiter S.</i>	187
PLASMA-LIQUID SYSTEM WITH PULSED DISCHARGE FOR THE FOCUSING OF ACOUSTIC WAVES <i>Iukhymenko V.V., Chernyak V.Y., Martysh E.V., Fedorovich O.A., Nedybaliuk O.A., Gavryliuk E.Yu., Lisitchenko T.E., Andriuschenko V.O., Marchuk V.E.</i>	191
TO THE DESIGN OF A HIGH-TEMPERATURE DEVICE WITH ELECTRIC ARC <i>Jakubova I., Senk J., Laznickova I.</i>	195
INTERNAL ARC TESTS AND CFD CALCULATIONS REGARDING THE PRESSURE RISE IN AN ARCING ROOM AND A PRESSURE-RELIEF ROOM <i>Iwata M., Tanaka S., Miyagi T., Amakawa T. and Pietsch G. J.</i>	199
INVESTIGATIONS ON THE BEHAVIOR OF SWITCHING ARCS IN RESONANT HYBRID DC CIRCUIT BREAKERS <i>Karacay M. B., Eichhoff D., Nikolic P.G. and Schnettler A.</i>	203
DIAGNOSTICS OF PLANAR DISCHARGE FOR INDUSTRIAL APPLICATIONS <i>Kelar J., Štěpánová V., Slaviček P.</i>	207
OPTIMIZATION OF MEAN ABSORPTION COEFFICIENT BANDS QUANTITY <i>Kloc P., Aubrecht V., Bartlova M.</i>	211
HIGH VOLTAGE VACUUM SWITCHING <i>Kosse S., Hartmann W., Wenzel N., Katschinski U., Grammel S. and Teichmann J.</i>	215
DIELECTRIC BARRIER DISCHARGE IN WATER SOLUTION TREATMENT <i>Kovačević V.V., Dojčinović B.P., Šupica D., Jović M., Roglić G.M., Obradović B.M. and Kuraica M.M.</i>	216
DIAGNOSTICS OF HIGH FREQUENCY UNDERWATER DISCHARGES IN WATER SOLUTIONS BY ELECTRIC MEASUREMENTS <i>Kozáková Z., Vašíček M., Hlochová L., Krčma F.</i>	220
PLASMA TREATMENT OF CaCO_3 NANOPARTICLES FOR APPLICATION IN COMPOSITES <i>Krčma F., Pospíšil L., Nezbedová E.</i>	224
ANALYSIS OF THE BREAKDOWN AND ELECTRICAL ARC IN THE PROCESS OF SWITCHING ON <i>Kulas S. J., Kolimas L.</i>	228
NUMERICAL STUDY ON SWITCHING ARCS AND TURBULENCE MODELS INSIDE A SF_6 SELF-BLAST INTERRUPTER <i>Lee J. C., Kim H. K., Cho Y. S., Kim Y. J.</i>	232
FULL COUPLED SIMULATION OF FLOW AND DYNAMIC ANALYSIS FOR GIS <i>Lee Y.S., Bang B.H., Ahn H.S., Choi J.U., Park S.W.</i>	236
PLASMA TECHNOLOGIES IN MODIFICATION OF TEXTILE MATERIALS BY COLLOIDS OF METALS <i>Lopatko K., Melnichuk M., Aftandilyants Y.G., Gonchar E., Boretskij V. F., Veklich A. N., Vlasenko V., Tugay A., Trach V.</i>	241

DIELECTRIC ARC REIGNITION IN H.V. CIRCUIT BREAKERS <i>Madarász G. A., Szabó K., Király L.</i>	245
STREAMER TO SPARK TRANSITION IN SUPERCRITICAL N ₂ <i>Markosyan A.H., Zhang J., van Heesch E.J.M., Ebert U.</i>	249
STUDY OF KINETIC PROCESSES IN NITROGEN FLOWING POST- DISCHARGE WITH MERCURY TRACES BY OPTICAL EMISSION SPECTROSCOPY <i>Mazánková V., Krčma F., Trunec D.</i>	253
PLASMA TEMPERATURES OF FREE-BURNING ARCS DOMINATED BY CU VAPOUR <i>Methling R., Franke St., Uhrlandt D., Bianchetti R., Gati R. and Schwinne M.</i>	257
DEVELOPMENT OF AN OPTICAL METHOD FOR INVESTIGATING SWITCHING ARCS IN INSULATING NOZZLES <i>Nikolic P.G., Stoller P. C., Panousis E., Schwinne M. and Schnettler A.</i>	261
INVESTIGATIONS ON THE DIELECTRIC RECOVERY OF SF ₆ AND AIR IN INSULATING NOZZLES <i>Nikolic P.G., Seeger M. and Schnettler A.</i>	265
ON THE ELECTRIC FIELD MEASUREMENTS IN HELIUM ATMOSPHERIC PRESSURE DISCHARGES <i>Obradović B.M., Ivković S.S., Sretenović G.B., Kovačević V.V., Krstić I.B., Cvetanović N. and Kuraica M.M.</i>	269
SWITCHING ARC SIMULATION IN HIGH-VOLTAGE CIRCUIT BREAKERS – MIXED FORMULATIONS <i>Reichert F., Petchanka A., Freton P., Gonzalez J.J.</i>	273
COLD SPOT HEATING WITHIN METAL HALIDE LAMPS <i>Ruhrmann C., Groeger S., Hoebing T., Bergner A., Suijker J., Mentel J., Awakowicz P.</i>	277
INTERACTION OF HYDROGEN VHF – PLASMA WITH PD – MEMBRANE <i>Savitsky A.A., Pankov V.V., Zheludkevich M.L.</i>	281
APPARATUS FOR SWITCHING DIRECT CURRENTS IN PHOTOVOLTAIC SYSTEMS <i>Schreiter S., Ehrhardt A., Rock M.</i>	285
TEMPERATURE MEASUREMENTS USING OH RADICAL SPECTRA <i>Slaviček P., Ferdinand J., Kapička V.</i>	289
GAS CIRCUIT BREAKERS WITH CO ₂ OR AIR AS THE INTERRUPTING MEDIUM <i>Stoller P. C., Seeger M., Iordanidis A. A.</i>	293
OBSERVATION OF HF CATHODE AND ARC ROOT INSIDE CUTTING PLASMA TORCH <i>Šonský J., Gruber J.</i>	297
CALCULATION OF THE WELD POOL PROFILE COUPLED WITH THE ARC SIMULATION IN A TIG PROCESS USING SOFTWARE ANSYS CFX <i>Toropchin A., Frolov V., Uhrlandt D.</i>	301
APPLICATION OF CHROMATIC ANALYSIS TO TEMPERATURE MEASUREMENT OF HIGH-PRESSURE SF ₆ GAS PLASMA FLOW <i>Uchii T., Humphries J. E., Deakin A. G., Spencer J. W.</i>	305
ELECTRIC EROSION PROPERTIES OF COPPER–CARBON COMPOSITE ELECTRODES <i>Veklich A. N., Fesenko S. O., Bondarenko I. V., Ivanisik A. I., Boretskij V. F., Lebid A. V.</i>	309
INVESTIGATION OF ELECTRIC ARC DISCHARGE BETWEEN COPPER-MOLYBDENUM COMPOSITE ELECTRODES <i>Veklich A. N., Lebid A. V., Ivanisik A. I., Fesenko S. O., Boretskij V. F.</i>	313

OPTIMIZING THE ARC CHARACTERISTICS FOR IMPROVED DESIGNS OF PASSIVE RESONANT HVDC-CIRCUIT BREAKERS	
<i>Walter M. M., Leu C., Franck C.M.</i>	317
INVESTIGATIONS ON PRESSURE STRESS IN ELONGATED SUBSTATIONS DUE TO INTERNAL ARCING	
<i>Wetzeler S., Pietsch G. J.</i>	323
RECOVERY RATE ANALYSIS OF PLASMA SWITCH AND COMPARISON WITH EXPERIMENTAL RESULTS	
<i>Zhang J., E.J.M. van Heesch</i>	327
MODELLING OF TURBULENT ARC BURNING IN A SUPERSONIC NOZZLE	
<i>Zhang Q., Yan J.D. and Fang M.T.C.</i>	331
PRESSURE AND ARC VOLTAGE MEASUREMENT IN A 252 KV SF ₆ PUFFER CIRCUIT BREAKER	
<i>Zhong J., Li Z. and Guo Y.</i>	332