

SPE International Symposium and Exhibition on Formation Damage Control 2014

**Lafayette, Louisiana, USA
26 – 28 February 2014**

Volume 1 of 2

ISBN: 978-1-63266-082-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

SPE-168113-MS

Viscoelastic Behavior and Proppant Transport Properties of a New Associative Polymer-Based Fracturing Fluid 1

A.M. Gomaa, D. Gupta, P.S. Carman, Baker Hughes

SPE-168114-MS

Case Study: Sand Management Evolution in a Brownfield 18

L.D. Gonzalez, M.E. Rivero Colmenares, C. Curteis, Schlumberger; D. Amaleswaran, Petronas

SPE-168115-MS

Could Emulsified Friction Reducers Prevent Robust Friction Reduction? 28

K. Tucker, FTS International; P.M. McElfresh, Consultant

SPE-168116-MS

Application of In-House Prepared Nanoparticles as Filtration Control Additive to Reduce Formation Damage 34

O. Contreras, University of Calgary; G. Hareland, Oklahoma State University; M. Husein, University of Calgary; R. Nygaard, M.T. Al-Saba, Missouri University of Science & Technology

SPE-168118-MS

One Tcf From One Well: The Design of a 500 MMscf/D Subsea Well for Offshore Mega Gas Fields 45

D.F. Reeves, J.C. Healy, Noble Energy

SPE-168119-MS

Deciphering Return Permeabilities 65

D. Li, R. Leonard, W. He, M-I SWACO, A Schlumberger Service

SPE-168120-MS

Chemical Qualification and Field Application of a Nondamaging Scale Squeeze Treatment in the Mangala Field 73

C.H. Chavan, E. Rao, M. Jha, S. Tiwari, Cairn Energy; G.M. Graham, R. Stalker, Scaled Solutions

SPE-168123-MS

Integrated Workflow for Lost Circulation Prediction 87

A. Ghalambor, Oil Center Research International; S. Salehi, University of Louisiana at Lafayette; M. Pordel Shahri, University of Tulsa; M. Karimi, Weatherford

SPE-168124-MS

A Novel Slow-Release Rheology Modifier for Well Treatment Fluids 97

L. Li, J. Zhou, H. Sun, Q. Qu, Baker Hughes

- SPE-168126-MS**
Insights Into the Process of Effectively Acidizing Naturally Fractured Reservoirs 106
S. Salimi, Eni Norge; A. Ghalambor, Oil Center Research International; H. Hayer, Iran University of Science & Technology
- SPE-168127-MS**
Reservoir Friendly Rigid Setting Fluid Arrests Lost Circulation While Minimizing Reservoir Damage 118
S. Savari, D.L. Whitfill, M. Miller, Halliburton
- SPE-168129-MS**
Acid or Propped Fracturing in Deep Carbonates? Experiments and Field Results 123
T.L. De Oliveira, L.F. Neumann, C.T. Azevedo, Petrobras
- SPE-168130-MS**
Development of Injectivity Damage Due to Oily Waste Water in Linear Flow 138
L. Jin, A.K. Wojtanowicz, Louisiana State University
- SPE-168131-MS**
Three-Dimensional Modeling of Wellbore and Perforation Stability in Weak Sands 167
S.A. Alquwizani, Saudi Aramco; M.M. Sharma, The University of Texas at Austin
- SPE-168133-MS**
GaStim Concept - A Novel Technique for Well Stimulation. Part II: From Laboratory to Field Pilot Testing 182
A. Restrepo, A.A. Ocampo, Equion Energia; S.H. Lopera, Universidad Nacional De Colombia; J.L. Coronado Navarro, R.B. Sanabria, L.G. Alzate, S. Hernandez, Equion Energia
- SPE-168135-MS**
Filtration in Frac-Packs and its Impact on Injector Performance 193
J. Hwang, S. Lehardi, M.M. Sharma, The University of Texas at Austin
- SPE-168136-MS**
Using Water to Control Water in Underbalanced Drilling With Nitrogen 207
B. Guo, University of Louisiana at Lafayette; H. Zhang, China University of Petroleum; Y. Feng, Louisiana State University
- SPE-168137-MS**
Removal of Plugged Asphaltene in a Reservoir by Earthquakes 215
T. Uetani, INPEX; T. Matsuoka, H. Honda, Kyoto University

SPE-168138-MS

Experimental Study on the Cement-Formation Bonding 227

N.V. Opedal, J. Todorovic, M. Torsæter, T. Vralstad, SINTEF Petroleum Research; W. Mushtaq, Norwegian University of Science and Technology

SPE-168139-MS

Reservoir Simulation, Ion Reactions and Near-Well Bore Modelling to Aid Scale Management in a Subsea Gulf of Mexico Field 239

E.J. Mackay, Heriot-Watt University; M.M. Jordan, Nalco Champion, An Ecolab Company; O. Ishkov, O. Vazquez, Heriot-Watt University

SPE-168140-MS

The Time-Dependent Permeability Damage Caused by Fracture Fluid 255

N. Bostrom, M.A. Chertov, M. Pagels, D.M. Willberg, A. Chertova, Schlumberger; M. Davis, Encana; W. Zagorski, Range Resources

SPE-168143-MS

Advancing Chemical Sand and Fines Control Using Zeta Potential Altering Chemistry by Using Advanced Fluid Placement Techniques 272

P. Singh, N. Ludanova, Weatherford International Inc.; R.V. Petegem, Senior Sand Control & Completions Consultant

SPE-168144-MS

External Filter Cake Buildup in Dynamic Filtration: Mechanisms and Key Factors 285

A. Kalantariasl, A. Zeinijahromi, P. Bedrikovetsky, The University of Adelaide

SPE-168145-MS

Evaluation of Environmentally Friendly Chelating Agents for Applications in the Oil and Gas Industry 311

C.A. De Wolf, E.R. Bang, A.J. Bouwman, W. Braun, E. De Oliveira, AkzoNobel; H.A. Nasr-El-Din, Texas A&M University

SPE-168146-MS

The Effect of Core Dimensions on the Optimal Acid Flux in Carbonate Acidizing 326

K. Dong, X. Jin, D. Zhu, A.D. Hill, Texas A&M University

SPE-168147-MS

Solid Paraffin Inhibitors Pumped in Hydraulic Fractures Increase Oil Recovery in Viking Wells 336

V.M. Wornstaff, S. Hagen, T. Ignacz, Baker Hughes; M. Chorney, B. Pedersen, Teine Energy

SPE-168148-MS

Rig Time Was Saved in a Remote Two -Rig Operation Completing Horizontal Openhole Wells with Expandable Sand Screen Through Careful Selection and Aggressive Juggling of Multiple Reservoir Drill-In Fluids 343

M.R. Luyster, M.J. Anez, M.A. Brzezinski, M-I SWACO; C. Nguyen, M-I SWACO, a Schlumberger Company; R. Ravitz, P.L. Bumala, M-I SWACO

SPE-168149-MS

Complex Completion Design and Inflow Prediction Enabled by Detailed Numerical Well Modeling 366

M.T. Byrne, L. Djayapertapa, K. Watson, Senergy; B.J. Goodin, Vermilion Oil & Gas

SPE-168150-MS

Fines Migration in Oil and Gas Reservoirs: Quantification and Qualification Through Detailed Study 390

M.T. Byrne, E.A. Rojas, R. Kandasamy, A. Gibb, Senergy

SPE-168151-MS

Development of a Dynamic Model for Drilling Fluid's Filtration: Implications to Prevent Formation Damage 396

M. Farahani, R. Soleimani, S. Jamshidi, Sharif University of Technology; S. Salehi, University of Louisiana at Lafayette

SPE-168152-MS

Particle Size Distribution Measurement Techniques and Their Relevance or Irrelevance to Sand Control Design 412

K. Zhang, Rice University; R.A. Chanpura, Schlumberger; S. Mondal, C. Wu, M.M. Sharma,

SPE-168153-MS

Liquid Bank Removal in Production Wells Drilled in Gas-condensate Reservoirs: A Critical Review 425

M.A. Sayed, Aramco Services; G.A. Al-Muntasheri, Saudi Aramco

SPE-168154-MS

Development of a New Squeeze Scale Inhibitor for Mitigating Formation Damage for High TDS High Temperature Tight Carbonate Reservoir 450

T. Chen, J.A. Lewis, P. Chen, R. Benvie, T. Hagen, H.T. Montgomerie, Nalco Champion, An Ecolab Company

SPE-168156-MS

Advanced Understanding of Matrix Stimulation Treatments Through In-Job and Post-Job Evaluation of Real-Time Downhole Measurements with Coiled Tubing: A Case Study 461

D. Ahmed, P. Ramondenc, F. Baez, Schlumberger

SPE-168157-MS

An Innovative Approach to Forecasting Matrix Stimulation Treatment Results: A Case Study 472

D. Ahmed, E. Haryanto, F.H. Soendoro, F. Baez, N. Bolanos, W. Zhou, Schlumberger

SPE-168158-MS

Materials Science Improves Silica Sand Strength 483

N. Bestaoui-Spurr, Baker Hughes

SPE-168159-MS

Proppant Pack Permeability: Does it Matter? Field Case Histories of a Nearly Residue-Free Crosslinked Fluid System 494

U. Inyang, L. Fontenelle, N.C. Schultheiss, Halliburton

SPE-168160-MS

The Water Blockage Effect on Desiccated Tight Gas Reservoir 507

W.J. Assiri, J.L. Miskimins, Colorado School of Mines

SPE-168161-MS

Experimental Determination of the Effect of Pressure on Fluid Loss for Several Fracturing Fluids 518

J. Sanchez Reyes, R.D. Hutchins, M.D. Parris, Schlumberger

SPE-168163-MS

Field Treatment to Stimulate an Oil Well in an Offshore Sandstone Reservoir Using a Novel, Low Corrosive, Environmentally Friendly Fluid 533

H.A. Nasr-El-Din, Texas A&M University; H. Dana, V. Tomos, Energean Oil & Gas; T. Stanitzek, C. De Wolf, A.K. Alex, AkzoNobel

SPE-168164-MS

Analyses of Processes, Mechanisms, and Preventive Measures of Shale-Gas Reservoir Fluid, Completion, and Formation Damage 544

F. Civan, University of Oklahoma

SPE-168165-MS

Engineered Approach to Isolate Intervals Invaded by Water or Gas in Naturally Fractured Carbonate Formations 561

J. López, A. Martínez Ballesteros, R. Miranda, C. García, R. Zepeda, Pemex; B. Vidick, R. Girón Rojas, A. Millán, J.G. Rivas, A. López, E. Miquilena, Schlumberger

SPE-168166-MS

Reduced Models for Description of Invasion Zone Geomechanics 573

O.B. Bocharov, A.V. Seryakov, Baker Hughes

SPE-168167-MS

Experience of Carbonate Acidizing in the Challenging Environment of the Volga-Urals Region of Russia 583

R.E. Kayumov, A.S. Konchenko, A. Bairamov, A. Klyubin, O.V. Levanyuk, Schlumberger; A.E. Chikin, V. Firsov, E. Nikulshin, Rosneft

SPE-168168-MS

Optimizing Sandstone Matrix Stimulation in HT Well 'X': A Case Study 606

S.S. Hassan, A. Nadeem, U.B. Bregar, OMV Exploration

SPE-168169-MS

Well Stimulation Using a Solid, Proppant-Sized, Paraffin Inhibitor to Reduce Costs and Increase Production for a South Texas, Eagle Ford Shale Oil Operator 617

S. Szymczak, D.V. Gupta, W.H. Steiner, S. Bolton, Baker Hughes; J.L. Romano, Matador Resources

SPE-168171-MS

Successful Application of a Differentiated Chelant-Based Hydrofluoric Acid for the Removal of Aluminosilicates, Fines, and Scale in Offshore Reservoirs of the Gulf of Mexico 623

J.S. Sopngwi, A. Gauthreaux, D.E. Kiburz, T. Kashib, Marathon Oil; E.A. Reyes, A. Beuterbaugh, A.L. Smith, S.K. Smith, Halliburton

SPE-168172-MS

Integrating Technology for Improving Recovery and Field Redevelopment in a Highly Heterogeneous Carbonate Reservoir 637

S. Gupta, R.K. Sinha, V. Verma, A. Kumar, R. Singh, S. Swain, A. Pandey, Schlumberger; P. Majithia, P. Hinge, Oil and Natural Gas Corporation

SPE-168173-MS

The Impact of Kinetics Hydrate Inhibitors Within Produced Water on Water Injection/Disposal Wells 646

M.M. Jordan, T.M. Weathers, R.A. Jones, L. Sutherland, D.M. Giddings, Nalco, An Econolab Company; M. Alba, Nalco, An Ecolab Company

SPE-168174-MS

Using NMR technology to Study the Flow of Fracture Fluid inside Shale Formation 667

A.M. Gomaa, B. Zhang, J. Chen, Q. Qu, S.G. Nelson, Baker Hughes

SPE-168176-MS

Challenging the Economic Limit in Mature Fields by Hydraulic Fracturing of Wet Producers 681

R.G. Rachid, A. Milne, S.A. Ali, M. Ramones, Schlumberger; J. Jimenez, Petroecuador

- SPE-168177-MS**
Insights from the Evaluation of Sand Control Performance in Offshore Brazilian Southeast 693
C.B. Cunha, A.Z. Pereira, M.G. Da Silva, A. Calderon, Petrobras; A. Nicolino de Sa, Petrobras S.A.; P.D. Fernandes, Petrobras
- SPE-168178-MS**
An Innovative Approach for Sand Management with Downhole Validation 707
S.K. Subbiah, Schlumberger; L. De Groot, H. Graven, GDF SUEZ
- SPE-168179-MS**
Development of Polyglycolic and Polyactic Acid Fluid-loss Control Materials for Fracturing Fluids 722
K. Yoshimura, H. Matsui, N. Morita, Waseda University
- SPE-168180-MS**
Optimizing Surfactant Additives for Enhanced Well Stimulation in Bakken Formation 746
S. Morsy, Texas Tech University; M. Zhou, K.S. Lant, J.L. Cutler, H. Sun, Q. Qu, Baker Hughes; P.J. Shuler, California Institute of Technology
- SPE-168182-MS**
Sulphide Scale Co-Precipitation with Calcium Carbonate 757
C. Okocha, K.S. Sorbie, Heriot-Watt University
- SPE-168183-MS**
Calculating Pore Size Distribution by Using Capillary Pressure 782
K. Ling, University of North Dakota; G. Han, China University of Petroleum Beijing; Z. Shen, SPE; A. Ghalambor, Oil Center Research International; J. He, P. Pei, University of North Dakota
- SPE-168184-MS**
A Comprehensive Approach to Estimate Invasion Radius of Mud Filtrate to Evaluate Formation Damage Caused by Overbalanced Drilling 795
K. Ling, University of North Dakota; H. Zhang, Z. Shen, SPE; A. Ghalambor, Oil Center Research International; G. Han, China University of Petroleum Beijing; J. He, P. Pei, University of North Dakota
- SPE-168185-MS**
Laboratory Evaluation of Formation Damage Impact of Drill-In Fluid Lubricants in a Low-Permeability Sandstone Gas Reservoir 814
P.I. Osode, M. Otaibi, M.A. Bataweel, S.M. Al-Ammari, Saudi Aramco; R.E. Himes, Core Laboratories

SPE-168186-MS

Successful Treatment of a Green River Sandstone Formation Using a Novel Low-Polymer Crosslinked Fluid 825

M.U. Legemah, F.H. Debenedictis, N.T. Workneh, D.D. Smith, H. Sun, H.V. Le, Q. Qu, Baker Hughes; M. Moulton, Newfield Exploration

SPE-168187-MS

Perforating Monobore Completions Offshore: An Efficient, Safe, and Optimal Approach 840

T. Long, P. Price, T. Kritzler, B. Gilliam, O.F. Jaime, J.M. Lobo, J.E. Bayer, J. Ritchie, Chevron; C.K. Khong, S.G. Malone, C.E. Baumann, A.J. Martin, Schlumberger

SPE-168188-MS

Enhancing Proppant Pack Conductivity With Consolidation and Agglomeration Performance: A Laboratory Study N/A

L.K. Vo, P.D. Nguyen, F. Liang, C. Parton, Halliburton

SPE-168189-MS

Restriction of Water Production in Gas Wells by Induced Phase Inversion: Field Case Studies 849

I.J. Lakatos, J. Lakatos-Szabo, G. Szentes, University of Miskolc; A. Vago, Hungarian Oil & Gas Co.

SPE-168190-MS

Case Study of 'M' Field Water Injection: Identifying and Managing the Challenges 862

N. Kamarul Zaman, N. Nordin, S. Mohsin, Petronas

SPE-168191-MS

Pressure Pulse Generated by Valve Closure: Can It Cause Damage? 873

A. Zazovsky, Chevron ETC; E.V. Tetenov, Energy Science LLC; K.S. Zaki, W.D. Norman, Chevron ETC

SPE-168192-MS

A New Generation of Efficient Fracturing Fluids for High Total Dissolved Solids Applications 893

G.H. Monreal, S.O. N'Guessan, FTS International; P.M. McElfresh, Independant Consultant

SPE-168193-MS

Avoiding Damage Associated to Produced Water Use in Hydraulic Fracturing 908

A.V. Fedorov, J. Carrasquilla, A. Cox, Schlumberger

SPE-168194-MS

The Importance of Skin Parameters for Predicting Water Coning in a Vertical Gas Well 914

J. Wheeler, K. Gaurav, S. Kumar, BG Group

SPE-168195-MS

Selectively Shutting Off Gas in Naturally Fractured Carbonate Reservoirs 928

M.A. Lozada, M. Torres, M.A. Gonzalez, B. Garcia, M.A. Cortes, Pemex; A. Milne, E.J. Miquilena, J.M. Perez, Schlumberger

SPE-168196-MS

A Comprehensive Geochemical-Based Approach to Quantify the Scale Problems 946

A. Kazemi Nia Korrani, K. Sepehrnoori, M. Delshad, University of Texas at Austin

SPE-168197-MS

Remediation of Long-Term Production Deferrals from Formation Damage in a Depleted Transylvanian Sandstone Reservoir 965

B. Cavallaro, Schlumberger; D.P. Stefanescu, Romgaz; G. Fava, Schlumberger

SPE-168198-MS

The First Visualization of Acid Treatments on Carbonates With 3D Nuclear Magnetic Resonance Imaging (NMRI) 976

M. Krebs, Clausthal University of Technology; B.R. Lungwitz, A. Souza, A.H. Pepin, S.J. Montoya, P. Schlicht, A. Boyd, Schlumberger; E. Vidoto, R. Polli, T. Bonagamba, Universidade de São Paulo

SPE-168199-MS

Reconciliation of Fracture Performance and Fracture Geometry with Design 991

V. Guk, M. Bychina, RUSPETRO; D. Wolcott, Consultant; M.J. Economides, University of Houston

SPE-168200-MS

Multizone Openhole Stand Alone Screen: Innovative Sand Control Solution to Develop Shallow Gas Reservoirs in the Mahakam Delta 1002

D. Laidlaw, B. Muryanto, M.I. Maharano, R.A. Panjaitan, Total E&P

SPE-168201-MS

Practical Laboratory Testing for Shale Fracturing 1021

C.C. Fischer, V.G. Constien, Constien & Associates

SPE-168202-MS

Filtering Out More Information from Laboratory Screen and Gravel Pack Tests 1034

C.C. Fischer, V.G. Constien, C. Vining, Constien & Associates

SPE-168203-MS

Enhanced Waterflooding Sweep Efficiency by Induced Formation Damage in Layer-Cake Reservoirs 1045

A. Zeinijahromi, P.G. Bedrikovetsky, University of Adelaide

SPE-168204-MS

Environmentally Responsible, Catalytic Breakers for Alkaline, High-Temperature Fracturing Fluids """"3277

S. Gunawan, C.D. Armstrong, Q. Qu, Baker Hughes

SPE-168205-MS

Formation Damage From Pipe Dope: How Bad Can It Get?""3284

T. Castineiras, E. Actis Goretta, Tenaris; A. Funes, F. Figini, Tectpetrol; X. Wang, XGas; M.J. Economides, University of Houston

SPE-168206-MS

Hybrid Matrix Acidizing Techniques Successfully Stimulate Geothermal Wells in Latin America """"3296

V.A. Exler, F. Tellez, M. Quevedo, A. Milne, Schlumberger

SPE-168207-MS

Design Considerations and Qualification Testing of High Density Oil-Based Screen Running Fluids for an HPHT Gas Development """"32: 7

L. Han, S.H. Hicking, J. Twycross, S. El-Jamali, Norske Shell; I. Patey, J. Green, Corex UK

SPE-168208-MS

A Simplified Methodology for Dynamic Drilling Fluid Filtration Estimation Considering Mudcake Compressibility""32; 8

L.A. Calçada, C.M. Scheid, N.D. Calabrez, Federal Rural University of Rio de Janeiro; A.T. Waldmann, A.L. Martins, Petrobras

SPE-168209-MS

Critical Sand Deposition Velocity in Horizontal Stratified Flow""3333

R. Ibarra, Imperial College London; R.S. Mohan, O. Shoham, University of Tulsa

SPE-168210-MS

Qualification of Gravel Packing in HP/HT Wells ""3346

H. Kaarigstad, C. Strachan, V. Fjellstad, Statoil; K. Gyland, M-I SWACO, A Schlumberger Service; J.D. Filbrandt, Schlumberger Norge

SPE-168211-MS

Design and Successful Field Execution of Sand Control Completions in Naturally Fractured Reservoirs """"3356

T. Tahirov, R. Allam, J. Mason, A. Twynam, B. Tanilir, K. Sweeney, A. Bissoon, BP

SPE-168213-MS

Interconnected Fiber Network Prevents Gravel Washout in Water Injector Wells """"336;

K. Vidma, I. Glaznev, S. Green, M.K. Panga, Schlumberger

SPE-168214-MS

Effects of Alternative Water Sources on Formation and Proppant Pack Damage Reduction Properties of Near-residue-free Fracturing Fluid """"3383

A. Russell, D. Singh, E. Schnoor, Halliburton

SPE-168215-MS

Overcoming Wellbore Cleanup Challenges in Deepwater Wells in West Africa """"338:

G. Pietrangeli, L. Quintero, T.A. Jones, S. Benaissa, Baker Hughes; C.A. Menezes, E. Aubry, H.M. Poitrenaud, J. Furgier, Total

SPE-168216-MS

Produced Water Re-Injection in a Deep Offshore Environment - Angola Block 17 """"""""""339;

R. Souilah, B. Brocart, A. Ourir, A. Onaisi, H. Pourpak, J. Ochi, H. Lescanne, Total E&P University of Texas at Austin; J.A. Ayoub, M. Parlar, Schlumberger