

# **International Workshop NUCPERF 2012: Long-Term Performance of Cementitious Barriers and Reinforced Concrete in Nuclear Power Plant and Radioactive Waste Storage and Disposal**

**(RILEM Event TC 226-CNM and EFC  
Event 351)**

**EPJ Web of Conferences Volume 56 (2013)**

**Cadarache, France  
12-15 November 2012**

**Editors:**

**Valerie L'Hostis**

**Robert Gens**

**ISBN: 978-1-63266-202-6**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

This work is licensed under a Creative Commons Attribution license:  
<http://creativecommons.org/licenses/by/2.0/>

**You are free to:**

**Share** – copy and redistribute the material in any medium or format.

**Adapt** – remix, transform, and build upon the material for any purpose, even commercial.

The licensor cannot revoke these freedoms as long as you follow the license terms.

**Under the following terms:**

You must give appropriate credit, provide a link to the license, and indicate if changes were made.

You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. The copyright is retained by the corresponding authors.

Printed by Curran Associates, Inc. (2014)

For additional information, please contact EDP Sciences – Web of Conferences  
at the address below.

EDP Sciences – Web of Conferences  
17, Avenue du Hoggar  
Parc d'Activité de Courtabœuf  
BP 112  
F-91944 Les Ulis Cedex A  
France

Phone: +33 (0) 1 69 18 75 75

Fax: +33 (0) 1 69 28 84 91

[contact@webofconferences.org](mailto:contact@webofconferences.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

## **SESSION 1: PHYSICAL, CHEMICAL AND MECHANICAL BEHAVIOR: PHYSICO-CHEMICAL EFFECT**

|                                                                                                                            |           |
|----------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>HYDRATED PHASES AND PORE SOLUTION COMPOSITION IN CEMENTSOLIDIFIED SALTSTONE WASTE FORMS.....</b>                        | <b>1</b>  |
| <i>K. A. Snyder, P. E. Stutzman, J. Philip, D. Esh</i>                                                                     |           |
| <b>PHYSICO-CHEMICAL INTERACTIONS AT THE CONCRETE-BITUMEN INTERFACE OF NUCLEAR WASTE REPOSITORIES .....</b>                 | <b>9</b>  |
| <i>A. Bertron, H. Ranaivomanana, N. Jacquemet, B. Erable, C. Sablayrolles, G. Escadeillas</i>                              |           |
| <b>NITRATE REDUCING BACTERIAL ACTIVITY IN CONCRETE CELLS OF NUCLEAR WASTE DISPOSAL .....</b>                               | <b>19</b> |
| <i>M. Alquier, C. Kassim, A. Bertron, Y. Raftafi, C. Sablayrolles, A. Albrecht, B. Erable</i>                              |           |
| <b>CHARACTERIZATION AND MODELING OF MAJOR CONSTITUENT EQUILIBRIUM CHEMISTRY OF A BLENDED CEMENT MORTAR.....</b>            | <b>28</b> |
| <i>J. Arnold, D. S. Kosson, K. G. Brown, A. C. Garrabrants, J. C. L. Meeussen, H. A. Van Der Sloom</i>                     |           |
| <b>MODELING THE LONG-TERM DURABILITY OF CONCRETE BARRIERS IN THE CONTEXT OF LOW-ACTIVITY WASTE STORAGE .....</b>           | <b>38</b> |
| <i>Y. Protière, E. Samson, P. Henocq</i>                                                                                   |           |
| <b>LINK BETWEEN MICROSTRUCTURE AND TRITIATED WATER DIFFUSIVITY IN MORTARS.....</b>                                         | <b>50</b> |
| <i>B. Larbi, W. Dridi, P. Le Bescop, P. Dangla, L. Petit</i>                                                               |           |
| <b>NUMERICAL ESTIMATION OF TRANSPORT PROPERTIES OF CEMENTITIOUS MATERIALS USING 3D DIGITAL IMAGES.....</b>                 | <b>59</b> |
| <i>N. Ukrainczyk, E. A. B. Koenders, K. Van Breugel</i>                                                                    |           |
| <b>IMPACT OF CARBONATION ON THE DURABILITY OF CEMENTITIOUS MATERIALS: WATER TRANSPORT PROPERTIES CHARACTERIZATION.....</b> | <b>67</b> |
| <i>M. Auroy, S. Poyet, P. Le Bescop, J-M. Torrenti</i>                                                                     |           |
| <b>EXPERIMENTAL STUDY AND REACTIVE TRANSPORT MODELING OF BORIC ACID LEACHING OF CONCRETE.....</b>                          | <b>77</b> |
| <i>R. T. Pabalan, K.-T. K. Chiang</i>                                                                                      |           |
| <b>EXPERIMENTAL STUDY OF CONTAMINANT RELEASE FROM REDUCING GROUT.....</b>                                                  | <b>86</b> |
| <i>R. T. Pabalan, G. W. Alexander, D. J. Waiting, C. S. Barr</i>                                                           |           |

## **SESSION 2: PHYSICAL, CHEMICAL AND MECHANICAL BEHAVIOR: COUPLED CHEMICAL AND MECHANICAL EFFECT**

|                                                                                                                                                    |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>MODELLING DESICCATION SHRINKAGE OF LARGE STRUCTURES.....</b>                                                                                    | <b>95</b>  |
| <i>F. Benboudjema, J.-M. Torrenti</i>                                                                                                              |            |
| <b>EXPERIMENTAL STUDY OF A MACROCRACK PROPAGATION IN A CONCRETE SPECIMEN SUBJECTED TO CREEP LOADING .....</b>                                      | <b>103</b> |
| <i>P. Rossi, C. Boulay, J-L. Tailhan, E. Martin</i>                                                                                                |            |
| <b>EFFECT OF BLASTFURNACE SLAG ADDITION TO PORTLAND CEMENT FOR CATIONIC EXCHANGE RESINS ENCAPSULATION.....</b>                                     | <b>111</b> |
| <i>E. Lafond, C. Cau Dit Coumes, S. Gauffinet, D. Chartier, P. Le Bescop, L. Stefan, A. Nonat</i>                                                  |            |
| <b>MODELLING OF THE INTERACTION BETWEEN CHEMICAL AND MECHANICAL BEHAVIOUR OF ION EXCHANGE RESINS INCORPORATED INTO A CEMENT-BASED MATRIX .....</b> | <b>121</b> |
| <i>M. Neji, B. Bary, N. Burlion, P. Le Bescop</i>                                                                                                  |            |
| <b>PERFORMANCE OF CARBON NANOFIBER-CEMENT COMPOSITES SUBJECTED TO ACCELERATED DECALCIFICATION.....</b>                                             | <b>131</b> |
| <i>L. Brown, F. Sanchez, D. Kosson, J. Arnold</i>                                                                                                  |            |

## **SESSION 3: AGING MANAGEMENT OF NUCLEAR POWER PLANT**

|                                                                                                                        |            |
|------------------------------------------------------------------------------------------------------------------------|------------|
| <b>DEVELOPING A COMPUTERIZED AGING MANAGEMENT SYSTEM FOR CONCRETE STRUCTURES IN FINNISH NUCLEAR POWER PLANTS .....</b> | <b>139</b> |
| <i>F. Al-Neshawy, J. Piironen, E. Sistonen, E. Vesikari, M. Tuomisto, P. Hradil, M. Ferreira</i>                       |            |
| <b>MOISTURE LEVELS AND DRYING POTENTIAL OF THE CONCRETE IN SWEDISH REACTOR CONTAINMENTS .....</b>                      | <b>147</b> |
| <i>M. Oxfall, M. Hassanzadeh, P. Johansson</i>                                                                         |            |

#### **SESSION 4: TEST APPROACHES**

|                                                                                                                                                                                       |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>SURFACE TESTS TO DEMONSTRATE THE CONSTRUCTION FEASIBILITY OF THE BELGIAN SUPERCONTAINER.....</b>                                                                                   | <b>155</b> |
| <i>L. Areias, R. Gens, P. Van Marcke, H. Van Humbeeck, L. Villers, A. Van Cotthem</i>                                                                                                 |            |
| <b>ELECTROCHEMICAL MIGRATION TECHNIQUE TO ACCELERATE AGEING OF CEMENTITIOUS MATERIALS.....</b>                                                                                        | <b>165</b> |
| <i>A. Babaahmadi, L. Tang, Z. Abbas</i>                                                                                                                                               |            |
| <b>CHARACTERIZING THE EFFECTS OF ELEVATED TEMPERATURE ON THE AIR VOID PORE STRUCTURE OF ADVANCED GAS-COOLED REACTOR PRESSURE VESSEL CONCRETE USING X-RAY COMPUTED TOMOGRAPHY.....</b> | <b>175</b> |
| <i>R. C. Stein, M. Petkovski, D. L. Engelberg, F. Leonard, P. J. Withers</i>                                                                                                          |            |
| <b>INNOVATIVE ULTRASONIC TECHNIQUES FOR INSPECTION AND MONITORING OF LARGE CONCRETE STRUCTURES.....</b>                                                                               | <b>182</b> |
| <i>H. Wiggerhauser, E. Niederleithinger</i>                                                                                                                                           |            |

#### **SESSION 5: PERFORMANCE AND SAFETY ASSESSMENT**

|                                                                                                                                                                                                            |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>CONTRIBUTION TO THE FRENCH PROGRAM DEDICATED TO CEMENTITIOUS AND CLAYEY MATERIALS BEHAVIOR IN THE CONTEXT OF INTERMEDIATE LEVEL WASTE MANAGEMENT – HYDROGEN TRANSFER AND MATERIALS DURABILITY .....</b> | <b>191</b> |
| <i>B. Bary, P. Bouniol, L. Chomat, W. Dridi, C. Gatabin, C. Imbert, V. L'hostis, P. Le Bescop, B. Muzeau, S. Poyet</i>                                                                                     |            |
| <b>MODELLING OF HYDROGEN PRODUCTION FROM PORE WATER RADIOLYSIS IN CEMENTED INTERMEDIATE LEVEL WASTE .....</b>                                                                                              | <b>200</b> |
| <i>F. Foct, M.-V. Di Giandomenico, P. Bouniol</i>                                                                                                                                                          |            |
| <b>MODELING CARBONATION OF HIGH-LEVEL WASTE TANK INTEGRITY AND CLOSURE.....</b>                                                                                                                            | <b>208</b> |
| <i>K. G. Brown, J. Arnold, S. Sarkar, G. Flach, H. Van Der Slood, J. C. L. Meeussen, D. S. Kosson</i>                                                                                                      |            |
| <b>MODELING OF CONCRETE CARBONATION IN DEEP GEOLOGICAL DISPOSAL OF INTERMEDIATE LEVEL WASTE.....</b>                                                                                                       | <b>218</b> |
| <i>P. Thouvenot, O. Bildstein, I. Munier, B. Cochevin, S. Poyet, X. Bourbon, E. Treille</i>                                                                                                                |            |
| <b>INTENDED LONG TERM PERFORMANCES OF CEMENTITIOUS ENGINEERED BARRIERS FOR FUTURE STORAGE AND DISPOSAL FACILITIES FOR RADIOACTIVE WASTES IN ROMANIA .....</b>                                              | <b>226</b> |
| <i>R. Fako, Gh. Barariu, R. Toma, R. Georgescu, F. Sociu</i>                                                                                                                                               |            |
| <b>RISK ASSESSMENT ASSOCIATED TO POSSIBLE CONCRETE DEGRADATION OF A NEAR SURFACE DISPOSAL FACILITY .....</b>                                                                                               | <b>236</b> |
| <i>B. Capra, Y. Billard, W. Wacquier, R. Gens</i>                                                                                                                                                          |            |

#### **SESSION 6: METALLIC CORROSION**

|                                                                                                                                                                   |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>CORROSION BEHAVIOUR OF STEEL REBARS EMBEDDED IN A CONCRETE DESIGNED FOR THE CONSTRUCTION OF AN INTERMEDIATE-LEVEL RADIOACTIVE WASTE DISPOSAL FACILITY.....</b> | <b>246</b> |
| <i>G. S. Duffó, E. A. Arva, F. M. Schulz, D. R. Vazquez</i>                                                                                                       |            |
| <b>REINFORCEMENT CORROSION IN ALKALINE CHLORIDE MEDIA WITH REDUCED OXYGEN CONCENTRATIONS.....</b>                                                                 | <b>254</b> |
| <i>C. Andrade, J. Fullea, L. Toro, I. Martinez, N. Rebolledo</i>                                                                                                  |            |
| <b>THE ANAEROBIC CORROSION OF CARBON STEEL IN ALKALINE MEDIA – PHASE 2 RESULTS.....</b>                                                                           | <b>263</b> |
| <i>N. R. Smart, A. P. Rance, P. A. H. Fennell, B. Kursten</i>                                                                                                     |            |

|                                                                                                                        |            |
|------------------------------------------------------------------------------------------------------------------------|------------|
| <b>CORROSION SUSCEPTIBILITY OF STEEL DRUMS TO BE USED AS CONTAINERS FOR<br/>INTERMEDIATE LEVEL NUCLEAR WASTE .....</b> | <b>272</b> |
| <i>S. Farina, F. Schulz Rodriguez, G. Duffó</i>                                                                        |            |
| <b>BORIC ACID CORROSION OF CONCRETE REBAR.....</b>                                                                     | <b>280</b> |
| <i>R. T. Pabalan, L. Yang, K.-T. Chiang</i>                                                                            |            |
| <b>EFFECTS OF PRE-CRACKS ON BOTH INITIATION AND PROPAGATION OF RE-BAR<br/>CORROSION IN PURE CARBON DIOXIDE .....</b>   | <b>288</b> |
| <i>Vu Hiep Dang, Raoul François, Valérie L'Hostis</i>                                                                  |            |
| <b>AUTHOR INDEX</b>                                                                                                    |            |