

# SUZAKU 2011

Exploring the X-ray Universe: Suzaku and Beyond

*Palo Alto, California, USA      20 – 22 July 2011*

## **EDITORS**

Rob Petre

*GSFC/NASA, Greenbelt, MD, USA*

Kazuhisa Mitsuda

*ISAS/JAXA, Kanagawa, Japan*

Lorella Angelini

*GSFC/NASA, Greenbelt, MD, USA*

## **SPONSORING ORGANIZATIONS**

NASA  
JAXA

**AIP**  
American Institute  
of Physics

**Melville, New York, 2012**  
**AIP | CONFERENCE PROCEEDINGS ■ 1427**

## Editors

Rob Petre  
GSFC/NASA  
Code 662  
Greenbelt, MD 20771  
USA

**E-mail:** robert.petre-1@nasa.gov

Kazuhisa Mitsuda  
3-1-1 Yoshinodai, Sagamihara  
Kanagawa 229-8510  
Japan

**E-mail:** mitsuda@astro.isas.jaxa.jp

Lorella Angelini  
GSFC/NASA  
Code 661  
Greenbelt, MD 20771  
USA

**E-mail:** lorella.angelini-1@nasa.gov

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1010-7/12/\$30.00

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: [rights@aip.org](mailto:rights@aip.org).

L.C. Catalog Card No. 2011945132  
ISBN 978-0-7354-1010-7  
ISSN 0094-243X  
Printed in the United States of America

*AIP Conference Proceedings, Volume 1427*  
**SUZAKU 2011**  
**Exploring the X-ray Universe: Suzaku and Beyond**

**Table of Contents**

<b>Preface: SUZAKU 2011—Exploring the X-ray Universe: Suzaku and Beyond</b> Rob Petre, Kazuhisa Mitsuda, and Lorella Angelini	1
<b>PRESENTATIONS DAY 1</b>	
<b>Baryons in the outskirts of the X-ray brightest galaxy cluster</b> A. Simionescu, S. W. Allen, A. Mantz, N. Werner, and Y. Takei	5
<b>The outer limits of galaxy clusters: Observations to the virial radius with Suzaku, XMM, and Chandra</b> Eric D. Miller, Marshall Bautz, Jithin George, Richard Mushotzky, David Davis, and J. Patrick Henry	13
<b>Metals in the intracluster medium</b> Kyoko Matsushita, Kosuke Sato, Eri Sakuma, and Takayuki Tamura	21
<b>Resonant scattering in NGC 5044 and NGC 5813</b> J. de Plaa, I. Zhuravleva, N. Werner, J. S. Kaastra, E. Churazov, and Y. G. Grange	29
<b>Charge exchange X-ray emission in the heliosphere and beyond</b> Dimitra Koutroumpa	33
<b>Wide-band and intensity-related spectral analysis of Cygnus X-1 with Suzaku</b> Shin'ya Yamada	40
<b>Suzaku observations of 4U 1957+11: The most rapidly spinning black hole in the galaxy?</b> Michael A. Nowak, Jörn Wilms, Katja Pottschmidt, Norbert Schulz, Jon Miller, and Dipankar Maitra	48

<b>Supergiant X-ray binaries observed by <i>Suzaku</i></b> A. Bodaghee, J. A. Tomsick, J. Rodriguez, S. Chaty, K. Pottschmidt, R. Walter, and P. Romano	52
<b>First X-ray detection from a bow shock region of a runaway star, BD+43°3654, with <i>Suzaku</i></b> Y. Terada, M. S. Tashiro, A. Bamba, R. Yamazaki, H. Seta, T. Kouzu, and S. Koyama	56
<b>A <i>Suzaku</i> view of cyclotron line sources and candidates</b> K. Pottschmidt, S. Suchy, E. Rivers, R. E. Rothschild, D. M. Marcu, L. Barragán, M. Kühnel, F. Fürst, F. Schwarm, I. Kreykenbohm, J. Wilms, G. Schönherr, I. Caballero, A. Camero-Arranz, A. Bodaghee, V. Doroshenko, D. Klochkov, A. Santangelo, R. Staubert, P. Kretschmar, C. Wilson-Hodge, M. H. Finger, and Y. Terada	60
<b>Recent <i>Suzaku</i> studies of the X-ray emission from magnetars</b> Teruaki Enoto, Yujin E. Nakagawa, Toshio Nakano, Hiroyuki Nishioka, Tetsuya Yasuda, Yukikatsu Terada, Takanori Sakamoto, Kazuo Makishima, and <i>Suzaku</i> Magnetar Members	68
<b>DAY 2</b>	
<b>Discovery of recombining plasmas in mixed-morphology supernova remnants</b> Hiroya Yamaguchi	79
<b>Progenitor metallicity of Kepler's supernova</b> Sangwook Park, Carles Badenes, John P. Hughes, Patrick O. Slane, Koji Mori, Ryohei Kaida, David N. Burrows, and Jae-Joon Lee	87
<b>A detailed <i>Suzaku</i> study of an evolved SNR, the Cygnus Loop</b> Hiroyuki Uchida, Hiroshi Tsunemi, Satoru Katsuda, Koji Mori, Hiroshi Nakajima, and Masashi Kimura	94
<b>Status and future of <i>Suzaku</i></b> Kazuhisa Mitsuda	102
<b>XIS status report</b> M. Tsujimoto	107

<b>Status report of the hard x-ray detector</b> Shin'ya Yamada and HXD Team	111
<b>The six year results of Suzaku Wide-band All-Sky monitor</b> M. Ohno, Y. Hanabata, T. Uehara, T. Takahashi, M. Mizuno, Y. Fukazawa, K. Yamaoka, S. Sugita, N. Ohmori, M. Akiyama, M. Yamauchi, T. Yasuda, Y. Terada, W. Iwakiri, K. Takahara, M. Asahina, S. Kobayashi, M. Tashiro, M. Kokubun, T. Takahashi, Y. E. Nakagawa, Y. Urata, P. Tsai, C.-J. Chuang, K. Nakazawa, K. Makishima, T. Murakami, and H. Tajima	115
<b>X-ray studies of classical novae with Suzaku</b> Dai Takei	123
<b>Attempts toward understanding the formation of magnetars</b> T. Nakano, K. Makishima, K. Nakazawa, H. Uchiyama, and T. Enoto	126
<b>The Suzaku view of Cyg X-1 over the two spectral states</b> Shunsuke Torii, Kazuo Makishima, Shin'ya Yamada, and Kazuhiro Nakazawa	129
<b>Multi-wavelength study of the first <math>\gamma</math>-ray emitting LMXB XSS J12270-4859</b> Kei Saitou, Masahiro Tsujimoto, Ken Ebisawa, Manabu Ishida, Koji Mukai, Takahiro Nagayama, Shogo Nishiyama, and Poshak Gandhi	132
<b><i>Suzaku/XMM/Chandra</i> study of Fe K line complex in the nuclear region of NGC 253</b> Ikuyuki Mitsuishi, Noriko Y. Yamasaki, and Yoh Takei	135
<b>Systematic errors on black hole spin</b> Anne M. Lohfink, Christopher S. Reynolds, Richard F. Mushotzky, and Michael A. Nowak	138
<b>The unique Suzaku discovery of variability in the Compton-thick absorber in NGC 4945</b> A. Marinucci, G. Risaliti, E. Nardini, S. Bianchi, G. Matt, and M. Elvis	141
<b><i>Suzaku</i> observations of the X-ray brightest fossil group ESO 3060170</b> Yuanyuan Su, Raymond White III, Eric Miller, Jimmy Irwin, Evan Million, Kawah Wong, Liyi Gu, and Renato Dupke	144
<b>X-ray and gamma-ray studies of particle acceleration in supernova remnants</b> Takaaki Tanaka and <i>Fermi</i> LAT Collaboration	147

### DAY 3

<b>Probing relativistic astrophysics around SMBHs: The Suzaku AGN spin survey</b>	
C. S. Reynolds, L. W. Brenneman, A. M. Lohfink, M. L. Trippe, J. M. Miller, R. C. Reis, M. A. Nowak, and A. C. Fabian	157
<b>X-ray signatures of circumnuclear gas in AGN</b>	
T. J. Turner, L. Miller, and M. Tatum	165
<b>Suzaku's view of inner disk eclipses in NGC 1365</b>	
Laura W. Brenneman, Guido Risaliti, and Martin Elvis	173
<b>New insights on the accretion disk-winds connection in radio-loud AGNs from Suzaku</b>	
F. Tombesi, R. M. Sambruna, J. N. Reeves, V. Braito, M. Cappi, C. S. Reynolds, and R. F. Mushotzky	177
<b>Evolution of the jet energetics revealed with the Suzaku observations of giant radio galaxies</b>	
Naoki Isobe, Hiromi Seta, Makoto S. Tashiro, Gandhi Poshak, and Matsuta Keiko	181
<b>Uncovering local absorbed active galactic nuclei with swift and Suzaku</b>	
Lisa M. Winter	185
<b>Probing quasar shutdown timescales with Hanny's Voorwerp</b>	
Daniel A. Evans, Kevin Schawinski, Shanil Virani, C. Megan Urry, William C. Keel, Priyamvada Natarajan, Chris J. Lintott, Anna Manning, Paolo Coppi, Sugata Kaviraj, Steven P. Bamford, Gyula I. G. Józsa, Michael Garrett, Hanny van Arkel, Pamela Gay, and Lucy Fortson	193
<b>Multiwavelength observations of ultra-luminous IR galaxies</b>	
Ezequiel Treister	201
<b>Suzaku study of X-ray emission from the molecular clouds in the Galactic center region</b>	
Masayoshi Nobukawa, Syukyo G. Ryu, Shinya Nakashima, Takeshi Go Tsuru, Katsuji Koyama, and Hideki Uchiyama	209

<b>Suzaku studies of magnetic cataclysmic variables and the Galactic ridge X-ray emission</b>	
Takayuki Yuasa	217
<b>ALICE in the early Universe wonderland</b>	
Pasquale Di Nezza	225
<b>POSTERS</b>	
<b>Bent Si reflector with DLC deposition developed for x-ray imaging polarimetry</b>	
Takashi Awayaa, Atsushi Tokuno, Kota Okada, Yohko Tsuboi, Ryo Iizuka, Shingo Kusunoki, and Kazuyoshi Misumi	235
<b>Formation flight astronomical survey telescope</b>	
Hiroshi Tsunemi	237
<b>Stray light of Suzaku XRT from Crab offset observations</b>	
Yoh Takei, Hiroki Akamatsu, Yuichi Hiyama, Yoshitomo Maeda, Manabu Ishida, Hideyuki Mori, Yoshitaka Ishisaki, and Akio Hoshino	239
<b>Cross spectral calibration of Suzaku, Chandra and XMM-Newton with PKS2155-304</b>	
Manabu Ishida	241
<b>Current status of the Suzaku pointing error</b>	
Yoshitomo Maeda	243
<b>An improved correction method for charge transfer efficiency of XIS onboard Suzaku</b>	
Makoto Sawada, Shinya Nakashima, Masayoshi Nobukawa, Hideki Uchiyama, and XIS Team	245
<b>The calibration status of P-sum mode for XIS on board Suzaku</b>	
T. Kohmura, K. Kawai, S. Ikeda, K. Kaneko, H. Tsunemi, K. Hayashida, H. Nakajima, K. Koyama, T. G. Tsuru, M. Nobukawa, T. Dotani, M. Ozaki, M. Tsujimoto, K. Matsuta, S. Kitamoto, H. Murakami, K. Higashi, H. Uchiyama, K. Mori, and Suzaku XIS Team	247
<b>CTI evolution and its impact on spectral resolution in different orbital environments</b>	
Catherine E. Grant, Beverly LaMarr, Eric Miller, and Mark Bautz	249

<b>A self charge filling (SCF) effect of Suzaku-XIS</b> Shotaro Todoroki, Shunji Kitamoto, and Hiroshi Murakami	251
<b>Soft x-ray response of the x-ray CCD camera directly coated with optical blocking layer</b> S. Ikeda, T. Kohmura, K. Kawai, K. Kaneko, T. Watanabe, H. Tsunemi, K. Hayashida, N. Anabuki, H. Nakajima, S. Ueda, T. G. Tsuru, T. Dotani, M. Ozaki, K. Matsuta, T. Fujinaga, S. Kitamoto, H. Murakami, J. Hiraga, K. Mori, and ASTRO-H SXI Team	253
<b>Optical, UV and soft x-ray transmission of optical blocking layer for the x-ray CCD</b> K. Kawai, T. Kohmura, S. Ikeda, K. Kaneko, T. Watanabe, H. Tsunemi, K. Hayashida, N. Anabuki, H. Nakajima, S. Ueda, T. G. Tsuru, T. Dotani, M. Ozaki, K. Matsuta, T. Fujinaga, S. Kitamoto, H. Murakami, J. Hiraga, K. Mori, and ASTRO-H SXI Team	255
<b>Developments of gas electron multiplier for use hard X-ray detector</b> Kenta Kaneko and Takayoshi Kohmura	257
<b>Evaluation of a SOI pixel sensor with thick depletion layer for future X-ray astronomical missions</b> Shinya Nakashima, Sykyo Gando Ryu, Takeshi Go Tsuru, Ayaki Takeda, Yasuo Arai, Toshinobu Miyoshi, Ryo Ichimiya, Yukiko Ikemoto, Toshifumi Imamura, Takafumi Ohmoto, and Atsushi Iwata	259
<b>X-ray emission due to charge exchange between solar wind and earth atmosphere on September 12, 2005</b> Hironori Matsumoto, Midori Ozawa, and Katsuji Koyama	261
<b>Probing the SWCX induced X-ray emission utilizing spatial and time variabilities associated with the He Focusing Cone</b> H. Yoshitake, K. Mitsuda, N. Y. Yamasaki, and Y. Takei	263
<b>Hard X-ray properties of a variable standard candle, Crab, with the Suzaku/HXD</b> T. Kouzu, Y. Terada, M. S. Tashiro, S. Yamada, A. Bamba, T. Yuasa, K. Mori, Y. Fukazawa, T. Enoto, Y. T. Tanaka, S. Shibata, and K. Makishima	265
<b>Combined XMM-Newton and Suzaku analysis of the SW Cygnus Loop</b> Denis Leahy and Mohammed Hassan	267



<b>Fe-rich and Si-rich ejecta distribution in the Cygnus Loop</b> Hiroshi Nakajima, Hiroshi Tsunemi, Masashi Kimura, Hiroyuki Uchida, and Satoru Katsuda	269
<b>Extremely over-ionized plasma in the supernova remnant G359.1-0.5</b> Takao Ohnishi, Katsuji Koyama, Takeshi Go Tsuru, Kuniaki Masai, Hiroya Yamaguchi, and Midori Ozawa	271
<b>Diffuse hard X-ray emission outside Vela X detected with Suzaku/XIS</b> Satoru Katsuda, Koji Mori, Robert Petre, Hiroya Yamaguchi, Hiroshi Tsunemi, Fabrizio Bocchino, Aya Bamba, Marco Miceli, John W. Hewitt, Tea Temim, Hiroyuki Uchida, and Rie Yoshii	273
<b>Nature of the unidentified TeV source HESS J1614-518 revealed by Suzaku and XMM-Newton observations</b> Michito Sakai, Yukie Yajima, and Hironori Matsumoto	276
<b>The first results from the Suzaku spectroscopic survey of recombining plasma in supernova remnants: W44 and W28</b> Makoto Sawada, Katsuji Koyama, Hiroya Yamaguchi, and Kuniaki Masai	278
<b>Suzaku observation of the VHE gamma-ray source HESS J1427-608</b> Takahisa Fujinaga, Koji Mori, Shoichi Kimura, Aya Bamba, Tadayasu Dotani, Masanobu Ozaki, Hideki Uchiyama, Hironori Matsumoto, Yukikatsu Terada, and Gerd Pühlhofer	280
<b>Wide spatial profiles of Fe K<math>\alpha</math> lines in the Galactic center diffuse X-rays</b> H. Uchiyama, M. Nobukawa, T. G. Tsuru, K. Koyama, and H. Matsumoto	282
<b>New approach to the past activity of Sagittarius A* from a 3 dimensional view of X-ray reflection nebulae near Sagittarius C</b> Syukyo Gando Ryu, Masayoshi Nobukawa, Takeshi Go Tsuru, Shinya Nakashima, Katsuji Koyama, and Hideki Uchiyama	284
<b>How do high velocity clouds produce X-rays?</b> R. L. Shelton, K. Kwak, and D. B. Henley	286
<b>Intensity variation of the Fe K emission lines along the Galactic latitude</b> Naoki Iso, Ken Ebisawa, and Masahiro Tsujimoto	288
<b>Eclipse and collapse of the colliding wind X-ray emission from Eta Carinae</b> Kenji Hamaguchi and Michael F. Corcoran	290

<b><i>Suzaku</i> observations of six early type stars</b> Shunji Kitamoto, Masaki Yoshida, Yusuke Shimizu, and Hiroshi Murakami	292
<b>A contribution of stellar flares to the GRXE; based on MAXI observations</b> M. Matsuoka, M. Sugizaki, Y. Tsuboi, K. Yamazaki, T. Matsumura, T. Mihara, M. Serino, S. Ueno, H. Negoro, and MAXI Team	294
<b>An X-ray spectral study of colliding wind binaries</b> Yasuharu Sugawara, Yoshitomo Maeda, and Yohko Tsuboi	296
<b>XMM-Newton observations of the magnetar CXOU J171405.7-381031 and the surrounding supernova remnant CTB 37B</b> Takuro Sato, Aya Bamba, Manabu Ishida, and Yoshitomo Maeda	298
<b>First INTEGRAL and Swift observations of a giant outburst of A0535+26</b> I. Caballero, S. Müller, P. Bordas, C. Ferrigno, M. Kühnel, K. Pottschmidt, P. Kretschmar, J. Wilms, I. Kreykenbohm, D. Klochkov, A. Santangelo, R. Staubert, S. Suchy, R. Rothschild, A. Camero-Arranz, and M. Finger	300
<b>Suzaku observations of X-ray binary pulsar GX 304-1 triggered by MAXI/GSC in 2010 August</b> T. Yamamoto, T. Mihara, M. Suguzaki, M. Nakajima, K. Yamamoka, M. Matsuoka, and K. Makishima	302
<b>A comparison of broad iron emission lines in archival data of neutron star LMXBs</b> E. M. Cackett, J. M. Miller, R. Reis, A. C. Fabian, and D. Barret	304
<b>RXTE/PCA observations of Hercules X-1: New features of the orbital and 35-day folded light curves</b> Denis Leahy and Ciprian Igna	306
<b>Broad-band Suzaku spectra of the LMXB Aql X-1 in the soft and hard states</b> Soki Sakurai, Shin'ya Yamada, Kazuhiro Nakazawa, and Kazuo Makishima	308

<b>Suzaku observation of a supergiant fast X-ray transient, AX J1841.0-0536</b>	
Kumiko Kawabata, Masayoshi Nobukawa, Takeshi Go Tsuru, and Katsuji Koyama	310
<b>Suzaku studies of SFXT flare mechanisms</b>	
M. Sasano, T. Yuasa, S. Yamada, K. Nakazawa, and K. Makishima	312
<b>Discoveries of new black hole transients MAXI J1659-152 and MAXI J1543-564</b>	
H. Negoro, N. Kawai, K. Yamaoka, and MAXI Team	314
<b>X-ray spectral and timing studies of black hole transients in the hard state at low luminosity</b>	
John A. Tomsick, Kazutaka Yamaoka, Emrah Kalemci, Stéphane Corbel, Philip Kaaret, and Simone Migliari	316
<b>Suzaku observations of two ultraluminous X-ray sources in the nearby spiral galaxy IC 342</b>	
Tessei Yoshida, Naoki Isobe, Shin Mineshige, Aya Kubota, Tsunefumi Mizuno, and Kazuo Makishima	318
<b>Iron line profiles and BH spin in deep <i>Suzaku</i> observations of Seyfert 1 AGN</b>	
A. R. Patrick, J. N. Reeves, A. P. Lobban, D. Porquet, B. and A. G. Markowitz	320
<b>Suzaku wide band observations of the narrow line Seyfert 1 galaxies</b>	
Hiroaki Takahashi, Kiyoshi Hayashida, and Naohisa Anabuki	322
<b><i>Suzaku</i> observations of two narrow-line radio galaxies (3C 403 and IC 5063)</b>	
Fumie Tazaki, Yoshihiro Ueda, Yuichi Terashima, and Richard F. Mushotzky	324
<b>Compton-thick AGN inside local ULIRGs</b>	
Emanuele Nardini, Guido Risaliti, and Eleonora Sani	326
<b>The first MAXI/GSC catalog in the high-Galactic latitude sky</b>	
Kazuo Hiroi, Yoshihiro Ueda, Naoki Isobe, Masaaki Hayashida, and MAXI Team	328
<b>Hunting for dark matter in X-rays</b>	
Michael Loewenstein, Alexander Kusenko, and Antoine Calvez	330

<b>Gas bulk motion in galaxy clusters</b> Takayuki Tamura, Norio Sekiya, Kiyoshi Hayashida, Shutaro Ueda, and Masaaki Nagai	332
<b>Two-phase ICM in the central region of the rich cluster of galaxies Abell 1795: A joint <i>Chandra</i>, <i>XMM-Newton</i>, and <i>Suzaku</i> view</b> Liyi Gu, Haiguang Xu, and Kazuo Makishima	334
<b>Measurement of temperature profiles of AMW 7 and A2104 within the virial radii</b> Akio Hoshino	336
<b>Exploring the outskirts of Abell 2029 and other galaxy clusters using <i>Suzaku</i></b> Stephen Walker, Andy Fabian, Jeremy Sanders, Matt George, and Yuzuru Tawara	338
<b>SUZAKU observation of filamentary junctions in the SDSS galaxies</b> Hajime Kawahara	340
<b>Structural study of galactic hot gas toward Markarian 421 from X-ray absorption and emission lines</b> K. Sakai, K. Mitsuda, N. Y. Yamasaki, Y. Takei, Y. Yao, Q. D. Wang, and D. McCammon	342
<b>Search for X-ray emission from the Shapley supercluster and the WHIM with <i>Suzaku</i></b> Ikuyuki Mitsuishi, Anjali Gupta, Noriko Y. Yamasaki, Yoh Takei, Takaya Ohashi, Kosuke Sato, Massimiliano Galeazzi, J. Patrick Henry, and Richard L. Kelley	344
<b>The <i>Suzaku</i> HXD-WAM in the 3rd interplanetary network - A cycle 1-5 guest investigator project</b> K. Hurley, K. Yamaoka, Y. Fukazawa, Y. Hanabata, T. Murakami, T. Takahashi, M. Ohno, M. Tashiro, and Y. Terada	346
<b><i>Suzaku</i> observation of the transient source swift J164449.3+573451 (GRB110328A)</b> Ryuichi Usui	349
<b>Author Index</b>	351