

# 9TH EUROPEAN CONFERENCE ON THERMOELECTRICS

ECT2011

*Thessaloniki, Greece 28 – 30 September 2011*

## **EDITORS**

K. M. Paraskevopoulos  
E. Hatzikraniotis

*Aristotle University of Thessaloniki, Thessaloniki, Greece*

## **SPONSORING ORGANIZATIONS**

Aristotle University of Thessaloniki  
Research Committee of the Aristotle University of Thessaloniki  
NETZSCH-Geratebau GmbH BU Analyzing & Testing  
Ulvac Technologies  
Waste Heat Recovery Consortium of Japan  
Artemios Paschalidis S.A.

**AIP**  
American Institute  
of Physics

**Melville, New York, 2012**

**AIP | CONFERENCE PROCEEDINGS ■ 1449**

## Editors

K. M. Paraskevopoulos  
E. Hatzikraniotis

Physics Department - Solid State Section  
Aristotle University of Thessaloniki  
54214 Thessaloniki  
Greece

**E-mail:** kpar@auth.gr  
evris@physics.auth.gr

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1048-0/12/\$30.00

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/"Permissions/Reprints" link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: [rights@aip.org](mailto:rights@aip.org).

L.C. Catalog Card No. 2012935193  
ISBN 978-0-7354-1048-0  
ISSN 0094-243X  
Printed in the United States of America

*AIP Conference Proceedings, Volume 1449*  
**9th European Conference on Thermoelectrics**  
**ECT2011**

**Table of Contents**

|  |    |
|--|----|
| <b>Preface: 9th European Conference on Thermoelectrics</b><br>K. M. Paraskevopoulos and E. Hatzikraniotis  | 1  |
| <b>HISTORY</b>   |    |
| <b>Some issues of history and prospects of thermoelectricity</b><br>L. Anatyчук  | 5  |
| <b>A. THEORY</b>   |    |
| <b>Thermoelectric power factor of low dimensional silicon nanowires</b><br>Neophytos Neophytou and Hans Kosina   | 13 |
| <b>Optimal design of nanowire array based thermocouple</b><br>Thulasi Mylvaganam, Kristel Fobelets, and Imad Jaimoukha   | 17 |
| <b>Electron and phonon transmission in diameter-modulated nanowires</b><br>Xanthippi Zianni  | 21 |
| <b>Influence of hole-and phonon-nanoparticle scattering on the transport coefficients in <math>\text{Bi}_x\text{Sb}_{1-x}\text{Te}_3</math> bulk nanostructures</b><br>L. P. Bulat, V. B. Osvenskii, Yu. N. Parkhomenko, and D. A. Pshenay-Severin | 25 |
| <b>On semimetal-semiconductor transition in thin Bi films</b><br>A. Meriuts, E. Rogacheva, and M. Dresselhaus  | 29 |
| <b>Strong reduction of the lattice thermal conductivity in superlattices and quantum dot superlattices</b><br>V. M. Fomin, D. L. Nika, A. I. Cocemasov, C. I. Isacova, and O. G. Schmidt   | 33 |
| <b>Effect of temperature gradient on high-frequency dielectric permittivity in quantum-well superlattice structures</b><br>Roland H. Tarkhanyan and Dimitris G. Niarchos   | 37 |
| <b>KKR-CPA study of <math>\text{Mg}_2\text{X}</math> (X= Si, Ge, Sn) thermoelectric materials</b><br>P. Zwolenski, J. Tobola, and S. Kaprzyk   | 41 |
| <b>Tailoring thermoelectric properties of bismuth: Theoretical investigations</b><br>Lilia M. Woods, A. Popescu, A. Datta, and G. S. Nolas   | 45 |

|  |     |
|--|-----|
| <b>Defect and phase stability of solid solutions of <math>Mg_2X</math> with antifluorite structure. An ab-initio study</b><br>R. Viennois, P. Jund, C. Colinet, and J.-C. Tédénac  | 49  |
| <b>The influence of Zn vacancy on thermal conductivity of <math>\beta</math>-<math>Zn_4Sb_3</math>: A molecular dynamics study</b><br>Guodong Li, Yao Li, Qingjie Zhang, Lisheng Liu, and Pengcheng Zhai                                   | 53  |
| <b>Transport properties calculated from complex energy Fermi surface and Boltzmann approach: Example of <math>TiFe_{1-x}Ni_xSb</math> half-Heusler compound</b><br>K. Kutorasinski, J. Tobola, and S. Kaprzyk                              | 57  |
| <b>Coupled theoretical interpretation and experimental investigation of the lattice thermal conductivity of <math>Bi_2Te_3</math> single crystal</b><br>A. Jacquot, B. Bayer, M. Winkler, and M. Jaegle                                    | 61  |
| <b>A 3D TCAD simulation of a thermoelectric module configured for thermoelectric power generation, cooling and heating</b><br>C. A. Gould, N. Y. A. Shammass, S. Grainger, I. Taylor, and K. Simpson                                       | 65  |
| <b>Analytical and experimental studies on an innovative composite approach for enhanced thermoelectric performance</b><br>John Li, Matthew Barry, Yunfei Ma, Aiping Wu, and Minking K. Chyu  | 69  |
| <b>Fast solution of thermoelectric equation for inhomogeneous devices</b><br>York Christian Gerstenmaier, Stefan Lampenscherf, and Khanh Pham-Gia  | 73  |
| <b>Quadrupole method applied to a thermoelectric leg</b><br>M. Lazard, C. Goupil, G. Fraisse, and H. Scherrer  | 77  |
| <b>B. THERMOELECTRIC MATERIALS</b>   |     |
| <b>Phase stability, structures and thermoelectric properties of the <math>(Bi_2)_m \cdot (Bi_2Te_3)_n</math> infinitely adaptive series</b><br>J.-W. G. Bos, F. Faucheux, R. A. Downie, and A. Marcinkova                                  | 83  |
| <b>Biomolecule-assisted hydrothermal synthesis of <math>Bi_2Te_3</math> nanostructures</b><br>Jian-Li Mi and Bo B. Iversen   | 87  |
| <b>Electrical/Thermoelectric characterization of electrodeposited <math>Bi_xSb_{2-x}Te_3</math> thin films</b><br>Jae-Hong Lim, In-joon Yoo, Mi Yeong Park, Young-Keun Jeong, Dong Chan Lim, Yang Do Kim, Young-Bae Park, and Kyu Hwan Lee | 91  |
| <b>Thermoelectric properties of <math>Bi_2Te_3</math>, <math>Sb_2Te_3</math> and <math>Bi_2Se_3</math> single crystals with magnetic impurities</b><br>V. A. Kulbachinskii, V. G. Kytin, A. A. Kudryashov, and P. M. Tarasov               | 95  |
| <b>Thermoelectric properties of the multilayered <math>Bi_2Te_3</math> with chalcogenide materials</b><br>H. Ryu, S. M. Hyun, and J. Y. Song   | 99  |
| <b>Thermoelectric properties of compacted <math>Bi_{2-x}Sb_xTe_3</math> nanoplatelets with nominal composition of <math>x = 1.5</math></b><br>Chia-Jyi Liu, Gao-Jih Liu, Yen-Liang Liu, and Liang-Ru Chen                                  | 103 |

|  |     |
|--|-----|
| <b>Features of growth and galvanomagnetic properties of the Bi<sub>2</sub>Te<sub>3</sub>-based epitaxial films</b><br>Yuri A. Boikov, Lidia N. Lukyanova, Viacheslav A. Danilov, Mikhail P. Volkov,<br>Boris M. Goltsman, and Vsevolod A. Kutasov                              | 107 |
| <b>Influence of processing parameters on the thermoelectric properties of (Bi<sub>0.2</sub>Sb<sub>0.8</sub>)<sub>2</sub>Te<sub>3</sub> sintered by ECAE</b><br>S. Ceresara, C. Fanciulli, F. Passaretti, and D. Vasilevskiy  | 111 |
| <b>Fabrication and Spark plasma sintering of nanostructured bismuth telluride (Bi<sub>2</sub>Te<sub>3</sub>).</b><br>Mohsin Saleemi, Muhammet S. Toprak, Shanghua Li, Mats Johnsson, and Mamoun Muhammed   | 115 |
| <b>Enhancement of Seebeck coefficient and figure of merit of Ga-doped single crystal <i>p</i>-BiSbTe<sub>3</sub></b><br>V. A. Kulbachinskii, V. G. Kytin, A. A. Kudryashov, and P. M. Tarasov  | 119 |
| <b>Self-organization processes in PbTe-Bi<sub>2</sub>Te<sub>3</sub> semiconductor solid solutions and thermoelectric properties</b><br>Elena Rogacheva, Olga Vodorez, Olga Nashchekina, and Alexander Bondarenko   | 123 |
| <b>N-type thermoelectric recycled carbon fibre sheet with electrochemically deposited Bi<sub>2</sub>Te<sub>3</sub></b><br>E. J. X. Pang, S. J. Pickering, A. Chan, and K. H. Wong  | 127 |
| <b>Cathodic deposition of BiTe as thermoelectric films using choline chloride based ionic liquids</b><br>Florentina Golgovici and Teodor Visan   | 131 |
| <b>Low temperature synthesis and characterization of PbTe-based materials</b><br>Ch. Papageorgiou, J. Giapintzakis, and Th. Kyratsi  | 135 |
| <b>Thermoelectric properties of c-axis aligned Bi-Te materials</b><br>Hoyoung Kim, Dong Hwan Kim, Cham Kim, and SangHa Park  | 139 |
| <b>Thermal, electron transport and far infrared properties of PbTe single crystals doped with Br</b><br>M. V. Nikolic, K. M. Paraskevopoulos, E. Hatzikraniotis, N. Nikolic, S. S. Vujatovic, O. S. Aleksic,<br>T. T. Zorba, Th. Kyratsi, A. Menicanin, and P. M. Nikolic      | 143 |
| <b>Mid-temperature thermoelectric performances in PbS and PbTe</b><br>A. Ishida, Y. Sugiyama, H. Tatsuoka, A. Ito, and K. Isobe  | 147 |
| <b>Thermoelectric transport in PbSe quantum wells</b><br>Elena I. Rogacheva, Olga N. Nashchekina, Svetlana I. Ol'khovskaya, and Millie S. Dresselhaus  | 151 |
| <b>Frequency dependent electron damping in n-type PbSe</b><br>Th. C. Hasapis, J. Androulakis, E. Hatzikraniotis, K. M. Paraskevopoulos, and M. G. Kanatzidis   | 155 |
| <b>Thermoelectric properties of metastable Ge/Sb/Te and Ge/Bi/Te compounds</b><br>Thorsten Schröder, Matthias N. Schneider, Tobias Rosenthal, Philipp Urban, Felix Fahrbauer,<br>Christian Stiewe, Christian Gold, Ernst-Wilhelm Scheidt, Wolfgang Scherer, and Oliver Oeckler | 159 |

|   |     |
|---|-----|
| <b>Thermoelectric property characterisations and structural analysis of nanoalloyed <math>\text{Sb}_x\text{Te}_{1-x}</math> multilayer thin films</b> |     |
| X. Liu, M. Winkler, J. D. König, U. Schürmann, W. Bensch, H. Böttner, and L. Kienle   | 163 |
| <b>Figure of merit of single crystals <math>\text{p}-(\text{Bi}_x\text{Sb}_{1-x})_{2-y}\text{Sn}_y\text{Te}_3</math> in wide temperature range</b>    |     |
| A. A. Kudryashov, V. A. Kulbachinskii, and V. G. Kytin  | 167 |
| <b>Correlation between microstructure and thermoelectric properties of <math>\text{AgPb}_{18}\text{SbTe}_{20}</math> (LAST-18)</b>                    |     |
| S. Perlt, Th. Höche, J. Dadda, E. Müller, P. Bauer Pereira, R. P. Hermann, M. Sarahan, E. Pippel, and R. Brydson                                      | 171 |
| <b>Reinvestigation of the influence of Se impurity on the structural and thermoelectric properties of <math>\text{AgSbTe}_2</math></b>                |     |
| M. Schmidt and K. T. Wojciechowski  | 175 |
| <b>Thermoelectric properties of hot-pressed <math>\text{CrSi}_2</math> samples</b>  |     |
| F. Yu. Solomkin, A. Yu. Samunin, V. K. Zaitsev, A. T. Burkov, S. V. Novikov, and E. A. Gurieva  | 179 |
| <b>Near room temperature power factor of metal sulfides films</b>   |     |
| J. M. Clamagirand, J. R. Ares, I. J. Ferrer, and C. Sánchez   | 183 |
| <b>Fabrication of large sintered pellets of Sb-doped N-type <math>\text{Mg}_2\text{Si}</math> using a plasma activated sintering method</b>           |     |
| Yusuke Hayatsu, Tsutomu Iida, Tatsuya Sakamoto, Shota Kurosaki, Keishi Nishio, Yasuo Kogo, and Yoshifumi Takanashi                                    | 187 |
| <b>Synthesis and characterization of Bi-doped <math>\text{Mg}_2\text{Si}</math> thermoelectric materials</b>  |     |
| S. Fiameni, S. Boldrini, S. Battiston, F. Agresti, A. Famengo, S. Barison, and M. Fabrizio  | 191 |
| <b>Solid-state synthesis and thermoelectric properties of N-type <math>\text{Mg}_2\text{Si}</math></b>  |     |
| Sin-Wook You, Il-Ho Kim, Soon-Mok Choi, Won-Seon Seo, and Sun-Uk Kim  | 195 |
| <b>Development of the method for the preparation of <math>\text{Mg}_2\text{Si}</math> by SPS technique</b>  |     |
| Pawel Nieroda, Rafal Zybala, and Krzysztof T. Wojciechowski   | 199 |
| <b>Formation of <math>\text{Mg}_2\text{Si}</math> thick films on Si substrates using pack cementation process</b>                                     |     |
| D. Stathokostopoulos, D. Chaliampalias, E. Pavlidou, E. Hatzikraniotis, G. Stergioudis, K. M. Paraskevopoulos, and G. Vourlias                        | 203 |
| <b>Thermoelectric properties of <math>\text{Mg}_2\text{Si}</math>-based compounds synthesized partially using magnesium alloy</b>                     |     |
| Takashi Itoh and Kento Hagio  | 207 |
| <b>Nanostructured multilayered thin film barriers for <math>\text{Mg}_2\text{Si}</math> thermoelectric materials</b>                                  |     |
| S. Battiston, S. Boldrini, S. Fiameni, F. Agresti, A. Famengo, M. Fabrizio, and S. Barison  | 211 |
| <b>Influence of film thickness and annealing temperature in growth of <math>\text{Mg}_2\text{Si}</math> thin films</b>                                |     |
| Th. C. Hasapis, E. Hatzikraniotis, E. C. Stefanaki, G. Vourlias, A. Siozios, P. Patsalas, and K. M. Paraskevopoulos                                   | 215 |

|  |     |
|--|-----|
| <b>Nanocrystallization of amorphous M-Si thin film composites (M=Cr, Mn) and their thermoelectric properties</b>   |     |
| A. T. Burkov, S. V. Novikov, and J. Schumann   | 219 |
| <b>Formation of Ni electrodes on sintered N-type Mg<sub>2</sub>Si using monobloc sintering and electroless plating methods</b>   |     |
| Tatsuya Sakamoto, Kazuhiro Sugiyama, Daisuke Mori, Makoto Ogi, Keishi Nishio, Yasuo Kogo, Yoshifumi Takanashi, and Tsutomu Iida  | 223 |
| <b>Alternative route for the preparation of CoSb<sub>3</sub> and Mg<sub>2</sub>Si derivatives</b>  |     |
| E. Godlewska, K. Mars, and K. Zawadzka   | 227 |
| <b>Oxidation resistant coatings for CoSb<sub>3</sub></b>   |     |
| K. Zawadzka, E. Godlewska, K. Mars, and M. Nocun   | 231 |
| <b>Thermoelectric enhancement in CoSb<sub>3</sub> skutterudite compounds with double and triple filling of In, Yb, Ce</b>  |     |
| Cedat Ballikaya, Neslihan Uzar, Saffettin Yildirim, James R. Salvador, and Ctirad Uher   | 235 |
| <b>Beneficial effect of Se substitution on thermoelectric properties in Co<sub>4</sub>Sb<sub>12-x-y</sub>Te<sub>x</sub>Se<sub>y</sub> skutterudites</b>  |     |
| Bo Duan, Pengcheng Zhai, Lisheng Liu, and Qingjie Zhang  | 239 |
| <b>Thermoelectric properties of Ru<sub>2</sub>Ni<sub>2</sub>Sb<sub>12</sub> ternary skutterudite</b>   |     |
| J. Navrátil, T. Plecháček, Č. Drašar, and F. Laufek  | 243 |
| <b>Dependence of microstructure induced with manufacturing parameters and physical properties of compound of skutterudite structure type Ce<sub>x</sub>FeCo<sub>3</sub>Sb<sub>12</sub></b>   |     |
| Adriana Wrona, Jacek Mazur, Małgorzata Kamińska, Katarzyna Bilewska, Mariusz Staszewski, and Marian Czepelak   | 247 |
| <b>Synthesis and thermoelectric properties of the new skutterudites Yb<sub>x</sub>Fe<sub>2</sub>Ni<sub>2</sub>Sb<sub>12</sub> (0 ≤ x ≤ 0.4)</b>  |     |
| Andreas Kaltzoglou, Paz Vaqueiro, and Anthony V. Powell  | 251 |
| <b>Thermoelectric properties of polycrystalline type-I germanium clathrates Ba<sub>8</sub>Ga<sub>16-x</sub>Ge<sub>30+x</sub></b>   |     |
| J. Leszczynski, A. Kozłowski, and K. T. Wojciechowski  | 255 |
| <b>Composition dependence of thermoelectric properties in polycrystalline type-I Ba<sub>8</sub>Ga<sub>x</sub>Si<sub>46-x</sub> (nominal x=14-18) clathrates prepared by combining arc melting and spark plasma sintering methods</b> |     |
| Hiroaki Anno, Hiroki Yamada, Takahiro Nakabayashi, Masahiro Hokazono, and Ritsuko Shirataki  | 259 |
| <b>Crystal structure and XPS analysis of in-doped β-Zn<sub>4</sub>Sb<sub>3</sub></b>   |     |
| Dingguo Tang, Wenyu Zhao, Sudan Cheng, and Qingjie Zhang   | 263 |
| <b>Thermoelectric properties and nonstoichiometry of GaGeTe</b>  |     |
| Č. Drašar, V. Kucek, L. Beneš, and P. Lošťák   | 267 |
| <b>Improved thermoelectric performances in nano-Co<sub>0.97</sub>Pd<sub>0.03</sub>Sb<sub>3</sub></b>   |     |
| E. Alleno, M. Gaborit, B. Lenoir, P. Masschelein, O. Rouleau, and M. F. Trichet  | 271 |

|   |     |
|---|-----|
| <b>Growth, electrical and thermal properties of doped mono and polycrystalline SiGe-based quantum dot superlattices</b>                   |     |
| G. Savelli, D. Hauser, H. Michel, and J. Simon  | 275 |
| <b>Classical and quantum size effects in Bi-Sb thin films</b>   |     |
| Elena I. Rogacheva, Dar'ya S. Orlova, and Millie S. Dresselhaus   | 279 |
| <b>Thermoelectric properties of nanostructured Bi-Sb-Te doped with C<sub>60</sub></b>   |     |
| V. Kulbachinskii, V. Kytin, M. Popov, S. Buga, V. Blank, and P. Stepanov  | 283 |
| <b>Switching effect in transverse thermopower in single-crystal Bi microwires</b>   |     |
| Leonid A. Konopko, Tito E. Huber, and Albina A. Nikolaeva   | 287 |
| <b>Enhancement of thermopower anisotropy in Bi and Bi-Sn wires under elastic deformation and magnetic field</b>                           |     |
| Albina A. Nikolaeva, Leonid A. Konopko, Tito E. Huber, Anna K. Tsurkan, and Oxana V. Botnari  | 291 |
| <b>Prospects of nanostructures Bi<sub>1-x</sub>Sb<sub>x</sub> for thermoelectricity</b>   |     |
| Albina A. Nikolaeva, Leonid A. Konopko, Tito E. Huber, Pavel P. Bodiul, and Ivan A. Popov   | 295 |
| <b>Surface state effects on the thermopower of 30- to 200-nm diameter bismuth nanowires</b>   |     |
| T. E. Huber, K. Owusu, S. Johnson, A. Nikolaeva, L. Konopko, R. C. Johnson, and M. J. Graf  | 299 |
| <b>Comparison of the structural and thermoelectric properties of ball-milled and co-reduced Bi<sub>1-x</sub>Sb<sub>x</sub> nanoalloys</b> |     |
| B. Landschreiber, E. Güneş, C. Rohner, G. Homm, C. Will, A. Sesselmann, P. J. Klar, E. Müller, and S. Schlecht                            | 303 |
| <b>Sintering process in ball-milled K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub> nano-composites</b>  |     |
| M. Ioannou, E. Hatzikraniotis, Ch. Lioutas, K. Chrissafis, D. Y. Chung, K. M. Paraskevopoulos, and Th. Kyratsi                            | 307 |
| <b>High figures of merit in degenerate semiconductors. Energy filtering by grain boundaries in heavily doped polycrystalline silicon</b>  |     |
| Dario Narducci, Ekaterina Selezneva, Gianfranco Cerofolini, Stefano Frabboni, and Giampiero Ottaviani                                     | 311 |
| <b>Preparation and thermoelectric properties of B<sub>4</sub>C-Si-B composites</b>  |     |
| B. Feng, H. P. Martin, R. Hempel-Weber, and A. Michaelis  | 315 |
| <b>Synthesis, characterization and thermoelectric properties of fine grains Gd-doped ZnO</b>  |     |
| Q. N. Pham, F. Brisset, C. Byl, D. Bérardan, and N. Dragoë  | 319 |
| <b>Influence of processing conditions on the thermoelectric properties of La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3</sub> (x=0, 0.05)</b>   |     |
| Ch. Papageorgiou, G. I. Athanasopoulos, Th. Kyratsi, and J. Giapintzakis  | 323 |
| <b>Thermoelectric properties of SnO<sub>2</sub>-based ceramics doped with Nd, Hf or Bi</b>  |     |
| S. Yanagiya, N. V. Nong, M. Sonne, and N. Pryds   | 327 |
| <b>The thermoelectric compound Ca<sub>3</sub>Co<sub>4</sub>O<sub>9</sub> - Synthesis and characteristics</b>                              |     |
| Mojca Presečnik and Slavko Bernik   | 331 |



|  |     |
|--|-----|
| <b>Particle size effects on the thermal conductivity of ZnO</b><br>Espen Drath Bøjesen, Martin Søndergaard, Mogens Christensen, and Bo Brummerstedt Iversen  | 335 |
| <b>Thermoelectric properties and microstructure of modified novel complex cobalt oxides</b><br><b>Sr<sub>3</sub>RECo<sub>4</sub>O<sub>10.5</sub> (RE = Y, Gd)</b><br>Ngo Van Nong and Nini Pryds             | 339 |
| <b>Nb-doped SrTiO<sub>3</sub> glass-ceramics as high temperature stable n-type oxide thermoelectrics</b><br>Julian Lingner, Gerhard Jakob, and Martin Letz   | 343 |
| <b>Semiconducting glasses: A new class of thermoelectric materials?</b><br>A. P. Gonçalves, E. B. Lopes, G. Delaizir, and C. Godart  | 347 |
| <b>Experiments with semiconducting p-type misfit compound</b><br>H. Heinonen and J. Tervo  | 351 |
| <b>Thermal diffusivity measurement system applied to polymers</b><br>B. Abad, P. Díaz-Chao, A. Almarza, D. Amantia, S. Vázquez-Campos, Y. Isoda, Y. Shinohara,<br>F. Briones, and M. S. Martín-González      | 354 |
| <b>Thermoelectric properties of BiTeBr and BiTeI single crystals and composites of BiTeI with BiI<sub>3</sub>,<br/>CuI and Bi</b><br>V. A. Kulbachinskii, V. G. Kytin, A. A. Kudryashov, and A. V. Shevelkov | 358 |
| <b>C. MEASUREMENT AND CHARACTERIZATION</b>   |     |
| <b>Thermoelectric standardisation - Reference materials and characterisation</b><br>P. Ziolkowski, P. Blaschkewitz, C. Stiewe, G. Karpinski, and E. Müller   | 365 |
| <b>Metrology for energy harvesting</b><br>Frank Edler and Ernst Lenz   | 369 |
| <b>Modified Harman's method</b><br>L. I. Anatyshuk and V. V. Lysko   | 373 |
| <b>Construction of Seebeck-coefficient measurement by Kelvin-probe force microscopy</b><br>Hiroya Ikeda, Kazutoshi Miwa, and Faiz Salleh   | 377 |
| <b>Comparison of different methods for measuring thermal conductivities</b><br>D. Hartung, F. Gather, and P. J. Klar   | 381 |
| <b>New measuring techniques for the investigation of thermoelectric properties of nanowires</b><br>M. C. Schmitt, H. Reith, D. Huzel, and F. Völklein  | 385 |

|  |     |
|--|-----|
| <b>Correlation of local and global thermoelectric properties in laterally structured thermoelectric materials</b>                        |     |
| G. Homm, F. Gather, A. Kronenberger, M. Becker, B. K. Meyer, P. J. Klar, P. Ziolkowski, and E. Müller                                    | 389 |
| <b>Anisotropy analysis of thermoelectric properties of <math>\text{Bi}_2\text{Te}_{2.9}\text{Se}_{0.1}</math> prepared by SPS method</b> |     |
| Rafal Zybala and Krzysztof T. Wojciechowski  | 393 |
| <b>Temperature-controlled formation of microstructure of <i>n</i>-type bismuth telluride with SPS method</b>                             |     |
| Jacek Mazur, Adriana Wrona, Katarzyna Bilewska, Mariusz Staszewski, and Marcin Lis   | 397 |
| <b>The effect of substrate on the thermoelectric properties of rf sputtered <math>\text{Bi}_2\text{Te}_3</math> film</b>                 |     |
| Hyo-Jung Kim, Hyun Woo You, Won Chel Choi, Chan Park, Young-Hwan Kim, Seong Il Kim, and Jin-Sang Kim                                     | 401 |
| <b>Cross-plane Seebeck coefficient and thermal conductivity of <math>\text{CuFeSe}_2</math> thin film</b>                                |     |
| P. C. Lee, M. N. Ou, J. Y. Luo, M. K. Wu, and Y. Y. Chen   | 405 |
| <b>Microstructure and thermoelectric properties of bulk and porous <i>n</i>-type silicon-germanium alloy prepared by HUP</b>             |     |
| A. Kallel, G. Roux, T. Derycke, C. L. Martin, M. Marinova, and C. Cayron   | 409 |
| <b>Microstructure for the determination of the Seebeck coefficients of doped polysilicon thin films</b>                                  |     |
| D. Moser, A. Steffen, and O. Paul  | 413 |
| <b>Thermoelectric characteristics of SiGe nanowire arrays as a function of Ge concentration</b>  |     |
| C. B. Li, B. Xu, Z. A. K. Durrani, M. Mironov, and K. Fobelets   | 417 |
| <b>A morphology study on thermoelectric Al-substituted ZnO</b>   |     |
| Nina Schäuble, Benjamin E. Süess, Sascha Populoh, Anke Weidenkaff, and Myriam H. Aguirre   | 421 |
| <b>D. THERMOELECTRIC MODULES</b>   |     |
| <b>Effective power factor and thermoelectric figure of merit</b>   |     |
| Knud Zabrocki, Wolfgang Seifert, and Eckhard Müller  | 427 |
| <b>Impact of internal thermal bypasses in high temperature TE-modules</b>  |     |
| Sarah Laube, Dimitri Tatarinov, Marlis Morschel, and Georg Bastian   | 431 |
| <b>A new method to improve the efficiency of the heat flow path of a micro thermoelectric generator</b>                                  |     |
| Zheng Yuan, Katir Ziouche, Zahia Bougrioua, Pascale Godts, Tuami Lasri, and Didier Leclercq  | 435 |
| <b>Energy possibilities of permeable generator thermoelements based on segmented legs</b>  |     |
| R. G. Cherkez  | 439 |
| <b>Effect of heat-exchange systems on the efficiency of thermoelectric devices</b>   |     |
| A. V. Prybyla and R. G. Cherkez  | 443 |

|   |     |
|---|-----|
| <b>Improving the conversion efficiency of thermoelectric generators through “pulse mode” operation</b><br>Gao Min   | 447 |
| <b>Design and construction of a thermoelectric module based on natural pyrite</b><br>J. M. Clamagirand, J. R. Ares, I. J. Ferrer, and C. Sánchez  | 450 |
| <b>Preparation and characterisation of contacts for high temperature thermoelectric modules</b><br>Jorge García-Cañadas and Gao Min   | 454 |
| <b>Microstructure and contact resistivity of (Bi, Sb)<sub>2</sub>Te<sub>3</sub>/Sb interface</b><br>Fei Li, Xiangyang Huang, Wan Jiang, and Lidong Chen   | 458 |
| <b>Fabrication of thermoelectric modules with Mg<sub>2</sub>Si and SrRuO<sub>3</sub> by the spark plasma sintering method</b><br>Keishi Nishio, Yukie Sawada, Koya Arai, Tatsuya Sakamoto, Yasuo Kogo, and Tsutomu Iida   | 463 |
| <b>Performance characterization of high-efficiency segmented Bi<sub>2</sub>Te<sub>3</sub>/CoSb<sub>3</sub> unicouples for thermoelectric generators</b><br>K. T. Wojciechowski, R. Zybala, J. Leszczynski, P. Nieroda, M. Schmidt, R. Gajerski, and E. Aleksandrova | 467 |
| <b>Reduced energy consumption by massive thermoelectric waste heat recovery in light duty trucks</b><br>D. Marnetto and G. Vidiella   | 471 |
| <b>Exergetic analysis of a thermo-generator for automotive application: A dynamic numerical approach</b><br>O. Glavatskaya, C. Goupil, A. El Bakkali, and O. Shonda   | 475 |
| <b>E. SYSTEM AND INDUSTRIAL APPLICATIONS</b>  |     |
| <b>Thermoelectric harvesting of low temperature natural/waste heat</b><br>David Michael Rowe  | 485 |
| <b>Impact of novel thermoelectric materials on automotive applications</b><br>Mauro Brignone and Alessandro Ziggotti  | 493 |
| <b>CFD modeling of thermoelectric generators in automotive EGR-coolers</b><br>Olle Höglblom and Ronnie Andersson  | 497 |
| <b>Analysis of possibilities of waste heat recovery in off-road vehicles</b><br>K. T. Wojciechowski, R. Zybala, J. Leszczynski, P. Nieroda, M. Schmidt, J. Merksiz, P. Lijewski, and P. Fuc   | 501 |
| <b>Thermoelectric exhaust-gas energy recovery: An integrated approach</b><br>A. V. Powell, A. Kaltzoglou, P. Vaqueiro, G. Min, J. Garcia-Cañadas, R. K. Stobart, J. Li, G. Dong, and A. Wijewardane   | 505 |

|  |     |
|--|-----|
| <b>Thermoelectric device for treatment of radiculitis and spinal massage</b><br>L. I. Anatyshuk and R. R. Kobylyansky  | 509 |
| <b>Design and development of a thermoelectric cogeneration device integrated in autonomous gas heaters</b><br>Matteo P. Codecasa, Carlo Fanciulli, Roberto Gaddi, and Francesca Passaretti   | 512 |
| <b>Efficiency of thermoelectric recuperators of the exhaust gas energy of internal combustion engines</b><br>L. I. Anatyshuk, R. V. Kuz, and Yu. Yu. Rozver  | 516 |
| <b>Study of a thermoelectric system equipped with a maximum power point tracker for stand-alone electric generation.</b><br>C. Favarel, D. Champier, J. P. Bédécarrats, T. Kousksou, and F. Strub  | 520 |
| <b>Thermoelectric generating system attached to a carburizing furnace at Komatsu Ltd., Awazu Plant</b><br>H. Kaibe, K. Makino, T. Kajihara, S. Fujimoto, and H. Hachiuma   | 524 |
| <b>Architectural innovation foresight of thermoelectric generator charger integrated portable power supply for portable consumer electronic device in metropolitan market: The case study of Thailand</b><br>S. Maolikul, S. Kiatgamolchai, and T. Chavarnakul | 528 |
| <b>Electric power output optimization in Seebeck generators: Beyond high <math>ZT</math></b><br>Dario Narducci   | 532 |
| <b>Thermoelectric converters for alternating current standards</b><br>L. I. Anatyshuk and D. D. Taschuk  | 536 |
| <b>A 1 kW<sub>el</sub> thermoelectric stack for geothermal power generation—Modeling and geometrical optimization</b><br>C. Suter, Z. Jovanovic, and A. Steinfeld  | 540 |
| <b>Experimenting with hot isostatically pressed (HIP) nano grained bismuth-telluride-based alloys</b><br>Jouko Virta and Jyrki Tervo   | 544 |
| <b>Self-cooling on power MOSFET using n-type Si wafer</b><br>H. Nakatsugawa, T. Sato, Y. Okamoto, T. Kawahara, and S. Yamaguchi  | 548 |
| <b>Prospects for improvement in LED performance using thermoelectrics</b><br>V. Semenyuk and R. Dekhtiaruk   | 552 |
| <b>Thermoelectric generator hidden in a shirt with a fabric radiator</b><br>Vladimir Leonov, Ruud J. M. Vullers, and Chris Van Hoof  | 556 |
| <b>Author Index</b>  | 561 |