

# 6TH INTERNATIONAL CONFERENCE ON TIMES OF POLYMERS (TOP) AND COMPOSITES

*Ischia, Italy 10 – 14 June 2012*

## **EDITORS**

Alberto D'Amore

Luigi Grassia

*The Second University of Naples-SUN, Aversa, Italy*

Domenico Acierno

*University of Naples Federico II, Naples, Italy*

## **SPONSORING ORGANIZATIONS**

CRdC (Regione Campania – Competence Center on New Technologies)

IMAST (Italian Technological District on Materials and Structures)

AIMAT (Italian Association on Materials Engineering)

INSTM (Italian Institute on Materials Science and Technology)

Sigma-Aldrich

Zwick Roell

TA Instruments

## Editors

Alberto D'Amore  
Luigi Grassia

The Second University of Naples – SUN  
Department of Aerospace and Mechanical Engineering  
Via Roma 19  
81031 Aversa (CE)  
Italy

**E-mail:** alberto.damore@unina2.it  
luigi.grassia@unina2.it

Domenico Acierno  
University of Naples Federico II  
Department of Materials and Production Engineering  
Pazzale V. Tecchio  
80125 Naples  
Italy

**E-mail:** acierno@unina.it

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1062-6/12/\$30.00

© 2012 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: [rights@aip.org](mailto:rights@aip.org).

L.C. Catalog Card No. 2012942895  
ISBN 978-0-7354-1061-9 (Set)\*Qtli kpciRtlpv+  
ISBN 978-0-7354-1062-6 (Book)\*Qtli kpciRtlpv+  
ISSN 0094-243X  
Printed in the United States of America

*AIP Conference Proceedings, Volume 1459*  
**6th International Conference on Times of Polymers (TOP) and Composites**  
**Table of Contents**

<b>PREFACE: 6th International Conference on Times of Polymers (TOP) and Composites</b> Alberto D'Amore, Luigi Grassia, and Domenico Acierno	1
<b>CONTENTS</b>	
<b>Percolation effects on entangled polymer rheology and the glass transition</b> Richard P. Wool	5
<b>Cooperative facilitation approach to glassy dynamics</b> Mauro Sellitto	8
<b>Logarithmic-like relaxation of hydrated peptides</b> A. Bormuth, A. Janz, K. Kämpf, F. Klameth, and M. Vogel	11
<b>Relaxation times of nano-colloid flocculation induced by adsorbing and non-adsorbing polymers</b> Alexander I. Chervanyov and Gert Heinrich	14
<b>Electroactive functional hybrid layered nanocomposites</b> Giovanni Li Destri, Vanna Torrisi, and Giovanni Marletta	17
<b>Biodegradation of high molecular weight polylactic acid</b> Petr Stloukal, Marek Koutny, Vladimir Sedlarik, and Pavel Kucharczyk	20
<b>Biodegradable composites filled with halloysite nanotubes: Calorimetric investigations and structural issues</b> Pietro Russo, Barbara Vetrano, and Domenico Acierno	23
<b>PCL loaded with sol-gel synthesized organic-inorganic hybrid fillers: From the analysis of 2D substrates to the design of 3D rapid prototyped composite scaffolds for tissue engineering</b> R. De Santis, A. Gloria, T. Russo, U. D'Amora, V. D'Antò, F. Bollino, M. Catauro, F. Mollica, S. Rengo, and L. Ambrosio	26
<b>Development of new PLA-based biodegradable compounds</b> Francesca Signori, Alessia Boggioni, Francesco Ciardelli, and Simona Bronco	30

<b>Different routes to the glass transition: A comparison between chemical and physical vitrification</b> Silvia Caponi and Silvia Corezzi	33
<b>Competition between crystallization and vitrification of the rigid amorphous fraction in poly(3-hydroxybutyrate)</b> Maria Laura Di Lorenzo, Maria Cristina Righetti, and Massimo Gazzano	36
<b>Analysis of ageing of amorphous thermoplastic polymers by PVT analysis</b> Antonio Greco, Alfonso Maffezzoli, Riccardo Gennaro, and Michele Rizzo	39
<b>Diffusion of mineral oils in ethylene-vinyl acetate copolymer</b> Emmanuel Richaud, Amar Bellili, and Yannick Goutille	42
<b>Design of new polymeric formulations for drug nanocarriers</b> C. Mattu, R. Li, S. Sartori, M. Boffito, Z. Ramtoola, and G. Ciardelli	45
<b>Gas sorption in poly-(2,6-dimethyl-1,4-phenylene)oxide containing nanoporous crystalline phases</b> M. Galizia, C. Daniel, G. Fasano, G. Guerra, and G. Mensitieri	48
<b>Poly lactic acid based foams prepared via thermally induced phase separation (TIPS): A method to tune the crystallinity</b> Francesco Carfi Pavia, Vincenzo La Carrubba, and Valerio Brucato	51
<b>Crosslinking and ageing of ethylene-vinyl silane copolymer in water bath</b> Petra Trnáčková, Miroslav Pastorek, Roman Čermák, and Martina Polášková	55
<b>Ultrathin polymer films: Interfacial and annealing dependence of confinement effects</b> Daniele Prevosto, Hung K. Nguyen, Massimiliano Labardi, Simone Capaccioli, Mauro Lucchesi, and Pierangelo Rolla	58
<b>Preparation, properties and self-assembly behavior of PTFE based core-shell nanospheres</b> Katia Sparnacci, Diego Antonioli, Michele Laus, Giampaolo Zuccheri, Luca Boarino, Natascia De Leo, and Davide Comoretto	61
<b>Glass transition and segmental dynamics of ultrathin poly(bisphenol a carbonate) films</b> Huajie Yin and Andreas Schönhals	64
<b>Mesoporous silica membranes by self-assembled nanospheres and mediated laser ablation</b> Katia Sparnacci, Guido Panzarasa, Michele Laus, Natascia De Leo, Luca Boarino, Dario Imbraguglio, Philippe Delaporte, and David Grojo	68
<b>Elastomeric polyurea nanocomposites</b> R. Casalini and C. M. Roland	71

<b>Permeation properties of polymer/clay nanocomposites</b> A. Kalendova, D. Merinska, and J. F. Gerard	74
<b>Dielectric properties of biocompatible and biodegradable polycaprolone and polylactide and their nanocomposites in the millimeter wave band</b> D. S. Kalenov, V. V. Meriakri, M. P. Parkhomenko, and Sh. Zhou	77
<b>Effect of clay induced morphological transitions on behaviour of epoxy/PCL nanocomposite</b> Ivan Kelnar and Jakub Rotrekl	80
<b>Correlation between the crosslink density and mechanical properties of the natural rubber nanocomposites</b> M. R. Saeb, H. Ramezani-Dakhel, and B. Esteki	83
<b>The influence of liquid crystalline structure and ceramic nanoparticles inclusion on thermal conductivity of epoxy based thermosets</b> A. M. Scamardella, S. Dello Iacono, C. Carfagna, C. H. Ho, X. Kornmann, and E. Amendola	86
<b>Aggregation induced emission as a new tool for polymer traceability</b> Andrea Pucci, Giuseppe Iasilli, Francesco Tantussi, Francesco Fusco, and Giacomo Ruggeri	89
<b>Organic LED safe-operating area investigated through high applied field dependences</b> G. Nenna, A. De Girolamo del Mauro, M. Maglione, P. Tassini, T. Fasolino, G. Pandolfi, and C. Minarini	92
<b>Photoluminescence and energy transfer in PVK/DCM blends</b> Annalisa Bruno, Anna De Girolamo Del Mauro, Giuseppe Nenna, Maria Grazia Maglione, and Carla Minarini	95
<b>A new index for the prediction of the indentation of composites under low velocity impact loads</b> V. Lopresto, G. Caprino, and C. Leone	98
<b>Influence of the nanoparticle surface polarity on the flow behavior of polymer matrix composites</b> Thomas Hanemann	101
<b>HDPE-HA composites synthesized by <i>in situ</i> polymerization with different filler content</b> V. Hermán, A. Karam, C. Albano, K. Romero, and G. González	104
<b>Ageing of hybrid composites - Specific issues</b> Michele Iannone	107
<b>Conducting polymer/nanodiamond composites: New opportunities and scientific challenges for material science</b> Maria Letizia Terranova, Emanuela Tamburri, Valeria Guglielmotti, Francesco Toschi, Silvia Orlanducci, Daniele Passeri, and Marco Rossi	111

<b>The load separation criterion in elastic-plastic fracture mechanics: Rate and temperature dependence of the material plastic deformation function in an ABS resin</b> Silvia Agnelli, Francesco Baldi, and Theonis Riccò	114
<b>Mode I fracture toughness behavior of hydro-thermally aged carbon fibre reinforced DGEBA-HHPA-PES systems</b> Sabina Alessi, Giuseppe Pitarresi, Giuseppe Spadaro, and Davide Tumino	117
<b>Ageing of a neutron shielding used in transport/storage casks</b> Fidèle Nizeyiman, Aatif Alami, Hervé Issard, and Véronique Bellenger	120
<b>Cellulose based hybrid hydroxylated adducts for polyurethane foams</b> Laura De Pisapia, Letizia Verdolotti, Eduardo Di Mauro, Ernesto Di Maio, Marino Lavorgna, and Salvatore Iannace	123
<b>Anomalous polymer diffusion in unentangled systems</b> Jean Farago, Hendrik Meyer, and Alexander N. Semenov	126
<b>Modeling and experimental approaches for the characterization of phase equilibria in polymer solutions</b> Gianluca A. Mannella, Vincenzo La Carrubba, and Valerio Brucato	129
<b>Becker and Lomnitz rheological models: A comparison</b> Francesco Mainardi and Giorgio Spada	132
<b>Rheology of polysiloxanes filled with getter particles: Effect on moisture adsorption in organic electronics</b> J. Gigli, M. Mudu, P. Vacca, A. Bonucci, R. Giannantonio, and S. Tominetti	136
<b>Linear viscoelasticity of polymer-graphite nanoplatelets (GNPs) nanocomposites</b> Martina Salzano de Luna, Domenico Acierno, Pietro Russo, and Giovanni Filippone	139
<b>Effective multifunctionality of poly(p-phenylene sulfide) nanocomposites filled with different amounts of carbon nanotubes, graphite and short carbon fibers</b> Andreas Noll, Klaus Friedrich, Thomas Burkhart, and Ulf Breuer	142
<b>Quantitative analysis of surface irregularities resulting from flow-induced separation of highly filled compounds</b> Berenika Hausnerová and Vladimír Pata	145
<b>Effect of in-situ bonding system and surface modification of montmorillonite on the properties of butyl rubber/MMT composites</b> S. F. Halim, S. N. Lawandy, and M. A. Nour	148

<b>Nanocomposites of POC and quantum dots</b>	
C. Borriello, S. Concilio, C. Minarini, P. Iannelli, and T. Di Luccio	151
<b>CdSe/CdS nanorods-polymer nanocomposites patternable by e-beam lithography: A novel active 2D photonic quasicrystal simulated, designed, fabricated and characterized</b>	
L. Petti, M. Ripa, R. Capasso, M. Zanella, L. Manna, and P. Mormile	154
<b>Development of new polymers with ultra-low dielectric constant using gaseous CO<sub>2</sub></b>	
Mukhamed Keshtov, Ernest Said-Galiev, and Alexei Khokhlov	157
<b>Conversion of post-industrial PET-PE scraps into compatibilized plastic blends for new applications</b>	
Flavia Bartoli, Cosimo Bruni, Maria-Beatrice Coltelli, Valter Castelvetro, and Francesco Ciardelli	160
<b>Damage initiated self-healing in ionomer blends</b>	
Md. Arifur Rahman, Maurizio Penco, Gloria Spagnoli, Isabella Peroni, Giorgio Ramorino, Luciana Sartore, Fabio Bignotti, and Luca Di Landro	163
<b>ITO-free polymer solar cells with inkjet-printed highly-conductive PEDOT:PSS anode</b>	
I. A. Grimaldi, A. De Girolamo Del Mauro, R. Diana, F. Loffredo, P. Morvillo, F. Villani, and C. Minarini	167
<b>Biodiesel permeability in polyethylene</b>	
Emmanuel Richaud, Bruno Fayolle, Bruno Flaconnèche, and Jacques Verdu	170
<b>Study on the thermal stability of styrene butadiene rubber nanocomposites</b>	
M. R. Saeb, T. N. Chenari, O. Yazdan Parast, B. Jafari, H. Asadi, M. Arfavi Safari, and H. Holisaz	174
<b>A new approach to raising heat resistance of epoxy nanocomposites</b>	
Anatoliy P. Korobko, Irina V. Levakova, and Sergey V. Krasheninnikov	177
<b>A comparative kinetics study of thermal degradation of some novel ABA block copolymers</b>	
Ignazio Blanco, Gianluca Cicala, Antonino Mamo, Alberta Latteri, and Antonino Recca	181
<b>Rheological characterization of UV/visible photopolymerizable coatings</b>	
C. Esposito Corcione and M. Frigione	184
<b>Fluorescent dye-labelled polymer synthesis by nitroxide mediated radical polymerization</b>	
Jozef Kollár, Štefan Chmela, Ľudmila Hřčková, and Pavol Hrdlovič	187
<b>Investigation of a carbon fiber/epoxy prepreg curing behavior for thick composite materials production: An industrial case-study</b>	
Loris Giorgini, Laura Mazzocchetti, Giangiacomo Minak, and Enrico Dolcini	190

<b>Photoactuation behavior of styrene-<i>b</i>-isoprene-<i>b</i>-styrene filled with covalently modified carbon nanotubes</b>	193
Jaroslav Mosnáček, Markéta Ilčíková, Dušan Chorvát, Klaudia Czaniková, and Igor Krupa	
<b>1,2-diketones promoted degradation of poly(epsilon-caprolactone)</b>	196
Martin Danko, Katarina Borska, Sherif Shaban Ragab, Ivica Janigova, and Jaroslav Mosnacek	
<b>Electrical properties of multi-walled carbon nanotube/tetrafunctional epoxy-amine composites</b>	199
Biagio De Vivo, Liberata Guadagno, Patrizia Lamberti, Marialuigia Raimondo, Giovanni Spinelli, Vincenzo Tucci, Luigi Vertuccio, and Vittoria Vittoria	
<b>Broadband dielectric spectroscopy studies of PAMAM-OH dendrimer</b>	202
Abel Garcia-Bernabé and Alejandro Navarro-Gorris	
<b>Solid state NMR spectroscopy investigation of the molecular structure of epoxy based materials cured in different conditions</b>	205
S. Alessi, A. Spinella, E. Caponetti, Maria Antonietta Sabatino, and G. Spadaro	
<b>Clay-filled bio-based blends of poly(lactic acid) and polyamide 11</b>	208
Anna Nuzzo, Domenico Acierno, and Giovanni Filippone	
<b>Temperature dependence of structural relaxation time in drawn polymers: Which is the role of cooperativity?</b>	211
F. Hamonic, A. Saiter, D. Prevosto, E. Dargent, and J. M. Saiter	
<b>Measured-based equivalent RC circuits for simulating the frequency behavior of MWCNT/epoxy nanocomposites</b>	214
Biagio De Vivo, Patrizia Lamberti, Raffaele Raimo, Giovanni Spinelli, and Vincenzo Tucci	
<b>Space resolved relaxation dynamics of poly(vinyl acetate) close to interfaces with SiO<sub>x</sub> nanoinclusions</b>	217
M. Labardi, D. Prevosto, H. K. Nguyen, M. Lucchesi, E. Fanizza, N. Depalo, and M. Striccoli	
<b>Preparation of synthetic copolymers potentially capable to interact with biomacromolecules</b>	220
N. K. Davydova, O. V. Sinitsyna, and K. E. Zinoviev	
<b>Healing efficiency of epoxy-based materials for structural application</b>	223
Marialuigia Raimondo and Liberata Guadagno	
<b>Effect of incorporation of carbon nanotubes on the mechanical properties of epoxy-amine composites</b>	226
Marialuigia Raimondo and Liberata Guadagno	
<b>Design of electrospinning mesh devices</b>	229
Giuseppina Russo, Gerrit W. M. Peters, Ramon H. M. Solberg, and Vittoria Vittoria	



<b>Preparation and characterization of mesh membranes using electrospinning technique</b> Giuseppina Russo, Gerrit W. M. Peters, and Ramon H. M. Solberg	232
<b>The influence of yarn treatment on the tensile properties of biocomposites</b> Anne Širvaitienė, Virginija Jankauskaitė, Paulė Bekampienė, and Audronė Sankauskaitė	235
<b>PLLA- Fe<sub>3</sub>O<sub>4</sub> nanocomposites</b> Carmen Albano, Gema Gonzalez, and Claudio Naranjo	238
<b>PLLA-HA composites: Synthesis and characterization</b> Gema Gonzalez, Carmen Albano, and Jordana Palacios	241
<b>Effect of clay on structure of epoxy/PCL nanocomposite: <i>In situ</i> optical microscopy study</b> Jakub Rotrekl and Ivan Kelnar	244
<b>Effect of the substituents on the thermal stability of hepta cyclopentyl, phenyl substituted - Polyhedral oligomeric silsesquioxane (hcp-POSS)/polystyrene (PS) nanocomposites</b> Ignazio Blanco and Francesco Agatino Bottino	247
<b>Silver nanoparticle synthesis in polymer matrices of various internal structures</b> Nataliya Kutsevol, Iuliia Konko, Michel Rawiso, and Tetiana Bezugla	250
<b>Polyaniline nanofibers: Towards pure electrospun PANI</b> P. Frontera, C. Busacca, P. Antonucci, M. Lo Faro, E. Falletta, C. Della Pina, and M. Rossi	253
<b>Antimicrobial polymer films for food packaging</b> S. Concilio, S. Piotto, L. Sessa, P. Iannelli, A. Porta, E. C. Calabrese, M. R. Galdi, and L. Incarnato	256
<b>Conductive nanocomposite films based on functionalized double-walled carbon nanotubes dispersed in PEDOT:PSS</b> A. De Girolamo Del Mauro, G. Nenna, I. A. Grimaldi, F. Villani, G. Pandolfi, and C. Minarini	259
<b>Electrical stress effects on organic thin-film transistor with solution-processed TIPS-pentacene and poly-4-vinylphenol dielectric</b> Paolo Tassini, Maria Grazia Maglione, Romina Rega, Anna De Girolamo Del Mauro, Tommaso Fasolino, Giuseppe Pandolfi, Enzo Calò, Carla Minarini, and Pasqualino Maddalena	262
<b>Study of aging in pentacene/CYTOP based metal-insulator-semiconductor photosensors</b> F. Loffredo, G. Nenna, I. A. Grimaldi, T. Fasolino, F. Villani, O. Calò, and C. Minarini	265
<b>Rheological characterization of polyolefin composites with reduced flammability</b> Veronika Habrova, Alena Kalendova, and Gordana Paravanova	268
<b>Dispersion effectiveness of organic plasticizers</b> Gordana Paravanová and Berenika Hausnerová	271

<b>Investigation on thermoformability of PLA by rheological and hot tensile tests</b> Emilia Garofalo, Giovanni Iannaccone, Paola Scarfato, Luciano Di Maio, and Loredana Incarnato	274
<b>New polyimide-polyoxometalate nanocomposite materials with nanoporous structure and ultra-low dielectric constant, formed in supercritical carbon dioxide</b> Mukhamed Keshtov, Ernest Said-Galiev, Vitaliy Kochurov, and Alexei Khokhlov	277
<b>Inorganic-organic hybrid antibiocratic covers based on polyurethanes and coordination compounds of some transition metals</b> N. Lekishvili, Kh. Barbakadze, W. Brostow, T. Datashvili, A. Fainleib, and O. Grigorieva	280
<b>Durability of composite polymer materials working in contact with pulp</b> N. S. Abed-Negmatova, G. Gulyamov, S. S. Negmatov, D. M. Hodzhikariev, J. N. Negmatov, Sh. Sh. Eminov, Sh. Bozorbaev, A. Aripova, and M. I. Negmatova	283
<b>Cold-plasma assisted hydrophobisation of cellulose fibres with styrene and <i>para</i>-halogenated homologues</b> C. Gaiolas, A. P. Costa, M. J. Santos Silva, and M. N. Belgacem	286
<b>Morphology of LDPE-poly(3-hydroxybutyrate) films</b> A. A. Ol'khov, S. V. Vlasov, L. S. Shibryaeva, R. Yu. Kosenko, and A. L. Iordanskii	290
<b>Preparation of biomaterials on the basis of a water-soluble cellulose acetate</b> G. Yu. Akmalova, N. S. Gulyamova, U. N. Zainutdinov, G. R. Rakhmanberdiev, K. S. Negmatova, and M. I. Negmatova	293
<b>Cold-plasma assisted grafting of cellulose fibres by acrylic monomers</b> Carla Gaiolas, Maria Emilia Amaral, Ana Paula Costa, Manuel José Santos Silva, and Mohamed Naceur Belgacem	296
<b>Structure and properties of viscous gossypol resin powder</b> K. S. Negmatova, S. S. Negmatov, Y. A. Salimsakov, H. Y. Rakhimov, J. N. Negmatov, S. S. Isakov, N. S. Kobilov, G. N. Sharifov, and M. I. Negmatova	300
<b>Rolling contact fatigue of various unfilled and fiber reinforced polymers</b> Abdulahkim Almajid and Klaus Friedrich	303
<b>Influence of solvent parameters on structure of polyhydroxybutyrate films</b> A. A. Olkhov and A. L. Iordanskii	306
<b>Endurance of high molecular weight carboxymethyl cellulose in corrosive environments</b> M. M. Murodov, G. R. Rahmanberdiev, M. M. Khalikov, E. A. Egamberdiev, K. C. Negmatova, M. M. Saidov, and N. Mahmudova	309
<b>Finite element calculation of residual stress in dental restorative material</b> Luigi Grassia and Alberto D'Amore	312

<b>Novel class of eco-flame retardants based on the renewable raw materials</b> A. M. Sakharov, P. A. Sakharov, S. M. Lomakin, and G. E. Zaikov	316
<b>Composite materials based on soft organic and inorganic ingredients for increasing the durability of roads</b> S. S. Negmatov, B. B. Sobirov, B. Sh. Rakhmonov, J. N. Negmatov, K. M. Inoyatov, M. I. Negmatova, J. A. Salimsakov, D. I. Makhkamov, and A. D. Soliev	319
<b>Synthesis, characterization and molecular dynamic simulation on dendronized poly(diphthalimidoalkyl phenyl) methacrylates</b> D. Radić, L. Alegria, C. Sandoval, and L. Gargallo	322
<b>The temperature dependence of self-adhesion bonding strength for miscible polymers</b> Kh. Sh. Yakh'yaeva, G. V. Kozlov, G. M. Magomedov, and G. E. Zaikov	324
<b>Preparation and luminescence properties of organogel doped with Eu(TTA)<sub>3</sub>phen complex</b> M. Cocca, M. L. Di Lorenzo, M. Avella, G. Gentile, L. Aubouy, M. Della Pirreira, D. Gutiérrez-Tauste, M. Kennedy, J. Doran, and B. Norton	326
<b>Wear-resistant polymer composite filled with finely dispersed wood and carbon/graphite powders</b> S. S. Negmatov, A. N. Shernaev, G. Gulyamov, N. S. Abed-Negmatova, M. M. Saidov, D. H. Musabekov, Sh. S. Negmatov, and M. I. Negmatova	329
<b>Preparation of cellulose acetate nano-biocomposites using acidified gelatin-montmorillonite as nanofiller: Morphology and thermal properties</b> Hafida Ferfera-Harrar and Nassima Dairi	332
<b>Prediction of reinforcement degree for nanocomposites polymer/carbon nanotubes</b> Z. M. Zhirikova, G. V. Kozlov, and V. Z. Aloeov	335
<b>A study of the time dependence of the post yield behavior of a syndiotactic polypropylene</b> C. Marano, N. Perillo, and M. Rink	338
<b>Timescales and properties of PSA (pressure sensitive adhesives)</b> Alberto D'Amore and Luigi Grassia	341
<b>Melt index of low-density polyethylene and its effect on rotational molding</b> A. Kh. Yuldashev, S. S. Negmatov, N. S. Abed-Negmatova, A. G. Abdurakhmanov, Sh. A. Bozorov, Sh. Sh. Eminov, A. Aripova, and D. M. Khodjkariev	344
<b>Enthalpy relaxation of an epoxy matrix/carbon nanotubes</b> A. Martone, L. Grassia, M. Zarrelli, M. Giordano, and A. D'Amore	347
<b>Effect of the aggregate morphology on the dispersability of MWCNTs in polymer melts</b> M. Salzano de Luna, A. Tito, A. Citterio, C. Mazzocchia, D. Acierno, and G. Filippone	350

<b>Handling of composite-metal interface in a hybrid mechanical coupling</b> G. Lamanna, F. Caputo, and A. Soprano	353
<b>Effects of zinc oxide nanoparticles on the performance characteristics of cotton, polyester and their blends</b> K. E. Shady, M. N. Michael, and H. A. Shimaa	356
<b>UV-induced [2+2]-cycloaddition for shell-formation of star polymers</b> Nadja Förster, Ann-Christin Pöppler, and Philipp Vana	360
<b>Author Index</b>	363