

# **14th Biannual Meeting of the Beam Instrumentation Workshop 2010**

**Santa Fe, New Mexico, USA  
2-6 May 2010**

**Editors:**

**J. Douglas Gilpatrick**

**ISBN: 978-1-63266-461-7**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

***License***

This work is licensed under a Creative Commons Attribution 3.0 Unported license:  
<http://creativecommons.org/licenses/by/3.0/>

**You are free to:**

Share - Copy and redistribute the material in any medium or format.  
Adapt – Remix, transform, and build upon the material for any purpose, even commercially.  
The licensor cannot revoke these freedoms as long as you follow the license terms.

**Under the following terms:**

Attribution – You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Printed by Curran Associates, Inc. (2014)

Published by:

JACoW - Joint Accelerator Conferences Website  
c/o Christine Petit-Jean-Genaz  
CERN BE  
CH - 1211 Geneva 23

Phone: 41 22 767 32 75  
[christine.petit-jean-genaz@cern.ch](mailto:christine.petit-jean-genaz@cern.ch)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

## Contents

### Preface

Foreword . . . . .	i
Contents . . . . .	iii
Committees . . . . .	v
Pictures . . . . .	ix
MOFNB01 – Femtosecond Resolution Beam Arrival Time Monitor . . . . .	x
MOFNB02 – Beam Arrival-Time and Position Measurements Using Electro-Optical Sampling of Pickup Signals . . . . .	1
. . . . .	7
MOFNB03 – A Winning Tradition: The Faraday Cup Award . . . . .	17
MOKNB01 – Accelerators at Los Alamos Today . . . . .	20
MOKNB02 – Looking Beyond LANSCE: The MaRIE Facility . . . . .	21
MOIMNB01 – Commissioning and First Performance of the LHC Beam Instrumentation . . . . .	22
MOIMNB02 – The SNS Beam Diagnostics Experience and Lessons Learned . . . . .	30
MOIANB01 – Operational Performance of LCLS Beam Instrumentation . . . . .	34
MOCNB01 – Measurement of Lattice Parameters Without Visible Disturbance to User Beam at Diamond Light Source . . . . .	44
. . . . .	44
MOCNB02 – Diamond Detectors as Beam Monitors . . . . .	49
MOCNB03 – Residual Gas X-ray Beam Position Monitor for PETRA-III . . . . .	53
MOCNB04 – Femtosecond Synchronization of Laser Systems for the LCLS . . . . .	58
MOVNB01 – Advanced Modular Oscilloscopes and Digitizers Optimized for Accelerator Applications . . . . .	63
TUTNB01 – Fundamentals Of Logarithmic Amplifiers And Recent Advances . . . . .	68
TUCNB01 – Sub-nm Beam Motion Analysis Using a Standard BPM with High Resolution Electronics . . . . .	69
TUCNB02 – APS Beam Stability Studies at the 100-Nanoradian Level . . . . .	74
TUCNB03 – Cherenkov Ring to Observe Longitudinal Phase Space of a Low Energy Electron Beam Extracted from RF Gun . . . . .	79
. . . . .	79
TUVNB01 – COTS Technology for High Energy Physics Instrumentation . . . . .	84
TUPSM001 – OTR Polarization Effects in Beam-Profile Monitors at the Fermilab A0 Photoinjector . . . . .	88
TUPSM003 – SNS Target Imaging System Software and Analysis . . . . .	93
TUPSM005 – Gas Scintillation Beam Profile Monitor at COSY Jülich . . . . .	98
TUPSM006 – A Non Destructive Laser Wire for H <sup>-</sup> Ion Beams . . . . .	101
TUPSM007 – Multi-Channeltron Based Profile Monitor at the ISIS Proton Synchrotron . . . . .	106
TUPSM009 – Operational Use of Ionization Profile Monitors at Fermilab . . . . .	111
TUPSM010 – Residual-Gas-Ionization Beam Profile Monitors in RHIC . . . . .	116
TUPSM011 – Beam-Energy and Laser Beam-Profile Monitor at the BNL Linac . . . . .	119
TUPSM012 – Data and Analysis from a Time-Resolved Tomographic Optical Beam Diagnostic . . . . .	122
TUPSM013 – LANSCE Wire Scanning Diagnostics Device Mechanical Design . . . . .	127
TUPSM014 – LANSCE Harp Upgrade: Analysis, Design, Fabrication, and Installation . . . . .	132
TUPSM015 – Resolver-Based, Closed-Loop Position and Velocity Control for the LANSCE-R Wire Scanner . . . . .	137
TUPSM016 – LANSCE Wire Scanner AFE: Analysis, Design, and Fabrication . . . . .	141
TUPSM018 – A Statistical Analysis of the Beam Position Measurement in the Los Alamos Proton Storage Ring . . . . .	146
. . . . .	146
TUPSM019 – Light Yield, Imaging Properties and Spectral Response of Inorganic Scintillators Under Intense Ion Irradiation . . . . .	151
TUPSM020 – Beam Induced Fluorescence Monitor–Spectroscopy in Nitrogen, Helium, Argon, Krypton, and Xenon Gas . . . . .	156
TUPSM023 – Photon Beam Position Measurements by Libera Photon Using Copper Blade Sensors at Soleil Synchrotron . . . . .	160
. . . . .	160
TUPSM025 – The Diagnostics' Back-End Platform Based on the In House Developed A D A And A D O Boards . . . . .	163
. . . . .	163
TUPSM026 – Simulation of a Cavity BPM for High Resolution Single-Pass Beam Position Measurements . . . . .	168
TUPSM027 – New Beam Monitoring Instrumentation at ATF2, KEK . . . . .	173
TUPSM028 – LCLS Resonant Cavity Beam Position Monitors . . . . .	177
TUPSM029 – Design and Performance of SSRL Beam Position Electronics . . . . .	182
TUPSM031 – A Wire Position Monitor System for Superconducting Cryomodules at Fermilab . . . . .	187
. . . . .	187
TUPSM032 – High Resolution Cavity BPM for the CLIC Test Facility . . . . .	189
. . . . .	189

TUPSM033 – Rogue Mode Shielding in NSLS-II Multipole Vacuum Chambers . . . . .	194
TUPSM034 – Optimization of Small Aperture Beam Position Monitors for NSLS-II Project . . . . .	199
TUPSM035 – Concept of Beam Position Monitor with Frequency Multiplexing . . . . .	201
TUPSM037 – NSLS-II RF Beam Position Monitor . . . . .	205
TUPSM038 – Status of the Re-Entrant Cavity Beam Position Monitor for the European XFEL Project . . . . .	210
TUPSM039 – Magnetic Coupled Beam Position Monitor for the FLASH Dump Line . . . . .	214
TUPSM040 – Commissioning Results and Improvements of the Machine Protection System for PETRA III . . . . .	218
TUPSM041 – Development of Button Electrodes for SuperKEKB Rings . . . . .	223
TUPSM042 – Beam Measurements of a Large Solid-Angle Beam Loss Monitor in the APS . . . . .	228
TUPSM043 – High-Power Hard X-ray Beam Position Monitor Development at the APS . . . . .	233
TUPSM044 – Bunch-by-Bunch Diagnostics at the APS Using Time-Correlated Single-Photon Counting Techniques . . . . .	238
TUPSM045 – Numerical Studies of Curtain Gas Jet Generation for Beam Profile Monitoring Applications in the Ultra Low Energy Storage Ring . . . . .	243
TUPSM046 – Influence of Dark Count on the Performance of Silicon Photomultipliers . . . . .	247
TUPSM047 – Beam Position Monitor Development for theUSR . . . . .	252
TUPSM048 – Faraday Cup for Low-Energy, Low-Intensity Beam Measurements at theUSR . . . . .	257
TUPSM049 – Measurement, Simulation, and Suppression of APS Storage Ring Vacuum Chamber TE Modes Impacting Vertical BPM Readings . . . . .	260
TUPSM050 – Studies of APS Storage Ring Vacuum Chamber Thermal Mechanical Effects and their Impact on Beam Stability . . . . .	265
TUPSM051 – The LHC Fast BCT System: A Comparison of Design Parameters with Initial Performance . . . . .	269
TUPSM053 – Analytical Method for Determining Errors in Current Measurements with a Rogowski Coil . . . . .	274
TUPSM054 – Monitoring Transverse Beam Profile with Nonuniformly-Wound Toroidal Coils . . . . .	278
TUPSM057 – Emittance Measurement Wizard at PITZ . . . . .	282
TUPSM058 – Comparison of Extraction and Beam Transport Simulations with Emittance Measurements from the ECR Ion Source VENUS . . . . .	287
TUPSM059 – Estimation of Profile Length in Hybrid Ion Beam Tomography . . . . .	292
TUPSM060 – A Low Energy Ion Beam Pepper Pot Emittance Device . . . . .	297
TUPSM061 – Emittance Measurements at the LBNL ECR and AEGR-U Ion Sources Using a Pepper-Pot Emittance Scanner . . . . .	302
TUPSM062 – Bunch Length Measurements at the SCSS Test Accelerator toward XFEL/SPring-8 . . . . .	307
TUPSM063 – Beam Lifetime Measurements with Libera Brilliance . . . . .	311
TUPSM064 – An FPGA-based Bunch-by-Bunch Tune Measurement System for the APS Storage Ring . . . . .	315
TUPSM065 – Injection Beam Dynamics in SPEAR3 . . . . .	318
TUPSM066 – LHC Beam Stability and Performance of the Q/Q' Diagnostic Instrumentation . . . . .	323
TUPSM067 – High Resolution Beam Orbit Measurement Electronics Based on Compensated Diode Detectors . . . . .	328
TUPSM068 – Improvements for Operational Baseband Tune and Coupling Measurements and Feedback at RHIC . . . . .	333
TUPSM070 – Dynamically Tuned High-Q AC-Dipole Implementation . . . . .	338
TUPSM071 – Digital Base-Band Tune Determination . . . . .	341
TUPSM072 – A Shielded Pick-Up Detector for Electron Cloud Measurements in the CESR-TA Ring . . . . .	345
TUPSM073 – Tune Measurement System at the ALBA Booster . . . . .	350
TUPSM074 – Diagnostics During the ALBA Booster Commissioning . . . . .	353
TUPSM075 – Beam Position Monitors Characterization for ALBA . . . . .	356
TUPSM076 – First Beam Measurements of the FNAL HINS RFQ . . . . .	359
TUPSM077 – Bunch-by-Bunch Detection of Coherent Transverse Modes from Digitized Single-BPM Signals in the Tevatron . . . . .	363
TUPSM080 – 11.424 GHz Stripline Transversal Filter for Sub-Picosecond Bunch Timing Measurements . . . . .	367
TUPSM081 – Stable Transmission of Radio Frequency Signals on Fiber Links Using Interferometric Delay Sensing . . . . .	372
TUPSM082 – Signal Processing for High Precision Phase Measurements . . . . .	375
TUPSM083 – The LCLS Timing Event System . . . . .	379
TUPSM084 – The LCLS Undulator Beam Loss Monitor Readout System . . . . .	384
TUPSM085 – Microwave Link Phase Compensation for Longitudinal Stochastic Cooling in RHIC . . . . .	389

---

TUPSM086 – Bunch Arrival Monitor at FERMI@Elettra . . . . .	394
TUPSM087 – The Copper Free FERMI Timing System: Implementation And Results . . . . .	398
TUPSM088 – Signal Delay Measurement Method for Timing Systems . . . . .	403
TUPSM089 – Reliability Tests of the LHC Beam Loss Monitoring FPGA Firmware . . . . .	408
TUPSM090 – Results of Background Subtraction Techniques on the Spallation Neutron Source Beam Loss Monitors . . . . .	412
TUPSM091 – Modeling the Optical Coupling Efficiency of the Linac Coherent Light Source Beam Loss Monitor Radiator . . . . .	415
TUPSM093 – New Electron Beam Diagnostics in the FLASH Dump Line . . . . .	420
TUPSM095 – Multi-Channel Magnet Power-Supply Ramp Controller for the IUCEEM ALPHA Synchrotron/Storage Ring with Channel Access . . . . .	425
TUPSM096 – Final Focus Ion Beam Intensity from Tungsten Foil Calorimeter and Scintillator in NDCX-I . . . . .	429
TUPSM097 – ADC Considerations and Analysis for Band Pass Sampling Systems . . . . .	434
TUPSM098 – NSLS-II Injector System Diagnostics . . . . .	437
TUPSM099 – Beam Instrumentation Requirements for the HINS Program at Fermilab . . . . .	442
TUPSM100 – PHIL Accelerator at LAL - Diagnostics Status . . . . .	446
TUPSM101 – Design Status of the Diagnostic System for the Taiwan Photon Source Project . . . . .	449
TUPSM102 – Diagnostics Update of the Taiwan Light Source . . . . .	454
TUPSM103 – Recent Upgrade of the PITZ Facility . . . . .	459
TUPSM104 – Beam Based Monitoring of the RF Photo Gun Stability at PITZ . . . . .	464
TUPSM108 – Slow Orbit Feedback at RHIC . . . . .	469
TUPSM109 – NSLS2 Transverse Feedback System Design . . . . .	473
TUPSM110 – Synchrotron Light Monitor System for NSLS-II . . . . .	478
TUPSM112 – Continuous Bunch-by-Bunch 16-bit Data Acquisition using DDR2 SDRAM Connected to an FPGA . . . . .	483
TUPSM113 – Achieving High-Speed Data Acquisition for Real-Time Beam Control and Measurement . . . . .	487
WETNB01 – Tuning the Beam: a Physics Perspective on Beam Diagnostic Instrumentation . . . . .	491
WEIMNB01 – Ion Beam Properties and their Diagnostics for ECR Ion Source Injector Systems . . . . .	498
WEIMNB02 – An Instrumentation Wish List for High Power/High Brightness ERLs . . . . .	506
WEIANB01 – LANSCE Beam Instrumentation and the LANSCE Refurbishment Project . . . . .	516
WEIANB02 – Development of Beam Current Monitor with High Tc SQUID at RIBF . . . . .	523
WECNB01 – Overview of E-XFEL Standard Electron Beam Diagnostics . . . . .	533
WECNB02 – Electro Optical Sampling of Coherent Synchrotron Radiation for Picosecond Electron Bunches With Few pc Charge . . . . .	538
WECNB03 – Beam Halo Imaging Using an Adaptive Optical Mask . . . . .	543
WEDNB01 – DITANET Contributing to State-of-the-Art Diagnostics Developments . . . . .	548
THTNB01 – Beam Loss Monitors (BLMs): Physics, Simulations and Applications in Accelerators . . . . .	553
THIMNB01 – Highlights from DIPAC 2009 . . . . .	566
<b>Appendices</b> . . . . .	573
List of Authors . . . . .	573
Institutes List . . . . .	579
Participants List . . . . .	585