

34th International Free Electron Laser Conference

(FEL 2012)

Nara, Japan
26-31 August 2012

ISBN: 978-1-63266-471-6

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

License

This work is licensed under a Creative Commons Attribution 3.0 Unported license:
<http://creativecommons.org/licenses/by/3.0/>

You are free to:

Share - Copy and redistribute the material in any medium or format.
Adapt – Remix, transform, and build upon the material for any purpose, even commercially.
The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution – You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Printed by Curran Associates, Inc. (2014)

Published by:

JACoW - Joint Accelerator Conferences Website
c/o Christine Petit-Jean-Genaz
CERN BE
CH - 1211 Geneva 23

Phone: 41 22 767 32 75
christine.petit-jean-genaz@cern.ch

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

| | |
|---|-----------|
| Preface | i |
| Contents | iii |
| Papers | vi |
| MOOB01 – First Lasing of the IR FEL at the Fritz-Haber-Institut Berlin | 1 |
| MOOB03 – Progress in SACLA Operation | 5 |
| MOOB04 – SwissFEL, the X-ray Free Electron Laser at PSI | 9 |
| MOOB06 – First Lasing of FERMI FEL-2 (1 ^o Stage) and FERMI FEL-1 Recent Results | 13 |
| MOOC02 – Growth Rates and Coherence Properties of FODO-lattice based X-ray Free Electron Lasers | 25 |
| MOOC03 – On Quantum Effects in Spontaneous Emission by a Relativistic Electron Beam in an Undulator | 29 |
| MOOC04 – Growing Modes of the Free-Electron Laser and Their Bandwidth | 33 |
| MOOCI01 – Laser Phase Errors in Seeded FELs | 17 |
| MOPD01 – Status of the FLASH Facility | 37 |
| MOPD02 – Pulse-front Tilt Caused by the Use of a Grating Monochromator and Self-seeding of Soft X-ray FELs | 41 |
| MOPD03 – Harmonic Lasing in X-ray FELs | 45 |
| MOPD04 – Fitting Formulas for Harmonic Lasing in FEL Amplifiers | 49 |
| MOPD05 – Harmonic Lasing of Thin Electron Beam | 53 |
| MOPD06 – Spatial Properties of the Radiation from SASE FELs at the European XFEL | 57 |
| MOPD07 – On Disruption of the Fundamental Harmonic in SASE FEL with Phase Shifters | 61 |
| MOPD08 – Coherence Properties of the Odd Harmonics of the Radiation from SASE FEL with Planar Undulator | 65 |
| MOPD10 – Nonlinear Harmonic Selection in an FEL Undulator System | 69 |
| MOPD12 – Puffin: A Three Dimensional, Unaveraged Free Electron Laser Simulation Code | 73 |
| MOPD17 – Nonlinear effects in FEL theory and their role in coherent electron cooling | 77 |
| MOPD22 – A General Method for Analyzing 3-D Effects in FEL Amplifiers | 81 |
| MOPD28 – Theoretical Study of Smith-Purcell Free-Electron Lasers | 85 |
| MOPD31 – Injector Optimization for a High-repetition Rate X-ray FEL | 89 |
| MOPD32 – Theory of the Quantum FEL in a Nutshell | 93 |
| MOPD33 – Saturation in Free Electron Laser with Quadrupole Wiggler and Axial Magnetic Field | 97 |
| MOPD35 – Detailed Modeling of Seeded Free-electron Lasers | 101 |
| MOPD36 – Dark Current Studies for SwissFEL | 105 |
| MOPD37 – Switchyard Design: Athos | 109 |
| MOPD38 – Investigation of Non-rectangular RF Pulses influence in Emitted Electron Beam of Thermionic RF-gun at the Linac-based THz Facility in Thailand | 113 |
| MOPD40 – Simulation for New Injector Test Facility of PAL-XFEL | 117 |
| MOPD41 – Low Emittance Injector Development for the PAL-XFEL Project | 121 |
| MOPD42 – Microbunching Instability Study for the PAL-XFEL Linac | 125 |
| MOPD43 – New RF-Gun Design for The PAL-XFEL | 129 |
| MOPD44 – Design of Magnets for PAL-XFEL | 133 |
| MOPD45 – Present Status of Thermionic RF-Gun for Terahertz Source Project at Tohoku University | 137 |
| MOPD46 – Design Study of the LINAC of the Shanghai Soft X-ray Free Electron Laser Facility | 141 |
| MOPD47 – Enhancement of the Electron Energy by using a Linearly Tapered Density in the Laser Wakefield Acceleration | 145 |
| MOPD48 – Overall Performance Comparison of S-band, C-band, and X-band Based Compact XFEL Facilities | 149 |
| MOPD51 – Developing S-band Accelerating Structures | 153 |
| MOPD52 – Beam Dynamics Calculations for the SPring-8 Photoinjector System using Multiple Beam Envelope Equations | 157 |
| MOPD53 – Development of a Photoemission DC Gun at JAEA | 161 |
| MOPD55 – RF DESIGN AND HIGH POWER TESTS OF A NEW TSINGHUA PHOTOCATHODE RF GUN | 165 |
| MOPD56 – Design and Commission of the Driven Laser System for Advanced Superconducting Test Accelerator | 169 |
| MOPD57 – Development of Multi-bunch Laser System for Photocathode RF Gun in KU - FEL | 173 |
| MOPD58 – Commissioning of the FERMI@ELETTRA Laser Heater | 177 |

| | |
|---|-----|
| MOPD59 – PITZ Status, Recent Measurements and Tests | 181 |
| MOPD60 – Optimization of the Transverse Projected Emittance of the Electron Beam at PITZ | 185 |
| MOPD61 – Laser Pulse Train Management with an Acousto-optic Modulator | 189 |
| MOPD62 – High-brightness Electron Beam Evolution In Time Following Laser-Based Cleaning of the LCLS Cathode | 193 |
| TUOAI01 – First Direct Seeding at 38nm | 197 |
| TUOB02 – Spectral Characterization of the FERMI Pulses in the Presence of Electron-beam Phase-space Modulations | 213 |
| TUOB04 – Comparison of Hard X-Ray Self-seeding with SASE after a Monochromator at LCLS | 217 |
| TUOBI01 – System Design for Self-Seeding the LCLS at Soft X-ray Energies | 205 |
| TUOC03 – Use of the Projected Torus Knot Lattice for a Compact Storage Ring FEL | 221 |
| TUOC05 – A New Approach to Improving the Efficiency of FEL Oscillator Simulations | 225 |
| TUPD03 – Preliminary FEL Simulation Study for PAL XFEL | 229 |
| TUPD05 – Sensitivities of FEL Parameters in LUNEX5 in France by GENESIS Simulation | 233 |
| TUPD07 – Generation of Longitudinally Coherent Ultra High Power X-Ray FEL Pulses by Phase and Amplitude Mixing | 237 |
| TUPD08 – Tolerances for a Seeded Free Electron Laser | 241 |
| TUPD10 – Status of Polarization Control Experiment at Shanghai Deep Ultraviolet Free Electron Laser | 245 |
| TUPD11 – Optimization of HHG Seeding at Flash II | 249 |
| TUPD12 – Extension of Self-seeding to Hard X-rays > 10 keV as a Way to Increase User Access at the European XFEL | 253 |
| TUPD13 – Progress Towards HGHG and EEHG at FLASH | 257 |
| TUPD14 – Optical Replica Synthesizer to be Recommissioned with 270 nm Seed at FLASH | 261 |
| TUPD15 – Seeded Coherent Harmonic Generation with in-line Gas Target | 265 |
| TUPD17 – Seeding of SPARC-FEL with a Tunable Fibre-based Source | 269 |
| TUPD19 – The Radiator-first HGHG Multi-MHz X-ray FEL Concept | 273 |
| TUPD20 – Soft X-ray SASE and Self-seeding Studies for a Next-generation Light Source | 277 |
| TUPD21 – Self-Seeding Design for SwissFEL | 281 |
| TUPD22 – Generating Multiple Superradiance Pulses in a Slippage-dominant Free-electron Laser Amplifier | 285 |
| TUPD26 – Fast Beam-Based BPM Calibration | 289 |
| TUPD27 – Beam-based Alignment of an X-FEL Undulator Section Utilizing Corrector Pattern | 293 |
| TUPD28 – Bunch Compression Layout and Longitudinal Operation Modes for the SwissFEL Aramis Line | 297 |
| TUPD32 – Simultaneous Operation of a Multi Beamlne FEL Facility | 301 |
| TUPD33 – Extraction Arc for FLASH II | 305 |
| TUPD34 – Beam Optics Design for PAL-XFEL | 309 |
| TUPD35 – Femtosecond Level Synchronization of a Linac based Super-radiant THz Facility | 313 |
| TUPD36 – Variation of Beam Arrival Timing at SACLA | 317 |
| TUPD37 – Upgrade of a Precise Temperature Regulation System for the Injector at SACLA | 321 |
| TUPD38 – Stability Improvements of SACLA | 325 |
| TUPD39 – Effect of Active Fibre Stabilization on Group and Phase Delay | 329 |
| TUPD41 – Practical Design of Resonance Frequency Tuning System for Coaxial RF Cavity for Thermionic Triode RF Gun | 333 |
| WEOA03 – Machine Protection for Single-Pass FELs | 345 |
| WEOA04 – Time-Resolved Images of Coherent Synchrotron Radiation Effects in the LCLS First Bunch Compressor | 349 |
| WEAOI01 – APEX Initial Commissioning Results | 337 |
| WEBOB02 – Optical Diffraction Radiation Interference as a Non-intercepting Emittance Measurement for High Brightness and High Repetition Rate Electron Beam | 353 |
| WEBOB04 – First Observation of Optical Current Noise Suppression Below the Shot-Noise Limit | 357 |
| WEOC03 – The Novosibirsk Terahertz FEL Facility - Current Status and Future Prospects | 361 |
| WEOC04 – Accelerator Beamlne Performance for the IR FEL at the Fritz-Haber-Institut, Berlin | 365 |
| WEPD01 – Free Electron Lasers in 2012 | 369 |
| WEPD03 – The CSU Accelerator and FEL Facility | 373 |
| WEPD04 – Status of the SOLEIL Femtosecond X-ray Source | 377 |
| WEPD07 – Status of the FLASH II Project | 381 |
| WEPD08 – Upgrades of the Photoinjector Laser System at FLASH | 385 |

| | |
|--|-----|
| WEPD09 – Scheme for Generating and Transporting THz Radiation to the X-ray Experimental Hall at the European XFEL | 389 |
| WEPD10 – Conceptual Design of an Undulator System for a Dedicated Bio-imaging Beamline at the European X-ray FEL | 393 |
| WEPD11 – Dependence of FEL Intensity on the Available Number of Undulators for FERMI FEL-1 | 397 |
| WEPD12 – Status of the DELTA Short-Pulse Facility | 401 |
| WEPD13 – Beam Dynamics Design of the CLARA FEL Test Accelerator | 405 |
| WEPD18 – Potential for Laser-induced Microbunching Studies with the 3-MHz-rate Electron Beams at ASTA | 409 |
| WEPD19 – Design of a Proof-of-principle Experiment Toward the Generation of Coherent Optical Radiation using a 4-MeV Electron Beam | 413 |
| WEPD20 – Time-Sliced Emittance and Energy Spread Measurements at FERMI@Elettra | 417 |
| WEPD26 – Collective and Individual Aspects of Fluctuations in Relativistic Electron Beams for Free-Electron Lasers | 421 |
| WEPD28 – Electron Optics and Magnetic Chicane for Matching an XFEL-Oscillator Cavity into a Beamline at the European XFEL Laboratory | 425 |
| WEPD29 – Numerical Simulations of an XFEL for the European XFEL driven by a Spent Beam | 429 |
| WEPD30 – Simulations of XFEL for the KEK ERL | 433 |
| WEPD31 – Sub-Ångström Stabilization of an X-ray Free Electron Laser Oscillator and Nuclear Resonance Metrology | 437 |
| WEPD32 – Injector System for Linac-based Infrared Free-electron Laser in Thailand | 441 |
| WEPD34 – Beam Dynamics Simulation and Optimization of Electron Beam Properties for IR-FELs at Chiang Mai University | 445 |
| WEPD38 – Improvement of KU-FEL Performance by Replacing Undulator and Optical Cavity | 449 |
| WEPD39 – Status of IR-FEL at Tokyo University of Science | 453 |
| WEPD40 – Hole-coupling in IR FELs: An Experimental Study | 456 |
| WEPD41 – Construction and Commissioning of Coherent Light Source Experiment Station at UVSOR | 460 |
| WEPD42 – Electron Beam Dynamics in the ALICE IR-FEL Facility | 464 |
| WEPD44 – FEL Research and Development at STFC Daresbury Laboratory | 468 |
| WEPD46 – Pulse Structure Measurement of Near-Infrared FEL in Burst-Mode Operation of LEBRA Linac | 472 |
| WEPD47 – Development of Free-electron Lasers using Two "Higher Orders" with the Storage Ring NIJI-IV | 476 |
| WEPD48 – Development of Intense Terahertz-wave Coherent Synchrotron Radiations at LEBRA | 480 |
| WEPD49 – The Terahertz FEL Facility Project at CAEP | 484 |
| WEPD51 – The parameter study of terahertz Free-Electron Laser Oscillator based on Electrostatic Accelerator | 488 |
| WEPD52 – THz Radiation Sources based on RF-linac at Chiang Mai University | 492 |
| WEPD53 – Linac-based THz Imaging at Chiang Mai University | 496 |
| WEPD54 – Characterization of Single-cycle THz Pulses at the CTR Source at FLASH | 500 |
| WEPD55 – Tunable IR/THz Source for Pump Probe Experiments at the European XFEL | 503 |
| WEPD58 – Emission of Coherent T-rays from Trains of Ultrashort Electron Pulses in a Pulsed Helical Undulator | 507 |
| WEPD59 – FLUTE, a Compact Accelerator-based Source for Coherent THz Radiation | 511 |
| WEPD64 – FEL Gain Measurement with a Novel Method | 515 |
| WEPD65 – Design and Numerical Simulation of THz-FEL Amplifier in Kyoto University | 519 |
| WEPD66 – Phase Space Manipulation with Laser-generated Terahertz Pulses | 523 |
| WEPD68 – UCLA Seeded THz FEL Undulator Buncher Design | 527 |
| THOA04 – LUNEX 5 FEL Line Undulators and Magnetic Elements | 531 |
| THOB03 – The Generator of High-power Short Terahertz Pulses | 535 |
| THOB04 – Use of Monocapillary X-Ray Optics as a Means to Reduce Linewidth and Fluctuations in SASE FELs | 539 |
| THOC03 – Measurement of the Transverse Coherence of the Sase FEL Radiation in The Optical Range Using an Heterodyne Speckle Method | 551 |
| THOCl01 – X-ray Based Undulator Commissioning in SACLA | 543 |
| THPD05 – Observation of High Harmonic Generation from 6H-SiC Irradiated by MIR-FEL | 555 |
| THPD06 – Bio-luminescence/Scattering and its Dynamics in Enchytraeus Japonensis by Irradiation of Free Electron Laser | 559 |

| | |
|---|-----|
| THPD08 – Pit Formation on Dental Hard Tissues Using Two Different Free Electron Laser Sources, LEBRA-FEL and KU-FEL | 563 |
| THPD11 – The JLAB UV Undulator | 567 |
| THPD12 – Design and Performance of the NLCTA-Echo 7 Undulators | 571 |
| THPD13 – Design and Performance of the Wedged Pole Hybrid Undulator for the Fritz-Haber-Institut IR FEL | 575 |
| THPD18 – Tuning and Testing of the Prototype Undulator for the European XFEL | 579 |
| THPD19 – Technical Overview of SwissFEL Undulator Line | 583 |
| THPD24 – Origin of Shift Dependent Multipoles in Apple-II Undulators | 587 |
| THPD25 – Feasibility of Diagnostics Undulator Studies at ASTA | 591 |
| THPD27 – Status of PAL-XFEL Undulator System | 595 |
| THPD28 – Beam Diagnostic Systems for PAL-XFEL | 598 |
| THPD30 – Fast, Absolute Bunch Length Measurements in a Linac using an Improved RF-phasing Method | 602 |
| THPD31 – Sub-femtosecond Hard X-Ray Pulse from Very Low Charge Beam at LCLS | 606 |
| THPD33 – Generation of Ultra-short Electron Bunches at FLASH | 610 |
| THPD37 – Beam Dynamic Studies for the Generation of Short SASE Pulses at FLASH | 614 |
| THPD38 – Laser Wavelength Tuning by Variable-gap Undulators in SACLA | 618 |
| THPD40 – Femtosecond Electron Bunch Measurement using THz Cherenkov Radiation in Dielectric Materials | 622 |
| THPD41 – A Simple Model for the Generation of Ultra-Short Radiation Pulses | 626 |
| THPD43 – Progress on a Laser-driven Dielectric Structure for Use as a Short-period Undulator | 630 |
| THPD45 – Beam Dynamics and Performance of ERL-driven X-ray FEL | 634 |
| THPD47 – Progress on the Generation of Undulator Radiation in the UV from a Plasma-based Electron Beam | 638 |
| THPD48 – Numerical Study of an FEL based on LWFA Electrons and a Laser-plasma Wiggler | 642 |
| THPD50 – Steady State Microbunching for High Brilliance and High Repetition Rate Storage Ring-based Light Sources | 646 |
| THPD54 – Dynamics of a Multi-beam Photonic Free Electron Laser | 650 |
| THPD56 – Two-color FEL Generation based on Emittance-spoiler Technique | 654 |
| THPD57 – Application of laser-plasma accelerator beams to Free-Electron Lasers | 658 |
| THPD63 – SwissFEL U15 Magnet Assembly: First Experimental Results | 662 |
| THPD64 – SwissFEL U15 Prototype Design and First Results | 666 |
| THPD65 – High Dynamic Range Beam Imaging with Two Simultaneously Sampling CCDs | 670 |
| THPD67 – Probing Transverse coherence with the Heterodyne Speckle Approach: Overview and Details | 674 |
| FROA03 – The LUNEX5 Project | 678 |
| Appendices | 683 |
| List of Authors | 683 |
| Institutes List | 693 |