

2nd International Beam Instrumentation Conference

(IBIC 2013)

**Oxford, United Kingdom
16-19 September 2013**

ISBN: 978-1-63266-477-8

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

License

This work is licensed under a Creative Commons Attribution 3.0 Unported license:
<http://creativecommons.org/licenses/by/3.0/>

You are free to:

Share - Copy and redistribute the material in any medium or format.
Adapt – Remix, transform, and build upon the material for any purpose, even commercially.
The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution – You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Printed by Curran Associates, Inc. (2014)

Published by:

JACoW - Joint Accelerator Conferences Website
c/o Christine Petit-Jean-Genaz
CERN BE
CH - 1211 Geneva 23

Phone: 41 22 767 32 75
christine.petit-jean-genaz@cern.ch

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Preface	i
Foreword	iii
Contents	v
Committees	xi
Papers	1
MOAL2 – The First Demonstration of EOS 3D-BCD Monitor to Maximize 3D-Overlapping for HHG-Seeded FEL	1
MOAL3 – Diagnostic for a High Repetition Rate Electron Photo-Gun and First Measurements	4
MOAL4 – First Results from the Bunch Arrival-Time Monitor at the SwissFEL Test Injector	8
MOBL1 – Instrumentation and Results from the SwissFEL Injector Test Facility	12
MOBL2 – Thermalized and Reaccelerated Beams at the National Superconducting Cyclotron Laboratory	19
MOBL3 – Electron Bunch Diagnostic at the Upgraded ELBE Accelerator: Status and Challenges	23
MOCL1 – Beam Instrumentation at the Accelerator Test Facility 2	26
MOCL2 – Design of a Novel Cherenkov Detector System for Machine Induced Background Monitoring in the CMS Cavern	33
MOCL3 – Emittance and Momentum Diagnostics for Beams with Large Momentum Spread	37
MOPC02 – Status of Beam Diagnostics for NSLS-II Booster	41
MOPC03 – Overview of the ESS-Bilbao Mobile Diagnostics Test Stand	45
MOPC04 – Electron Beam Collimation for Slice Diagnostics and Generation of Femtosecond Soft X-Ray Pulses from a Free Electron Laser	49
MOPC05 – Beam Diagnostics of SuperKEKB Damping Ring	53
MOPC06 – Beam Diagnostics System for a Photo-Neutron Source Driven by 15MeV Electron Linac	57
MOPC07 – Design Considerations for a New Beam Diagnostics for Medical Electron Accelerators	60
MOPC09 – Development of the Sirius RF BPM Electronics	63
MOPC10 – Optimization of NSLS-II Blade X-ray Beam Position Monitors: From Photoemission Type to Diamond Detector	67
MOPC12 – Development of the New Electronic Instrumentation for the LIPAc/IFMIF Beam Position Monitors	71
MOPC13 – Design of Cold Beam Position Monitor for CADS Injector II Proton LINAC	75
MOPC14 – Beam Position Monitors R&D for keV Ion Beams	78
MOPC16 – FPGA Based Fast Orbit Feedback Data Acquisition System for Electron and Hadron Storage Rings	82
MOPC17 – Calibration of a Non-Linear Beam Position Monitor Electronics by Switching Electrode Signals	85
MOPC18 – Development of a High Dynamic Range Beam Position Measurement System Using Logarithmic Amplifiers for the SPS at CERN	89
MOPC19 – Status of the Beam Position Monitors for LIPAc	93
MOPC20 – Application of Metal-Semiconductor-Metal (MSM) Photodetectors for Transverse and Longitudinal Intra-Bunch Beam Diagnostics	97
MOPC21 – Layout of the BPM System for p-LINAC at FAIR and the Digital Methods for Beam Position and Phase Monitoring	101
MOPC22 – A New High-Dynamic Range BPM for ELBE with Integrated Differential Current Monitor (DCM)	104
MOPC24 – Design Of The Stripline BPM For The Advanced Photoinjector Experiment	108
MOPC25 – About BPMS to be Used for PAL-XFEL	112
MOPC26 – Optimization of Bunch-to-Bunch Isolation in Instability Feedback Systems	116
MOPC27 – Cavity Beam Position Monitor System for ATF2	120
MOPC28 – The Hardware Implementation of the CERN SPS Ultrafast Feedback Processor Demonstrator	124
MOPC29 – Realization of Transverse Feedback System for SIS18/100 using FPGA	128
MOPC31 – Streak Camera Imaging at ELSA	132
MOPC32 – Development Status of Optical Synchronization for the European XFEL	135
MOPC33 – Status of the Fiber Link Stabilization Units at FLASH	139
MOPC34 – Longitudinal Beam Profile Monitor for Investigating the Microbunching Instability at Diamond Light Source	143
MOPC35 – A Beam-Synchronous Gated Peak-Detector for the LHC Beam Observation System	147
MOPC36 – Test of a Non-Invasive Bunch Shape Monitor at GSI High Current LINAC	151
MOPC37 – Longitudinal Bunch Profile Reconstruction Using Broadband Coherent Radiation at FLASH	154
MOPC38 – Overview on Electron Bunch and Photon Beam Diagnostic Techniques for CW Linear Accelerators Using the Example of ELBE	158
Contents	v

MOPC39 – Commissioning of a New Streak Camera at TLS for TPS Project	159
MOPC40 – Measurement of Longitudinal Bunch Profile and Twiss Parameters in SNS LINAC	163
MOPC41 – Engineering Design of the New LCLS X-band Transverse Deflecting Cavity	167
MOPC42 – Novel Pickup for Bunch Arrival Time Monitor	170
MOPC43 – Performance of Detectors using Diamond Sensors at the LHC and CMS	174
MOPC44 – A Gigabit Ethernet Link for an FPGA Based Beam Loss Measurement System	178
MOPC45 – A Prototype Readout System for the Diamond Beam Loss Monitors at LHC	182
MOPC46 – Beam Loss Monitor System for Low-Energy Heavy-Ion FRIB Accelerators	186
MOPC47 – Monte Carlo Simulations of Beam Losses in the Test Beam Line of CTF3	189
MOPF01 – Transverse Beam Size Measurements Using Interferometry at ALBA	193
MOPF02 – The Wire Scanner Control Sytem for C-ADS Injector-II	197
MOPF03 – Laser Diode Velocimeter-Monitor Based on Self-Mixing Technique	200
MOPF04 – Results of the High Resolution OTR Measurements at KEK and Comparison with Simulations	204
MOPF05 – Operating Semiconductor Timepix Detector with Optical Readout in an Extremely Hostile Environment of Laser Plasma Acceleration Experiment	208
MOPF06 – Beam Profile Monitors at REGAE	212
MOPF07 – Turn by Turn Profile Monitors for the CERN SPS and LHC	216
MOPF08 – Design and Performance of the Upgraded LHC Synchrotron Light Monitor	220
MOPF09 – A Gas-Jet Profile Monitor for the CLIC Drive Beam	224
MOPF10 – Off-Axis Undulator Radiation for CLIC Drive Beam Diagnostics	228
MOPF13 – Transverse Beam Profiling for FAIR	232
MOPF14 – Scintillation Screen Response to Heavy Ion Impact	235
MOPF15 – Advanced uses of a Current Transformer and a Multi-Wire Profile Monitor for Online Monitoring of the Stripper Foil Degradation in the 3-GeV RCS of J-PARC	239
MOPF16 – Sub-Micrometre Resolution Laserwire Transverse Beam Size Measurement System	243
MOPF17 – Optical System with Image Intensifier and Spatial Filters for Large Dynamic Range Transverse Beam Profile Measurements	247
MOPF19 – Injection Efficiency Monitoring System at the Australian Synchrotron	248
MOPF20 – Bunch Purity Measurement for BEPCII	252
MOPF22 – The Effect of Space Charge Along the Tomography Section at PITZ	255
MOPF23 – Quantifying Dissipated Power From Wake Field Losses in Diagnostics Structures	259
MOPF24 – Magnetic Materials for Current Transformers	263
MOPF25 – Cryogenic Current Comparator as Low Intensity Beam Current Monitor in the CERN Antiproton Decelerators	267
MOPF26 – New Booster Tune Measurement System for TLS and TPS Prototype	271
MOPF27 – A Beam Current Monitor for the VECC Accelerator	275
MOPF28 – Optics Non-Linear Components Measurement Using BPM Signals	279
MOPF29 – A Non-Invasive Beam Monitor for Hadron Therapy Beams	283
MOPF30 – Novel Diagnostics for Breakdown Studies	287
MOPF31 – Design and Performance of the Biased Drift Tube System in the BNL Electron Lens	291
MOPF32 – Development of Gated Turn-by-Turn Position Monitor System for the Optics Measurement During Collision of SuperKEKB	295
MOPF34 – Nuclotron Deuterons Beam Parameters Measurements Using SSNTD	299
TUAL1 – Longitudinal Phase Space Characterization at FERMI@Elettra	303
TUAL2 – Commissioning the New LCLS X-band Transverse Deflecting Cavity with Femtosecond Resolution	308
TUAL3 – Absolute Bunch Length Measurements at Fermi@ELETTRA FEL	312
TUBL1 – NSLS-II BPM and Fast Orbit Feedback System Design and Implementation	316
TUBL2 – A 4 GS/s Feedback Processing System for Control of Intra-Bunch Instabilities	323
TUBL3 – A Multiband-Instability-Monitor for High-Frequency Intra-Bunch Beam Diagnostics	327
TUCL1 – Overview of Imaging Sensors and Systems Used in Beam Instrumentation	331
TUCL2 – A Development of High Sensitive Beam Profile Monitor using Multi-Screen	338
TUCL3 – Gas Electron Multipliers Versus Multi Wire Proportional Chambers	342
TUPC01 – Overview of the European Spallation Source Warm Linac Beam Instrumentation	346
TUPC02 – Proton Beam Measurement Strategy for the 5 MW European Spallation Source Target	349
TUPC03 – Commissioning and Diagnostics Development for the New Short-Pulse Injector Laser at FLASH	353
TUPC05 – Laser and Photocathode Gun Instrumentation for the ASTA Accelerator Test Stand at SLAC	357

TUPC06 – Status of Beam Diagnostic Systems for TRIUMF Electron Linac	361
TUPC07 – Design and Impedance Optimization of the SIRIUS BPM Button	365
TUPC08 – Design and Impedance Optimization of the LNLS-UVX Longitudinal Kicker Cavity	369
TUPC09 – Longitudinal and Transverse Feedback Systems for the BEPCII Storage Rings	373
TUPC10 – Operation of Diamond Light Source XBPMs with Zero Bias	376
TUPC11 – Beam-Based Measurement of ID Taper Impedance at Diamond	380
TUPC12 – Status of the Stripline Beam Position Monitor Development for the CLIC Drive Beam	384
TUPC13 – System Overview and Design Considerations of the BPM System of the ESS Linac	388
TUPC14 – Development of a Low-Beta Button BPM for PXIE Project	392
TUPC15 – BPM Electronics Upgrade for the Fermilab H ⁻ Linac Based Upon Custom Downconverter Electronics	396
TUPC16 – Bunch-by-Bunch Feedback and Diagnostics at BESSY II	399
TUPC17 – A Multiconductor Transmission Line Model for the BPMs at the 3-50 Beam Transport Line in J-PARC	403
TUPC18 – Development of a Highly Efficient Energy Kicker for Longitudinal Bunch-by-Bunch Feedback	407
TUPC19 – First Beam Tests of a Prototype Cavity Beam Position Monitor for the CLIC Main Beam	411
TUPC20 – Technologies and R&D for a High Resolution Cavity BPM for the CLIC Main Beam	415
TUPC22 – Cavity Beam Position Monitor in Multiple Bunch Operation for the ATF2 Interaction Point Region	419
TUPC24 – The Design Strategy of Orbit Feedback System in the TPS	423
TUPC25 – Design of the SwissFEL BPM System	427
TUPC26 – Beam-line Diagnostics at the Front End Test Stand (FETS), Rutherford Appleton Laboratory, Oxfordshire, UK	431
TUPC28 – Strip Line Monitor design for the ISIS Proton Synchrotron using the FEA program HFSS	435
TUPC29 – Grounded Coplanar Waveguide Transmission Lines as Pickups for Beam Position Monitoring in Particle Accelerators	438
TUPC30 – Design of Strip-Line BPM for Large Thermal Stress Conditions	442
TUPC31 – New Design of High Order Modes Electronics in MTCA.4 Standard for FLASH and the European XFEL	443
TUPC33 – Femtosecond Stable Laser-to-RF Phase Detection for Optical Synchronization Systems	447
TUPC34 – Precision Synchronization of Optical Lasers Based on MTCA.4 Electronics	451
TUPC35 – Upgrade of the Read-out Electronics for the Energy Beam Position Monitors at FLASH and European XFEL	454
TUPC36 – First Realization and Performance Study of a Single-Shot Longitudinal Bunch Profile Monitor Utilizing a Transverse Deflecting Structure	456
TUPC37 – Presentation of the Smith-Purcell Experiment at SOLEIL	460
TUPC38 – Longitudinal Profile Monitor Using Smith-Purcell Radiation: Recent Results from the E-203 Collaboration	464
TUPC39 – Dispersive Fourier-Transform Electrooptical Sampling for Single-Shot Modulation Measurement in a Proton-Driven Plasma Wakefield Accelerator	467
TUPC40 – Bunch Length Measurements Using Correlation Theory in Incoherent Optical Transition Radiation	471
TUPC41 – A Femtosecond Resolution Electro-Optic Diagnostic Using a Nanosecond-Pulse Laser	474
TUPC43 – Bunch Length Measurement With Streak Camera At SSRF Storage Ring	478
TUPC45 – DOSFET-LQ2: An Advanced Online Dosimetry System for RADFET Sensors	481
TUPC46 – Beam Loss Monitoring Study for SIS100@FAIR	485
TUPC47 – Simulation for Radiation Field Caused by Beam Loss of C-ADS Injector II	489
TUPF01 – Proton Emittance Measurements in the Brookhaven AGS	492
TUPF02 – Secondary Emission Monitor for keV Ion and Antiproton Beams	495
TUPF03 – Performance Assessment of Wire-Scanners at CERN	499
TUPF05 – Particle Tracking for the FETS Laser Wire Emittance Scanner	503
TUPF06 – 2D Wire Grid Integrated with Faraday Cup for Low Energy H ⁻ Beam Analysis at Siemens Novel Electrostatic Accelerator	507
TUPF07 – Covariance and Temporal Causality in the Transition Radiation Emission by an Electron Bunch	511
TUPF08 – Characterization of Compressed Bunches in the SwissFEL Injector Test Facility	515
TUPF09 – Commissioning Experience and First Results From the New SLS Beam Size Monitor	519
TUPF10 – A Non-Intercepting Beam Emittance Measurement Device Based on Neutral Beam Fluorescence Method at PKU	522
TUPF11 – Design and Initial Demonstration Results of Laser Wire Scanner for Energy Recovery Linacs	525
TUPF12 – Development of High Resolution Beam Profile Imaging Diagnostics	526
TUPF14 – Description of Laser Transport and Delivery System for the FETS Laserwire Emittance Scanner	527

TUPF15 – Overview of Laserwire Beam Profile and Emittance Measurements for High Power Proton Accelerators	531
TUPF16 – Analysis of Measurement Errors of INR Linac Ionization Beam Cross Section Monitor	535
TUPF17 – Phase Space Measurement using X-ray Pinhole Camera at SSRF	539
TUPF18 – Vertical Undulator Emittance Measurement: A Statistical Approach	543
TUPF19 – APPLE-II Undulator Magnetic Fields Characterised from Undulator Radiation	546
TUPF20 – Low Noise and High Dynamic Range Optical Interferometer Beamsize Measurements	550
TUPF21 – Response of Scintillating Screens to Fast and Slow Extracted Ion Beams	553
TUPF22 – Beam Halo Monitor Based on an HD Digital Micro Mirror Array	557
TUPF24 – Instrumentation for the Proposed Low Energy RHIC Electron Cooling Project	561
TUPF25 – Beam Current Measurement System in CSNS LINAC	565
TUPF26 – Laser-Based Beam Instrumentation R&D within LA3NET	567
TUPF27 – An Ultra Low-Noise AC Beam Transformer and Digital Signal Processing System for CERN's ELENA Ring	571
TUPF28 – A Leading-Edge Hardware Family for Diagnostics Applications and Low-Level RF in CERN's ELENA Ring	575
TUPF29 – Tune Measurement from Transverse Feedback Signals in LHC	579
TUPF30 – Measurements with the Upgraded Cryogenic Current Comparator	583
TUPF31 – Intensity Control in GANIL's Experimental Rooms	587
TUPF32 – A Cryogenic Current Comparator for FAIR with Improved Resolution	590
TUPF33 – Electron Beam Diagnostics Using Radiation from a Free Electron Laser	593
TUPF34 – Resonant TE Wave Measurement of Electron Cloud Density Using Multiple Sidebands	597
TUPF35 – Resonant TE Wave Measurement of Electron Cloud Density Using Phase Detection	601
TUPF36 – Analysis of Modulation Signals Generated in the TE Wave Detection Method For Electron Cloud Measurements	605
WEAL1 – Large Aperture X-ray Monitors for Beam Profile Diagnostics	608
WEAL2 – Extremely Low Emittance Beam Size Diagnostics with Sub-Micrometer Resolution Using Optical Transition Radiation	615
WEAL3 – Diffraction Radiation Test at CsrTA for Non-Intercepting Micron-Scale Beam Size Measurement	619
WEBL1 – Beam Position Monitors: How to Meet the Specifications of Most Recent Accelerators	623
WEBL2 – Applications of Stripline and Cavity Beam Position Monitors in Low-Latency, High-Precision, Intra-Train Feedback Systems	630
WEBL3 – Wake Field Monitors in a Multi Purpose X Band Accelerating Structure	634
WECL1 – Optical Fiber Based Beam Loss Monitor for Electron Storage Ring	638
WECL2 – Radiation Damages and Characterization in the SOLEIL Storage Ring	644
WECL3 – The LUPIN Detector: Supporting Least Intrusive Beam Monitoring Technique Through Neutron Detection	648
WEPC02 – Project PROMETHEUS: Design and Construction of a Radio Frequency Quadrupole at TAEK	652
WEPC03 – Brookhaven 200 MeV Linear Accelerator Beam Instrumentation Upgrade	656
WEPC04 – Beam Diagnostics for Commissioning and Operation of a Novel Compact Cyclotron for Radioisotope Production	660
WEPC05 – The ELENA Beam Diagnostics Systems	664
WEPC06 – Beam Instrumentation in the ESS Cold Linac	667
WEPC07 – Development of the RF Front End Electronics for the SIRIUS BPM System	670
WEPC08 – Vibration Measurement and its Effect on Beam Stability at NSLS2	674
WEPC09 – Performance of NSLS2 Button BPM	678
WEPC10 – Capability Upgrade of the Diamond Transverse Multibunch Feedback	682
WEPC11 – Radiation Resistance Testing of Commercial Components for the New SPS Beam Position Measurement System	686
WEPC12 – Evaluation of Strip-line Pick-up System for the SPS Wideband Transverse Feedback System	690
WEPC13 – Optimisation of the SVD Treatment in the Fast Orbit Correction of the ESRF Storage Ring	694
WEPC14 – Development of High Precision Beam Position Monitor Readout System with Narrow Bandpass Filters for the KEKB Injector Linac Towards the SuperKEKB	698
WEPC15 – Development of the Beam Position Monitors System for the LINAC of SPIRAL2	702
WEPC16 – The Design of BPM Electronic System for CSNS RCS	706
WEPC17 – Design and Simulation of Beam Position Monitor for the CADS Injector I Proton Linac	710
WEPC18 – Development of Compact Electronics Dedicated to Beam Position Monitors in Injectors and Boosters	713

WEPC19 – Performance of Injection Beam Position Monitors in the J-PARC RCS	716
WEPC20 – Bunch Extension Monitor for LINAC of SPIRAL2 facility	720
WEPC21 – Design and Beam Test Results of Button BPMs for the European XFEL	723
WEPC22 – First Steps Towards a Fast Orbit Feedback at ALBA	727
WEPC23 – Design of an Ultra-Compact Stripline BPM Receiver using MicroTCA for LCLS-II at SLAC	731
WEPC24 – Performance Measurements of the New X-Band Cavity BPM Receiver	735
WEPC25 – Optimisation of a Split Plate Position Monitor for the ISIS Proton Synchrotron	739
WEPC26 – Pickup Electrode Electrodynamics Investigation	742
WEPC28 – Bunch By Bunch Transverse Beam Position Observation and Analyze During Injection at SSRF	746
WEPC31 – New Design of the 40 GHz Bunch Arrival Time Monitor Using MTCA.4 Electronics at FLASH and for the European XFEL	749
WEPC32 – Past, Present and Future Aspects of Laser-Based Synchronization at FLASH	753
WEPC33 – Upgrade of Beam Phase Monitors for the ESRF Injector and Storage Ring	757
WEPC34 – Time Trend Observation of Certain Remarked Bunches using a Streak Camera	761
WEPC35 – Progress Report of the Spectral Decoding Based EOS with Organic Pockels EO Crystals	765
WEPC36 – Development of Electron Bunch Compression Monitors for SwissFEL	769
WEPC38 – Current Status of Development of Optical Synchronization System for PAL XFEL	772
WEPC39 – First Tests of the Top-up Gating at Synchrotron SOLEIL	775
WEPC40 – Pickup Signal Improvement for High Bandwidth BAMs for FLASH and European - XFEL	778
WEPC41 – Comparative Analysis of Different Electro-Optical Intensity Modulator Candidates for the New 40 GHz Bunch Arrival Time Monitor System for FLASH and European XFEL	782
WEPC42 – Design of a Time-Resolving Laser Wire for Large Dynamic Range Measurements	786
WEPC43 – Update on Beam Loss Monitoring at CTF3 for CLIC	787
WEPC44 – Operation of Silicon, Diamond and Liquid Helium Detectors in the Range of Room Temperature to 1.9 Kelvin and After an Irradiation Dose of Several Mega Gray	791
WEPC45 – Beam Loss Monitoring at the European Spallation Source	795
WEPC46 – Beam Delivery Simulation (BDSIM): A Geant4 Based Toolkit for Diagnostics and Loss Simulation	799
WEPF01 – Alignment of a Nozzle-Skimmer System for a Non Invasive Gas Jet Based Beam Profile Monitor	803
WEPF03 – Scintillating Screen Monitors for Transverse Electron Beam Profile Diagnostics at the European XFEL	807
WEPF04 – A New Compact Design of a Three-Dimensional Ionization Profile Monitor (IPM)	811
WEPF05 – An Electron Beam Detector for the FLASH II Beam Dump	814
WEPF06 – A Fast Switching Mirror Unit at FLASH	818
WEPF07 – Profile Grid Monitor and First Measurement Results at the MedAustron Accelerator	822
WEPF09 – Profile and Emittance Measurements at the CERN LINAC-4 3 MeV Test Stand	826
WEPF10 – Wire Scanner Design for the European Spallation Source	830
WEPF11 – Emittance Measurement Using X-Ray Lenses at the ESRF	833
WEPF12 – Characterisation of Al-Compound Refractive Lenses for X-Rays	837
WEPF14 – A New Low Intensity Beam Profile Monitor for SPIRAL2	841
WEPF15 – High-Power Tests at CsrTA of X-ray Optics Elements for SuperKEKB	844
WEPF17 – Development of a Beam Profile Monitor using a Nitrogen-Molecular Jet for the J-PARC MR	848
WEPF18 – Zemax Simulations of Diffraction and Transition Radiation	852
WEPF21 – Scanning Wire Beam Position Monitor for Alignment of a High Brightness Inverse-Compton X-ray Source	856
WEPF22 – Non Invasive Optical Synchrotron Radiation Monitor Using a Mini-Chicane	860
WEPF23 – Beam Diagnostics R&D within oPAC	864
WEPF24 – Charge Monitors at the Relativistic Electron Gun for Atomic Exploration – REGAE	868
WEPF25 – Resonator for Charge Measurement at REGAE	872
WEPF26 – Test Bench Experiments for Energy Measurement and Beam Loss of ESS-Bilbao	876
WEPF27 – Coherent Ultraviolet Radiation Measurements of Laser Induced Bunching in a Seeded FEL	879
WEPF28 – Longitudinal Beam Diagnostic from a Distributed Electrostatic Pick-Up in CERN's ELENA Ring	883
WEPF29 – The LHC Fast Beam Current Change Monitor	887
WEPF30 – System Overview and Preliminary Test Results of the ESS Beam Current Monitor System	891
WEPF31 – A FESA DAQ for Fast Current Transformer in SIS 18	894
WEPF32 – Measurement and Control of the Beam Energy for the SPIRAL2 Accelerator	897
WEPF33 – Measurement and Control of the Beam Intensity for the SPIRAL2 Accelerator	900
WEPF34 – Accurate Measurement of Small Electron Beam Currents at the MLS Electron Storage Ring	903

WEPF35 – Current Status of the Schottky Cavity Sensor for the CR at FAIR	907
WEPF36 – X-ray Cherenkov Radiation as a Source for Relativistic Charged Particle Beam Diagnostics	910
THAL1 – Understanding the Tune Spectrum of High Intensity Beams	914
THAL2 – A New Differential and Errant Beam Current Monitor for the SNS Accelerator	921
THAL3 – Charge Distribution Measurements at ALBA	925
THBL1 – RF Heating from Wake Losses in Diagnostics Structures	929
THBL2 – The White Rabbit Project	936
Appendices	943
List of Authors	943
Institutes List	953
Participants List	966