

15th International Conference on RF Superconductivity

(SRF 2011)

**Chicago, Illinois, USA
25-29 July 2011**

ISBN: 978-1-63266-487-7

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

License

This work is licensed under a Creative Commons Attribution 3.0 Unported license:
<http://creativecommons.org/licenses/by/3.0/>

You are free to:

Share - Copy and redistribute the material in any medium or format.
Adapt – Remix, transform, and build upon the material for any purpose, even commercially.
The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution – You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Printed by Curran Associates, Inc. (2014)

Published by:

JACoW - Joint Accelerator Conferences Website
c/o Christine Petit-Jean-Genaz
CERN BE
CH - 1211 Geneva 23

Phone: 41 22 767 32 75
christine.petit-jean-genaz@cern.ch

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

| | |
|---|------|
| Preface | i |
| Foreword | PEDE |
| Contents | v |
| Committees | xii |
| Pictures | PEDE |
| Papers | 2 |
| MOIOA01 – Challenges in SRF Module Production for the European XFEL | 2 |
| MOIOA02 – Advances in SRF Development for ILC | 7 |
| MOIOA03 – Recent SRF Developments for ERLs | PEDE |
| MOIOA04 – SRF Challenges for Improving Operational Electron Linacs | 14 |
| MOIOB01 – SRF Development for High Energy Physics | PEDE |
| MOIOB02 – Advances in SRF for Low Beta Ion Linacs | PEDE |
| MOIOB03 – Advances in SRF for Neutron Sources | PEDE |
| MOIOB04 – Survey of SRF Guns | 23 |
| MOIOB05 – Operational Experience with SRF Cavities for Light Sources | 27 |
| MOIOB06 – Hot Topics: Source of Quench Producing Defects | PEDE |
| MOPO001 – Commercial Superconducting Electron Linacs | PEDE |
| MOPO003 – 650 MHz Cryomodules for Project X at Fermilab – Requirements and Concepts | 34 |
| MOPO004 – Modified SRF Photoinjector for the ELBE at HZDR | 39 |
| MOPO005 – Conceptual Design of the Superconducting Proton Linac (SPL) Short Cryo-module | 43 |
| MOPO006 – Status and Plans for an SRF Accelerator Test Facility at Fermilab | 46 |
| MOPO007 – Test of Components for the S-DALINAC Injector Upgrade* | 50 |
| MOPO008 – RF and SRF Layout of BERLinPro | 53 |
| MOPO009 – Design Status of the SRF Linac Systems for the Facility for Rare Isotope Beams | 56 |
| MOPO010 – Update on Module Measurements for the XFEL Prototype Modules | 65 |
| MOPO011 – Status of SARAF Superconducting Acceleration Module | 69 |
| MOPO012 – Overview of ILC High Gradient Cavity R&D at Jefferson Lab | 74 |
| MOPO013 – RF Test Results from Cryomodule 1 at the Fermilab SRF Beam Test Facility | 79 |
| MOPO014 – Design of the Fundamental Power Coupler and Photocathode Inserts for the 112 MHz Superconducting Electron Gun | 83 |
| MOPO015 – IHEP 1.3GHz SRF Technology R&D Status | 87 |
| MOPO016 – Superconducting RF for the Cornell Energy-Recovery Linac Main Linac | 90 |
| MOPO017 – Performance Limitation Studies on ISAC-II QWR's and e-Linac Elliptical Cavities at TRIUMF | 97 |
| MOPO018 – The Upgraded Injector Cryostat-Module and Upcoming Improvements at the S-DALINAC | 100 |
| MOPO019 – Minimizing Microphonics Detuning by Optimization of Stiffening Rings | 103 |
| MOPO020 – Nine-cell Elliptical Cavity Development at TRIUMF | 107 |
| MOPO021 – Electromechanical Design of 704MHz β 0.65 SC Proton Cavity | 110 |
| MOPO022 – Higher Order Mode Properties of Superconducting Two-Spoke Cavities | 114 |
| MOPO023 – Low Temperature Test of a Low-Beta Elliptical Cavity for PEPP Linac Extension | 117 |
| MOPO024 – Design of Single Spoke Resonators for Project X | 122 |
| MOPO025 – High-Frequency and Mechanical Basic Analysis of Conical Half-Wave Resonator | 127 |
| MOPO026 – $\beta = 0.285$ Half-Wave Resonator for FRIB | 132 |
| MOPO027 – Analysis of HOM Properties of Superconducting Parallel-Bar Deflecting/Crabbing Cavities | 135 |
| MOPO028 – Design of CW Superconducting Buncher for RIKEN RI-Beam Factory | 138 |
| MOPO029 – Some Design Analysis on the Low-Beta Multi-Spoke Cavities | 141 |
| MOPO030 – The sc cw -LINAC Demonstrator - First section of a sc cw -LINAC | 144 |
| MOPO031 – Electro-Magnetic Optimization and Analyses of Etching for HIRFL Quarter-Wave Resonators | 147 |
| MOPO032 – Development of a Frequency Map for the WiFEL SRF Gun | 151 |
| MOPO033 – Design of Superconducting Multi-Spoke Cavities for High-Velocity Applications | 154 |
| MOPO034 – Optimized RF Design of 704 MHz $\beta=1$ Cavity for Pulsed Proton Drivers | 157 |
| MOPO035 – Structural Mechanical Analysis of Superconducting CH-Cavities | 162 |
| MOPO036 – Design Optimization of Spoke Cavity of Energy-Recovery Linac for Non-Destructive Assay Research | 165 |
| MOPO037 – Development of Superconducting CH Cavities | 169 |

| | |
|--|-----|
| MOPO038 – Development of the Demountable Damped Cavity | 172 |
| MOPO039 – Low- β Triple Spoke Cavity Design Improvement for Proton Linac | 177 |
| MOPO041 – Conceptual Design of the $\beta = 0.86$ Cavities for the Superconducting Linac of ESS | 180 |
| MOPO042 – Coupler Design for a Sample Host TE Cavity | 184 |
| MOPO043 – Mechanical Study of Superconducting Parallel-Bar Deflecting/Crabbing Cavities | 188 |
| MOPO044 – Electromagnetic Design Optimization of a Half-Wave Resonator | 192 |
| MOPO045 – Coupled Electromagnetic and Mechanical Simulations for Half-Wave Resonator Design | 197 |
| MOPO046 – Electromagnetic Optimization of the FRIB 322 MHz $\beta=0.29$ Half Wave Resonator | 200 |
| MOPO047 – HOM Cavity Design for the TRIUMF E-LINAC | 203 |
| MOPO049 – Electro-Magnetic Optimization of a Quarter-Wave Resonator | 206 |
| MOPO050 – Design of a 1500 MHz Bunch Lengthening Cavity for NSLS-II | 210 |
| MOPO051 – Design for Manufacture of a Superconducting Half Wave Resonator $\beta=0.53$ | 213 |
| MOPO052 – Studies on a Plunger Tuner System for a Double Spoke Cavity | 216 |
| MOPO053 – Designs of Superconducting Parallel-Bar Deflecting Cavities for Deflecting/Crabbing Applications | 219 |
| MOPO054 – Superconducting 112 MHz QWR Electron Gun | 223 |
| MOPO055 – Superconducting Resonator Production for Ion Linac at Michigan State University | 226 |
| MOPO056 – Beam Break Up Studies for Cornell's Energy Recovery Linac | 229 |
| MOPO057 – Coupler Kick Studies in Cornell's 7-Cell Superconducting Cavities | 232 |
| MOPO058 – Analysis of Beam Damage to FRIB Driver Linac | 236 |
| MOPO060 – Higher Order Modes for Beam Diagnostics in Third Harmonic 3.9 GHz Accelerating Modules | 239 |
| MOPO061 – Effects of Elliptically Deformed Cell Shape in the Cornell ERL Cavity | 244 |
| MOPO062 – BEPCII Superconducting RF System Operation Status | 247 |
| MOPO063 – HOM Measurements with Beam at the Cornell Injector Cryomodule | 251 |
| MOPO064 – Adaptive Lorentz Force Detuning Compensation in the ILC S1-G Cryomodule at KEK | 254 |
| MOPO066 – SCREAMm – Modified Code SCREAM to Simulate the Acceleration of a Pulsed Beam Through the Superconducting Linac | 258 |
| MOPO067 – CW Measurements of Cornell LLRF System at HoBiCaT | 262 |
| MOPO068 – Reliability Improvements of the Diamond Superconducting Cavities | 267 |
| MOPO070 – Preliminary Test Results from 650 MHz Single Cell Medium Beta Cavities for Project X | 271 |
| TUIOA01 – Atmospheric Surface Treatments to SC cavities | 275 |
| TUIOA02 – Multilayer Coatings: Opportunities and Challenges | 280 |
| TUIOA03 – Magnetic Screening of NbN Multilayers Samples | 281 |
| TUIOA04 – MgB ₂ Thin Film Studies | 287 |
| TUIOA05 – The Superheating Field of Niobium: Theory and Experiment | 293 |
| TUIOA06 – Deposition of Niobium and Other Superconducting Materials With High Power Impulse Magnetron Sputtering: Concept and First Results | 302 |
| TUIOB01 – Energetic Condensation Growth of Nb Thin-films | 309 |
| TUIOB02 – Summary of the Symposium on Ingot Nb and New Results on Fundamental Studies of Large Grain Nb | 319 |
| TUIOB03 – Testing the RF Properties of Novel Super Conducting Materials | 325 |
| TUIOB04 – Muon Spin Rotation/Relaxation Studies of Niobium for SRF applications | 326 |
| TUIOB05 – New Approaches to Nb Thin Film Coating | 327 |
| TUIOB06 – Nb Films: Substrates, Nucleation & Crystal Growth | 332 |
| TUIOB07 – Magnesium Diboride Films for SRF Cavity Applications | 336 |
| TUIOB08 – Hot Topic: Medium Field Q-Slope and Paths to High-Q Operation | 340 |
| TUPO001 – Development of Quality Assurance Procedures for the Fast/Slow Tuners on the 1.3 GHz SRF Cavities for the SRF Accelerator Test Facility at Fermilab | 344 |
| TUPO002 – High Power Pulsed Tests of a $\beta=0.5$ 5-Cell 704 MHz Superconducting Cavity | 345 |
| TUPO003 – Cooling Properties of HOM Absorber Model for cERL in Japan | 350 |
| TUPO004 – Development and Testing of Prototype Fundamental Power Couplers for FRIB Half Wave Resonators | 353 |
| TUPO005 – High Power Tests of KEK-ERL Input Coupler for Main Linac Under LN ₂ Condition | 356 |
| TUPO006 – High Power Couplers for the Project X Linac | 361 |
| TUPO007 – Development of STF Input Couplers for ILC | 364 |
| TUPO008 – Vertical Test Facility for Superconducting RF Cavities at Daresbury Laboratory | 365 |

| | |
|--|-----------------------|
| TUPO009 – How to Eliminate a Copper Coating and to Increase an Average Power of Main Coupler | 368 |
| TUPO010 – Conditioning the Fundamental Power Coupler for ERL SRF Gun | 371 |
| TUPO011 – Coupler Cleaning Machine | 374 |
| TUPO012 – Niobium Electropolishing in an Aqueous, Non-Viscous HF-Free Electrolyte: A New Polishing Mechanism | 377 |
| TUPO013 – Assembly of the International ERL Cryomodule at Daresbury Laboratory | 382 |
| TUPO014 – High Gradient Results of ICHIRO 9-Cell Cavity in Collaboration With KEK and Jlab | 386 |
| TUPO015 – Standard Procedures of ILC High Gradient Cavity Processing at Jefferson Lab | 391 |
| TUPO016 – Study Correlating Niobium Surface Roughness with Surface Particle Counts | 394 |
| TUPO017 – Development and Scale-Up of an HF Free Electropolishing Process in Single-Cell Niobium SRF Cavities | 397 |
| TUPO018 – Update of the DESY Infrastructure for Cavity Preparation | 401 |
| TUPO019 – Fabrication, Tuning, Treatment and Testing of Two 3.5 Cell Photo-Injector Cavities for the ELBE Linac | 405 |
| TUPO021 – Current State of Electropolishing at ANL | 408 |
| TUPO022 – Effects of Cathode Shapes on BEP and EP During Vertical Surface Treatments on Niobium | 411 |
| TUPO023 – Development of the Superconducting Cavity for ILC at TOSHIBA | 418 |
| TUPO024 – Sulfur Residues in Niobium Electropolishing | 421 |
| TUPO025 – Integrated Cavity Processing Apparatus at Fermilab: SRF Cavity Processing R&D | 424 |
| TUPO026 – Nine - Cell Tesla Shape Cavities Produced From Hydroformed Cells | P <small>DF</small> E |
| TUPO027 – A New Home for SRF Work at JLab—the Technology and Engineering Development Facility . | P <small>DF</small> E |
| TUPO028 – Qualification of the Second Batch Production 9-Cell Cavities Manufactured by AES and Validation of the First US Industrial Cavity Vendor for ILC | 433 |
| TUPO029 – Gradient Improvement by Removal of Identified Local Defects | 436 |
| TUPO030 – Status of the 9-Cell Superconducting Cavity R&D for ILC at Hitachi | 439 |
| TUPO031 – Update on the R&D of Vertical Buffered Electropolishing on Nb Samples and SRF Single Cell Cavities | 442 |
| TUPO032 – Updates on R&D of Nondestructive Inspection Systems for SRF Cavities | 447 |
| TUPO033 – Study of I-V Characteristics at Different Locations Inside a Demountable Nb SRF Cavity During Vertical BEP and EP Treatments | 450 |
| TUPO034 – A Flexible System for the High Pressure Rinsing of SRF Cavities | 456 |
| TUPO035 – Cryogenic Test of a Two-Cell Passive SRF Cavity for NSLS-II | P <small>DF</small> E |
| TUPO036 – Material for European XFEL Resonators | P <small>DF</small> E |
| TUPO037 – Study on Electro-Polishing Process by Niobium-Plate Sample With Artificial Pits | 461 |
| TUPO038 – Superconducting RF Cavity Development With UK Industry | 464 |
| TUPO039 – Long-Term Monitoring of 2nd-Period EP-Electrolyte in STF-EP Facility at KEK | 467 |
| TUPO041 – Investigation on Cavity String Assembly and Repair | 472 |
| TUPO042 – SLAC/FNAL TTF3 Coupler Assembly and Processing Experience | 476 |
| TUPO043 – Optimization of Ar/Cl ₂ Plasma Parameters Used for SRF Cavity Etching | 479 |
| TUPO044 – Correction of a Superconducting Cavity Shape Due to Etching, Cooling Down and Tuning | 482 |
| TUPO045 – Investigations to Understand the Origin of Degradation of Super Conducting Cavities found in Acceleration Modules at DESY | 486 |
| TUPO046 – Results on Large Grain Nine-Cell Cavities at DESY: Gradients up to 45 MV/m after Electropolishing | 490 |
| TUPO048 – Commissioning and Upgrade of Automatic Cavity Tuning Machines for the European Xfel | 495 |
| TUPO049 – Q0 Improvement of Large-Grain Multi-Cell Cavities by Using JLab's Standard ILC EP Processing | 501 |
| TUPO050 – Studies on Transportation of Superconducting Resonators and Beam Position Monitors - Quadrupol Units for the XFEL Project | 504 |
| TUPO051 – High-Temperature Heat Treatment Study on a Large-Grain Nb Cavity | 508 |
| TUPO052 – Fabrication and Test of 500MHz Nb Cavity for BEPCII | 512 |
| TUPO053 – Optical Inspection of SRF Cavities at Fermilab | 515 |
| TUPO054 – SRF Cavity Surface Topography From Optical Inspection | 519 |
| TUPO055 – Horizontal SRF Cavity Testing at Fermilab | 522 |
| TUPO057 – Buffered Chemical Polishing Development for the $\beta=0.53$ Half-Wave Resonator at Michigan State University | 526 |

| | |
|---|----------------------|
| TUPO058 – CERN SRF Assembling and Test Facilities | 530 |
| TUPO059 – SRF Cavity Processing and Cleanroom Facility Upgrades at Michigan State University | 533 |
| TUPO060 – Dewar Testing of $\beta = 0.085$ Quarter Wave Resonators at MSU | 537 |
| TUPO061 – Preparation and Testing of the SRF Cavities for the CEBAF 12 GeV Upgrade | 542 |
| TUPO062 – Vertical Electro-Polishing at CEA Saclay: Commissioning of a New Set-Up and Modeling of the Process Applied to Different Cavities | 549 |
| TUPO065 – Economical Manufacture of Seamless High-Purity Niobium | 555 |
| TUPO066 – Analysis of Recent Results from Second Sound, Temperature Mapping and Optical Inspection of 1.3 GHz Cavities at DESY | 558 |
| TUPO068 – Electropolishing of Niobium to Obtain Defect Free Surface | 561 |
| WEIOA01 – Quantitative EP Studies and Results for SRF Nb Cavity Production | 565 |
| WEIOA02 – Centrifugal Barrel Polishing (CBP) of SRF Cavities Worldwide | 571 |
| WEIOA03 – A New Electropolishing System For Low-Beta SC Cavities | 576 |
| WEIOA04 – Review of RF - Sample - Test Equipment and Results | 579 |
| WEIOA05 – X-Ray Tomography Inspection of SRF Cavities | 588 |
| WEIOA06 – Effect of Heat Treatment Temperature on the Thermal Conductivity of Large Grain Superconducting Niobium | 593 |
| WEIOB01 – Guided Cavity Repair with Laser, E - Beam and Grinding | P <small>DFE</small> |
| WEIOB02 – Cavity Inspection and Repair Techniques | 598 |
| WEIOB03 – Improvement in Cavity Fabrication Technology and Cost Reduction Methods | 603 |
| WEIOB04 – XFEL Cavity Procurement as an Example of Technology Transfer | P <small>DFE</small> |
| WEIOB05 – Large Grain Cavities: Fabrication, RF Results and Optical Inspection | 607 |
| WEIOB06 – IHEP 1.3GHz Low-Loss Large Grain 9-cell cavity R&D for ILC | 611 |
| THIOA01 – Test Results of the International S1-Global Cryomodule | 615 |
| THIOA02 – Gradient R&D in the US | 625 |
| THIOA03 – Compact Superconducting Cavities for Deflecting and Crabbing Applications | 631 |
| THIOA04 – QWR for $\beta \sim 1$ Accelerators | 637 |
| THIOA05 – The sc cw-LINAC Demonstrator - SRF-Technology finds the way into GSI | 646 |
| THIOA06 – Mechanical Design Considerations for $\beta=1$ Cavities | 650 |
| THIOA07 – Single-cell SC Cavity Development in India | 659 |
| THIOB01 – Project X Cavity and Cryomodule Development | 663 |
| THIOB02 – Vertical Tests Results of the IFMIF Cavity Prototypes and Cryomodule Development | 667 |
| THIOB03 – Status of the ReAccelerator Facility ReA for Rare Isotopes | 674 |
| THIOB04 – SRF Advances for ATLAS and other $\beta < 1$ Applications | 680 |
| THIOB05 – SPL Cavity Development | P <small>DFE</small> |
| THIOB06 – Recents Developments in SRF at TRIUMF | P <small>DFE</small> |
| THIOB07 – HIE-ISOLDE quarter wave Nb/Cu cavity | P <small>DFE</small> |
| THIOB08 – Hot topics: Recipes for 9-cell cavity fabrication and preparation | P <small>DFE</small> |
| THPO001 – Quench Simulation Using a Ring-Type Defect Model | 687 |
| THPO003 – Multipacting in HOM Couplers at the 1.3GHz 9-cell TESLA Type SRF Cavity | 691 |
| THPO004 – Electro- or Chemical- Polishing and UHV Baking of Superconducting rf Nb Cavities and Q(H) Dependencies | 695 |
| THPO005 – Exploration of Very High Gradient Cavities | 698 |
| THPO006 – Study of Trapped Magnetic Flux in Superconducting Niobium Samples | 702 |
| THPO007 – Novel Deflecting Cavity Design for eRHIC | 707 |
| THPO008 – Post-Baking Losses in Niobium Cavities Studied by Dissection | 710 |
| THPO009 – Quench Studies in Large and Fine Grain Nb Cavities | 714 |
| THPO010 – Multipactor Studies for DIAMOND Storage Ring Cavities | 718 |
| THPO011 – Improving the Intrinsic Quality Factor of SRF Cavities by Thermal Cycling | 724 |
| THPO012 – Influence of Foreign Particles on the Quality Factor of a Superconducting Cavity | 728 |
| THPO013 – Investigation of 9-Cell Cavity Performance Problem by Facilities in KEK AR East 2nd Experimental Hall | 733 |
| THPO015 – Repair SRFCavity by Re-Melting Surface Defects via High Power Laser Technique | 740 |
| THPO016 – Preliminary Results on the Laser Heating Investigation of Hotspots in a Large-Grain Nb Cavity | P <small>DFE</small> |
| THPO017 – Probing the Fundamental Limit of Niobium in High Radiofrequency Fields by Dual Mode Excitation in Superconducting Radiofrequency Cavities | 746 |

| | |
|--|-----|
| THPO018 – Quench Studies of ILC Cavities | 750 |
| THPO019 – Design, Construction, and Initial Test of High Spatial Resolution Thermometry Arrays for Detection of Surface Temperature Profiles on SRF Cavities in Super Fluid Helium | 755 |
| THPO020 – Exploration of Quench Initiation Due to Intentional Geometrical Defects in a High Magnetic Field Region of an SRF Cavity | 759 |
| THPO023 – External Magnetic Fields and Operating SRF Cavity | 760 |
| THPO024 – Quench Dynamics in SRF Cavities | 764 |
| THPO026 – Second Sound Measurement for SPL Cavity Diagnostics | 767 |
| THPO027 – Optical Observation of Geometrical Features and Correlation With RFTest Results | 773 |
| THPO028 – SIMS and TEM Analysis of Niobium Bicrystals | 776 |
| THPO029 – Commissioning Cornell OSTs for SRF Cavity Testing at JLab | 781 |
| THPO030 – Microphonics Compensation for a 325MHz Single Spoke Cavity at Fermilab | 782 |
| THPO031 – Second Sound as an automated Quench Localisation Tool at DESY | 785 |
| THPO032 – TOF-SIMS Analysis of Hydrogen in Niobium, From 160°K to 475°K | 786 |
| THPO034 – Vertical Test Results on KEK-ERL 9-Cell L-Band Superconducting Cavity | 789 |
| THPO035 – Comparison of Field Emission at Different SRF Cavity Assembly States and Test Stands | 795 |
| THPO036 – A Machine for High-Resolution Inspection of SRF Cavities at JLab | 798 |
| THPO037 – Lorentz Force Detuning Compensation in Fermilab Cryomodule 1 | 799 |
| THPO038 – Detailed Nb Surface Morphology Evolution During Electropolishing for SRF Cavity Production | 802 |
| THPO040 – A Wire Position Monitor System for the 1.3GHz Tesla-Style Cryomodule at the Fermilab New Muon Lab | 806 |
| THPO041 – HOM Identification and Bead Pulling on the Brookhaven ERL | 810 |
| THPO042 – Crystallographic Orientation of Epitaxial Transition Observed for Nb (BCC) on Cu and MgO (FCC) Single-Crystals | 810 |
| THPO044 – Structural Characterization of Nb Films Deposited by ECR Plasma Energetic Condensation on Crystalline Insulators | 819 |
| THPO045 – MgB ₂ Nonlinear Properties Investigated Under Localized High RF Magnetic Field Excitation | 826 |
| THPO046 – Characterization of Scale-Dependent Roughness of Niobium Surfaces as a Function of Surface Treatment Processes | 832 |
| THPO047 – Strain Effects in the Superconducting Properties of Niobium Thin Films grown on Sapphire | 835 |
| THPO048 – RF Surface Impedance of MgB ₂ Thin Films at 7.5 GHz | 838 |
| THPO050 – TE Sample Host Cavities Development at Cornell | 841 |
| THPO051 – Laser Re-Melting Influence on Nb Properties: Geometrical and Chemical Aspects | 846 |
| THPO052 – Investigation of Near-Surface Interstitial Hydrogen in Cavity-Grade Niobium | 849 |
| THPO053 – Material for Fabrication of DESY Large Grain/Single Crystal Cavities | 850 |
| THPO055 – Investigation of Samples Separated From Prototype Cavities of the European XFEL | 850 |
| THPO057 – Superconducting DC and RF Properties of Ingot Niobium | 856 |
| THPO058 – Phase-Sensitive Nonlinear Near-Field Microwave Microscopy on MgB ₂ Thin Films | 856 |
| THPO059 – Correlation of Microstructure, Chemical Composition and RRR-Value in High Purity Niobium (Nb-RRR)) | 863 |
| THPO060 – First Principles Investigation of Hydrogen in Niobium | 864 |
| THPO061 – Activation of Field Emitters on Clean Nb Surfaces | 869 |
| THPO062 – Investigation of Epitaxial Niobium Thin Films Grown on Different Surfaces Suitable for SRF Cavities | 874 |
| THPO064 – Structural Properties of Niobium Thin Films Deposited on Metallic Substrates by ECR Plasma Energetic Condensation | 877 |
| THPO065 – Anomalous Morphological Scaling in Epitaxial Niobium Thin Films on MgO(001) | 883 |
| THPO066 – Stoichiometric Nb ₃ Sn in First Samples Coated at Cornell | 886 |
| THPO067 – Characterization of Large Grain Nb Ingot Microstructure Using OIM and Laue Methods | 890 |
| THPO069 – Nb Film Growth on Crystalline and Amorphous Substrates | 898 |
| THPO070 – Effect of Fabricate Condition on Properties of Bi-2212 Thin Films | 905 |
| THPO071 – Detailed Surface Analysis of Incremental Centrifugal Barrel Polishing (CBP) of Single-Crystal Niobium Samples | 908 |
| THPO072 – Raman Spectroscopy as a Probe of Surface Oxides and Hydrides on Niobium | 912 |
| THPO073 – Laser Melt Smoothing of Niobium Superconducting Radio-Frequency Cavity Surfaces | 917 |
| THPO074 – SRF Multilayer Structures based on NbTiN | 920 |

| | |
|--|------------|
| THPO076 – Measurement of the Loss Tangent and Heat Capacity of a Large Single Crystal Sapphire | 926 |
| THPO077 – Mo-Re Films for SRF Applications | 930 |
| THPO079 – Surface Preparation of Metallic Substrates for Quality SRF Thin Films | 936 |
| FRIOA01 – Adaptive Compensation for Lorentz Force Detuning in Superconducting RF Cavities | 940 |
| FRIOA02 – Innovative Tuner Designs For Low Beta SRF Cavities | 943 |
| FRIOA03 – Recent Progress in HOM Damping from Around The World | 946 |
| FRIOA04 – Power Couplers for Spiral-2 | 947 |
| FRIOA05 – Overview of CW Input Couplers for ERL | 951 |
| FRIOA06 – Construction of cERL Cryomodules for Injector and Main Linac | 956 |
| FRIOA07 – SRF Photoinjector Tests at HoBiCat | 962 |
| FRIOB01 – SRF Activities at Peking University | 969 |
| FRIOB02 – STATUS OF THE DC-SRF PHOTONINJECTOR FOR PKU-SETF | 973 |
| FRIOB03 – Chinese Plan for ADS and CSNS | 977 |
| FRIOB04 – SRF Accelerator for Indian ADS Program: Present & Future Prospects | 983 |
| FRIOB05 – Crab Crossing for LHC Upgrade | 988 |
| FRIOB06 – The ESS Accelerator | 994 |
| Appendices | 999 |
| List of Authors | 999 |
| Institutes List | 1009 |