

**20th Biennial Conference of the
Association for the Advancement of
Animal Breeding and Genetics 2013**

Translating Science into Action

**Napier, New Zealand
20-23 October 2013**

Editor:

Nicolas Lopez Villalobos

ISBN: 978-1-63266-595-9

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2013) by AAABG – Association for the Advancement of Animal Breeding and Genetics
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact AAABG – Association for the Advancement of Animal Breeding and Genetics at the address below.

AAABG – Association for the Advancement of Animal Breeding and Genetics
The University of Adelaide
Roseworthy, SA Australia 5371

www.aaabg.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Translating Science into Action	1
Understanding how farmers learn	
<i>H.T. Blair, A.M. Sewell, R.A. Corner-Thomas, P. Kemp, B.A. Wood, D.I. Gray, S.T. Morris, A.W. Greer, C.M. Logan, A.L. Ridler and R.E. Hickson1, P.R. Kenyon</i>	1
Modelling farmer information transfers with network analysis: an exploratory farmlet study	P IC
<i>B.A. Wood, H.T. Blair, D.I. Gray, P. Kemp, P.R. Kenyon, S.T. Morris and A.M. Sewell</i>	
The California commercial beef cattle ranch project	10
<i>A.L. Van Eenennaam, K.L. Weber and D.J. Drake</i>	
Genomics for the Australian sheep industry: from design to delivery	14
<i>J.B. Rowe, S. Gill, R.G. Banks, and J.H.J. van der Werf</i>	
A survey examining the New Zealand breed composition, management tool use and research needs of commercial sheep farmers and ram breeders	18
<i>R.A. Corner-Thomas, P.R. Kenyon, S.T. Morris, A.W. Greer, C.M. Logan, A.L. Ridler, R.E. Hickson and H.T. Blair</i>	
Acknowledging and honouring the contribution of Dave Johnson to animal evaluation	22
Dr Dave Johnson's contribution to dairy cattle genetic evaluation in New Zealand	22
<i>B. Harris</i>	
Effect of daughter misidentification on dairy sire evaluation	25
<i>A.M. Winkelman</i>	
Vj g"ghgeu"qh'wulpi 'o crg"cpf 'hgo crg'i gpqv{r gu'lp'i gpqo le"gxcnvwkqpu	29
<i>D.L. Johnson</i>	
Improving the reliability of fertility breeding values in Australian dairy cattle	33
<i>J.E. Pryce, M. Haile-Mariam, P. Bowman, T. Nguyen, K. Konstantinov, G.J. Nieuwhof and B.J. Hayes</i>	
New approaches to genetic analysis of fertility traits in New Zealand dairy cattle	37
<i>F.E. Bowley, P.R. Amer and S. Meier</i>	
A Bayes-A like method in ASREML	41
<i>Arthur R Gilmour</i>	
Industry 1	45
A very simple model for examining potential impacts of value chain parameters on direction of selection and genetic change	45
<i>R.G. Banks, P.R. Amer and J.H.J. van der Werf</i>	

Business metrics for Sheep Improvement Limited (SIL) ram breeders <i>T.J. Byrne, N.B. Jopson and M.J. Young</i>	49
Can selection for brighter, whiter more photostable wool replace oxidative bleaching during wool processing? <i>S. Hatcher, J.W.V. Preston and K.R. Millington</i>	53
Characteristics of extended lactation and persistency in Australian dairy cows <i>M. Abdelsayed, P.C. Thomson and H.W. Raadsma</i>	57
Modelling variation in bovine milk fat composition predicted using mid-infrared spectrometry <i>G. Johnstone, M. Coffey and E. Wall</i>	62
Strategies to objectively group merino flocks in sheep genetics <i>D.J. Brown, A.A. Swan, J.S. Gill and R.B. Banks</i>	66
Analyses of ewe stayability in flocks of New Zealand sheep <i>M.A. Lee, N.G. Cullen, S.A. Newman, J.C. McEwan and G.H. Shackell</i>	70
Modification of lactation yield estimates for improved selection outcomes in developing dairy sectors <i>D.M. McGill, P.C. Thomson, H.A. Mulder and J.J. Lievaart</i>	74
Reproduction	78
Increasing prolificacy of Awassi and Assaf breeds by introgression of the fecb (Booroola) mutation: achievements and challenges <i>E. Gootwine, A. Rosov, M. Abu Siam and E. Seroussi</i>	78
Yearling and adult expressions of reproduction in maternal sheep breeds are genetically different traits <i>K.L. Bunter and D.J. Brown</i>	82
Age at first oestrus. A useful trait for early reproductive performance? <i>J.E. Newton, D.J. Brown, S. Dominik and J.H.J. van der Werf</i>	86
Potential economic return from use of fixed-time artificial insemination as part of a genetic improvement programme <i>S.A.A Edwards, B.M. Burns, J. Allen and M.R. McGowan</i>	90
Benefits of MOET and JIVET in optimised sheep breeding programs <i>T. Granleese, S.A. Clark and J.H.J. van der Werf</i>	94
Analysis of a South African Merino flock divergently selected for reproductive potential <i>L. Sandenbergh, R. Roodt-Wilding, A.E. Van der Merwe and S.W.P. Cloete</i>	98
Wool	102
Current flock effects on lifetime reproductive performance of simulated selection at hogget age in Merino sheep, for fleece weight, fibre diameter, body weight and relevant selection indexes. III High rainfall region results. <i>L.R. Piper, A.A. Swan and H.G. Brewer</i>	102
Genetic estimates for along and across fibre diameter variation and its use to improve staple strength in Merino sheep <i>J.W.V Preston and S. Hatcher</i>	106
Genetic correlations across ages for greasy fleece weight and fibre diameter in Merino sheep <i>D.J. Brown, A.A. Swan and J.S. Gill</i>	110

Genetic and non-genetic effects on flight speed and agitation in weaned lambs <i>C.L. Dodd, J.E. Hocking Edwards, S.J. Hazel and W.S. Pitchford</i>	114
Genetic estimates for along and across fibre diameter variation and correlations with subjective wool quality traits in Merino sheep <i>J.W.V Preston and S. Hatcher</i>	118
Genomic Selection - design	122
Genetic architecture and evolution of quantitative traits <i>M.E. Goddard</i>	122
Combining multiple test-statistics increases the power of selective sweep analyses in cattle <i>I.A.S. Randhawa, P.C. Thomson, M.S. Khatkar and H.W. Raadsma</i>	126
Bovine fat depots discriminate by gene expression patterns <i>N.J. Hudson, A. Reverter, D.W. Pethick, J.P. Siddell, P.L. Greenwood and Brian P Dalrymple</i>	130
Using two different approaches to infer the genetic structure of populations with complex relationships: the case of the Avileña-Negra Ibérica <i>D. Martin-Collado, K.J. Abraham, S.T. Rodriguez-Ramilo, M.A. Toro, M.J. Carabaño and C. Diaz</i>	134
Crossbreeding and Crossbreds	138
Across-breed genomic evaluation based on bovine high density genotypes, and phenotypes of bulls and cows <i>C. Schrooten, G.C.B. Schopen, A. Parker, A. Medley and P. Beatson</i>	138
Lactational performance of straightbred Angus cows and three Angus-dairy-cross genotypes <i>F.J. Roca Fraga, R.E. Hickson, N. Lopez-Villalobos, P.R. Kenyon and S.T. Morris</i>	142
Population stratification and breed composition of Australian tropically adapted cattle <i>L.R. Porto-Neto, S.A. Lehnert, M.R.S Fortes, M. Kelly and A. Reverter</i>	147
Integrated assembly of positively selected genes in cattle <i>I.A.S. Randhawa, M.S. Khatkar, P.C. Thomson and H.W. Raadsma</i>	151
John Vercoe Memorial Session	155
Genetic parameters for faecal worm egg count and objectively measured wool traits in South African Merinos <i>P.A.M. Matebesi-Ranthimo, S.W.P. Cloete, J.B. van Wyk and J.J. Olivier</i>	155
Improving milk production and lactation persistency of Philippine dairy buffaloes using random regressions <i>E.B. Flores and J.H.J. van der Werf</i>	159
The prediction of genetic structure of East African smallholder <i>W.M.S.P. Weerasinghe, C. Gondro, M.G. Jeyaruban, O. Mwai, D. F. Mujibi and J.P. Gibson</i>	163
The fecb mutation increases lamb production in smallholder subsistence flocks in Maharashtra state of India <i>C. Nimbkar, R.S. Kataria, B.P. Mishra, B.K. Joshi and P.M. Ghalsasi</i>	167
Accuracy of genomic predictions in Nellore beef cattle	171

<i>R. Carneiro, J. C. McEwan, H.H.R. Neves, Y.T. Utsunomiya, A.M. Pérez O'Brien, S. A. Boison, J. Sölkner, F.S. Schenkel, C.P. Van Tassell, T.S. Sonstegard and J.F. Garcia</i>	
Animal Health	175
The impact of genomic selection on genetic gain in the New Zealand sheep dual purpose selection index	175
<i>N.K. Pickering, K.G. Dodds, B. Auvray and J.C. McEwan</i>	
Comparison of the power of pooled genotyping strategies to detect significant SNP effects for flystrike resistance in merino sheep	179
<i>S. Dominik, J.M. Henshall and J. Smith</i>	
Inheritance of flystrike recorded in a non-seasonal rainfall environment	183
<i>T.L. Bird-Gardiner, D.J. Brown, J.L. Smith and S.I. Mortimer</i>	
The effect of breed, ewe age and season on tick counts of indigenous and commercial sheep in South Africa	187
<i>J.J.E. Cloete, S.W.P. Cloete, A.J. Scholtz and S. Mathee</i>	
Improving facial eczema tolerance in New Zealand dairy cattle	191
<i>N.G. Cullen, P.R. Beatson, R.T. Courtney and C.A. Morris</i>	
Whole genome association analysis of susceptibility to paratuberculosis in New Zealand dairy cattle	195
<i>R.G. Sherlock, S. Loker, P.J. Back, H. Voges, and R.J. Spelman</i>	
Genetic evaluation for resistance to metabolic diseases in Canadian Holsteins	199
<i>F. Miglior, A. Koeck, J. Jamrozik, D.F. Kelton, S. Loker, K. Stachowicz and F.S. Schenkel</i>	
Bovine neuronal ceroid lipofuscinosis in Australian Devon cattle	203
<i>H. Okazaki, E. Jonas, P.C. Thomson and I. Tammen</i>	
Genomic Selection - accuracy	207
Accuracies of genomic predictions in US beef cattle	207
<i>M. Saatchi and D.J. Garrick</i>	
Accuracy of Igenity direct genomic values in Australian Angus	211
<i>V. Boerner and D. J. Johnston</i>	
Will sequence SNP data improve the accuracy of genomic prediction in the presence of long term selection?	215
<i>I.M. MacLeod, B.J. Hayes and M.E. Goddard</i>	
Accuracy of genomic prediction from multi-breed sheep reference population	220
<i>N. Moghaddar, A.A. Swan and J.H.J. van der Werf</i>	
Using male performance to improve genomic selection for female fertility in Brahman cattle	224
<i>Y.D. Zhang, D.J. Johnston, S. Bolormaa, A. Reverter, M.R.S. Fortes and B. Tier</i>	
Implications of genetic architecture on the efficacy of genomic selection	229
<i>F.S. Hely, S.A. Clark and P.R. Amer</i>	
The impact of measuring adult fleece traits with genomic selection on economic gain in Merino selection indexes	233
<i>A.A. Swan and D.J. Brown</i>	

Meat	237
Genetic relationships between lamb survival and meat traits	237
<i>F.D. Brien, D.L. Rutley, S.I. Mortimer and J.E. Hocking Edwards</i>	
Genetic parameters for body weight, carcass and wool traits in Dohne Merino	241
<i>L. Li, D.J. Brown and J.S. Gill</i>	
Estimates of heritability for colour CIE a* measurements at four time points for chill aged lamb	245
<i>M.J. Bixley, J.C. McEwan, W.E. Bain, E. Young, N.J. McLean and P.L. Johnson</i>	
Genetic associations of early growth and ultrasound scanned traits in several beef breeds	249
<i>M.G. Jeyaruban and D.J. Johnston</i>	
Selection opportunities from using abattoir carcass data	253
<i>E. Wall, M. Coffey and T. Pritchard</i>	
Genomic Selection – relationships	257
Comparison of measures of relatedness using pedigree or genomic data in a multi-breed sheep population	257
<i>B. Auvray and K.G. Dodds</i>	
Comparisons of identical by state and identical by descent relationship matrices derived from SNP markers in genomic evaluation	261
<i>S.A. Clark, B.P. Kinghorn and J.H.J. van_der_Werf</i>	
A study on effects of family and haplotype blocks on conservation of gene expression traits in half sib sheep families	266
<i>Hawllader A. Al-Mamun, Paul Kwan, Ross L. Tellam, James W. Kijas and Cedric Gondro</i>	
Utility of graphics processing units for dense matrix calculations In computing and inverting genomic relationship matrices	270
<i>Karin Meyer and Bruce Tier</i>	
Breeds of New Zealand sheep – as recorded or by genomic prediction	274
<i>K.G. Dodds, S.-A.N. Newman, B. Auvray and J.C. McEwan</i>	
Success rates of commercial SNP based parentage assignment in sheep	278
<i>A. M. Bell, J.M. Henshall, S. Gill, K. Gore and J.W. Kijas</i>	
Efficiency	282
Novel phenotyping techniques for enhancing genetic and genomic predictions of traits that are difficult to measure in grazing livestock	282
<i>I.W. Purvis, P. Valencia, L. Overs and P.L. Greenwood</i>	
Phenotypic associations between methane production traits, volatile fatty acids and animal breeding traits	286
<i>R.M. Herd, S.H. Bird, K.A. Donoghue, P.F. Arthur and R.F. Hegarty</i>	
Preliminary genetic parameters for methane production in Australian beef cattle	290
<i>K.A. Donoghue, R.M. Herd, S.H. Bird, P.F. Arthur and R.F. Hegarty</i>	
A potential practical system to estimate pasture intake of individual animals	294
<i>D.J. Cottle</i>	
Accuracy of genomic prediction for residual feed intake in a multi-breed cattle population	298
<i>M. Khansefid, J.E. Pryce, S.P. Miller and M.E. Goddard</i>	

Genetic solutions to improve resource efficiency in dairy cattle <i>Y. de Haas, J.E. Pryce, J. Dijkstra, E. Wall and R.F. Veerkamp</i>	303
Industry 2	307
Female, male and genomic measures for use in genetic selection to improve lifetime weaning rate of Brahman cattle <i>S.A. Barwick, D.J. Johnston, R.G. Holroyd, J.R.W. Walkley and H.M. Burrow</i>	307
Liveweight loss in adult ewes is affected by their sires breeding values for fat and muscle <i>S.E. Blumer, G.E. Gardner, M.B. Ferguson and A.N. Thompson</i>	311
Genetics of body condition score and its relationship with fertility, milk and survival in Australian Holstein cattle <i>M. Haile-Mariam, R. Butler and J.E. Pryce</i>	315
Productive and genetic differences between cows managed organically or conventionally <i>J.G. García-Muñiz, N. Lopez-Villalobos, R.G. Sherlock, N. Martin, C.W. Holmes and N.M. Shadbolt</i>	319
Genotype by environment interactions for average daily gain using multiple-trait analyses in Australian pigs <i>L. Li and S. Hermesch</i>	323
Investigating the genetics of culling time and the effects of feeding level on osteochondrosis in sows <i>E.M. van Grevenhof, H.C.M. Heuven, D.B. de Koning, W. Hazeleger and B.J. Ducro</i>	327
Stayability to consecutive calvings as a measure of longevity In Canadian Simmentals <i>J. Jamrozik and S.P. Miller</i>	331
‘Deer improvement’ – genetic selection in a recently domesticated livestock species <i>B. Gudex, D. Johnson, D. Ford, T. Benton and J. Chardon</i>	336
Genomic Selection - techniques	340
Prediction of genomic breeding values across genetic groups <i>J.H.J. van der Werf, D.J. Brown and A.A. Swan</i>	340
Sequencing and genotyping for the whole genome selection in Canadian beef populations <i>K. Stachowicz, S. Larmer, J. Jamrozik, S.S. Moore and S.P. Miller</i>	344
Use of high density genotyping and trait-dependent methods in genome-assisted evaluations <i>J.A. Jiménez-Montero, D. Gianola, K. Weigel, R. Alenda and O. González-Recio</i>	348
Application of whole genome sequence technology to dairy cattle breeding by LIC. <i>M. Keehan, A. Scott, T. Lopdell, T. Johnson and R. Spelman</i>	352
Preliminary analysis of intensity signals from SNP data based on pooled DNA samples in beef and poultry <i>A. Reverter, J. Henshall, R. McCulloch, R. Hawken and S.A. Lehnert</i>	356
A genomic prediction cross-validation approach combining ewe repeated phenotypes and ram daughter trait deviations <i>H.D. Daetwyler, S. Bolormaal, D. J. Brown, J.H.J. van der Werf and B. J. Hayes</i>	360
The extent and distribution of linkage disequilibrium in extensively raised chicken populations of southern Africa	364

Posters	368
Microrna profiling in cattle divergently selected for residual feed intake <i>W. AL-Husseini, C. Gondro, R.M. Herd, J.P. Gibson, P.F. Arthur and Y. Chen</i>	368
Genome-wide epistasis association of ultrasound-scanned carcass traits in beef cattle: two-stage models <i>A.A. Ali, M.S. Khatkar, H.N. Kadarmideen and P.C. Thomson</i>	372
Rumen differences between sheep identified as being low or high emitters of greenhouse gas <i>W.E. Bain, L Bezuidenhout, N.B. Jopson, C.S. Pinares-Patino and J.C. McEwan</i>	376
Genetic trends in a Merino line selected for a reduced fibre diameter relative to an unselected control flock <i>S.W.P. Cloete, J.J. Olivier and E. du Toit</i>	377
Genetic parameters for slaughter and meat traits in ostriches <i>A. Engelbrecht, S.W.P. Cloete, K.L. Bunter, J.B. van Wyk and L.C. Hoffman</i>	381
Comparing genomic relationship matrices with relationship estimated from pedigree data <i>M.M. Farah, M.R.S. Fortes, L.R. Porto-Neto, C.T. Meira, M. Kelly, L.O.C. Duitama, A.V. Pires, R. Fonseca and S.S. Moore</i>	385
Genetic markers associated with male reproductive traits across 2 beef cattle breeds: Brahman and Tropical composite <i>M.R.S. Fortes, A. Reverter, L.R. Porto Neto, M. Kelly, S.S. Moore and S.A. Lehnert</i>	389
Genetic parameters for staple strength and coefficient of variation of fibre diameter in Merino wool of different staple length <i>J.C. Greeff and A.C. Schlink</i>	393
Dogs can differentiate between odours from sheep that are resistant or susceptible to breach strike <i>J.C. Greeff, A. Biggs, W. Grewar, P. Crumblin, L.J.E. Karlsson, A.C.Schlink and J. Smith</i>	397
The role of AI in genetic progress - new opportunities from new technologies and new approaches <i>R.E. Green, P.R. Amer and P.F. Fennessy</i>	401
In-silico approach identified polymorphism associated with wool traits in sheep <i>E. Jonas, P.C. Thomson and H.W. Raadsma</i>	405
Fibre diameter corrected wool clean colour - the impact on genetic parameters <i>A.Jones and S.Hatcher</i>	P IC
Partitioning the genetic variance into genomic and pedigree components for parasite resistance in sheep <i>M. Al Kalaldehy, J.P. Gibson, J.H.J. van der Werf and C. Gondro</i>	412
Managing cost of phenotyping <i>Cécile Massault, Brian Kinghorn and Julius van der Werf</i>	416
A genome-wide association study for height at withers in racing quarter horse <i>C.T. Meira, M.R.S. Fortes, M.M. Farah, L.R. Porto-Neto, R.A. Curi, S.S. Moore and M.D.S. Mota</i>	420
Post-estimation penalization: more 'PEP' for estimates of genetic covariance matrices <i>Karin Meyer</i>	424
Penalized estimation of covariance matrices with flexible amounts of shrinkage	428

<i>Karin Meyer</i>	
A new approach to connect between multi-trait mixed model and principal component analysis for describing variation in carcass quality of crossbred cattle	432
<i>H.R. Mirzaei and W.S. Pitchford</i>	
The milk fatty acid composition and conjugated linoleic acid content of Jersey and Fleckvieh x Jersey cow milk in a pasture based feeding system	435
<i>C.J.C. Muller, B. Sasanti, S. Abel and A. Schmulian</i>	
Reproductive performance of Holstein and Fleckvieh x Holstein heifers and cows in a total mixed ration feeding system	439
<i>C.J.C. Muller, J.P. Potgieter, S.W.P. Cloete, and J.A. Botha</i>	
The beef production of a Jersey herd as affected by crossbreeding using Fleckvieh sires	443
<i>C.J.C. Muller, S. Goni, K. Dzama and J.A. Botha</i>	
A preliminary study on breed differences in susceptibility of sheep to <i>Mycotoxin sporidesmin</i>	447
<i>S.H. Phua, H. Henry and K.G. Dodds</i>	
Genetic origin of Arapawa sheep and adaptation to a feral lifestyle	451
<i>N.K. Pickering, E.A. Young, J.W. Kijas, D.R. Scobie and J.C. McEwan</i>	
Composite signatures of directional selection identified multiple genes for stature on bovine chromosome 13 and 14	455
<i>I.A.S. Randhawa, M.S. Khatkar, P.C. Thomson and H.W. Raadsma</i>	
Genetic analysis of absence of breech strike and breech strike indicator traits in South African Merino sheep	459
<i>A.J. Scholtz, S.W.P. Cloete, J.B. van Wyk and E. du Toit</i>	
Using cross-validation in a fast EM algorithm for genomic selection and complex trait prediction	463
<i>R.K. Shepherd, M.J. Drumm and J. Yang</i>	
Post-weaning growth in beef and dairy crossbred steers	467
<i>C.G. Vazquez, R.E. Hickson, S.T. Morris, N. Lopez-Villalobos, P.R. Kenyon and J.G. García-Muniz</i>	
Objectives	471
Updates to the New Zealand national breeding objective for dairy cattle	471
<i>P.R. Amer, B. Santos, T.J. Byrne, C. Ludemann, B. Visser, B.L. Harris, and J. Bryant</i>	
Deriving economic values for reaction norms of growth in pigs	475
<i>S. Hermesch and P.R. Amer</i>	
The economic value of body condition score in New Zealand seasonal dairying systems	479
<i>T.J. Byrne, B. Santos, P.R. Amer, and J.R. Bryant</i>	
Economic weights for maternal pig traits in Australia motivate genetic improvement for robustness	483
<i>C.I. Ludemann, P.R. Amer and S. Hermesch</i>	
Economic impact of changes to the breeding objectives used within the New Zealand beef breeding industry	487
<i>J.A. Sise, T.J. Byrne, M.J. Young and P.R. Amer</i>	
Heritability of track condition affinity in the Australian thoroughbred racing population	491
<i>B.D. Velie, N.A. Hamilton and C. M. Wade</i>	
Genomic Selection - trait associations	495

Genome wide association study using the ovine SNP50 beadchip and lambs selected for extremes for carcass lean meat yield	495
<i>P.L. Johnson, T.C. Van Stijn, H. Henry, N.J. McLean and M. Lee</i>	
Genomic regions associated with differences in fat percentage in milk between Holstein and Jersey cattle	499
<i>K.E. Kemper, B.J. Hayes and M.E. Goddard</i>	
Searching for SNPs that affect sheep robustness: <i>cyp17</i> SNP affects behavioural responses to psychological stress	503
<i>D. Hough, P. Swart, J.J.E. Cloete and S.W.P. Cloete</i>	
Association Study Verifies a Major Locus for Fleece Diameter on OAR 25 in Sheep	507
<i>H.W. Raadsma, E. Jonas and P.C. Thomson</i>	
A binary classifier using SNP data for prediction of phenotypic outcomes in Hanwoo (Korean) cattle	511
<i>D.C. Detterer, S.H. Lee, P. Kwan and C. Gondro</i>	
Multi-trait QTL mapping in beef cattle	515
<i>S. Bolormaa, J.E. Pryce, A. Reverter, Y.D. Zhang, W. Barendse and M.E. Goddard</i>	
Animal Breeding and Genetics Techniques	519
Handling a subset of a large dairy industry dataset for quantitative genetic analyses of extended lactation traits in Australian dairy cattle	519
<i>M. Abdelsayed, H.W. Raadsma and P.C. Thomson</i>	
Sampling based approximation of confidence intervals for functions of genetic covariance matrices	523
<i>Karin Meyer and David Houle</i>	
A preliminary evaluation of a method for incorporating genetic information into phenotypic prediction models	527
<i>B.J. Walmsley, B.P. Kinghorn, V.H. Oddy, M.J. McPhee and W.A. McKiernan</i>	
Improved reporting method for genetic connectedness	531
<i>B. Visser, T.J. Byrne, M.J. Young and P.R. Amer</i>	
A method for maximising average flock reproduction by optimising culling policies across age groups	534
<i>J.S. Richards, K.D. Atkins, B.P. Kinghorn and J.H.J. van der Werf</i>	
Genetic control of residual variance for teat number in pigs	538
<i>M. Felleki and N. Lundeheim</i>	
Genomic Selection - imputation	542
Across- and within-breed imputation across several genotyping densities in dairy and beef cattle	542
<i>D.P. Berry, M.P. Mullen and A.R. Cromie</i>	
Effect of genotype and pedigree error on detection of recombination events, sire imputation and haplotype inference using the hspHase algorithm	546
<i>Mohammad H. Ferdosi, Brian P. Kinghorn, Julius H.J. van der Werf and Cedric Gondro</i>	
Accuracy of imputation in a population of tropical composite cattle with particular emphasis on the use of allelic r^2 as a quality control metric	550
<i>M. Kelly, M.R.S. Fortes and S.S. Moore</i>	
Utility of imputed SNP genotypes for genome-wide association studies in dairy cattle	554

<i>M.S. Khatkar, P.C. Thomson and H.W. Raadsma</i>	
How Angus breeders have reduced the frequency of deleterious recessive genetic conditions	558
<i>C.F. Teseling and P.F. Parnell</i>	