

# Times of Polymers (TOP) and Composites 2014

Proceedings of the 7th International Conference  
on Times of Polymers (TOP) and Composites

## Ischia, Italy

22-26 June 2014



Department of Aerospace and  
Mechanical Engineering  
Second University of Naples- SUN



Department Material and  
Production Engineering  
University of Naples Federico II

### Editors

#### Alberto D'Amore

The Second University of Naples, Aversa, Italy

#### Domenico Acierno

National Institute of Materials Science and Engineering, Naples, Italy

#### Luigi Grassia

The Second University of Naples, Aversa, Italy

All papers have been peer reviewed.

### Sponsoring Organizations

AIMAT (Italian Association of Materials Engineering)  
INSTM (National Institute of Materials Science and Engineering)  
AIM (Italian Association on Macromolecules)  
SIR (Italian Society of Rheology)  
CRdC Technologie (Competence Center on New Technologies)  
IMAST (Institute for Materials and Structures)  
M. Penati Equipments  
TA Instruments



Melville, New York, 2014  
AIP Proceedings

Volume 1599

## Editors

### Alberto D'Amore

The Second University of Naples - SUN  
Department of Industrial and Information Technology  
Via Roma 29, 81031 Aversa (CE)  
Italy

E-mail: [alberto.damore@unina2.it](mailto:alberto.damore@unina2.it)

### Domenico Acierno

INSTM  
Reference Centre for Processing Technologies of Polymer and Composites  
University of Naples Federico II  
P.le V. Tecchio 80, 80125 Naples  
Italy

E-mail: [acierno@unina.it](mailto:acierno@unina.it)

### Luigi Grassia

The Second University of Naples - SUN  
Department of Industrial and Information Technology  
Via Roma 29, 81031 Aversa (CE)  
Italy

E-mail: [luigi.grassia@unina2.it](mailto:luigi.grassia@unina2.it)

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the AIP Publishing LLC for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1233-0/14/\$30.00



© 2014 AIP Publishing LLC

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP Publishing and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/"Permissions/Reprints" link found in the article abstract. You may also address requests to: AIP Publishing Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: [rights@aip.org](mailto:rights@aip.org).

ISBN 978-0-7354-1233-0  
ISSN 0094-243X  
Printed in the United States of America

*AIP Conference Proceedings, Volume 1599*  
**Times of Polymers (TOP) and Composites 2014**  
**Proceedings of the 7th International Conference on Times of Polymers (TOP)**  
**and Composites**

**Table of Contents**

|  |    |
|--|----|
| <b>Preface: International Conference on Times of Polymers (TOP) and Composites</b><br>Alberto D'Amore  | 1  |
| <b>CONTENTS</b>  |    |
| <b>Solid particle erosion of polymers and composites</b><br>K. Friedrich and A. A. Almajid   | 2  |
| <b>Progress in simulating semi-flexible glass fiber orientation in an injection molded end-gated plaque</b><br>Mark J. Cieslinski, Kevin J. Meyer, and Donald G. Baird   | 6  |
| <b>The role of polymer based composites materials in modern and future aerospace structures</b><br>Stefania Cantoni, Felice De Nicola, Umberto Mercurio, and Vincenzo Quaranta   | 10 |
| <b>Nanotechnology finding its way into flame retardancy</b><br>Bernhard Schartel   | 14 |
| <b>Deformation sensor based on polymer-supported discontinuous graphene multi-layer coatings</b><br>G. Carotenuto, L. Schiavo, V. Romeo, and L. Nicolais   | 18 |
| <b>Entangled dynamics of polyethylene melts and tracer dynamics</b><br>Marina G. Guenza  | 22 |
| <b>Epoxidized natural rubber: Exploring the potential of an old elastomer</b><br>Leno Mascia, Pietro Russo, Marino Lavorgna, Letizia Verdolotti, Jane Clarke, Adriano Vignali, and Domenico Acierno                        | 26 |
| <b>Shear creep compliance of polyoxymethylene copolymers with different molecular weights</b><br>Joamin Gonzalez-Gutierrez, Zerihun Mellese Megen, Bernd Steffen von Bernstorff, and Igor Emri                             | 30 |
| <b>Synthesis and application of nano-, meso- and macroporous sorbents based on lignin for detoxication of biological fluids</b><br>Nazira N. Chopabayeva, Kanatbek N. Mukanov, and Amandyk T. Tasmagambet                  | 34 |
| <b>Impact of solvents and supercritical CO<sub>2</sub> drying on the morphology and structure of polymer-based biofilms</b><br>Andrea Causa, Aurelio Salerno, Concepción Domingo, Domenico Acierno, and Giovanni Filippone | 38 |

|   |    |
|---|----|
| <b>Determining the elastic properties of epoxy / semiconductive glass composites by ultrasonic method</b>   | 42 |
| Imran Oral and Ulku Soydal  |    |
| <b>Thermoplastic veils as advanced modifiers for multifunctional fiber reinforced composites</b>  | 46 |
| Gianluca Cicala, Alberta Latteri, Salvatore Mannino, Giulia Cozzo, Giulia Ognibene, and Antonino Recca  |    |
| <b>The influence of semiconductive binary <math>Sb_2S_3</math>-<math>Yb_3S_4</math> system on electrical conductivity property of epoxy composites</b>  | 50 |
| Ulku Soydal, Gulnare Ahmetli, and Suheyla Kocaman   |    |
| <b>Woven glass fabric reinforced laminates based on polyolefin wastes: Thermal, mechanical and dynamic-mechanical properties</b>  | 54 |
| Pietro Russo, Domenico Acierno, Giorgio Simeoli, and Valentina Lopresto   |    |
| <b>New composites based on poly(3-trimethylsilyltricyclononene-7) and organic nature fillers (calixarenes &amp; cyclodextrins)</b>  | 58 |
| Pavel P. Chapala, Maxim V. Bermeshev, Ludmila E. Starannikova, Natalie N. Gavrilova, Victor P. Shantarovich, Marina P. Filatova, Ekaterina B. Krut'ko, Yurii P. Yampolskii, and Eugene Sh. Finkelshtein |    |
| <b>Molecular-dynamics simulations of mechanical reinforcement in filled elastomers</b>  | 62 |
| C. Batistakis, M. A. J. Michels, and Alexey V. Lyulin   |    |
| <b>Thermoplastic matrix composites for aeronautical applications – The amorphous/semi-crystalline blends option</b>   | 66 |
| Michele Iannone, Floriana Esposito, and Aniello Cammarano   |    |
| <b>Multilevel probabilistic approach to evaluate manufacturing defect in composite aircraft structures</b>  | 70 |
| Paola Caracciolo  |    |
| <b>Structural FEM analysis of the strut-to-fuselage joint of a two-seat composite aircraft</b>  | 74 |
| Erik Vargas-Rojas, Diego Camarena-Arellano, and Hilario Hernández-Moreno  |    |
| <b>Novel reactive elastomer-metal oxide composite: Effect of filler size and content on swelling and reinforcement</b>  | 78 |
| Dingzhi Han, Chee Yoon Yue, Meng Qu, and Agathe Robisson  |    |
| <b>A damage index of indentation sensitivity in low velocity impact conditions</b>  | 82 |
| V. Lopresto, G. Caprino, C. Leone, and A. Langella  |    |
| <b>Water-thinnable polymers for durable coatings for different materials</b>  | 86 |
| Piotr Jankowski and Dorota Kijowska   |    |
| <b>Hydrolytic ageing of polyester networks - Role of a plasticizer</b>  | 90 |
| Emmanuel Richaud, Isabelle Derue, Pierre Gilormini, Jacques Verdu, Marie Coquillat, Aude Vandenbrouke, and Nancy Desgardin  |    |

|   |     |
|---|-----|
| <b>Impact modification of polypropylene with ethylene-<math>\alpha</math>-olefin copolymers: Influence of density and comonomer type on structure and properties</b><br>Cornelia Tranninger, Floran Prades, Walter Schaffer, and Markus Gahleitner  | 94  |
| <b>New hybrid halogen-free flame retardants</b><br>Dorota Kijowska and Piotr Jankowski  | 98  |
| <b>Immobilization of natural anti-oxidants on carbon nanotubes and aging behavior of ultra-high molecular weight polyethylene-based nanocomposites</b><br>Nadka Tzankova Dintcheva, Rossella Arrigo, Cristian Gambarotti, Monica Guenzi, Sabrina Carroccio, Francesca Cicogna, and Giovanni Filippone | 102 |
| <b>Synergistic effect between polyhedral oligomeric silsesquioxane and flame retardants</b><br>B. Safarikova, A. Kalendova, V. Habrova, S. Zatloukalova, and M. Machovsky   | 106 |
| <b>Erosion behavior and mechanical properties of thermoplastic polyurethanes</b><br>Domenico Acierno, Luigi Sanguigno, Gaetano Arena, Klaus Friedrich, Eugen Padenko, and Pietro Russo  | 110 |
| <b>Relationship between hydroperoxide concentration and average molar mass in thermo-oxidized polyethylene</b><br>Manuela Da Cruz, Laetitia Van Schoors, Xavier Colin, and Karim Benzarti   | 114 |
| <b>Plastic deformation and cavitation in semi-crystalline polymers</b><br>Andrzej Pawlak  | 118 |
| <b>Solute induced relaxation in glassy polymers: Experimental measurements and nonequilibrium thermodynamic model</b><br>Matteo Minelli and Ferruccio Doghieri  | 122 |
| <b>Glassy behavior of colloid-polymer mixtures: A statistical physics approach</b><br>Mauro Sellitto  | 126 |
| <b>Similar dependence of glass transition temperature on molecular mass in molecular glasses and polymers</b><br>V. N. Novikov and E. A. Rössler  | 130 |
| <b>Numerical and experimental study of thermomechanical behavior of glassy polymers in the case of finite deformations</b><br>Ksenia A. Tikhomirova and Nikolay A. Trufanov   | 134 |
| <b>Effect of physical ageing on properties of PLA plasticized with oligomeric esters of lactic acid</b><br>R. Castaldo, V. Ambrogio, M. Avella, R. Avolio, C. Carfagna, M. Cocca, M. E. Errico, and G. Gentile  | 138 |
| <b>Modification of the mechanical behavior in the glass transition region of poly(lactic acid) (PLA) through catalyzed reactive extrusion with poly(carbonate) (PC)</b><br>Vu Thanh Phuong, Maria-Beatrice Coltelli, Irene Anguillesi, Patrizia Cinelli, and Andrea Lazzeri                           | 142 |

|   |     |
|---|-----|
| <b>Coupling between amino acid and water dynamics by broadband dielectric spectroscopy</b><br>Luciana Saiz and Silvina Cerveny  | 146 |
| <b>Study of relaxation and transport processes by means of AFM based dielectric spectroscopy</b><br>Luis A. Miccio and Gustavo A. Schwartz  | 150 |
| <b>Random butene-1/ethylene copolymers: Influence of composition on the three-phase structure</b><br>Maria Laura Di Lorenzo and René Androsch   | 154 |
| <b>Comparative study of the effect of untreated, silanized and grafted alumina nanoparticles on thermal and dynamic mechanical properties of the styrene-butadiene rubber</b><br>Rymma Sushko, Joerg Baller, Marlena Filimon, and Roland Sanctuary            | 158 |
| <b>Frictional microscopy of polymers and nanocomposites</b><br>S. V. Kotomin, A. A. Ezhov, C. Sollogoub, and D. Yarikov   | 162 |
| <b>Nanocarbon filler particles in polymer matrix - Nanosized dielectric probe</b><br>Vitaliy G. Shevchenko, Sergey V. Polschikov, Polina M. Nedorezova, Alla N. Klyamkina, and Alexander M. Aladyshev   | 166 |
| <b>A molecular dynamics study of polymer/graphene interfacial systems</b><br>Anastassia N. Rissanou and Vagelis Harmandaris   | 170 |
| <b>Interactive effects between carbon allotropes on the mechanical reinforcement of nanocomposites based on poly(1,4-<i>cis</i>-isoprene)</b><br>Sara Musto, Valeria Cipolletti, Vincenzina Barbera, Silvia Agnelli, Stefano Pandini, and Maurizio Galimberti | 174 |
| <b>Mechanical properties of PE, PP, Surlyn and EVA/clay nanocomposites for packaging films</b><br>A. Tesarikova and D. Merinska   | 178 |
| <b>Epoxy elastomers reinforced with functionalized multi-walled carbon nanotubes as stimuli-responsive shape memory materials</b><br>G. C. Lama, G. Nasti, V. Ambrogì, P. Cerruti, G. Gentile, and C. Carfagna  | 182 |
| <b>Barrier properties of PE, PP and EVA (nano)composites - The influence of filler type and concentration</b><br>D. Merinska, A. Kalendova, and A. Tesarikova   | 186 |
| <b>Carbon nanotube alignment in a thermosetting resin</b><br>Francesca Lionetto, Antonio Greco, Dario Pisignano, and Alfonso Maffezzoli   | 190 |
| <b>Polystyrene/MoS<sub>2</sub>@oleylamine nanocomposites</b><br>Claudia Altavilla, Filippo Fedi, Andrea Sorrentino, Salvatore Iannace, and Paolo Ciambelli  | 194 |
| <b>Temperature and electrical memory of polymer fibers</b><br>Jinkai Yuan, Cécile Zakri, Fabienne Grillard, Wilfrid Neri, and Philippe Poulin   | 198 |

|  |     |
|--|-----|
| <b>Gelatin/graphene systems for low cost energy storage</b><br>Giovanni Landi, Filippo Fedi, Andrea Sorrentino, Heinz C. Neitzert, and Salvatore Iannace   | 202 |
| <b>Enhanced mechanical and thermal properties of CNT/HDPE nanocomposite using MMT as secondary filler</b><br>M. E. Ali Mohsin, Agus Arsad, H. Fouad, M. Jawaid, and Othman Y. Alothman   | 206 |
| <b>Polyamide 12/ fullerene C60 composites: Investigation on their mechanical and dielectric properties</b><br>Vjacheslav V. Zuev   | 210 |
| <b>The influence of chemical composition of aliphatic-aromatic copolyesters on their properties</b><br>Malgorzata Wojtczak, Andrzej Galeski, Slawomir Dutkiewicz, and Ewa Piorkowska   | 214 |
| <b>Evaporation kinetics of DIDP plasticizer from PVC</b><br>Fatma Djouani, Inès Mkacher, Xavier Colin, Yves Brument, and Antonella Cristiano-Tassi   | 218 |
| <b>Influence of melt annealing on rheological and electrical properties of compatibilized multiwalled carbon nanotubes in polypropylene</b><br>Giuseppe Nasti, Veronica Ambrogi, Pierfrancesco Cerruti, Gennaro Gentile, Rosa Di Maio, and Cosimo Carfagna | 222 |
| <b>Cellular morphology of organic-inorganic hybrid foams based on alkali alumino-silicate matrix</b><br>Letizia Verdolotti, Barbara Liguori, Ilaria Capasso, Domenico Caputo, Marino Lavorgna, and Salvatore Iannace                                       | 226 |
| <b>Anomalous swelling of molten PCL/scCO<sub>2</sub> solutions</b><br>Maria Giovanna Pastore Carbone, Daniele Tammaro, Attilio De Maio, Ernesto Di Maio, Robert Hankel, Andreas Braeuer, and Giuseppe Mensitieri   | 230 |
| <b>Photo-triggered release in polyamide nanosized capsules</b><br>V. Marturano, V. Ambrogi, P. Cerruti, M. Giamberini, and B. Tylkowski  | 234 |
| <b>SmartFoams with magneto-sensitive elastic behavior</b><br>Luigi Sorrentino, Marco D'Auria, Daniele Davino, Ciro Visone, and Salvatore Iannace   | 238 |
| <b>Experimental investigation on laser milling of PMMA sheet</b><br>S. Genna, C. Leone, V. Lopresto, and V. Tagliaferri  | 242 |
| <b>Highly conductive PEDOT:PSS on flexible substrate as ITO-free anode for polymer solar cells</b><br>A. De Girolamo Del Mauro, R. Ricciardi, M. Montanino, P. Morvillo, and C. Minarini   | 246 |
| <b>Dynamics of dendritic polymers in the bulk and under confinement</b><br>K. Chrissopoulou, S. Fotiadou, K. Androulaki, I. Tanis, K. Karatasos, D. Prevosto, M. Labardi, B. Frick, and S. H. Anastasiadis   | 250 |

|   |     |
|---|-----|
| <b>Laser-induced dehydration of graphite oxide coatings on polymer substrates</b><br>Angela Longo, Emanuele Orabona, Antonio Ambrosio, Mariano Palomba, Gianfranco Carotenuto,<br>Luigi Nicolais, and Pasqualino Maddalena                                | 254 |
| <b>Effect of frequency on the complex viscosity of a concentrated non-Brownian suspension</b><br>Claudia Carotenuto, Maria Consiglia Merola, and Mario Minale   | 258 |
| <b>Temperature dependence of creep compliance of highly cross-linked epoxy: A molecular simulation study</b><br>Fardin Khabaz, Ketan S. Khare, and Rajesh Khare   | 262 |
| <b>Experimental and theoretical study of the peculiarities of the thermo-mechanical behavior of semi-crystalline polymers</b><br>Irina O. Glot, Lyudmila A. Golotina, and Igor N. Shardakov   | 266 |
| <b>The network density as tailoring parameter for the two-way shape memory response of crosslinked poly(<math>\epsilon</math>-caprolactone)</b><br>Stefano Pandini, Daniele Dioni, Katia Paderni, Massimo Messori, Maurizio Toselli,<br>and Theonis Riccò | 270 |
| <b>Rheological and thermal properties of PP-based WPC</b><br>V. Mazzanti, F. Mollica, and N. El Kissi   | 274 |
| <b>Partial shape memory effect of polymers</b><br>A. Tcharkhtchi, S. Abdallah Elhirisia, K. M. Ebrahimi, J. Fitoussi, M. Shirinbayan, and S. Farzaneh   | 278 |
| <b>Melt state dynamics of plate-like nanoparticles in immiscible polymer blends</b><br>Martina Salzano de Luna, Andrea Causa, Domenico Acierno, and Giovanni Filippone  | 282 |
| <b>Superposition of an orthogonal oscillation to study anisotropy in polymers</b><br>Marco Coletti and Renzo Pepi   | 286 |
| <b>Rheological and structural studies of carboxymethyl derivatives of chitosan</b><br>Cherese Winstead and Pushpika Katagumpola   | 290 |
| <b>Effect of ageing time on mechanical properties of plasticized poly(hydroxybutyrate) (PHB)</b><br>Giuseppe Farris, Patrizia Cinelli, Irene Anguillesi, Sara Salvadori, Maria-Beatrice Coltelli,<br>and Andrea Lazzeri                                   | 294 |
| <b>Dynamic neutron scattering on incoherent systems using efficient resonance spin flip techniques</b><br>Wolfgang Häussler and Lukas Kredler   | 298 |
| <b>The stratified flows' characteristics: A numerical study of the influence of technological parameters</b><br>Maria V. Bachurina, Nataliia M. Trufanova, and Alexey V. Kazakov  | 302 |



|   |     |
|---|-----|
| <b>Evaluation of the shape memory performances of poly(<math>\epsilon</math>-caprolactone)-based tubular devices for potential biomedical applications</b><br>Stefano Pandini, Alberto Borboni, Ileana Bodini, David Vetturi, Danilo Cambiaghi, Katia Paderni, Massimo Messori, Maurizio Toselli, and Theonis Riccò | 306 |
| <b>Antimicrobial thermoplastic materials for biomedical applications prepared by melt processing</b><br>L. Botta, R. Scaffaro, M. Ceraulo, and G. Gallo   | 310 |
| <b>Quercetin as natural stabilizing agent for bio-polymer</b><br>Elisabetta Morici, Rossella Arrigo, and Nadka Tzankova Dintcheva   | 314 |
| <b>Hydroxyapatite with environmental applications</b><br>C. L. Popa, C. S. Ciobanu, C. C. Petre, M. Motelica-Heino, S. L. Iconaru, G. Jiga, and D. Predoi   | 318 |
| <b>Solvent site-dipole fields around guanine nucleotides in the Hras-GTP complex and in the Hras-GDP complex</b><br>Takeshi Miyakawa, Ryota Morikawa, Masako Takasu, Kimikazu Sugimori, Kazutomo Kawaguchi, Hiroaki Saito, and Hidemi Nagao   | 322 |
| <b>Natural derivatives of diphenolic acid as substitutes for bisphenol-A</b><br>Johanna Ertl, Elisa Cerri, Matteo Rizzuto, and Daniele Caretti  | 326 |
| <b>Performances and morphology of polyamide/carbonaceous structures based fibers</b><br>Rossella Arrigo, Nadka Tzankova Dintcheva, Elisabetta Morici, and Francesco Paolo La Mantia   | 330 |
| <b>Numerical simulation of LVI test onto composite plates</b><br>Francesco Caputo, Giuseppe Lamanna, Alessandro De Luca, and Valentina Lopresto   | 334 |
| <b>Reliability of sheet moulding composites (SMC) for the automotive industry</b><br>Giuseppe Lamanna, Angelo Ceparano, and Luciana Sartore   | 338 |
| <b>Performance evaluation of CFRP-rubber shock absorbers</b><br>Giuseppe Lamanna and Raffaele Sepe  | 342 |
| <b>Epoxy composites based on inexpensive tire waste filler</b><br>Gulnare Ahmetli, Ahmet Gungor, and Suheyly Kocaman  | 346 |
| <b>Thermo-mechanical characterization of a monochlorophenyl, hepta isobutyl polyhedral oligomeric silsesquioxane/polystyrene composite</b><br>Ignazio Blanco, Francesco A. Bottino, Gianluca Cicala, Giulia Cozzo, Alberta Latteri, and Antonino Recca  | 350 |
| <b>Pyrolysis as a way to close a CFRC life cycle: Carbon fibers recovery and their use as feedstock for a new composite production</b><br>Loris Giorgini, Tiziana Benelli, Laura Mazzocchetti, Chiara Leonardi, Giorgio Zattini, Giangiaco­mo Minak, Enrico Dolcini, Cristian Tosi, and Ivan Montanari              | 354 |

|  |     |
|--|-----|
| <b>Vacuum infusion manufacturing and experimental characterization of Kevlar/epoxy composites</b><br>M. R. Ricciardi, M. Giordano, A. Langella, L. Nele, and V. Antonucci  | 358 |
| <b>Temperature effects on the electrical properties of multiphase polymer composites</b><br>Biagio De Vivo, Liberata Guadagno, Patrizia Lamberti, Marialuigia Raimondo, Giovanni Spinelli,<br>Vincenzo Tucci, Luigi Vertuccio, and Vittoria Vittoria                     | 362 |
| <b>Heat conductivity of filled polymers</b><br>A. Bachurina and A. Nikitin   | 366 |
| <b>Analysis of the stress-strain state in single overlap joints using piezo-ceramic actuators</b><br>Veronica Păltânea, Gheorghe Păltânea, Dorina Popovici, Gabriel Jiga, and George Papanicolaou  | 370 |
| <b>Synthesis of a new hardener agent for self-healing epoxy resins</b><br>Marialuigia Raimondo, Liberata Guadagno, Carlo Naddeo, Pasquale Longo, Annaluisa Mariconda,<br>and Anna Agovino  | 374 |
| <b>Effect of molecular-mass characteristics of ethylene-propylene-diene monomer rubber on impact<br/>resistance and mobility of the melt of its modified blends with polypropylene</b><br>I. G. Ryzhikova, N. A. Bauman, A. M. Volkov, Yu. M. Kazakov, and S. I. Volfson | 378 |
| <b>The breaking of duality symmetry, disorder parameter, and glass transition</b><br>I. Kanazawa, M. Saito, K. Yamada, and T. Sasaki   | 382 |
| <b>Influence of nanofiller morphology on the viscoelastic properties of CNF/epoxy resins</b><br>Liberata Guadagno, Marialuigia Raimondo, Khalid Lafdi, Annalisa Fierro, Salvatore Rosolia,<br>and Maria Rossella Nobile  | 386 |
| <b>Nanofilled epoxy adhesives for structural applications</b><br>Liberata Guadagno, Umberto Vietri, Maria Sarno, Marialuigia Raimondo, Claudia Cirillo,<br>and Paolo Ciambelli   | 390 |
| <b>Nanoclay modified polycarbonate blend nanocomposites: Calorimetric and mechanical properties</b><br>Janis Zicans, Remo Merijs Meri, Tatjana Ivanova, Rita Berzina, Martins Kalnins,<br>and Roberts Maksimovs  | 394 |
| <b>Optical and mechanical properties of UV-weathered biodegradable PHBV/PBAT nanocomposite<br/>films containing halloysite nanotubes</b><br>P. Scarfato, E. Avallone, D. Acierno, and P. Russo   | 398 |
| <b>Novel hydrophobic photopolymerizable nano-structured protective coating for porous stones</b><br>R. Striani, C. Esposito Corcione, and M. Frigione  | 402 |
| <b>Effects of chemical functionalization of multi wall carbon nanotubes on the heat transport<br/>behaviour of polypropylene based nanocomposites</b><br>Pietro Russo, Antonella Patti, and Domenico Acierno   | 406 |

|  |     |
|--|-----|
| <b>Thermal conductivity of epoxy nanocomposites filled with MWCNT and hydrotalcite clay:<br/>A preliminary study</b>   | 410 |
| Vittorio Romano, Carlo Naddeo, Liberata Guadagno, and Luigi Vertuccio  |     |
| <b>Effectiveness of organoclays as compatibilizers for multiphase polymer blends – A sustainable route for the mechanical recycling of co-mingled plastics</b> | 414 |
| Andrea Causa, Maria Chiara Mistretta, Domenico Acierno, and Giovanni Filippone   |     |
| <b>Thermoplastic nanoclay-modified vulcanizates based on polypropylene and nitrile-butadiene rubber</b>  | 418 |
| Svetoslav I. Volfson, Natalya A. Okhotina, Alina I. Nigmatullina, and Olga A. Panfilova  |     |
| <b>Effect of nanocomposite composition on shear and elongational rheological behavior of PLA/MMT hybrids</b>   | 422 |
| Emilia Garofalo, Paola Scarfato, Luciano Di Maio, and Loredana Incarnato   |     |
| <b>Carbon nanotubes and carbon onions for modification of styrene-acrylate copolymer based nanocomposites</b>  | 426 |
| Remo Merijs-Meri, Janis Zicans, Tatjana Ivanova, Juris Bitenieks, Polina Kuzhir, Sergey Maksimenko, Vladimir Kuznetsov, and Sergey Moseenkov                   |     |
| <b>Mesoporous silica as carrier of antioxidant for food packaging materials</b>  | 430 |
| Giovanna Giuliana Buonocore, Nicola Gargiulo, Letizia Verdolotti, Barbara Liguori, Marino Lavorgna, and Domenico Caputo  |     |
| <b>Compatibilization of a polyethylene/polyamide 6 blend nanocomposite</b>   | 434 |
| M. C. Mistretta, M. Ceraulo, F. P. La Mantia, and M. Morreale  |     |
| <b>Graphene oxide-silica nanohybrids as fillers for PA6 based nanocomposites</b>   | 438 |
| A. Maio, R. Fucarino, R. Khatibi, L. Botta, S. Rosselli, M. Bruno, and R. Scaffaro   |     |
| <b>Multifunctional chitosan nanocomposites: The effect of silver supported on montmorillonite platelets on barrier and mechanical properties</b>               | 442 |
| M. Lavorgna, G. G. Buonocore, F. Tescione, F. Capezzuto, N. Yan, and E. Amendola   |     |
| <b>Controlling the release of active compounds from the inorganic carrier halloysite</b>   | 446 |
| F. Tescione, G. G. Buonocore, M. Stanzione, M. Oliviero, and M. Lavorgna   |     |
| <b>Polymer nanocomposites based on polyamide 12 filled with nickel and copper nanoparticles</b>  | 450 |
| E. S. Shapoval and V. V. Zuev  |     |
| <b>The effect of fullerene C60 on the mechanical and dielectrical behavior of epoxy resins at low loading</b>  | 453 |
| D. V. Pikhurov and Vjacheslav V. Zuev  |     |
| <b>Active barrier films of PET for solar cell application: Processing and characterization</b>   | 457 |
| Gabiella Rossi, Paola Scarfato, and Loredana Incarnato   |     |

|   |     |
|---|-----|
| <b>Development of multifunctional carbon fiber reinforced composites (CFRCs) - Manufacturing process</b>  |     |
| Liberata Guadagno, Marialuigia Raimondo, Umberto Vietri, Giuseppina Barra, Luigi Vertuccio, Ruggero Volponi, Giovanni Cosentino, Felice De Nicola, Andrea Grilli, and Paola Spena | 461 |
| <b>Improving the cellular morphology in high performance thermoplastics foams through blending</b>  |     |
| Livia Cafiero, Luigi Sorrentino, and Salvatore Iannace  | 465 |
| <b>Use of graphene oxide functionalized with Grubbs and Hoveyda Grubbs catalyst to activate metathesis reaction in epoxy mixtures</b>   |     |
| Annalisa Mariconda, Anna Agovino, Pasquale Longo, Marialuigia Raimondo, and Liberata Guadagno   | 469 |
| <b>PS foams at high pressure drop rates</b>   |     |
| Daniele Tammaro, Attilio De Maio, Maria Giovanna Pastore Carbone, Ernesto Di Maio, and Salvatore Iannace  | 473 |
| <b>Dissolution, fractionating and functionalization of ultradispersed polytetrafluorethylene in supercritical carbon dioxide</b>  |     |
| Ernest Said-Galiev, Mikhail Buzin, Alexander Korlyukov, Mukhamed Keshtov, Alexei Khokhlov, and Vyacheslav Buznik  | 477 |
| <b>Triblock copolymer P104 detailed behavior through a density, sound velocity and DLS study</b>  |     |
| L. M. Bravo-Anaya, C. Fierro-Castro, Y. Rharbi, and J. F. A. Soltero Martínez   | 481 |
| <b>A FE analysis of a silicone deformable interface for distributed force sensors</b>   |     |
| Andrea Cirillo, Pasquale Cirillo, Giuseppe De Maria, Ciro Natale, and Salvatore Pirozzi   | 485 |
| <b>Graphene oxide-based nanohybrid for label-free optical sensing</b>   |     |
| Anna Borriello, Lucia Sansone, Giovanna De Luca, Pietro La Manna, Pellegrino Musto, and Michele Giordano  | 489 |
| <b>Highly isotactic poly(N-pentenyl-carbazole): A challenging polymer for optoelectronic applications</b>   |     |
| Antonio Botta, Stefania Pragliola, Vincenzo Venditto, Alfredo Rubino, Salvatore Aprano, Anna De Girolamo Del Mauro, Maria Grazia Maglione, and Carla Minarini                     | 493 |
| <b>New donor-acceptor benzotrithiophene-containing conjugated polymers for solar cells</b>  |     |
| Mukhamed Keshtov, Dmitry Godovsky, Vitaliy Kochurov, Ganesh Datt Sharma, Fang-Chung Chen, Nikolay Radychev, and Alexei Khokhlov   | 498 |
| <b>Preparation and characterization of optically transparent and electrically conductive polyethylene-supported graphene films</b>  |     |
| G. Carotenuto, V. Romeo, L. Schiavo, G. Ausanio, and L. Nicolais  | 502 |
| <b>Functional barrier in two-layer recycled PP films for food packaging applications</b>  |     |
| P. Scarfato, L. Di Maio, M. R. Milana, R. Feliciani, M. Denaro, and L. Incarnato  | 506 |

|   |     |
|---|-----|
| <b>Rheological behaviour, filmability and mechanical properties of biodegradable polymer films</b><br>M. Ceraulo, M. C. Mistretta, F. P. La Mantia, and L. Botta  | 510 |
| <b>Structure and mechanics of soft PSAs (pressure sensitive adhesives)</b><br>Giuseppe Lamanna, Luciana Sartore, and Alessandro Basile  | 514 |
| <b>Wall-slip of highly filled powder injection molding compounds: Effect of flow channel geometry and roughness</b><br>Berenika Hausnerova, Daniel Sanetnik, and Gordana Paravanova                             | 518 |
| <b>The feeling of storage modulus for texture: Characterization of colloidal assembly through rheological and image analyses</b><br>Luigi Sanguigno and Domenico Acierno  | 522 |
| <b>Polymer blends with biodegradable components and reinforcements</b><br>Luciana Sartore and Luca Di Landro  | 526 |
| <b>Compatibilized blends and value added products from leather industry waste</b><br>Luciana Sartore and Luca Di Landro   | 530 |
| <b>Investigation of magnetic properties of Rb<sub>3</sub>C<sub>60</sub> single crystal fullerene using torque experiments</b><br>J. Chigvinadze, V. Buntar, G. Zaikov, S. Ashimov, T. Machaidze, and G. Donadze | 534 |
| <b>Protection of rubbers against aging with the use of structural, diffusion and kinetic effects</b><br>V. F. Kablov and G. E. Zaikov   | 538 |
| <b>About the sizes of elastomer particles in the asphalt concrete binder providing the maximum service life of pavements</b><br>A. M. Kaplan and N. I. Chekunaev  | 542 |
| <b>New nanocomposites based on layered aluminosilicate and guanidine containing polyelectrolytes</b><br>Azamat A. Khashirov, Azamat A. Zhansitov, Genadiy E. Zaikov, and Svetlana Yu. Khashirova                | 546 |
| <b>New biologically active composite materials on the basis of dialdehyde cellulose</b><br>Azamat A. Khashirov, Azamat A. Zhansitov, Genadiy E. Zaikov, and Svetlana Yu. Khashirova                             | 550 |
| <b>Structure of the interfacial layer in blends of elastomers with different polarities and ozone resistance</b><br>N. M. Livanova, A. A. Popov, V. A. Shershnev, and G. E. Zaikov                              | 554 |
| <b>Morphology of electrospun nanofibres of polyhydroxybutyrate</b><br>A. A. Olkhov, O. V. Staroverova, A. L. Iordanskii, and G. E. Zaikov   | 558 |
| <b>Structuring and electric conductivity of polymer composites pyrolysed at high temperatures</b><br>J. N. Aneli, T. M. Natriashvili, and G. E. Zaikov  | 562 |

**Some features of electro-optical properties of polymeric compositions doped with 8-hydroxyquinoline based azodyes and their cobalt complexes**

N. A. Davidenko, I. I. Davidenko, I. A. Savchenko, A. T. Sinyugina, S. L. Studzinsky,  
L. S. Tonkopieva, T. R. Deberdeev, A. Yu. Kolendo, and G. E. Zaikov

566

**The thickening additives for mineral and synthetic oils based on the copolymers of alkyl acrylates or methacrylates and butyl vinyl ether**

Evgeniya V. Geraskina, Alexey A. Moikin, and Ludmila L. Semenycheva

570