

2014 IEEE MTT-S International Microwave Symposium

(IMS 2014)

**Tampa, Florida, USA
1 – 6 June 2014**

Pages 1-785



**IEEE Catalog Number: CFP14MTT-POD
ISBN: 978-1-4799-3870-4**

TABLE OF CONTENTS

METAMATERIAL MÖBIUS STRIPS (MMS): TUNABLE OSCILLATOR CIRCUITS	1
<i>A. Poddar, U. Rohde, T. Itoh</i>	
A PRE-DISTORTION METHOD TO REDUCE DDS SPURIOUS	5
<i>P. Delos, D. Leonard, J. Spada</i>	
A 67-110GHZ CMOS TO WR-10 WAVEGUIDE TRANSITION USING WIREBONDS AND WIDEBAND MICROSTRIP LAUNCHER	9
<i>S. Jameson, E. Socher</i>	
A 3-10 GHZ 13 PJ/PULSE DUAL BPSK/QPSK PULSE MODULATOR BASED ON HARMONIC INJECTION LOCKING	13
<i>A. El-Gabaly, C. Saavedra</i>	
AN INTEGRATED 60GHZ LOW POWER TWO-CHIP WIRELESS SYSTEM BASED ON IEEE802.11AD STANDARD	17
<i>K. Ma, S. Mou, N. Mahalingam, Y. Wang, B. Thangarasu, J. Yan, W. Ye, K. Wang, W. Lim, T. Wong, Y. Lu, W. Yang, K. Yeo, F. Chin, X. Peng, A. Chai, K. Png, W. Ho, R. Keh, Z. Cai, G. Zhang, C. Yoong, Y. Khoi, W. Zhang, X. Qu, L. Yong, Z. Cheng, S. Chen, C. Cho, R. Jayaraj, J. Bo, M. Sun, X. Qing, Z. Chen</i>	
W-BAND CMOS ON-CHIP ENERGY HARVESTER AND RECTENNA	21
<i>N. Weissman, S. Jameson, E. Socher</i>	
A 65NM CMOS 140 GHZ 27.3 DBM EIRP TRANSMIT ARRAY WITH MEMBRANE ANTENNA FOR HIGHLY SCALABLE MULTI-CHIP PHASE ARRAYS.....	24
<i>A. Tang, N. Chahat, Y. Zhao, G. Virbila, C. Lee, F. Hsiao, L. Du, Y. Kuan, M. Chang, G. Chattopadhyay, I. Mehdi</i>	
A 50-80MW SSPA FROM 190.8-244GHZ AT 0.5MW P_{IN}.....	27
<i>Z. Griffith, M. Urteaga, P. Rowell, R. Pierson</i>	
300-GHZ MICROSTRIP-TO-WAVEGUIDE TRANSITION INTEGRATED IN LTCC	31
<i>T. Tajima, H. Song, M. Yaita</i>	
COMPACT, WIDEBAND, LOW-DISPERSION, METAMATERIAL-BASED MEMS PHASE SHIFTERS.....	35
<i>C. Palego, Y. Ning, V. Gholizadeh, X. Luo, J. Hwang, C. Goldsmith</i>	
AN INJECTION-LOCKED-OSCILLATOR PHASE DISCRIMINATOR FOR RF BUILT-IN SELF TEST ON LOCAL OSCILLATOR PHASE NOISE	39
<i>Y. Chen, T. Chu</i>	
A WIDE-BANDWIDTH W-BAND LNA IN INP/SI BICMOS TECHNOLOGY	43
<i>P. Watson, A. Mattamana, R. Gilbert, Y. Royter, M. Lau, I. Valles, J. Li</i>	
CRYOGENIC PERFORMANCE OF HEMT AMPLIFIERS AT 340GHZ AND 670GHZ.....	47
<i>T. Reck, W. Deal, G. Chattopadhyay</i>	
A RADIO-FREQUENCY RECONFIGURABLE CMOS-GAN CLASS-E CHIREIX POWER AMPLIFIER.....	50
<i>M. Heijden, M. Acar</i>	
A MULTI-INPUT AND MULTI-OUTPUT WIRELESS ENERGY TRANSFER SYSTEM	54
<i>M. Nguyen, D. Plesa, S. Rao, J. Chiao</i>	
BEHAVIORAL MODELING OF DIGITAL TRANSMITTERS WITH TIME DELAY NEURAL NETWORKS	57
<i>H. Ruotsalainen, N. Leder, H. Arthaber, G. Magerl</i>	
A SILICON INTEGRATED MICROWAVE VECTOR NETWORK ANALYZER FOR BIOMEDICAL SENSOR READ-OUT APPLICATIONS	61
<i>J. Nehring, I. Nasr, K. Borutta, R. Weigel, D. Kissinger</i>	
A FULL E-BAND LOW NOISE AMPLIFIER REALIZED BY USING NOVEL WAFER-LEVEL CHIP SIZE PACKAGE TECHNOLOGY SUITABLE FOR RELIABLE FLIP-CHIP REFLOW-SOLDERING.....	65
<i>T. Kawasaki, M. Kubota, K. Tsukashima, T. Tokumitsu, Y. Hasegawa</i>	
TRANSMISSION-LINE-BASED MULTI-WAY LOSSLESS POWER COMBINING AND OUTPHASING SYSTEM.....	69
<i>T. Barton, A. Jurkov, D. Perreault</i>	
50 MW 220 GHZ INP HBT POWER AMPLIFIER MMIC	73
<i>V. Radisic, D. Scott, C. Monier</i>	
A MM-WAVE MULTIPLE-BEAM PHASED ARRAY BREADBOARD FOR GEO-LEO INTER-SATELLITE LINKS.....	76
<i>Q. Lai, P. Li, M. Jin, C. Gao, T. Yuan</i>	
A NEW DIGITAL PREDISTORTION USING INDIRECT LEARNING WITH CONSTRAINED FEEDBACK BANDWIDTH FOR WIDEBAND POWER AMPLIFIERS.....	79
<i>Y. Liu, W. Pan, S. Shao, Y. Tang</i>	
A 2.6MW, -192DB/HZ FOM CLASS-C QVCO USING CAPACITIVE SOURCE DEGENERATION COUPLING	82
<i>Z. Hong, C. Wu, Y. Liao</i>	
A STRIPLINE POWER DIVIDER WITH INSENSITIVE TO RESISTANCE VARIATIONS USING A PARALLEL RESISTOR PAIR.....	85
<i>A. Hirota, Y. Tahara, H. Yukawa, T. Owada, Y. Yamaguchi, H. Miyashita</i>	
LEAKAGE FROM DIELECTRIC WAVEGUIDE	88
<i>T. Itoh</i>	

AN 80-W PACKAGED GAN HIGH POWER AMPLIFIER FOR CW OPERATION IN THE 13.75-14.5 GHZ BAND	91
<i>S. Imai, H. Maehara, M. Koyanagi, H. Ohtsuka, A. Ohta, K. Yamanaka, A. Inoue, H. Fukumoto</i>	
DYNAMIC FEEDBACK AND BIASING FOR A LINEAR CMOS POWER AMPLIFIER WITH ENVELOPE TRACKING	95
<i>S. Jin, K. Moon, B. Park, J. Kim, D. Kim, Y. Cho, H. Jin, M. Kwon, B. Kim</i>	
LOW-POWER WIRELESS DATA TRANSMITTER MMIC WITH DATA RATES UP TO 25 GBIT/S AND 9.5MW POWER CONSUMPTION USING A 113 GHZ CARRIER	99
<i>F. Thome, A. Leuther, S. Maroldt, M. Schlechtweg, O. Ambacher</i>	
AUTOMATED SYNTHESIS OF PLANAR WIDEBAND BANDPASS FILTERS BASED ON STEPPED IMPEDANCE RESONATORS (SIRS) AND SHUNT STUBS THROUGH AGGRESSIVE SPACE MAPPING (ASM)	103
<i>J. Selga, M. Sans, J. Bonache, A. Rodriguez, V. Boria, F. Martin</i>	
A 94 GHZ MULTI-CASTING DATA-LINK BASED ON 3-D PRINTING COMPATIBLE DIELECTRIC RIBBON INTERCONNECTS	107
<i>A. Tang, N. Chahat, E. Decrossas, G. Chattopadhyay, I. Mehdi</i>	
RESIDUAL PHASE NOISE AND TRANSMIT/RECEIVE ISOLATION IN A SUBMILLIMETER-WAVE FMCW RADAR	110
<i>K. Cooper, R. Dengler</i>	
CLASS-F AND INVERSE CLASS-F POWER AMPLIFIER LOADING NETWORKS DESIGN BASED UPON TRANSMISSION ZEROS	114
<i>R. Beltran</i>	
A COMPACT TUNABLE MICROSTRIP DIPLEXER USING VARACTOR-TUNED DUAL-MODE STUB-LOADED RESONATORS	118
<i>C. Chen, C. Lin, B. Tseng, S. Chang</i>	
A COMPACT MICROSTRIP QUAD-CHANNEL DIPLEXER WITH HIGH-SELECTIVITY AND HIGH-ISOLATION PERFORMANCES	121
<i>C. Chen, C. Lin, B. Tseng, S. Chang</i>	
A 60.8-67GHZ AND 6.3MW INJECTION-LOCKED FREQUENCY DIVIDER WITH SWITCHING-INDUCTOR LOADED TRANSFORMER IN 65NM CMOS	124
<i>H. Fu, W. Fei, H. Yu, J. Ren</i>	
MICROSTRIP BANDPASS POWER DIVIDER WITH HIGH FREQUENCY SELECTIVITY AND GOOD IN-BAND ISOLATION	128
<i>C. Chen, C. Lin, B. Tseng, S. Chang</i>	
A 54 TO 62.8GHZ PA WITH 95.2MW/MM² OUTPUT POWER DENSITY BY 4×4 DISTRIBUTED IN-PHASE POWER COMBINING IN 65NM CMOS	131
<i>W. Fei, H. Yu, Y. Liang, W. Lim</i>	
MICROWAVE AND MILLIMETER-WAVE FLEXIBLE ELECTRONICS	135
<i>H. Sharifi, K. Shinohara, W. Ha, J. Kang, M. Montes, C. McGuire, J. May, H. Kazemi</i>	
LOW-COST FEATURE-BASED MODELING OF MICROWAVE STRUCTURES	138
<i>S. Koziel, J. Bandler, Q. Cheng</i>	
EM-DRIVEN TUNING OF SUBSTRATE INTEGRATED WAVEGUIDE FILTERS EXPLOITING FEATURE-SPACE SURROAGATES	141
<i>O. Glubokov, S. Koziel</i>	
OVER 100 GHZ MILLIMETER-WAVE SPECTRUM MEASUREMENT SYSTEM WITH PRE-SELECTOR	144
<i>M. Fuse, Y. Kimura, A. Otani</i>	
A ULTRA LOW-LOSS SILICA-BASED TRANSFORMER BETWEEN MICROSTRIP LINE AND POST-WALL WAVEGUIDE FOR MILLIMETER-WAVE ANTENNA-IN-PACKAGE APPLICATIONS	148
<i>Y. Uemichi, O. Nukaga, R. Hosono, N. Guan, J. Hirokawa, M. Ando</i>	
DIGITAL DOHERTY TRANSMITTER WITH ENVELOPE ΔΣ MODULATED CLASS-D GAN POWER AMPLIFIER FOR 800 MHZ BAND	151
<i>K. Motoi, A. Wentzel, M. Tanio, S. Hori, M. Hayakawa, W. Heinrich, K. Kunihiro</i>	
A NOVEL, VARACTOR-BASED MICROWAVE ATTENUATOR WITH WIDE TUNING RATIO AND FLAT INSERTION LOSS RESPONSE	155
<i>M. Chik, K. Cheng</i>	
A 71-86GHZ MULTI-TANH UP-CONVERSION MIXER ACHIEVING +1DBM OP1DB IN 0.13 μM SIGE TECHNOLOGY	158
<i>R. Levinger, B. Sheinman, O. Katz, R. Ben-Yishay, R. Carmon, N. Mazor, A. Buretbrat, D. Elad, E. Socher</i>	
A SIGE KU-BAND FREQUENCY DOUBLER WITH 50% BANDWIDTH AND HIGH HARMONIC SUPPRESSION	162
<i>N. Mazor, O. Katz, B. Sheinman, R. Carmon, R. Ben-Yishay, R. Levinger, D. Elad</i>	
A NOVEL RFID-ENABLED STRAIN SENSOR USING THE DOUBLE POWER MEASUREMENT TECHNIQUE	166
<i>M. Hasani, A. Vena, L. Sydanheimo, L. Ukkonen, M. Tentzeris</i>	
TRANSMISSION ZERO GENERATION FOR WIDEBAND HIGH FREQUENCY EVANESCENT MODE FILTERS	170
<i>R. Snyder, S. Bastioli</i>	
FREQUENCY SCALABLE LARGE SIGNAL TRANSISTOR BEHAVIORAL MODEL BASED ON ADMITTANCE DOMAIN FORMULATION	174
<i>M. Koh, J. Bell, D. Williams, A. Patterson, J. Lees, D. Root, P. Tasker</i>	

A 50NM MHEMT MILLIMETER-WAVE MMIC LNA WITH WIDEBAND NOISE AND GAIN PERFORMANCE	177
<i>P. Smith, M. Ashman, D. Xu, X. Yang, C. Creamer, P. Chao, K. Chu, K. Duh, C. Koh, J. Schellenberg</i>	
A 35 MW 30 DB GAIN CONTROL RANGE CURRENT MODE PROGRAMMABLE GAIN AMPLIFIER WITH DC OFFSET CANCELLATION	181
<i>T. Kumar, K. Ma, K. Yeo, W. Yang</i>	
A 190-GHZ AMPLIFIER WITH GAIN-BOOSTING TECHNIQUE IN 65-NM CMOS	185
<i>D. Siao, J. Kao, Y. Hsiao, Y. Hsu, Y. Teng, G. Huang, K. Lin, H. Wang</i>	
LNA MODULES FOR THE WR4 (170-260 GHZ) FREQUENCY RANGE	188
<i>M. Varonen, L. Samoska, A. Fung, S. Padmanabhan, P. Kangaslahti, R. Lai, S. Sarkozy, M. Soria, H. Owen</i>	
SOURCE RECONSTRUCTION WITH SUPERRESOLUTION USING TLM TIME REVERSAL	192
<i>P. So, W. Hoefer</i>	
DYNAMIC FET MODEL – DYNAFET - FOR GAN TRANSISTORS FROM NVNA ACTIVE SOURCE INJECTION MEASUREMENTS	196
<i>J. Xu, R. Jones, S. Harris, T. Nielsen, D. Root</i>	
ACTIVE 600GHZ FREQUENCY MULTIPLIER-BY-SIX S-MMICS FOR SUBMILLIMETER-WAVE GENERATION	199
<i>U. Lewark, T. Zwick, A. Tessmann, H. Massler, A. Leuther, I. Kallfass</i>	
FULLY PRINTED TUNABLE PHASE SHIFTER FOR L/S-BAND PHASED ARRAY APPLICATION	202
<i>M. Nikfalazar, C. Kohler, A. Friederich, M. Sazegar, Y. Zheng, A. Wiens, J. Binder, R. Jakoby</i>	
SAME BAND COMBINERS FOR LAST GENERATION BASE STATIONS	206
<i>S. Tamiazzo, G. Macchiarella</i>	
A 24-GHZ FULLY INTEGRATED ISOLATOR WITH HIGH ISOLATION IN STANDARD RF 180-NM CMOS TECHNOLOGY	209
<i>J. Chang, J. Kao, Y. Lin, H. Wang</i>	
PATTERN ANALYSIS FOR HUMAN INTRUSION DETECTION WITH LEAKY COAXIAL CABLES	212
<i>K. Inomata, W. Tsujita, T. Hirai</i>	
MONOLITHIC INTEGRATED CERAMIC WAVEGUIDE FILTERS	216
<i>I. Hunter, M. Sandhu</i>	
GENERATION OF CANONICAL FORMS FOR MULTIPOINT FILTERING NETWORKS	219
<i>G. Macchiarella, S. Tamiazzo</i>	
A NOVEL HARMONIC SELECTION TECHNIQUE BASED ON THE INJECTION OF A PERIODICALLY REPEATED OSCILLATIONS TRAIN INTO AN OSCILLATOR	222
<i>C. Jany, A. Siligaris, P. Ferrari, P. Vincent</i>	
VSWR-PROTECTED 90 W L-BAND ALGAN/GAN POWER AMPLIFIER	225
<i>M. Heijningen, G. Bent, E. Houwen, A. Chowdhary, F. Vliet</i>	
A DISTRIBUTED MATCHING/COMBINING NETWORK SUITABLE FOR DOHERTY POWER AMPLIFIERS COVERING MORE THAN AN OCTAVE FREQUENCY BAND	228
<i>R. Giofre, L. Piazzon, P. Colantonio, F. Giannini</i>	
DESIGN OF A COMPACT HYBRID FILTER USING MICROSTRIP RESONATORS AND SURFACE MOUNTED CAVITIES	231
<i>A. Basti, S. Bila, S. Verdeyme, A. Perigaud, L. Estagerie, H. Leblond</i>	
LINEARIZATION OF RADIO-OVER-FIBER SYSTEMS BY USING TWO LASERS WITH DIFFERENT WAVELENGTHS	235
<i>R. Zhu, X. Zhang</i>	
A NOVEL TECHNIQUE FOR RAPID VAPOR DETECTION USING SWELLING POLYMER COVERED MICROSTRIP RING RESONATOR	238
<i>A. Sohrabi, P. Shaibani, M. Zarifi, M. Daneshmand, T. Thundat</i>	
HIGH-ORDER ENVELOPE FOLLOWING METHOD FOR ACCURATE TRANSIENT ANALYSIS OF ALMOST PERIODIC ELECTRICAL CIRCUITS	242
<i>M. Farhan, E. Gad, M. Nakhla, R. Achar</i>	
A THIN PRINTED METASURFACE FOR MICROWAVE REFRACTION	245
<i>J. Wong, M. Selvanayagam, G. Eleftheriades</i>	
PREDICTION OF SMART ANTENNA TRANSMITTER CHARACTERISTICS USING A NEW BEHAVIORAL MODELING APPROACH	249
<i>C. Fager, X. Bland, K. Hausmair, J. Cahuana, T. Eriksson</i>	
EFFICIENT STATISTICAL ANALYSIS OF MICROWAVE CIRCUITS USING DECOUPLED POLYNOMIAL CHAOS	253
<i>S. Nabavi, E. Gad, M. Nakhla, R. Achar</i>	
A 5-LEVEL DISCRETE-TIME POWER ENCODER WITH MEASURED CODING EFFICIENCY OF 70% FOR 20-MHZ LTE DIGITAL TRANSMITTER	257
<i>Q. Zhu, R. Ma, C. Duan, K. Teo, K. Parsons</i>	
A 53 TO 84 GHZ CMOS POWER AMPLIFIER WITH 10.8-DBM OUTPUT POWER AND 31 GHZ 3-DB BANDWIDTH	260
<i>P. Chiang, W. Lin, T. Huang, H. Wang</i>	
MULTI-HARMONIC ABSORPTION FILTER USING QUASI-MULTILAYERED STRIPLINES	263
<i>Y. Morimoto, T. Yuasa, T. Owada, M. Miyazaki</i>	
FULL-WAVE COMPUTER-AIDED OPTIMIZATION OF WIRELESS POWER TRANSFER SYSTEMS	266
<i>M. Dionigi, S. Koziel, M. Mongiardo</i>	

FEATURE-BASED STATISTICAL ANALYSIS FOR RAPID YIELD ESTIMATION OF MICROWAVE STRUCTURES	269
<i>S. Koziel, J. Bandler</i>	
A MINIATURIZED BROADBAND LUMPED ELEMENT CIRCULATOR FOR RECONFIGURABLE FRONT-END SYSTEM	272
<i>T. Wada, R. Nakajima, H. Obiya, T. Ogami, M. Koshino, M. Kawashima, N. Nakajima</i>	
A NEW TUNABLE RF FRONT-END CIRCUIT FOR ADVANCED 4G HANDSETS	275
<i>H. Obiya, T. Wada, H. Hayafuji, T. Ogami, M. Tani, M. Koshino, M. Kawashima, N. Nakajima</i>	
A SCALABLE COMPACT SMALL-SIGNAL MHEMT MODEL ACCOUNTING FOR DISTRIBUTED EFFECTS IN SUB-MILLIMETER WAVE AND TERAHERTZ APPLICATIONS	278
<i>M. Ohlrogge, M. Seelmann-Eggebert, A. Leuther, H. Maßler, A. Tessmann, R. Weber, D. Schwantuschke, M. Schlechtweg, O. Ambacher</i>	
PERFORMANCE OF A 90-GHZ RADIO-ON-RADIO-OVER-FIBER SYSTEM SUITABLE FOR COMMUNICATIONS IN HIGH-SPEED RAILWAYS	282
<i>P. Dat, A. Kanno, T. Kawanishi</i>	
HIGHLY EFFICIENT 200-GHZ FIXED-FREQUENCY FUNDAMENTAL SOURCE IN TRANSFERRED-SUBSTRATE INP DHBT TECHNOLOGY	286
<i>M. Hossain, T. Kraemer, O. Krueger, V. Krozer, W. Heinrich</i>	
INDOOR LOCALIZATION SYSTEM FOR 2D MEASUREMENT IN EUROPEAN UWB BAND WITH SINGLE REFERENCE POSITION	290
<i>R. Kumar, J. Cousin, B. Huyart, K. Mabrouk</i>	
Q- AND E-BAND AMPLIFIER MMICS FOR SATELLITE COMMUNICATION	294
<i>D. Schwantuschke, B. Aja, M. Seelmann-Eggebert, R. Quay, A. Leuther, P. Bruckner, M. Schlechtweg, M. Mikulla, I. Kallfass, O. Ambacher</i>	
FLIP CHIP ASSEMBLY FOR SUB-MILLIMETER WAVE AMPLIFIER MMIC ON POLYIMIDE SUBSTRATE	298
<i>Y. Kawano, H. Matsumura, S. Shiba, M. Sato, T. Suzuki, Y. Nakasha, T. Takahashi, K. Makiyama, N. Hara</i>	
AN APPLICATOR FOR MICROWAVE ASSISTED PULTRUSION OF CARBON FIBER REINFORCED PLASTIC	302
<i>T. Kayser, G. Link, T. Seitz, V. Nuß, J. Dittrich, J. Jelonnek</i>	
A 92 GHZ GAN HEMT VOLTAGE-CONTROLLED OSCILLATOR MMIC	306
<i>R. Weber, D. Schwantuschke, P. Bruckner, R. Quay, F. Raay, O. Ambacher</i>	
A MINIATURIZED 28MW 60GHZ DIFFERENTIAL QUADRATURE SUB-HARMONIC QPSK MODULATOR IN 0.18UM SIGE BICMOS	310
<i>K. Ma, S. Mou, Y. Wang, J. Yan, K. Yeo, W. Lim</i>	
56 GHZ BANDWIDTH FMCW RADAR SENSOR WITH ON-CHIP ANTENNAS IN SIGE BICOMOS	314
<i>S. Yuan, A. Trasser, H. Schumacher</i>	
AN ALL-METAL RF-MEMS SWITCH WITH LARGE DISPLACEMENT AND POTENTIAL MECHANICAL CREEP REDUCTION	318
<i>A. Yahiaoui, E. Lemoine, A. Pothier, P. Blondy</i>	
CREATION OF A GRADIENT INDEX STRUCTURE INSIDE FOAM MATERIAL – MICROWAVE APPLICATION FOR A LENS ANTENNA AT 60 GHZ	322
<i>J. Bor, O. Lafond, M. Himdi</i>	
A 250W LDMOS DOHERTY PA WITH 31% OF FRACTIONAL BANDWIDTH FOR DVB-T APPLICATIONS	326
<i>N. Giovannelli, A. Cidronali, P. Singerl, S. Maddio, C. Schubert, A. Chiaro, G. Manes</i>	
A W-BAND DIVIDE-BY-1.5 INJECTION-LOCKED FREQUENCY DIVIDER IN 90 NM CMOS PROCESS	330
<i>Y. Yeh, M. Li, H. Chang</i>	
AM/PM DISTORTION IN GAN DOHERTY POWER AMPLIFIERS	334
<i>L. Nunes, P. Cabral, J. Pedro</i>	
DEVELOPMENT TOWARD HIGH-POWER SUB-1-OHM DC-67 GHZ RF SWITCHES USING PHASE CHANGE MATERIALS FOR RECONFIGURABLE RF FRONT-END	338
<i>J. Moon, H. Seo, D. Le</i>	
TIME-DOMAIN ENVELOPE MEASUREMENTS AND SIMULATIONS OF PULSE-TO-PULSE STABILITY IN MICROWAVE POWER AMPLIFIERS	341
<i>J. Delprato, D. Barataud, M. Campovecchio, G. Neveux, C. Tolant, P. Eudeline</i>	
IMPLEMENTATION OF DUAL GATE AND DRAIN DYNAMIC VOLTAGE BIASING TO MITIGATE LOAD MODULATION EFFECTS OF SUPPLY MODULATORS IN ENVELOPE TRACKING POWER AMPLIFIERS	345
<i>P. Medrel, A. Delias, P. Augeau, A. Martin, G. Neveux, P. Bouysse, J. Nebus</i>	
20 MB/S ZERO-POWER GRAPHENE-ON-GLASS MICROWAVE ENVELOPE DETECTORS FOR UBIQUITOUS ULTRA-LOW-POWER WIRELESS NETWORK	349
<i>J. Moon, H. Seo, K. Son, B. Yang, D. Wong, D. Le, C. McGuire</i>	
A 0.62-10GHZ CMOS DIELECTRIC SPECTROSCOPY SYSTEM FOR CHEMICAL/BIOLOGICAL MATERIAL CHARACTERIZATION	352
<i>M. Bajestan, A. Helmy, H. Hedayati, K. Entesari</i>	
DEEMBEDDING OF FILTERS IN MULTIPLEXERS VIA RATIONAL APPROXIMATION AND INTERPOLATION	356
<i>F. Seyfert, M. Oldoni, M. Olivi, S. Lefteriu, D. Pacaud</i>	
MICROSTRIP HYBRID COUPLED INPUT MULTIPLEXER DESIGN FOR SATELLITE COMMUNICATIONS	360
<i>J. Chang, J. Fiedziuszkzo, S. Berry, D. Harvey</i>	

L-BAND TUNABLE MICROSTRIP BANDPASS FILTER ON MULTILAYER ORGANIC SUBSTRATE WITH INTEGRATED MICROFLUIDIC CHANNEL.....	363
<i>O. Chlieh, W. Khan, J. Papapolymerou</i>	
RESEARCH ACTIVITIES ON COMPUTER-AIDED MODELING, DESIGN AND OPTIMIZATION OF RF AND MICROWAVE CIRCUITS AT ITESO MEXICO	367
<i>J. Rayas-Sanchez, Z. Brito-Brito</i>	
CHARACTERIZATION OF A LOW-LOSS AND WIDE-BAND (DC TO 170 GHZ) FLIP-CHIP INTERCONNECT ON AN ORGANIC SUBSTRATE	370
<i>W. Khan, A. Ulusoy, R. Schmid, J. Papapolymerou</i>	
DECOUPLING OF AN ISOSCELES TRIANGULAR THREE ELEMENT ARRAY WITH ONE REACTIVELY LOADED DUMMY ELEMENT.....	374
<i>L. Zhao, K. Wu</i>	
A 44-49 GHZ LOW PHASE NOISE CMOS VOLTAGE-CONTROLLED OSCILLATOR WITH 10-DBM OUTPUT POWER AND 16.1% EFFICIENCY	377
<i>C. Lee, S. Huang, H. Chang</i>	
12W/MM WITH 0.15μM INALN/GAN HEMTS ON SIC TECHNOLOGY FOR K AND KA-BANDS APPLICATIONS.....	381
<i>S. Piotrowicz, O. Jardel, E. Chartier, R. Aubry, L. Baczkowski, M. Casbon, C. Dua, L. Escotte, P. Gamarra, J. Jacquet, N. Michel, S. Nsele, M. Oualli, O. Patard, C. Potier, M. Poisson, S. Delage</i>	
ARTHUR'S ADAMANCY ABOUT ACCURACY, AND ANECDOTES "PBG" = PERIODIC BY GOLLY	384
<i>R. Snyder</i>	
TIME-FREQUENCY DOMAIN PROPERTIES ON A COMPACT MULTI-PORT IR-UWB ANTENNA	387
<i>H. Peng, J. Zhao, N. Ma, J. Zou, J. Mao</i>	
A PERFORMANCE ENHANCED POWER DIVIDER STRUCTURE.....	391
<i>V. Tas, A. Atalar</i>	
EXPERIMENTAL STUDY ON MULTI-DIMENSIONAL DIGITAL PREDISTORTION FOR MULTI-BAND EXTERNALLY-MODULATED RADIO-OVER-FIBER SYSTEMS	395
<i>H. Chen, J. Li, K. Xu, Y. Pei, Y. Dai, F. Yin, J. Lin</i>	
SIMULTANEOUS OUT-OF-BAND INTERFERENCE REJECTION AND RADIATION ENHANCEMENT IN AN ELECTRONIC PRODUCT VIA AN EBG STRUCTURE.....	399
<i>A. Ruaro, J. Thaysen, K. Jakobsen</i>	
DESIGN OF SINGLE-RIDGE SIW POWER DIVIDERS WITH OVER 75% BANDWIDTH.....	402
<i>R. Kazemi, A. Fathy</i>	
BROADBAND INTERCONNECTS BETWEEN COPLANAR WAVEGUIDE AND SUBSTRATE INTEGRATED WAVEGUIDE FOR DENSE PACKAGING AND INTEGRATION	405
<i>F. Taringou, J. Bornemann, K. Wu, T. Weiland</i>	
SOME PERSPECTIVES ON THE MODES GUIDED BY NEGATIVE-PERMITTIVITY SLABS	408
<i>G. Eleftheriades</i>	
MICROWAVE ASSISTED ION EXCHANGE IN SILICATE GLASS	410
<i>M. Willert-Porada, H. Park</i>	
ELECTROMAGNETIC PLANE WAVE SCATTERING BY A RADially UNIAxIAL DIELECTRIC SPHERE: DEBYE SERIES SOLUTION	414
<i>M. Yazdani, J. Mautz, L. Murphy, E. Arvas</i>	
A HIGH GAIN, W-BAND SIGE LNA WITH SUB-4.0 DB NOISE FIGURE	418
<i>P. Song, A. Ulusoy, R. Schmid, J. Cressler</i>	
A COMPACT HIGH-ISOLATION DC-50 GHZ SP4T RF MEMS SWITCH	421
<i>H. Yang, A. Yahiaoui, P. Blondy, G. Rebeiz</i>	
SINGLE-ANTENNA PHASE- AND SELF-INJECTION-LOCKED RADAR FOR VITAL SIGN SENSOR MODULE MINIATURIZATION	425
<i>P. Wu, P. Hsu</i>	
A MAXIMALLY FLAT QUADRATIC INTERPOLATION ENHANCED INPUT SPACE MAPPING MODELING APPROACH.....	428
<i>Q. Cheng, J. Bandler, S. Koziel</i>	
LOW-PHASE ERROR AND HIGH ISOLATION CMOS ACTIVE BALUN	431
<i>S. Wang, C. Lee</i>	
A COMPACT DC-10 GHZ SP7T RF MEMS SWITCH	435
<i>H. Yang, A. Yahiaoui, H. Zareie, P. Blondy, G. Rebeiz</i>	
DESIGN OF A WIDE STOPBAND BANDPASS FILTER WITH THE TWO-PATH COUPLED LINES	438
<i>Y. Sun, C. Tang, J. Wu, Y. Lin</i>	
MODELING RF BEHAVIOR OF GRAPHENE UP TO 67GHZ	441
<i>Z. Pan, X. Ji, M. Li, Z. Ye, Y. Wang</i>	
A 280GHZ CMOS ON-CHIP COMPOSITE RIGHT/LEFT HANDED TRANSMISSION LINE BASED LEAKY WAVE ANTENNA WITH BROADSIDE RADIATION	445
<i>Y. Shang, H. Yu, P. Li, Y. Liang, C. Yang</i>	
DIRECTLY HEATED FOUR-TERMINAL PHASE CHANGE SWITCHES	448
<i>M. Wang, M. Rais-Zadeh</i>	
A W-BAND HETERODYNE RECEIVER MODULE PROTOTYPE FOR FOCAL PLANE ARRAYS	452
<i>R. Gawande, R. Reeves, K. Cleary, J. Kooi, A. Readhead, T. Gaier, P. Kangaslahti, L. Samoska, M. Varonen, S. Church, K. Devaraj, M. Sieth, P. Voll, A. Harris, R. Lai, S. Sarkozy</i>	

A 32.5-GS/S TWO-CHANNEL TIME-INTERLEAVED CMOS SAMPLER WITH SWITCHED-SOURCE FOLLOWER BASED TRACK-AND-HOLD AMPLIFIER	456
<i>S. Ma, J. Wang, H. Yu, J. Ren</i>	
A HIGH PERFORMANCE DC-80 GHZ DISTRIBUTED AMPLIFIER IN 40-NM CMOS DIGITAL PROCESS	459
<i>P. Chen, K. Yeh, J. Kao, H. Wang</i>	
COMPACT QUAD-BAND FILTER USING STUB-LOADED QUARTER-WAVELENGTH RESONATORS AND STUB-LOADED HALF-WAVELENGTH SIRS	462
<i>Q. Chu, Z. Zhang, F. Chen</i>	
COMPACT QUAD-MODE SINGLE BAND/DUAL-MODE DUALBAND BANDPASS FILTERS USING TWO COUPLED LOOP RESONATORS	465
<i>Z. Zhang, Q. Chu, S. Wong</i>	
EFFICIENT 3-D FUNDAMENTAL LOD-FDTD METHOD WITH LUMPED ELEMENTS	468
<i>Z. Yang, E. Tan</i>	
SINGLE FEEDBACK LOOP-BASED DIGITAL PREDISTORTION FOR LINEARIZING CONCURRENT MULTI-BAND TRANSMITTERS.....	471
<i>C. Yu, A. Zhu</i>	
TRIPLE-BAND MICROSTRIP WILKINSON POWER DIVIDERS WITH CONTROLLABLE FREQUENCY RESPONSES	474
<i>C. Liou, S. Mao</i>	
A 72% PAE, 10-WATT, CMOS-LDMOS SWITCH-MODE POWER AMPLIFIER FOR SUB-1GHZ APPLICATION	477
<i>R. Zhang, M. Acar, S. Theeuwens, M. Heijen, D. Leenaerts</i>	
DESIGN AND ANALYSIS OF A LOW-PROFILE 28 GHZ BEAM STEERING ANTENNA SOLUTION FOR FUTURE 5G CELLULAR APPLICATIONS.....	480
<i>W. Hong, K. Baek, Y. Lee, Y. Kim</i>	
PHOTONICALLY-ASSISTED 300-GHZ WIRELESS LINK FOR REAL-TIME 100-GBIT/S TRANSMISSION	484
<i>T. Nagatsuma, K. Kato</i>	
PIN DIODE-BASED 4-CHANNEL SWITCHED FILTER BANK WITH LOW-POWER, TTL-COMPATIBLE DRIVER	488
<i>F. Gentili, L. Urbani, G. Bianchi, L. Pelliccia, R. Sorrentino</i>	
RESONANCE PROPERTY OF AN OPTOELECTRONICALLY RECONFIGURABLE INFINITE PERIODIC ARRAY OF DENSELY SPACED SUBWAVELENGTH SLOTS	492
<i>K. Nishimura</i>	
TRANSMISSION LINE RESISTANCE COMPRESSION NETWORKS FOR MICROWAVE RECTIFIERS	496
<i>T. Barton, J. Gordonson, D. Perreault</i>	
A FULLY-INTEGRATED 77-GHZ PSEUDO-RANDOM NOISE CODED DOPPLER RADAR SENSOR WITH PROGRAMMABLE SEQUENCE GENERATORS IN SIGE TECHNOLOGY	500
<i>H. Ng, R. Feger, A. Stelzer</i>	
A 60-GHZ 1.2 V 21 DBM POWER AMPLIFIER WITH A FULLY SYMMETRICAL 8-WAY TRANSFORMER POWER COMBINER IN 90 NM CMOS	504
<i>K. Guo, P. Huang, K. Kang</i>	
THZ SIGNAL TRANSMISSION IN A COMPACT MODULAR WAVEGUIDE SYSTEM	507
<i>A. Bieren, E. Rijk, A. Macor, J. Ansermet, B. Maffei, G. Pisano</i>	
16-ELEMENT VIVALDI ANTENNA ARRAY FED BY A SINGLE RIDGE SUBSTRATE INTEGRATED WAVEGUIDE WITH OVER 75% BANDWIDTH.....	511
<i>R. Kazemi, A. Fathy</i>	
TOWARDS THE DESIGN AND FABRICATION OF GRAPHENE BASED FLEXIBLE GHZ RADIO RECEIVER SYSTEMS	515
<i>M. Yogeesh, K. Parish, J. Lee, L. Tao, D. Akinwande</i>	
REAL-TIME MEASUREMENTS OF SIZE, SPEED, AND DIELECTRIC PROPERTY OF LIQUID SEGMENTS USING A MICROWAVE MICROFLUIDIC SENSOR	519
<i>A. Abduljabar, A. Porch, D. Barrow</i>	
ADAPTIVE BEAM-STEERING ANTENNA FOR IMPROVED COVERAGE OF NON-CONTACT VITAL SIGN RADAR DETECTION.....	523
<i>C. Nieh, J. Lin</i>	
COMPACT TUNABLE 2.1-2.9 GHZ BAND-PASS FILTER USING A NOVEL VERTICAL STEPPED-IMPEDANCE RESONATOR.....	526
<i>T. Yang, G. Rebeiz</i>	
POWER ADAPTIVE DIGITAL PREDISTORTION FOR RF POWER AMPLIFIERS	530
<i>Y. Guo, C. Yu, A. Zhu</i>	
BROADBAND EXCITATION AND ACTIVE CONTROL OF TERAHERTZ PLASMONS IN GRAPHENE.....	533
<i>M. Khorrani, S. El-Ghazaly</i>	
ULTRA COMPACT PSEUDO-ELLIPTIC INLINE WAVEGUIDE BANDPASS FILTERS USING BYPASS COUPLING.....	537
<i>N. Mohottige, U. Jankovic, D. Budimir</i>	
A MICROWAVE HIGH-POWER GAN TRANSISTOR WITH HIGHLY-INTEGRATED ACTIVE DIGITAL SWITCH-MODE DRIVER CIRCUIT	541
<i>S. Maroldt, P. Bruckner, R. Quay, O. Ambacher</i>	
HIGH-EFFICIENCY X-BAND MMIC GAN POWER AMPLIFIERS OPERATING AS RECTIFIERS	545
<i>M. Litchfield, S. Schafer, T. Reveyrand, Z. Popovic</i>	

7.5-15 MHZ ORGANIC FREQUENCY DOUBLER MADE WITH PENTACENE-BASED DIODE AND PAPER SUBSTRATE	549
<i>M. Virili, G. Casula, C. Mariotti, G. Orecchini, F. Alimenti, P. Cosseddu, P. Mezzanotte, A. Bonfiglio, L. Roselli</i>	
A SEMI-ANALYTICAL MODEL FOR DENSE VIA STRUCTURES WITH SHARED ANTIPAD CONFIGURATIONS	553
<i>X. Guo, D. Jackson, J. Chen</i>	
SHARP-REJECTION BANDSTOP FILTER BASED ON SIGNAL INTERFERENCE TECHNIQUE INTEGRATING WITH CONVENTIONAL OPEN STUBS	556
<i>Q. Chu, L. Qiu</i>	
A CONFORMAL/ROLLABLE MONOLITHIC MINIATURIZED ULTRA-PORTABLE GROUND PENETRATING RADAR USING ADDITIVE AND INKJET PRINTING	559
<i>A. Traille, S. Kim, A. Coustou, H. Aubert, M. Tentzeris</i>	
AN ANALYTICAL APPROACH TO SYNTHESIS OF DIPLEXERS WITH AN OPTIMAL LUMPED-ELEMENT JUNCTION MODEL	563
<i>P. Zhao, K. Wu</i>	
NONLINEAR MEASUREMENT DEDICATED TO NON PERIODIC PULSE TRAIN FOR RADAR POWER AMPLIFIER CHARACTERIZATION	566
<i>V. Bridier, D. Ducatteau, M. Olivier, H. Simon, F. Graux, P. Eudeline, G. Dambrine</i>	
A FULLY INTEGRATED KU-BAND DOWN-CONVERTER FRONT-END FOR DBS RECEIVERS	570
<i>P. Wang, M. Chou, P. Su, Y. Chang, K. Chuang, S. Hsu</i>	
CROSS-RCS BASED, HIGH DATA CAPACITY, CHIPLESS RFID SYSTEM	573
<i>M. Zomorodi, N. Karmakar</i>	
A NEW TUNABLE FILTER USING LOVE WAVE RESONATORS FOR RECONFIGURABLE RF	577
<i>T. Ogami, M. Tani, K. Ikada, H. Kando, T. Wada, H. Obiya, M. Koshino, M. Kawashima, N. Nakajima</i>	
AN 8.5-10.0 GHZ 310 W GAN HEMT FOR RADAR APPLICATIONS	580
<i>K. Kikuchi, M. Nishihara, H. Yamamoto, T. Yamamoto, S. Mizuno, F. Yamaki, S. Sano</i>	
A 24 GHZ LOW POWER LOW PHASE NOISE DUAL-MODE PHASE LOCKED LOOP FREQUENCY SYNTHESIZER FOR 60 GHZ APPLICATIONS	584
<i>N. Mahaligam, Y. Wang, K. Ma, K. Yeo, S. Mou</i>	
A CMOS 45 GHZ POWER AMPLIFIER WITH OUTPUT POWER > 600 MW USING SPATIAL POWER COMBINING	588
<i>B. Hanafi, O. Gurbuz, H. Dabag, S. Pornpromlikit, G. Rebeiz, P. Asbeck</i>	
A SURFACE MICROMACHINED BROADBAND MILLIMETER-WAVE FILTER USING QUARTER-MODE SUBSTRATE INTEGRATED WAVEGUIDE LOADED WITH COMPLEMENTARY SPLIT RING RESONATOR	591
<i>D. Senior, A. Rahimi, Y. Yoon</i>	
OVERCOMING THE FDTD STABILITY LIMIT VIA MODEL ORDER REDUCTION AND EIGENVALUE PERTURBATION	595
<i>X. Li, C. Sarris, P. Triverio</i>	
L-BAND BANDPASS FILTER WITH HIGH OUT-OF-BAND REJECTION BASED ON CMOS ACTIVE SERIES AND SHUNT INDUCTORS	598
<i>F. Hu, K. Mouthaan</i>	
DISTORTIONS IN HOLE AND TOOL DURING MICROWAVE DRILLING OF PERSPEX IN A CUSTOMIZED APPLICATOR	601
<i>N. Lautre, A. Sharma, P. Kumar</i>	
A FULLY INTEGRATED TRIPLE-BAND CMOS HYBRID-EER TRANSMITTER FOR WCDMA/LTE APPLICATIONS	604
<i>W. Kim, H. Son, J. Jang, J. Kim, I. Oh, C. Park</i>	
CHARACTERIZATION AND CIRCUIT MODELING OF GRAPHENE NANO RIBBON FIELD EFFECT TRANSISTORS	607
<i>P. Nakkala, N. Meng, A. Martin, M. Campovecchio, H. Happy</i>	
SINGLE COMPOUND COMPLEMENTARY SPLIT-RING RESONATOR FOR SIMULTANEOUSLY MEASURING PERMITTIVITY AND THICKNESS	611
<i>C. Lee, C. Yang</i>	
ULTRA-WIDEBAND SINGLE-BALANCED TRANSMITTER-MMIC FOR 300 GHZ COMMUNICATION SYSTEMS	614
<i>J. Antes, F. Boes, D. Meier, T. Messinger, U. Lewark, A. Tessmann, S. Wagner, I. Kallfass</i>	
A LINEAR AND EFFICIENT 1-BIT DIGITAL TRANSMITTER WITH ENVELOPE DELTA-SIGMA MODULATION FOR 700MHZ LTE	617
<i>M. Tanio, S. Hori, M. Hayakawa, N. Tawa, K. Motoi, K. Kunihiro</i>	
EXPERIMENTAL VALIDATION OF ADVERSE WEATHER EFFECTS ON A 240 GHZ MULTI-GIGABIT WIRELESS LINK	621
<i>F. Boes, J. Antes, T. Mahler, U. Lewark, D. Meier, T. Messinger, R. Henneberger, A. Tessmann, T. Zwick, I. Kallfass</i>	
OUT-OF-PLANE AND INLINE RF SWITCHES BASED ON $\text{Ge}_2\text{Sb}_2\text{Te}_5$ PHASE-CHANGE MATERIAL	624
<i>A. Crunteanu, A. Mennai, C. Guines, D. Passerieux, P. Blondy</i>	
ARTHUR A. OLINER AND THE ‘ROMAN LEAKY GROUP’	628
<i>P. Lampariello, P. Baccarelli, P. Burghignoli, C. Nallo, F. Frezza, A. Galli</i>	
A 100-GBPS LOW-POWER PRBS GENERATOR BASED ON A HALF-RATE-CLOCK ARCHITECTURE USING INP HBTS	631
<i>Y. Bouvier, M. Nagatani, H. Nosaka, K. Kurishima, N. Kashio, M. Ida, K. Murata</i>	

COMBINED CONTROL OF DRAIN VIDEO BANDWIDTH AND STABILITY MARGINS IN POWER AMPLIFIERS FOR ENVELOPE TRACKING APPLICATIONS.....	634
<i>J. Pelaz, J. Collantes, N. Otegi, A. Anakabe, G. Collins</i>	
PHYSICAL INTERPRETATION OF FREQUENCY-DEPENDENT S/L COUPLING IN MULTI-MODE BANDPASS FILTER AND ITS DESIGN APPROACH FOR GENERATION OF MULTIPLE FINITE TRANSMISSION ZEROS	638
<i>M. Ohira, H. Aoyama, Z. Ma</i>	
DESIGN OF WAVEGUIDE MANIFOLD MULTIPLEXERS WITH DUAL-MODE FILTERS USING DISTRIBUTED MODELS	641
<i>M. Brumos, S. Cogollos, M. Martinez, P. Soto, V. Boria, M. Guglielmi</i>	
A H-BAND REFLECTIVE-TYPE PHASE SHIFTER MMIC FOR ISM-BAND APPLICATIONS	645
<i>D. Muller, S. Reiss, H. Massler, A. Tessmann, A. Leuther, T. Zwick, I. Kallfass</i>	
NOVEL RECTANGULAR WAVEGUIDE STRUCTURES FOR ADVANCED FILTER CHARACTERISTICS	649
<i>S. Cogollos, P. Soto, M. Brumos, V. Boria, M. Guglielmi</i>	
A NOVEL VARIABLE INDUCTOR-BASED DIFFERENTIAL COLPITTS VCO DESIGN WITH 17% FREQUENCY TUNING RANGE FOR 30 AND 60 GHZ APPLICATIONS	653
<i>Y. Meng, B. Frank, A. El-Gabaly</i>	
THE TUNABLE APPLICATION FOR MOBILE HANDSET ANTENNA	657
<i>S. Hwang, Y. Shin, S. Kim, J. Byun</i>	
A KU-BAND 20 W GAN-MMIC AMPLIFIER WITH BUILT-IN LINEARIZER	661
<i>K. Kanaya, K. Sato, M. Koyanagi, H. Koyama, K. Tsujioka, A. Ohta, A. Inoue, Y. Hirano</i>	
ADVANCED GAAS POWER AMPLIFIER ARCHITECTURE LINEARIZED WITH A POST-DISTORTION METHOD	665
<i>S. Bensmida, K. Morris, J. Clifton, A. Lawrenson</i>	
INTERNET-OF-THINGS: TECHNOLOGY EVOLUTION AND CHALLENGES	669
<i>J. Ma</i>	
MINIATURIZED HELICOPTER NEAR FIELD OBSTACLE WARNING RADAR: SENSOR SYSTEM PERFORMANCE AND FLIGHT TESTS	673
<i>V. Ziegler, F. Schubert, B. Schulte, A. Giere, R. Koerber, T. Waanders</i>	
LARGE-SIGNAL GAN TRANSISTOR CHARACTERIZATION AND MODELING INCLUDING CHARGE TRAPPING NONLINEAR DYNAMICS	677
<i>A. Santarelli, D. Niessen, R. Cignani, G. Gibiino, P. Traverso, C. Florian, D. Schreurs, F. Filicori</i>	
HIGH PERFORMANCE TRANSMIT/RECEIVE MODULES IN 0.13 μm SIGE:C BICMOS FOR SHORT RANGE F-BAND MIMO RADARS	680
<i>V. Valenta, W. Winkler, T. Spreng, D. Dancila, M. Kaynak, S. Yuan, A. Trasser, A. Rydberg, H. Schumacher</i>	
A WIDEBAND MICROSTRIP BALUN STRUCTURE	683
<i>P. Wu, Q. Xue</i>	
DIRECTIONAL COUPLER WITH HIGH ISOLATION BANDWIDTH USING ELECTRICAL BALANCE	686
<i>A. Kumar, S. Aniruddhan, R. Ganti</i>	
COMPACT RECTENNA FOR SPACE APPLICATION	689
<i>A. Takacs, H. Aubert, S. Charlot, S. Fredon, L. Despoisse</i>	
INP DHBT WIDEBAND AMPLIFIERS WITH UP TO 235 GHZ BANDWIDTH	693
<i>K. Eriksson, I. Darwazeh, H. Zirath</i>	
PADE BEHAVIORAL MODEL DEPENDENT ON LOAD REFLECTION MAGNITUDE.....	697
<i>J. Cai, Y. Wang, T. Brazil</i>	
DUAL-BAND RECTIFIER BASED ON RESISTANCE COMPRESSION NETWORKS	700
<i>K. Niotaki, A. Georgiadis, A. Collado</i>	
A NOVEL MODAL AND DOMAIN DECOMPOSITION METHOD FOR PRINTED CIRCUIT BOARDS AND PACKAGES	703
<i>W. Thiel, S. Polstyanko, E. Bracken, S. Pytel</i>	
ANALYSIS OF RESONANT PARTICLES IN A COPLANAR MICROWAVE SENSOR ARRAY FOR THERMAL ABLATION OF ORGANIC TISSUE	706
<i>M. Puentes, M. Maasch, M. Schußler, C. Damm, R. Jakoby</i>	
RF MONITORING OF COMMERCIAL VASCULAR STENTS WITH DIPOLE SCATTERING RESONANCES.....	710
<i>G. Arauz-Garofalo, V. Lopez-Dominguez, J. Hernandez, O. Rodriguez-Leor, A. Bayes-Genis, J. Rius, J. O'Callaghan, A. Garcia-Santiago, J. Tejada</i>	
TAG-TO-READER HARMONIC LINK IN PASSIVE UHF RFID	714
<i>G. Vera, Y. Duroc, S. Tedjini</i>	
STATISTICAL ANALYSIS OF POWER MICROWAVE CIRCUITS VIA POLYNOMIAL CHAOS	718
<i>P. Manfredi, F. Canavero</i>	
PASSIVE UWB MULTIPLEXING DEVICE FOR A SINGLE-PORT MIMO RADAR.....	721
<i>T. Fromenteze, C. Decroze, D. Carsenat</i>	
MICROWAVE PROCESSING OF CAPSULE-LESS POWDERED BEVERAGES.....	725
<i>P. Veronesi, E. Colombini, M. Garuti, C. Botti</i>	
SWITCHABLE SLOW WAVE TRANSMISSION LINE IN 130 NM SIGE TECHNOLOGY AT 115 GHZ FOR PHASE DETECTION BASED BIOSENSORS	728
<i>J. Wessel, K. Schmalz, J. Scheytt, C. Meliani</i>	
HIGHER LOCALITY NON-LINEAR BASIS FUNCTIONS OF VOLTERRA SERIES BASED MODELS TO IMPROVE EXTRACTION CONDITIONING	731
<i>F. Barradas, T. Cunha, P. Lavrador, J. Pedro</i>	

SYNTHESIS OF LTCC MULTI-BAND BANDPASS FILTER USING REFLECTION AND TRANSMISSION ZEROS	735
<i>Y. Lin, H. Huang, T. Horng</i>	
DC TO 6.5 GHZ HIGHLY LINEAR LOW-NOISE ALGAN/GAN TRAVELING WAVE AMPLIFIER WITH DIODE PREDISTORTION	739
<i>M. Coers, W. Bosch</i>	
3D PRINTED PLASTIC 60 GHZ LENS: ENABLING INNOVATIVE MILLIMETER WAVE ANTENNA SOLUTION AND SYSTEM	743
<i>A. Bisognin, D. Titz, F. Ferrero, R. Pilard, C. Fernandes, J. Costa, C. Corre, P. Calascibetta, J. Riviere, A. Poulain, C. Badard, F. Giansello, C. Luxey, P. Busson, D. Gloria, D. Belot</i>	
ANALYTICAL CIRCUIT MODEL FOR STACKED SLIT GRATINGS	747
<i>C. Molero, R. Rodriguez-Berral, F. Mesa, F. Medina, A. Yakovlev</i>	
A NOVEL KA BAND DUAL MODE SUPER Q CAVITY FILTER	751
<i>B. Yassini, M. Yu</i>	
A 60-GHZ CMOS 16-BEAM BEAMFORMER FOR TWO-DIMENSIONAL ARRAY ANTENNAS	754
<i>W. Chen, M. Huang, P. Lyu, S. Chang, C. Chang</i>	
POST PHASE CORRECTION FOR STABLE FIBER DELIVERY OF RADIO-FREQUENCY SIGNAL	757
<i>J. Wei, S. Pan</i>	
ULTRA-WIDEBAND (UWB) BALANCED BANDPASS FILTERS WITH WIDE STOP BAND AND INTRINSIC COMMON-MODE REJECTION BASED ON EMBEDDED CAPACITIVE ELECTROMAGNETIC BANDGAPS (EBG)	760
<i>P. Velez, J. Mata-Contreras, J. Bonache, F. Martin</i>	
A 600 GHZ LOW-NOISE AMPLIFIER MODULE	764
<i>A. Tessmann, A. Leuther, H. Massler, V. Hurm, M. Kuri, M. Zink, M. Riessle, H. Stulz, M. Schlechtweg, O. Ambacher</i>	
OPEN-THRU DE-EMBEDDING FOR GRAPHENE RF DEVICES	767
<i>G. Vincenzi, G. Deligeorgis, F. Coccetti, P. Pons</i>	
RFID TAGS ON CORK STOPPERS FOR BOTTLE IDENTIFICATION	771
<i>R. Goncalves, S. Rima, R. Magueta, A. Collado, P. Pinho, N. Carvalho, A. Georgiadis</i>	
AN 8 GHZ CMOS NEAR FIELD BIO-SENSOR ARRAY FOR IMAGING SPATIAL PERMITTIVITY DISTRIBUTION OF BIOMATERIALS	775
<i>S. Guha, F. Jamal, K. Schmalz, C. Wenger, C. Meliani</i>	
A 200 GHZ LENS-COUPLED ANNULAR-SLOT ANTENNA WITH 50 GHZ TUNING RANGE FOR RECONFIGURABLE TERAHERTZ DETECTORS	779
<i>Z. Jiang, S. Rahman, M. Shams, P. Fay, J. Hesler, L. Liu</i>	
A BROADBAND HIGH EFFICIENCY RECTIFIER FOR AMBIENT RF ENERGY HARVESTING	783
<i>H. Zhang, X. Zhu</i>	
HIGH-SELECTIVITY DUAL-PASSBAND BANDPASS FILTER WITH DUAL COUPLED LINES	786
<i>B. Wang, C. Tang</i>	
A FREQUENCY-DIVISION MIMO FMCW RADAR SYSTEM USING DELTA-SIGMA-BASED TRANSMITTERS	789
<i>R. Feger, C. Pfeffer, A. Stelzer</i>	
ELECTRICAL ANALYSIS OF CELL MEMBRANE PORATION INDUCED BY AN INTENSE NANOSECOND PULSED ELECTRIC FIELD, USING AN ATOMISTIC-TO-CONTINUUM METHOD	793
<i>S. Kohler, M. Ho, Z. Levine, P. Vernier, P. Leveque, D. Arnaud-Cormos</i>	
A COMPACT HIGH EFFICIENCY GAN-SI PA IMPLEMENTED IN A LOW COST DFN PACKAGE WITH 71% FRACTIONAL BANDWIDTH	797
<i>N. Tuffy, L. Pattison</i>	
A 50 - 60 GHZ RECTIFIER WITH -7DBM SENSITIVITY FOR 1 V DC OUTPUT VOLTAGE AND 8% EFFICIENCY IN 65-NM CMOS	800
<i>H. Gao, M. Matters-Kammerer, D. Milosevic, A. Roermund, P. Baltus</i>	
MILLIMETER WAVE HEXAGONAL NANO-FERRITE CIRCULATOR ON SILICON CMOS SUBSTRATE	803
<i>L. Chao, H. Oukacha, E. Fu, V. Koomson, M. Afsar</i>	
ADJOINT SENSITIVITY ANALYSIS OF 3D PROBLEMS WITH ANISOTROPIC MATERIALS	807
<i>L. Kalantari, O. Ahmed, M. Bakr, N. Nikolova</i>	
HARMONIC FEEDBACK-LOOP OSCILLATOR FOR PULLING EFFECT REDUCTION AND IMPROVED PHASE NOISE	810
<i>K. Wang, A. Ghiotto, K. Wu</i>	
ALL-DIGITAL TRANSMITTER WITH ROF REMOTE RADIO HEAD	814
<i>R. Cordeiro, A. Oliveira, J. Vieira</i>	
PULSED-WAVEFORM GENERATOR BASED ON COUPLED OSCILLATORS	818
<i>M. Ponton, A. Suarez</i>	
A VERY HIGH FREQUENCY STEP-DOWN DC/DC CONVERTER FOR SPACEBORNE ENVELOPE-TRACKING SSPA	821
<i>F. Leroy, N. Gallou, C. Delepaut, O. Deblecker, F. Dualibe</i>	
COUPLING INVESTIGATION OF DIFFERENT RF COIL ELEMENTS FOR 7-TESLA MAGNETIC RESONANCE IMAGING BASED ON CHARACTERISTIC MODE ANALYSIS	825
<i>Z. Chen, K. Solbach, D. Erni, A. Rennings</i>	
ANALYTICAL MODELING OF PROXIMITY AND SKIN EFFECTS FOR MILLIMETER-WAVE INDUCTORS SIMULATION AND DESIGN IN NANO SI CMOS	829
<i>R. Chan, J. Guo</i>	

TERAHERTZ DETECTION USING ON CHIP PATCH AND DIPOLE ANTENNA-COUPLED GAAS HIGH ELECTRON MOBILITY TRANSISTORS	833
<i>S. Nahar, A. Gutin, A. Muraviev, I. Wilke, M. Shur, M. Hella</i>	
DESIGN OF A BROADBAND THREE-WAY SEQUENTIAL DOHERTY POWER AMPLIFIER FOR MODERN WIRELESS COMMUNICATIONS	837
<i>X. Nghiem, J. Guan, R. Negra</i>	
MULTI-PORT UHF RFID TAG ANTENNA FOR ENHANCED ENERGY HARVESTING OF SELF-POWERED WIRELESS SENSORS	841
<i>A. Abdulhadi, Y. Ding, M. Parvizi, R. Abhari</i>	
NON-DESTRUCTIVE TESTING OF CARBON-FIBER-REINFORCED POLYMER COMPOSITES WITH COUPLED SPIRAL INDUCTORS	844
<i>B. Salski, W. Gwarek, P. Korpas</i>	
AN ULTRA-LOW LOSS MILLIMETER-WAVE SOLID STATE SWITCH TECHNOLOGY BASED ON THE METAL - INSULATOR - TRANSITION OF VANADIUM DIOXIDE	848
<i>C. Hillman, P. Stupar, J. Hacker, Z. Griffith, M. Field, M. Rodwell</i>	
A ROBUST, -40° TO +150°C WIRELESS ROTOR TEMPERATURE MONITORING SYSTEM BASED ON A FULLY PASSIVE UHF RFID SENSOR TAG	852
<i>H. Solar, A. Beriain, I. Zalbide, E. D'Entremont, R. Berenguer</i>	
EXAMINING THE THEORETICAL BASIS FOR THE ANALYSIS OF SURFACE PLASMONS IN THE MICROWAVE AND TERAHERTZ REGIMES	855
<i>W. Dyab, T. Sarkar, M. Salazar-Palma</i>	
A CONCURRENT DUAL-BAND 1.9-2.6-GHZ DOHERTY POWER AMPLIFIER WITH INTERMODULATION IMPEDANCE TUNING	859
<i>X. Chen, W. Chen, G. Su, F. Ghannouchi, Z. Feng</i>	
GAN-BASED SAW STRUCTURES RESONATING WITHIN THE 5.4-8.5 GHZ FREQUENCY RANGE, FOR HIGH SENSITIVITY TEMPERATURE SENSORS	863
<i>A. Muller, G. Konstantinidis, I. Gangu, V. Buiculescu, A. Dinescu, A. Stefanescu, A. Stavrinidis, G. Stavrinidis, A. Ziaei</i>	
A 20 GHZ 1.9 DB NF LNA WITH DISTRIBUTED NOTCH FILTERING FOR VSAT APPLICATIONS	867
<i>C. Lu, M. Matters-Kammerer, R. Mahmoudi, P. Baltus</i>	
60-GHZ CMOS ARTIFICIAL MAGNETIC CONDUCTOR ON-CHIP 2X2 MONOPOLE - ANTENNA PHASED ARRAY RF RECEIVING SYSTEM WITH INTEGRATED VARIABLE-GAIN LOW-NOISE AMPLIFIER AND PHASE SHIFTER	871
<i>Y. Wu, S. Huang, C. Yu, W. Ruan, H. Chuang</i>	
CONTINUOUS WAVE TERAHERTZ INSPECTION OF GLASS FIBER REINFORCED PLASTICS WITH SEMI-AUTOMATIC 3-D IMAGE PROCESSING FOR ENHANCED DEFECT DETECTION	874
<i>F. Friederich, E. Cristofani, C. Matheis, J. Jonuscheit, R. Beigang, M. Vandewal</i>	
A 12 GB/S 3-GHZ INPUT BANDWIDTH TRACK-AND-HOLD AMPLIFIER IN 65 NM CMOS WITH 48-DB SPUR-FREE DYNAMIC RANGE	878
<i>Y. Liu, H. Chang, K. Chen</i>	
AUTOMATIC CHARACTERIZATION OF RF DACS FOR SOFTWARE DEFINED RADIO APPLICATIONS	882
<i>D. Ribeiro, P. Cruz, A. Prata, N. Carvalho</i>	
COHERENT FREQUENCY-DOMAIN MICROWAVE-INDUCED THERMOACOUSTIC IMAGING	886
<i>H. Nan, A. Arbabian</i>	
A 76- TO 81-GHZ TRANSCEIVER CHIPSET FOR LONG-RANGE AND SHORT-RANGE AUTOMOTIVE RADAR	890
<i>Y. Takeda, T. Fujibayashi, Y. Yeh, W. Wang, B. Floyd</i>	
TUNABLE AND HIGH DIRECTIVITY COUPLER FOR MRI APPLICATIONS	893
<i>S. Sohn, A. Gopinath, J. Vaughan</i>	
BROADBAND HIGH EFFICIENCY GAN DISCRETE AND MMIC POWER AMPLIFIERS OVER 30 – 2700 MHZ RANGE	896
<i>B. Kim, M. Greene, M. Osmus</i>	
JOINT ANALOG AND DIGITAL INTERFERENCE CANCELLATION	899
<i>S. Enserink, M. Fitz, K. Goverdhanam, C. Gu, T. Halford, I. Hossain, G. Karawas, O. Takeshita</i>	
TRANSMISSION LINES LOADED WITH PAIRS OF MAGNETICALLY COUPLED STEPPED IMPEDANCE RESONATORS (SIRS): MODELING AND APPLICATION TO MICROWAVE SENSORS	902
<i>J. Naqui, C. Damm, A. Wiens, R. Jakoby, L. Su, F. Martin</i>	
A 700-W PEAK ULTRA-WIDEBAND BROADCAST DOHERTY AMPLIFIER	906
<i>J. Qureshi, W. Snejders, R. Keenan, L. Vreede, F. Rijs</i>	
A 34-110 GHZ WIDEBAND, ASYMMETRIC, BROADSIDE-COUPLED MARCHAND BALUN IN 180 NM SIGE BICMOS TECHNOLOGY	910
<i>I. Song, R. Schmid, D. Howard, S. Jung, J. Cressler</i>	
SIGE-MMIC BASED D-BAND RADAR FOR ACCURATE FMCW MULTI-TARGET VIBRATION MEASUREMENTS	914
<i>T. Jaeschke, C. Bredendiek, N. Pohl</i>	
INTEGRATED PASSIVE WIRELESS SENSOR TRANSPONDERS BASED ON THE INTERMODULATION COMMUNICATION PRINCIPLE	918
<i>J. Song, N. Pesonen, P. Pursula, V. Viikari</i>	
A COMPACT WAVEGUIDE DIPLEXER EMPLOYING DUAL-BAND RESONATORS	922
<i>L. Zhu, R. Mansour, M. Yu</i>	

TRANSIENT THERMAL CHARACTERIZATION OF HEMT DEVICES	926
<i>K. Yazawa, D. Kendig, K. Maize, A. Shakouri</i>	
INKJET PRINTED FERRITE-FILLED RECTANGULAR WAVEGUIDE X-BAND ISOLATOR	930
<i>M. Farooqui, A. Nafe, A. Shamim</i>	
DERMATOLOGICAL VERIFICATION OF MICROMACHINED MILLIMETER-WAVE SKIN-CANCER PROBE.....	934
<i>F. Topfer, L. Emtestam, J. Oberhammer</i>	
ITERATIVE DESIGN OF A HARMONICALLY TUNED MULTI-OCTAVE BROADBAND POWER AMPLIFIER	938
<i>M. Sakalas, S. Preis, D. Gruner, G. Boeck</i>	
A NEW METHOD TO FABRICATE LOW-LOSS CHIP-SCALE RF INDUCTORS.....	942
<i>J. Nation, J. Fiering, D. White, M. Abban, M. Culpepper, A. Duwel</i>	
A POWER-AWARE ROTARY TRAVELING WAVE OSCILLATOR (RTWO) DESIGN IN 0.18UM CMOS	946
<i>M. Aidoo, N. Dogan, Z. Xie, H. Savci, P. Roblin</i>	
USE OF COMPACT LC RESONANT TANK, RESISTOR AND FREQUENCY SELECTIVE SURFACE TO CONSTRUCT A LOADED PLANAR DIPOLE ANTENNA FOR UWB RADAR AND COMMUNICATION APPLICATIONS.....	950
<i>S. Shadrokh, Y. Yu, F. Jolani, Z. Chen</i>	
A 6.5/17.5-GHZ DUAL-CHANNEL INTERFEROMETER-BASED CAPACITIVE SENSOR IN 65-NM CMOS FOR HIGH-SPEED FLOW CYTOMETRY	954
<i>J. Chien, M. Anwar, E. Yeh, L. Lee, A. Niknejad</i>	
A 70–95 GHZ SIGE DOWNCONVERTER IC FOR LARGE-N FOCAL PLANE ARRAYS	958
<i>J. Bardin, M. Yogeesh, N. Erickson, G. Narayanan</i>	
BICMOS INTEGRATED MICROFLUIDIC PLATFORM FOR BIO-MEMS APPLICATIONS.....	962
<i>M. Kaynak, M. Wietstruck, C. Kaynak, S. Marschmeyer, P. Kulse, K. Schulz, H. Silz, A. Kruger, R. Barth, K. Schmalz, G. Gastrock, B. Tillack</i>	
AN EXTENDED BANDWIDTH DOHERTY POWER AMPLIFIER USING A NOVEL OUTPUT COMBINER.....	965
<i>M. Abadi, H. Golestaneh, H. Sarbishaei, S. Boumaiza</i>	
HIGH-Q MEMS-TUNABLE W-BAND BANDSTOP RESONATORS.....	969
<i>E. Naglich, M. Sinani, S. Moon, D. Peroulis</i>	
OPTIMIZED 425MHZ PASSIVE WIRELESS MAGNETIC FIELD SENSOR.....	972
<i>B. Li, J. Kosel</i>	
FINITE-DIFFERENCE TIME-DOMAIN ELECTROMAGNETIC AND THERMAL MODELING OF SKELETAL MUSCLE EXPOSED TO MILLIMETER WAVES	976
<i>R. Terhune, I. Chatterjee, J. Yoon, G. Craviso</i>	
SIW COMPACT DIPLEXER.....	980
<i>A. Garcia-Lamperez, M. Salazar-Palma, S. Yeung</i>	
NOVEL KA-BAND 'OFFSET-DIVIDER/COMBINER' WITH REFLECTION CANCELLATION	984
<i>A. Darwish, A. Ibrahim, J. Qiu, E. Viveiros, H. Hung</i>	
HIGH-Q INTRINSICALLY-SWITCHED QUASI-ABSORPTIVE TUNABLE BANDSTOP FILTER WITH ELECTRICALLY-SHORT RESONATORS.....	987
<i>E. Naglich, A. Guyette, D. Peroulis</i>	
ANALYSIS OF MICROWAVE HEATING IN A FLUIDIZED BED REACTOR	991
<i>M. Willert-Porada, A. Rosin, A. Schmidt, T. Gerdes, M. Adam</i>	
A 330 μW, G_m-BOOSTED VCO WITH -205 DB FOM_T AND 35 % TUNING RANGE USING CLASS-B BIASING	995
<i>P. Agarwal, J. Baylon, S. Sah, D. Majumdar, D. Heo, C. Schlegel</i>	
PHOTONIC DOWNCONVERTING RECEIVER USING OPTICAL PHASE MODULATION	999
<i>T. McKenna, J. Nanzer, T. Clark Jr.</i>	
MICROWAVE DIELECTRIC SPECTROSCOPY OF CELL MEMBRANE PERMEABILIZATION WITH SAPONIN ON HUMAN B LYMPHOMA CELLS.....	1002
<i>F. Artis, D. Dubuc, J. Fournie, M. Poupot, K. Grenier</i>	
1.5-2.7 GHZ ULTRA LOW NOISE BYPASS LNA	1006
<i>J. Yao, X. Sun, B. Lin</i>	
NONLINEAR ANALYSIS OF CYCLE SLIPS IN INJECTION-LOCKED OSCILLATORS	1009
<i>S. Sancho, A. Suarez, F. Ramirez</i>	
AN 81 GHZ, 470 MW, 1.1 MM² INP HBT POWER AMPLIFIER WITH 4:1 SERIES POWER COMBINING USING SUB-QUARTER-WAVELENGTH BALUNS.....	1012
<i>H. Park, S. Daneshgar, J. Rode, Z. Griffith, M. Urteaga, B. Kim, M. Rodwell</i>	
BROADBAND TRANSITION FROM DIELECTRIC-FILLED TO AIR-FILLED SUBSTRATE INTEGRATED WAVEGUIDE FOR LOW LOSS AND HIGH POWER HANDLING MILLIMETER-WAVE SUBSTRATE INTEGRATED CIRCUITS	1016
<i>F. Parment, A. Ghiotto, T. Vuong, J. Duchamp, K. Wu</i>	
BROADBAND CHARACTERIZATION OF DIELECTRIC MATERIALS FROM RF, MILLIMETER-WAVE TO THZ FREQUENCIES ACCOUNTING FOR ANISOTROPY	1019
<i>S. Massenet, D. Bajon, S. Wane, L. Leyssenne, R. Coq-Germanicus, P. Descamps</i>	
A UNIFIED EQUIVALENT CIRCUIT MODEL FOR COPLANAR WAVEGUIDES CONSIDERING SILICON SUBSTRATE EFFECTS	1023
<i>W. Shu, S. Shichijo, R. Henderson</i>	

AN EXPLICIT AND UNCONDITIONALLY STABLE FDTD METHOD FOR THE ANALYSIS OF GENERAL 3-D LOSSY PROBLEMS	1026
<i>M. Gaffar, D. Jiao</i>	
A 70 GHZ BANDWIDTH LOW-POWER ACTIVE BALUN EMPLOYING COMMON-COLLECTOR RESISTIVE FEEDBACK IN 0.35 μM BIPOLAR SIGE TECHNOLOGY	1030
<i>A. Gharib, R. Weigel, D. Kissinger</i>	
W-BAND LASER-CONTROLLED PHOTONIC CRYSTAL VARIABLE ATTENUATOR	1033
<i>W. Otter, S. Hanham, N. Klein, S. Lucyszyn, A. Holmes</i>	
A CIRCULARLY POLARIZED SINGLE RADIATOR LEAKY-WAVE ANTENNA BASED ON CRLH-INSPIRED SUBSTRATE INTEGRATED WAVEGUIDE	1036
<i>H. Lee, J. Choi, Y. Kasahara, T. Itoh</i>	
NON-LINEAR MODEL FOR MICROWAVE TRANSISTORS INCLUDING LOW-FREQUENCY DISPERSION AND MEMORY EFFECTS	1039
<i>G. Rafael-Valdivia, O. Castellanos-Ballesteros</i>	
IMPACT OF MULTI-FINGER GEOMETRY ON THE EXTRINSIC PARASITIC RESISTANCES OF MICROWAVE MOSFETS	1042
<i>F. Zarate-Rincon, G. Alvarez-Botero, R. Murphy-Arteaga, R. Torres-Torres, A. Ortiz-Conde</i>	
EFFICIENCY DEPENDENCE ON THE LOAD-PULL RATIO OF A DOHERTY PA	1045
<i>J. Pedro, L. Nunes</i>	
A COUPLING MATRIX-BASED READOUT TECHNIQUE FOR SINGLE-PORT MULTI-RESONATOR PASSIVE SENSOR ARRAY	1049
<i>W. Chen, R. Mansour, J. Carroll</i>	
PRECONDITIONED ADAPTIVE INTEGRAL METHOD FOR FAST ELECTROMAGNETIC ANALYSIS OF ARRAYS OF THROUGH-SILICON VIAS	1052
<i>A. Rong, A. Cangellaris, F. Ling</i>	
DUAL-BAND PREDISTORTION LINEARIZATION OF AN ENVELOPE MODULATED POWER AMPLIFIER OPERATED IN CONCURRENT MULTI-STANDARD MODE	1056
<i>A. Kwan, M. Younes, S. Zhang, W. Chen, R. Darraji, M. Helaoui, F. Ghannouchi</i>	
POWER GAAS MMICS FOR E-BAND COMMUNICATIONS APPLICATIONS	1060
<i>E. Camargo, J. Schellenberg, L. Bui, N. Estella</i>	
TERAHERTZ SPECTROSCOPY FOR THE CHARACTERIZATION OF EXCISED HUMAN BREAST TISSUE	1064
<i>T. Bowman, M. El-Shenawee, S. Sharma</i>	
CONCURRENT DUAL-BAND ENVELOPE TRACKING POWER AMPLIFIER FOR CARRIER AGGREGATED SYSTEMS	1068
<i>H. Sarbishaei, Y. Hu, B. Fehri, S. Boumaiza</i>	
A MULTI-RESOLUTION FDTD METHOD FOR UNCERTAINTY QUANTIFICATION IN THE TIME-DOMAIN MODELING OF MICROWAVE STRUCTURES	1072
<i>L. Wang, C. Sarris</i>	
A CROSS CORRELATION BASED CLOCK SYNCHRONIZATION UP TO 10GHZ FOR ULTRA-WIDEBAND SENSING SYSTEMS	1075
<i>M. Hamouda, B. Laemmle, G. Fischer, R. Weigel, T. Ussmueller</i>	
JOINT DUAL-BAND CREST FACTOR REDUCTION AND DIGITAL PREDISTORTION OF POWER AMPLIFIERS DRIVEN BY INTER-BAND CARRIER AGGREGATED SIGNALS	1079
<i>B. Fehri, S. Boumaiza</i>	
LOW INSERTION LOSS VARIABLE PHASE SHIFTER FOR EMERGING MILLIMETER-WAVE COMMUNICATION SYSTEMS	1083
<i>A. Abdellatif, N. Ranjkesh, M. Fahminia, A. Taeb, S. Gigoyan, S. Safavi-Naeini</i>	
A 135-160 GHZ BALANCED FREQUENCY DOUBLER IN 45 NM CMOS WITH 3.5 DBM PEAK POWER	1087
<i>H. Lin, G. Rebeiz</i>	
HIGH-EFFICIENCY X-BAND MMIC GAN POWER AMPLIFIERS WITH SUPPLY MODULATION	1091
<i>A. Zai, D. Li, S. Schafer, Z. Popovic</i>	
APPROACH TO REALIZE WIDE-SCAN-ANGLE PHASED ARRAY WITH ENHANCED BANDWIDTH AND FILTERING FUNCTION BY USING INTEGRATED FILTER/PATCH	1095
<i>T. Li, K. Karnati, X. Gong</i>	
SYMMETRICAL DOHERTY AMPLIFIER WITH HIGH EFFICIENCY OVER LARGE OUTPUT POWER DYNAMIC RANGE	1098
<i>M. Ozen, C. Fager</i>	
A LINEAR COMPLEXITY H²-MATRIX BASED DIRECT VOLUME INTEGRAL SOLVER FOR BROADBAND 3-D CIRCUIT EXTRACTION IN INHOMOGENEOUS MATERIALS	1102
<i>S. Omar, D. Jiao</i>	
A PACKAGE-INTEGRATABLE SIX-PORT REFLECTOMETER FOR POWER DEVICES	1105
<i>R. Venter, R. Hou, K. Buisman, M. Spirito, K. Werner, L. Vreede</i>	
AN E-PHEMT SELF-BIASED AND SELF-SYNCHRONOUS CLASS E RECTIFIER	1109
<i>M. Ruiz, J. Garcia</i>	
SURFACE-WAVE LEAKAGE FROM SUBSTRATE INTEGRATED WAVEGUIDE ON GROUNDED DIELECTRIC SUBSTRATE	1113
<i>X. Li, C. Tzuang, H. Wu</i>	
SLOW-WAVE MICROSTRIP LINE ON NANOWIRE-BASED ALUMINA MEMBRANE	1117
<i>A. Serrano, A. Franc, D. Assis, F. Podevin, G. Rehder, N. Corrao, P. Ferrari</i>	

RECONFIGURABLE HELICAL ANTENNA BASED ON AN ORIGAMI STRUCTURE FOR WIRELESS COMMUNICATION SYSTEM.....	1121
<i>X. Liu, S. Yao, S. Georgakopoulos, B. Cook, M. Tentzeris</i>	
COMPARISON OF HIGH-DENSITY COMPOSITE AND SURFACE COIL ARRAYS FOR MRI OF SPHERICAL IMAGING VOLUMES	1125
<i>A. Maunder, M. Daneshmand, P. Mousavi, B. Fallone, N. Zanche</i>	
REALIZATION OF A NEW CLASS OF MONOLITHIC RF MEMS WAVEGUIDE SWITCHES FOR MILLIMETER-WAVE APPLICATIONS.....	1129
<i>N. Vahabisani, M. Daneshmand</i>	
HIGH-POWER X-BAND GAN SWITCHED-FILTER PHASE SHIFTER	1133
<i>T. Ross, G. Cormier, K. Hettak, J. Wight</i>	
COMPACT SMD PACKAGED TUNABLE FILTER BASED ON SUBSTRATE INTEGRATED COAXIAL RESONATORS.....	1137
<i>S. Sirci, J. Martinez, R. Stefanini, P. Blondy, V. Boria</i>	
ADJUSTABLE LOAD-MODULATION ASYMMETRIC DOHERTY AMPLIFIER DESIGN USING NONLINEAR EMBEDDING	1141
<i>H. Jang, P. Roblin, C. Quindroit</i>	
LOW PHASE NOISE AND HIGH OUTPUT POWER 367 GHZ AND 154 GHZ SIGNAL SOURCES IN 130 NM SIGE HBT TECHNOLOGY	1145
<i>S. Zeinolabedinzadeh, P. Song, M. Kaynak, M. Kamarei, B. Tillack, J. Cressler</i>	
MAGNETIC TUNNEL JUNCTION-BASED ON-CHIP MICROWAVE PHASE AND SPECTRUM ANALYZER.....	1149
<i>X. Fan, Y. Chen, C. Bi, Y. Xie, J. Kolodzey, J. Wilson, R. Simons, H. Zhang, J. Xiao</i>	
A 12 GHZ IF BANDWIDTH LOW POWER 5□17 GHZ V-BAND POSITIVE TRANSFORMER-FEEDBACK DOWN-CONVERSION MIXER.....	1153
<i>S. Sah, D. Heo</i>	
CONTINUOUS CLASS BJ POWER AMPLIFIER WITH DGS OUTPUT MATCHING	1157
<i>F. Yang, J. Lees, H. Choi, H. Yu, P. Tasker</i>	
A LOW-COST, ENCAPSULATED FLIP-CHIP PACKAGE ON ORGANIC SUBSTRATE FOR WIDEBAND GALLIUM NITRIDE (GAN) HYBRID AMPLIFIERS	1161
<i>S. Pavlidis, A. Ulusoy, W. Khan, J. Papapolymerou</i>	
LOW IF DEMODULATION FOR PHYSIOLOGICAL PULSE DOPPLER RADAR	1165
<i>E. Yavari, O. Boric-Lubecke</i>	
FREQUENCY-TUNABLE SLOT ANTENNA USING CONTINUOUS ELECTROWETTING OF LIQUID METAL.....	1168
<i>R. Gough, J. Dang, A. Morishita, A. Ohta, W. Shiroma</i>	
PICOSECOND WIRELESS SYNCHRONIZATION USING AN OPTICALLY LOCKED VOLTAGE CONTROLLED OSCILLATOR (OL-VCO).....	1172
<i>X. Yang, X. Lu, A. Babakhani</i>	
HIGHLY RECONFIGURABLE BANDPASS FILTERS USING MICROFLUIDICALLY CONTROLLED METALLIZED GLASS PLATES	1176
<i>T. Palomo, G. Mumcu</i>	
COUPLING-MATRIX-BASED SAW FILTER DESIGN.....	1179
<i>T. Lee, A. Guyette, E. Naglich, D. Peroulis</i>	
STUDY OF X-BAND PLASMA DEVICES FOR SHIELDING APPLICATIONS	1183
<i>L. Cross</i>	
DOUBLE STUB RESONANT BIOSENSOR FOR GLUCOSE CONCENTRATIONS QUANTIFICATION OF MULTIPLE AQUEOUS SOLUTIONS	1187
<i>T. Chretiennot, D. Dubuc, K. Grenier</i>	
A NOVEL RECONFIGURABLE ORIGAMI ACCORDION ANTENNA	1191
<i>S. Yao, S. Georgakopoulos, B. Cook, M. Tentzeris</i>	
35 GHZ HARMONIC HARVESTING RECTIFIER FOR WIRELESS POWER TRANSMISSION	1195
<i>S. Ladan, K. Wu</i>	
OCTAVE TUNABLE LUMPED-ELEMENT NOTCH FILTER WITH RESONATOR-Q-INDEPENDENT ZERO REFLECTION COEFFICIENT.....	1199
<i>T. Lee, J. Lee, E. Naglich, D. Peroulis</i>	
A 0.3 THZ 4 × 4 COLD-FET IMAGING ARRAY IN 45 NM CMOS SOI.....	1203
<i>M. Uzunkol, J. Edwards, G. Rebeiz</i>	
INKJET-PRINTED, VERTICALLY-INTEGRATED, HIGH-PERFORMANCE INDUCTORS AND TRANSFORMERS ON FLEXIBLE LCP SUBSTRATE.....	1207
<i>B. Cook, C. Mariotti, J. Cooper, D. Revier, B. Tehrani, L. Aluigi, L. Roselli, M. Tentzeris</i>	
MAGNETIC NANOPARTICLE INK FOR RF INTEGRATED INDUCTOR APPLICATIONS.....	1211
<i>K. Zeng, W. Allen, M. Sinani, C. Martinez, D. Peroulis</i>	
A 350 W, 790 TO 960 MHZ WIDEBAND LDMOS DOHERTY AMPLIFIER USING A MODIFIED COMBINING SCHEME	1215
<i>D. Wu, J. Annes, M. Bokatijs, P. Hart, E. Krvavac, G. Tucker</i>	
DESIGN OF NOVEL SUPER WIDE BAND ANTENNAS CLOSE TO THE SMALL ANTENNA LIMITATION THEORY	1219
<i>S. Dey, N. Karmakar</i>	

AN 8-PSEC 13DBM PEAK EIRP DIGITAL-TO-IMPULSE RADIATOR WITH AN ON-CHIP SLOT BOW-TIE ANTENNA IN SILICON	1223
<i>M. Assefzadeh, A. Babakhani</i>	
AN INKJET-PRINTED FLEXIBLE BROADBAND COUPLER IN SUBSTRATE INTEGRATED WAVEGUIDE (SIW) TECHNOLOGY FOR SENSING, RFID AND COMMUNICATION APPLICATIONS.....	1227
<i>S. Kim, H. Aubert, M. Tentzeris</i>	
A HIGHLY COMPACT VHF/UHF DUAL-BAND LTCC COUPLER FOR AVIONIC SYSTEMS	1231
<i>S. Mousavi, A. Kouki</i>	
RADIATED EFFICIENCY OF APERTURE TUNED ANTENNAS: COMPARISON OF MEMS DIGITAL VARIABLE CAPACITOR AND FIXED CERAMIC CAPACITORS.....	1235
<i>P. Tornatta, R. Gaddi, L. Morrell, V. Joshi, B. Bishop</i>	
X-PARAMETERS AND EFFICIENT PHYSICAL DEVICE SIMULATION OF MM-WAVE POWER TRANSISTORS WITH HARMONIC LOADING.....	1239
<i>D. Guerra, M. Saraniti, D. Ferry, S. Goodnick</i>	
MILLIMETER-WAVE BANDSTOP FILTER WITH ABSORPTIVE STOPBAND.....	1243
<i>J. Shao, Y. Lin</i>	
A W-BAND 21.1 DBM POWER AMPLIFIER WITH AN 8-WAY ZERO-DEGREE COMBINER IN 45 NM SOI CMOS	1247
<i>W. Tai, D. Ricketts</i>	
A 21-TO-54.5GHZ TRANSFORMER-COUPLED VARACTORLESS 45NM CMOS VCO	1250
<i>S. Saberi, J. Paramesh</i>	
POWER-EFFICIENT VOLTAGE TUNABLE RF INTEGRATED MAGNETOELECTRIC INDUCTORS WITH FEGAB/AL₂O₃ MULTILAYER FILMS	1253
<i>Y. Gao, S. Zare, M. Onabajo, M. Li, Z. Zhou, T. Nan, X. Yang, M. Liu, K. Mahalingam, B. Howe, J. Jones, G. Brown, N. Sun</i>	
RECENT PROGRESS IN SCALING INP HEMT TMIC TECHNOLOGY TO 850 GHZ	1257
<i>W. Deal, K. Leong, A. Zamora, V. Radisic, X. Mei</i>	
A STACKED CASCODE CMOS SOI POWER AMPLIFIER FOR MM-WAVE APPLICATIONS	1260
<i>S. Helmi, J. Chen, S. Mohammadi</i>	
ARTHUR A. OLINER AND HIS CONTRIBUTIONS TO THE FIELD OF LEAKY WAVES: A PERSONAL PERSPECTIVE	1263
<i>D. Jackson</i>	
DESIGN OF A FOUR POLE QUASI-ELLIPTIC MICROSTRIP FILTER USING THE REFLECTED GROUP DELAY METHOD.....	1266
<i>S. Kaur, P. Laforge</i>	
A WIDEBAND SEQUENTIAL POWER AMPLIFIER.....	1270
<i>B. Merrick, J. King, T. Brazil</i>	
NANO-PLASMA TUNABLE EVANESCENT-MODE CAVITY RESONATORS	1273
<i>A. Semnani, D. Peroulis</i>	
HIGH EFFICIENCY 15-500MHZ WIDEBAND CASCODE GAN HEMT MMIC AMPLIFIERS.....	1276
<i>D. Sardin, Z. Popovic</i>	
LINEAR AND EFFICIENT THREE-LEVEL POLAR DELTA-SIGMA MODULATOR BASED TRANSMITTER.....	1280
<i>F. Elsayed, M. Ebrahimi, M. Helaoui, F. Ghannouchi</i>	
WIDEBAND MMWAVE CHANNELS: IMPLICATIONS FOR DESIGN AND IMPLEMENTATION OF ADAPTIVE BEAM ANTENNAS.....	1284
<i>S. Sun, T. Rappaport</i>	
HIGH RESOLUTION AEROSOL JET PRINTING OF D- BAND PRINTED TRANSMISSION LINES ON FLEXIBLE LCP SUBSTRATE.....	1288
<i>F. Cai, Y. Chang, K. Wang, W. Khan, S. Pavlidis, J. Papapolymerou</i>	
HIGHLY SENSITIVE RF DETECTION AND ANALYSIS OF DNA SOLUTIONS	1291
<i>Y. Cui, J. Li, W. Cao, P. Wang</i>	
VIBRATION MITIGATION FOR EVANESCENT-MODE CAVITY FILTERS.....	1295
<i>M. Khater, D. Peroulis</i>	
ON THE CONTACT RESISTANCE OF SINGLE-WALLED CARBON NANOTUBES IN RF DEVICES	1299
<i>A. Elkadi, S. El-Ghazaly</i>	
A W-BAND BALUN INTEGRATED PROBE WITH COMMON MODE MATCHING NETWORK.....	1303
<i>C. Zhang, M. Bauwens, N. Barker, R. Weikle, A. Lichtenberger</i>	
E-HEALTHCARE: REMOTE MONITORING, PRIVACY, AND SECURITY	1307
<i>O. Boric-Lubecke, X. Gao, E. Yavari, M. Baboli, A. Singh, V. Lubecke</i>	
A 0.5-6 GHZ 360° VECTOR-SUM PHASE SHIFTER IN 0.13-μM CMOS	1310
<i>Z. Hu, M. Koen</i>	
ADVANCES IN SOI SWITCHED CAPACITORS FOR 4G TUNABLE ANTENNAS	1313
<i>J. Costa, M. Carroll, D. Kerr, C. Iversen, P. Mason, A. Tombak, R. Bauder, N. Khlat, E. Spears</i>	
NON-CONTACT PROBES FOR DEVICE AND INTEGRATED CIRCUIT CHARACTERIZATION IN THE THZ AND MMW BANDS.....	1317
<i>C. Caglayan, G. Trichopoulos, K. Sertel</i>	
A 1.1 THZ MICROMACHINED ON-WAFER PROBE	1320
<i>M. Bauwens, N. Alijabbari, A. Lichtenberger, N. Barker, R. Wiekle II</i>	
AN X/KU-BAND BI-DIRECTIONAL TRUE TIME DELAY T/R CHIPSET IN 0.13 μM CMOS TECHNOLOGY	1324
<i>M. Cho, J. Han, J. Kim</i>	

EXPERIMENTAL IMPROVEMENT OF BIREFRINGENCE AND RESPONSE TIME IN LIQUID CRYSTALS USING SURFACE PREPARATION OF POLYIMIDE AT 20GHZ.....	1327
<i>M. Machado, S. Ebadi, T. Driscoll, D. Smith</i>	
PHYSICS-BASED LARGE-SIGNAL MODELING OF INTRINSICALLY TUNABLE AND SWITCHABLE FERROELECTRIC FBARS.....	1331
<i>S. Lee, V. Lee, S. Sis, A. Mortazawi</i>	
INTEGRATED MICROFLUIDIC COOLING OF HIGH POWER PASSIVE AND ACTIVE DEVICES ON MULTILAYER ORGANIC SUBSTRATE.....	1335
<i>O. Chlieh, W. Khan, J. Papapolymerou</i>	
EVOLUTION OF NEXT-GENERATION GAS METERING SYSTEM IN JAPAN.....	1339
<i>H. Hayashi</i>	
MIMO AND BEAMFORMING SOLUTIONS FOR 5G TECHNOLOGY.....	1343
<i>F. Vook, A. Ghosh, T. Thomas</i>	
CRYOGENIC SMALL-SIGNAL AND NOISE PERFORMANCE OF 32NM SOI CMOS.....	1347
<i>A. Coskun, J. Bardin</i>	
IMPROVING 3G/4G RECEIVER SENSITIVITY (TIS) USING ANTENNA IMPEDANCE MATCHING NETWORKS.....	1351
<i>K. Ho, H. Lin, G. Rebeiz</i>	
IMPROVEMENT ON LINEARITY WITH ITERATIVE CALIBRATION TECHNIQUE FOR MULTILEVEL LINC TRANSMITTERS.....	1354
<i>J. Guan, X. Nghiem, A. Aref, R. Negra</i>	
A CONVERGED RX SAW DUPLEXER MODULE WITH EMBEDDED SUBSTRATE FOR MULTI-BAND RF FRONT-END.....	1358
<i>M. Iwaki, J. Tsutsumi, T. Tanaka, M. Ueda, Y. Satoh</i>	
TUNABLE ANTENNAS FOR MOBILE DEVICES: ACHIEVING HIGH PERFORMANCE IN COMPELLING FORM FACTORS.....	1361
<i>A. Morris, S. Barrio, J. Shin, V. Steel, G. Pedersen</i>	
A SUB-MILLIMETERWAVE MICROMACHINED FREQUENCY BEAM-STEERING ANTENNA ARRAY.....	1365
<i>A. Jam, M. Vahidpour, J. East, K. Sarabandi</i>	
SYNTHESIS METHOD FOR THE PARALLEL-COUPLED STUB-LOADED RESONATOR FILTERS.....	1368
<i>M. Akra, E. Pistono, A. Jrad, H. Issa, P. Ferrari</i>	
DEVELOPMENT OF A LIQUID CRYSTAL POLYMER LOW NOISE AMPLIFIER MODULE AT KA-BAND.....	1372
<i>M. Mamidanna, A. Pham, F. Montauti</i>	
MICROWAVE-INDUCED TEMPERATURE FIELDS IN GRAPHITE POWDER HEATED IN A WAVEGUIDE REACTOR.....	1375
<i>E. Moon, C. Yang, M. Patel, H. He, V. Yakovlev</i>	
MEASUREMENT UNCERTAINTY CHARACTERIZATION OF TERAHERTZ LARGE WAFER PROBING.....	1379
<i>Q. Yu, M. Bauwens, A. Lichtenberger, R. Weikle II, N. Barker</i>	
AN ELECTRICALLY-TUNABLE MICROWAVE PHOTONIC FILTER BASED ON POLARIZATION MODULATION.....	1383
<i>Y. Zhang, S. Pan</i>	
SURFACE IMPEDANCE IMPLEMENTATION OF HIGH FREQUENCY CONDUCTOR LOSSES USING SUSCEPTANCE ELEMENT EQUIVALENT CIRCUIT MODEL AND MODEL ORDER REDUCTION.....	1386
<i>S. Dumas, M. Swaminathan</i>	
THE FIRST HARDWARE-BASED, ANTI-COLLISION METHODOLOGY FOR FREQUENCY DOUBLING TRANSCEIVERS FOR RFID AND WIRELESS SENSING APPLICATIONS.....	1390
<i>J. Cooper, B. Cook, M. Tentzeris</i>	
HIGH-RESOLUTION TRANSMISSION-TYPE (TT) DISPERSIVE DELAY STRUCTURE (DDS) BASED ON REFLECTION-TYPE (RT) ELEMENTS.....	1394
<i>L. Zou, C. Caloz</i>	
COMPACT LTCC YAGI-UDA TYPE END-FIRE ANTENNA-IN-PACKAGE FOR 60 GHZ WIRELESS COMMUNICATIONS.....	1398
<i>H. Kim, J. Lee, I. Song, C. Park</i>	
GRAPHENE DIGITAL PHASE SHIFTER BASED ON DEFECTED GROUND STRUCTURE FOR THZ APPLICATIONS.....	1401
<i>X. Guo, X. Wu, Y. Xu, B. Yu, K. Wu</i>	
A 40GS/S TRACK-AND-HOLD AMPLIFIER WITH 62DB SFDR3 IN 45NM CMOS SOI.....	1404
<i>H. Aggrawal, A. Babakhani</i>	
UBIQUITOUS COMPUTING TECHNIQUES FOR TWO DIMENSIONAL TRANSMISSION LINE MATRIX METHOD.....	1407
<i>P. So, W. Hoefer</i>	
MICROMACHINED SUB-THZ INTERCONNECT CHANNELS FOR PLANAR SILICON PROCESSES.....	1410
<i>B. Yu, Y. Liu, X. Hu, X. Ren, X. Liu, Q. Gu</i>	
AN INDUCTIVELY G_m ENHANCED 34-GHZ VCO WITH GAIN LINEARIZATION AND SWITCHED TRANSFORMER TUNING.....	1413
<i>S. Sah, D. Heo, S. Mirabbasi</i>	
SWITCHABLE DUAL-FREQUENCY BARIUM STRONTIUM TITANATE FILM BULK ACOUSTIC RESONATORS.....	1417
<i>V. Lee, S. Lee, S. Sis, A. Mortazawi</i>	

A 0.1-1.2 GHZ CMOS ULTRA-BROADBAND POWER AMPLIFIER.....	1421
<i>H. Wu, L. Wang, P. Zhou, J. Ma</i>	
HIGH PRECISION MEASUREMENT METHOD FOR DIELECTRIC FILM MATERIALS BY A NOVEL V BAND CAVITY RESONATOR	1424
<i>T. Shimizu, Y. Kogami</i>	
SUPER HIGH BIT RATE RADIO ACCESS TECHNOLOGIES FOR SMALL CELLS USING HIGHER FREQUENCY BANDS	1427
<i>S. Suyama, J. Shen, A. Benjebbour, Y. Kishiyama, Y. Okumura</i>	
A 4.8 MW, 4.4 DB NF, WIDEBAND LNA USING POSITIVELY COUPLED TRANSFORMER FOR V-BAND APPLICATIONS.....	1431
<i>P. Agarwal, S. Sah, D. Heo</i>	
ENABLING TECHNOLOGIES AND ARCHITECTURES FOR 5G WIRELESS	1434
<i>S. Talwar, D. Choudhury, K. Dimou, E. Aryafar, B. Bangerter, K. Stewart</i>	
HIGH EFFICIENCY BROADBAND MULTI-MODE TRANSFERRED POWER AMPLIFIER FOR LTE AND 3G APPLICATIONS.....	1438
<i>C. Liu, X. Zhu, Y. Sun, J. Xia, L. Zhang, F. Meng</i>	
HIGH-EFFICIENCY TERAHERTZ EMITTERS BASED ON THREE-DIMENSIONAL METALLIC NANOSTRUCTURES	1442
<i>S. Yang, M. Hashemi, C. Berry, M. Jarrahi</i>	
CLUTTER INTERFERENCE REDUCTION IN COHERENT FMCW RADAR FOR WEAK PHYSIOLOGICAL SIGNAL DETECTION.....	1446
<i>G. Wang, J. Munoz-Ferreras, R. Gomez-Garcia, C. Li</i>	
KA-BAND PHEMT QUADRUPLER WITH INJECTION AND EXTRACTION FROM OSCILLATOR FREQUENCY DOUBLING POINTS.....	1450
<i>W. Chang, C. Meng, J. Syu, Y. Wu, G. Huang</i>	
A 2.45 GHZ RECTENNA IN A NEAR-FIELD WIRELESS POWER TRANSMISSION SYSTEM ON HUNDRED-WATT LEVEL.....	1453
<i>W. Jiang, B. Zhang, L. Yan, C. Liu</i>	
GRAPHENE-BASED ELECTRONICALLY TUNABLE MICROSTRIP ATTENUATOR.....	1457
<i>L. Pierantoni, D. Mencarelli, M. Bozzi, R. Moro, S. Bellucci</i>	
TWO-POLE TWO-PATH TUNABLE BANDPASS FILTER WITH MULTIPLE TRANSMISSION ZEROS.....	1460
<i>C. Ge, X. Zhu, L. Tian, W. Zhu</i>	
ACTIVE INTEGRATED PROBES FOR TUMOR DETECTION AND ABLATION.....	1464
<i>Y. Kwon, K. Kim, S. Hwang, T. Seo, Y. Kim</i>	
SCALABLE MODELING OF ON-CHIP SPIRAL INDUCTORS INCLUDING METAL FILL PARASITICS	1468
<i>V. Shilimkar, S. Gaskill, A. Weisshaar</i>	
IMPACT OF CNT-FILM PRINTED ON CONFORMAL RESONATOR ON PAPER.....	1472
<i>S. Pacchini, K. Frigui, C. Paragua, E. Flahaut, S. Bila, P. Coquet, D. Baillargeat</i>	
A 2.5GB/S 0.38MM² OPTICAL RECEIVER WITH INTEGRATED PHOTODIODES IN 0.18μM CMOS SOI	1476
<i>X. Yang, A. Babakhani</i>	
ALTERNATE SYMMETRIC COUPLED-RESONATOR PROTOTYPES.....	1480
<i>H. Bell</i>	
ADVANCES IN DIRECT-WRITE PRINTING OF RF-MEMS USING M³D.....	1483
<i>A. Al-Mobin, R. Shankar, W. Cross, J. Kellar, K. Whites, D. Anagnostou</i>	
AN ENHANCED-RANGE RFID TAG USING AN AMBIENT ENERGY POWERED REFLECTION AMPLIFIER	1487
<i>J. Kimionis, A. Georgiadis, S. Kim, A. Collado, K. Niotaki, M. Tentzeris</i>	
ORGANIC MILLIMETERWAVE FISHNET METAMATERIAL STRUCTURES.....	1491
<i>J. Russer, Y. Xiong, A. Abdellah, A. Culhaglu, W. Che, P. Lugli, P. Russer</i>	
A MICROWAVE INTERFEROMETER BASED CONTACTLESS QUASI-TEM WAVEGUIDE POSITION ENCODER WITH MICROMETER ACCURACY	1494
<i>S. Mann, S. Lindner, F. Lurz, F. Barbon, S. Linz, R. Weigel, A. Koelpin</i>	
POWER DISTRIBUTION TO MULTIPLE IMPLANTED SENSOR DEVICES USING A MULTIPORT BANDPASS FILTER (BPF) APPROAC.....	1498
<i>D. Ha, T. Lee, D. Weber, W. Chappell</i>	
DESIGN OF CARRIER-AGGREGATED MODULATOR FOR LTE-ADVANCED.....	1502
<i>F. Chung, J. Li, C. Chi, C. Lai, C. Tu, P. Wu, Y. Chuang</i>	
CRUDE OIL WATER-CUT SENSING WITH DISPOSABLE LASER ABLATED AND INKJET PRINTED RF MICROFLUIDICS.....	1505
<i>G. McKerricher, D. Conchouso, B. Cook, I. Foulds, A. Shamim</i>	
DYNAMIC FET STACK CONTROL FOR ENHANCED EFFICIENCY IN ENVELOPE TRACKING POWER AMPLIFIERS	1508
<i>J. Woo, M. Jeon, Y. Kwon</i>	
COMPACT 2-28 GHZ PLANAR MULTI-OCTAVE BANDWIDTH WILKINSON POWER DIVIDERS.....	1512
<i>F. Trenz, M. Hofmann, R. Weigel, G. Fischer, D. Kissinger</i>	
HIGH EFFICIENCY W-BAND POWER AMPLIFIERS USING RING-SHAPED SUB-QUARTER-WAVELENGTH POWER COMBINING TECHNIQUE.....	1516
<i>S. Daneshgar, H. Park, J. Rode, Z. Griffith, M. Urteaga, B. Kim, M. Rodwell</i>	
A LIQUID-METAL RECONFIGURABLE LOG-PERIODIC BALUN	1520
<i>A. Morishita, R. Gough, J. Dang, A. Ohta, W. Shiroma</i>	

A 23-35 GHZ MEMS TUNABLE ALL-SILICON CAVITY FILTER WITH STABILITY CHARACTERIZATION UP TO 140 MILLION CYCLES.....	1523
<i>Z. Yang, D. Peroulis</i>	
FULLY INKJET-PRINTED MULTILAYER MICROSTRIP AND T-RESONATOR STRUCTURES FOR THE RF CHARACTERIZATION OF PRINTABLE MATERIALS AND INTERCONNECTS.....	1527
<i>B. Tehrani, J. Bito, B. Cook, M. Tentzeris</i>	
DIGITALLY MODIFIED FILTER-LESS RECEIVER FOR 2D DIGITAL PREDISTORTION OF CONCURRENT DUAL-BAND POWER AMPLIFIERS.....	1531
<i>C. Quindroit, M. Rawat, N. Naraharisetti, P. Roblin, S. Gheitanichi, D. Chaillot</i>	
SINGLE-ACTUATOR SHUNT-SERIES RF-MEMS SWITCH.....	1535
<i>Y. Liu, Y. Bey, X. Liu</i>	
NANOSCALE MODELING OF THREE-CONTACTS GRAPHENE BALLISTIC JUNCTIONS: ANALYSIS OF THE NON-LINEAR TRANSPORT	1539
<i>D. Mencarelli, L. Pierantoni, F. Coccetti</i>	
LINEAR CHIRP GENERATOR BASED ON DIRECT DIGITAL SYNTHESIS AND FREQUENCY MULTIPLICATION FOR AIRBORNE FMCW SNOW PROBING RADAR	1542
<i>D. Gomez-Garcia, C. Leuschen, F. Rodriguez-Morales, J. Yan, P. Gogineni</i>	
HARVESTING WIRELESS SIGNALS FROM TWO-WAY TALK-RADIOS TO POWER SMART METERS AND DISPLAYS.....	1546
<i>R. Vyas, J. Bito, S. Kim, M. Tentzeris</i>	
HIGH SPEED DOWNLINK SYSTEM FOR SMALL SATELLITE AND HIGH-EFFICIENCY X-BAND GAN SSPA.....	1549
<i>H. Watanabe, T. Fukami, H. Saito, A. Tomiki, O. Ceylan, H. Nunomura, O. Shigeta, T. Shinke, K. Kojima</i>	
ELECTROMAGNETIC SIMULATORS FOR THE MODELLING OF MAGNETICALLY BIASED GRAPHENE.....	1553
<i>D. Mencarelli, L. Pierantoni</i>	
BROADBAND NEAR-FIELD FILTERS FOR SIMULTANEOUS TRANSMIT AND RECEIVE IN A SMALL TWO-DIMENSIONAL ARRAY	1556
<i>A. Wegener</i>	
REMEMBERING PROF. ARTHUR A. OLINER	1559
<i>T. Tamir</i>	
PRECISE LOCAL-POSITIONING FOR AUTONOMOUS SITUATION AWARENESS IN THE INTERNET OF THINGS.....	1561
<i>F. Kirsch, R. Miesen, M. Vossiek</i>	
MICROWAVES RESEARCH COLLABORATION BETWEEN CINVESTAV-GDL AND CICESE, TWO RESEARCH CENTERS IN MEXICO	1565
<i>J. Loo-Yau, P. Moreno, J. Reynoso-Hernandez, M. Maya-Sanchez</i>	
SMART ENVIRONMENT TECHNOLOGY AS A POSSIBLE ENABLER OF SMART CITIES.....	1569
<i>R. Goncalves, N. Carvalho, P. Pinho, L. Roselli</i>	
MICROWAVE RESEARCH AT THE UNIVERSITY OF PUERTO RICO AT MAYAGUEZ.....	1572
<i>R. Rodriguez-Solis, J. Colom-Ustariz, S. Cruz-Pol, L. Leon-Colon</i>	
INTEL LABS MEXICO - LEADING INDUSTRIAL RESEARCH IN LATIN AMERICA	1575
<i>J. Camacho-Perez, G. Hernandez-Sosa, A. Alcocer-Ochoa, C. Lopez, A. Zenteno, J. Cervantes-Gonzalez, A. Veloz, H. Cordourier, H. Visairo-Cruz</i>	
Author Index	