

SPE Heavy Oil Conference Canada 2014

**Calgary, Canada
10 - 12 June 2014**

Volume 1 of 3

ISBN: 978-1-63266-887-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by the Society of Petroleum Engineers
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Society of Petroleum Engineers
at the address below.

Society of Petroleum Engineers
P. O. Box 833836
Richardson, Texas 75083-3836

Phone: (800) 456-6863
Fax: (972) 952-9435

books@spe.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

Table of Contents

SPE-169998-MS

The Use of Constructed Wetlands in Produce Water Treatment; An Option for the Oil and Gas Industry?

P.E. Korsah, Coventry University; I.S. Ambrose, W. Korsah, Kwame Nkrumah University of Science and Technology

SPE-169999-MS

In Situ Combustion Technology In The Later SAGD Process In Extra Heavy Oil Reservoir

M. Desheng, S. Lanxiang, X. Changfeng, L. Xiuluan, G. Erpeng, Research Institute Of Petroleum Exploration & Development; Y. Fengxiang, S. Xiaorong, S. Yaoli, D. Changjun, Research Institute of Petroleum Exploration & Development, PetroChina Xinjiang Oilfield Company

SPE-170002-MS

Steam Chamber Development and Production Performance Prediction of Steam Assisted Gravity Drainage

S. Wei, C. Lin-Song, S. Huang, W. Huang, China University of Petroleum - Beijing

SPE-170003-MS

Use of Reservoir Simulation to Estimate Drainage Area and Recovery Factor of an In-Situ Combustion Project in a Complex Water-Drive Heavy Oil Reservoir

L. Gonzalez, J.C. Ferrer, M.H. Fuenmayor, N. Castillo, E. Gil, Pacific Rubiales Energy; S. Farouq Ali, Heavy Oil Technologies Ltd

SPE-170004-MS

Improving Reservoir History Matching of EM Heated Heavy Oil Reservoirs via Cross-well Seismic Tomography

K. Katterbauer, King Abdullah University of Science & Tech; I. Hoteit, King Abdullah University of Science & Technology; S. Sun, King Abdullah University of Science & Tech

SPE-170006-MS

Two-Dimensional Magnetic Resonance Study of Synthetic Oil Sands

M. Jones, S.E. Taylor, University of Surrey; H. Zeng, BP Canada

SPE-170007-MS

Optimizing Field Development of Greenfield Polymer Floods Using Experimental Design

G.M. Shook, D. Walker, Chevron ETC; A. Jackson, Chevron Corporation; N.H. Ruby, A. Poulsen, Chevron Upstream Europe

SPE-170008-MS

Analysis of In-Situ Combustion Performance in Heterogeneous Media

B. Hascakir, Texas A&M University; A.R. Kovscek, Stanford University

SPE-170009-MS

New Art of Building Horizontal and Highly Deviated Wells Help Maximize Recovery and Production from Heavy Oil Fields in Colombia

M. Patarroyo Hernandez, G. Carvajal, Q. Milena, Mansarovar Energy; J.A. Urdaneta, A. Gomez, J. Pacheco, Halliburton

SPE-170010-MS

Testing Results of An Economical Mesh Screen for Thermal Applications

K. Smith, E.G. Bowen, Superior Completion Services

Table of Contents (continued)

SPE-170011-MS

How Does the Incorporation of Engineering Knowledge Using Fuzzy Logic During History Matching Impact Reservoir Performance Prediction?

A. Mirzabozorg, Computer Modelling Group Ltd.\University of Calgary; L.X. Nghiem, Computer Modelling Group Ltd.; Z. Chen, University of Calgary; C. Yang, H. Li, Computer Modelling Group Ltd.

SPE-170012-MS

Physical and Numerical Modeling of Capillarity and Aqueous Phase Saturation Effects on the Rate of Solvent Mass Transfer in Boundary Layer in Heavy Oil Reservoirs

F. Ahmadloo, K. Asghari, A. Henni, University of Regina; N. Freitag, Saskatchewan Research Council

SPE-170013-MS

Bitumen Extraction by Expanding Solvent-Steam Assisted Gravity Drainage (ES-SAGD) with Asphaltene Solvents and Non-Solvents

A. Mukhametshina, B. Hascakir, Texas A&M University

SPE-170015-MS

Gas Recharging Process Study in Heavy Oil Reservoirs

J. Zhang, Perm Inc.; A. Kantzas, University of Calgary

SPE-170016-MS

Long-Term Calcium Phosphate Cement for In-Situ Combustion Project

M. Fuenmayor, D. Orozco, H. Nieto, Pacific Rubiales Energy; J.A. Urdaneta, A. Gomez, L. Brothers, H.C. Pedrosa, Halliburton

SPE-170018-MS

Identification of Winsor Type III Micro-emulsion for Chemical EOR of Heavy Oil

S.S. Sim, F.R. Wassmuth, J.J. Bai, Alberta Innovates Technology Futures

SPE-170019-MS

Hybrid High Build Rate RSS Improves Challenging Directional Control in a Soft Abrasive Drilling Environment in Oman Drilling Operation

T.F. Albardisi, Schlumberger Oman & Co. LLC; R. Akhmetov, M.A. Sanderson, E. Adly, B. Escamilla, G. Andreasen, Schlumberger; A.W. Noureldin, Schlumberger Oman & Co LLC; H. Al Habsy, Schlumberger

SPE-170021-MS

Selection of Optimal Solvent Type for High Temperature Solvent Applications in Heavy-Oil and Bitumen Recovery

A. Marciales, T. Babadagli, University of Alberta

SPE-170022-MS

About Usage Of High-Pressure Air Injection (HPAI) on the Fields Of Viscous and High-Viscous Oil

I. Akhatov, North Dakota State University; R.A. Valiullin, Bashkir State University, GeoTec; L. Kovaleva, Bashkir State University; R.F. Sharafutdinov, Bashkir State University, GeoTec; A. Ramazanov, Bashkir State University, GeoTec; A. Musin, Bashkir State University, M. Zakirov, Bashkir State University; R. Zinnatullin, Bashkir State University, M. Khasanov, M. Evseeva, S. Lukin, Gazpromneft

Table of Contents (continued)

SPE-170023-MS

Integration of 4D Seismic Data for Well Optimization in SAGD

S. Masih, M. Rodriguez, A. Williams, Statoil Canada Ltd.

SPE-170024-MS

Using Multiple Objective Optimization for SAGD Simulation Numerical Tuning

H. Li, C. Yang, A. Mirzabozorg, E. Fedutenko, L.X. Nghiem, Computer Modelling Group Ltd.

SPE-170025-MS

The Research and Application of Hydraulic Jet Drilling Technology In CSS

J. An, CNPC

SPE-170026-MS

Research on the Effect of Non-condensable Gas and Viscosity Reducer for Better SAGD Performance

C. Lu, H. Liu, China University of Petroleum-Beijing; Q. Liu, Exploration and Development Research Institute of Liaohe Oilfield Company; K. Lu, No.1 Oil Plant of Huabei Oil Field; L. Wang, No.1 Oil Production Plant of Huabei Oil Field

SPE-170027-MS

An Integrated Approach to Building History-Matched Geomodels to Understand Complex Long Lake Oil Sands Reservoirs, Part 1: Geomodeling

X. Zhang, S. Feizabadi, P. Yang, Nexen Energy ULC

SPE-170028-MS

The Role of Water Soluble Species in Bitumen Recovery from Oil Sands

W. Swiech, S. Taylor, BP Centre of Petroleum and Surface Chemistry, University of Surrey; H. Zeng, BP

SPE-170029-MS

Improved Isenthalpic Multiphase Flash Calculations for Thermal Compositional Simulators

M. Heidari, University of Calgary; L.X. Nghiem, Computer Modelling Group Ltd.; B.B. Maini, University of Calgary

SPE-170030-MS

Equilibrium or Nonequilibrium Models: A Critical Issue in Determination of Gas Diffusivity in Oil

H. Saboorian-Jooybari, National Iranian South Oil Company (NISOC); M. Dejam, Z. Chen, University of Calgary

SPE-170031-MS

Updated Screening Criteria for Steam Flooding Based on Oil Field Projects Data

M.Q. Hama, Missouri University of Science and Technology; M. Wei, L.D. Saleh, B. Bai, Missouri University of Science & Tech

SPE-170032-MS

Forward Modeling of SAGD-Induced Heave and Caprock Deformation Analysis

L. Shen, Alberta Energy Regulator; V. Singhroy, S. Samsonov, Canada Centre for Mapping and Earth Observation

Table of Contents (continued)

SPE-170034-MS

Alteration of Matrix Wettability During Alternate Injection of Hot-water/Solvent into Heavy-oil Containing Fractured Reservoirs

M. Mohammed, T. Babadagli, University of Alberta

SPE-170035-MS

The Effects Of Minerals On Heavy Oil And Bitumen Chemistry When Recovered Using Steam-assisted Methods

W. Montgomery, M. Septon, J. Watson, Imperial College London; H. Zeng, BP

SPE-170037-MS

Induction and Radio Frequency Heating Strategies for Steam-Assisted Gravity Drainage Start-Up Phase

S. Ghannadi, University of Alberta; M. Irani, University of Calgary; R.J. Chalaturnyk, University of Alberta

SPE-170039-MS

ESP Optimization in an Extra Heavy Oil Field: Case Study in Colombian Llanos Basin

J.E. Lopez, G. JIMENEZ MORALES, Ecopetrol

SPE-170040-MS

Evaluation of Artificial Lift Modes for Heavy Oil Reservoirs

P.V. Mali, A. Al-Jasmi, Kuwait Oil Company

SPE-170042-MS

A New Semi-analytical Model for Predicting Steam Pressure and Temperature in Annuli

H. Gu, L. Cheng, S. Huang, China University of Petroleum#65292;Beijing; H. Zhang, China University of Petroleum, Beijing; M. Lin, University of Calgary; C. Hu, Liaohe Oilfield Company, Petro China

SPE-170043-MS

Conceptual Model Development for Transport and Fate of Oil Sands Process-affected Water (OSPW)

M. Wang, Total E&P Canada Ltd; A. Takyi, Total E&P Canada; I. Mackenzie, Teck Resources; F. Salifu, Total E&P Canada

SPE-170044-MS

Nitrogen Foam Anti-Edge Water-Incursion Technique for Steam Huff-Puff Wells of Heavy Oil Reservoir With Edge Water

J. Wang, T. Wang, China University of Petroleum (East China); Y. Yu, Dagang Oilfield; Z. Chen, Z. Niu, C. Yang, China University of Petroleum (East China)

SPE-170045-MS

An Innovative Modeling Approach to Unveil Flow Control Devices & Potential in SAGD Application

A. Riel, R.C. Burton, G.P. Vachon, T.J. Wheeler, ConocoPhillips; M.R. Heidari, Computer Modelling Group Ltd.

SPE-170048-MS

Novel Steam-Resilient Cement System for Long-Term Steam Injection Well Integrity: Case Study of a Steamflooded Field in Indonesia

A.G. Salehpour, E. Pershikova, A. Chougnat-Sirapian, S. Taoutaou, D. Adiningtyas, Schlumberger

Table of Contents (continued)

SPE-170049-MS

A Novel High-temperature Gel to Control the Steam Channeling in Heavy Oil Reservoir

C. Wang, H. Liu, J. Wang, C. Hong, X. Dong, Q. Meng, Y. Liu, China University of Petroleum Beijing

SPE-170051-MS

Evaluating the Importance of Geomechanical and Reservoir Properties When History Matching 4D Seismic Data in Sagd Wells

A.D. Hiebert, Computer Modelling Group Ltd.; V. Pathak, G. Lifshits, Computer Modelling Group, Ltd.; A. Kumar, Computer Modelling Group Ltd.

SPE-170052-MS

Solvent-Assisted Start-up of SAGD Wells in Long Lake Project

F. Ahmadloo, P. Yang, Nexen Energy

SPE-170053-MS

An Integrated Approach to Building History-Matched Geomodels to Understand Complex Long Lake Oil Sands Reservoirs, Part 2: Simulation

S. Feizabadi, X.K. Zhang, P. Yang, Nexen Energy ULC

SPE-170054-MS

Nodal Analysis for SAGD Production Wells with ESPs

G.J. Duncan, R.M. Stahl, Suncor Energy Inc.; P.E. Moseley, P.E. Moseley & Assocs. Inc.

SPE-170055-MS

A Systematic Approach for Inflow Control Devices Testing in Mackay River SAGD Wells

O. Becerra, B. Kearn, Brion Energy; A. Sanwoolu, Schlumberger

SPE-170057-MS

Phase Behaviour and Viscosity Reduction of CO₂-Heavy Oil Systems at High Pressures and Elevated Temperatures

X. Li, D. Yang, Z. Fan, University of Regina

SPE-170058-MS

Aquathermolysis and Sources of Produced Gases in SAGD

H.F. Thimm, Thimm Engineering Inc.

SPE-170059-MS

Investigation of the Physical and Chemical Genesis of Deep Tar-Mat Oil and Its Recovery Potential under Different Temperatures

A.O. Almansour, King Abdulaziz City for Science & Technology Saudi Arabia and Missouri University of Science & Tech; W.H. Al-Bazzaz, G. Saraswathy, Kuwait Institute for Scientific Research; Y. Sun, B. Bai, R.E. Flori, Missouri University of Science & Tech

SPE-170060-MS

Correlation of Permeability and Volume of Shale in Oil Sands: Improving Predictability in Low Permeability Zones of the McMurray Formation, Alberta, Canada

L. Dabek, Geomodeling Technology Corp.; S. Shad, A. Dalir, Devon Canada Corporation; R. Knepp, Geomodeling Corp.

Table of Contents (continued)

SPE-170062-MS

Feasibility Study of Using Transient Temperature Analysis to Evaluate Fracture Length in Cyclic Steam Stimulation Process

M. Wu, F. Zeng, University of Regina

SPE-170063-MS

Investigation of Interburden Dilution on Oil Sands Processability

X. Yang, A. Sedgwick, Total E&P Canada

SPE-170064-MS

Understanding the Impact of Temperature-Dependent Thermal Conductivity on the Steam-Assisted Gravity-Drainage (SAGD) Process. Part 1: Temperature Front Prediction

M. Irani, M. Cokar, Suncor Energy

SPE-170066-MS

Environmental Impact of Bitumen Extraction with Thermal Recovery

A.W. Morrow, A. Mukhametshina, D. Aleksandrov, B. Hascakir, Texas A&M University

SPE-170067-MS

Preformed Particle Gel-Enhanced Surfactant Imbibition for Improving Oil Recovery in Fractured Carbonate Reservoirs

F.A. Muhammed, B. Bai, A. Imqam, A.O. Almansour, Missouri University of Science & Tech

SPE-170068-MS

NCG Co-injection at Hangingstone Demonstration Project - Case study and Analysis

L.T. Doan, B. Harschnitz, N. Shiga, E. Pennacchioli, B. Park, JACOS Limited

SPE-170069-MS

A Novel Autonomous Inflow Control Device Design Based on the Combination of Two Dynamic Fluid Technologies

Q. Zeng, Z. Wang, X. Wang, China University of Petroleum Beijing; J. Wei, Northeast Petroleum University; H. Zhang, University of Calgary; J. Xiao, Sinopec Petroleum Engineering Technology Research Institute

SPE-170070-MS

Optimization of Coke Resistant Catalyst for Thermal Down-hole Upgrading

P. Dim, S. Rigby, University of Nottingham; A. Hart, J. Wood, University of Birmingham

SPE-170071-MS

Oil Drainage Characteristics During The SAGD Process To Explain Observed Field Performance

Y. Ito, Alberta Innovates Technology Futures

SPE-170073-MS

A New Approach to Stimulating Thin and Stranded Oil Sand Reservoirs: A Simulation Study

M. Shahri, T.W. Cavender, J. Person, Halliburton; A. Kamali, A. Jamali, M.Y. Soliman, J.J. Sheng, Texas Tech University

SPE-170076-MS

SAGD Wellbore Completion Optimization Using Scab Liner and Steam Splitter

K. Ghesmat, L. Zhao, Canadian Natural Resources Ltd

Table of Contents (continued)

SPE-170077-MS

Designing and Building a Buried High Integrity Pipeline for 150°C Emulsion Transportation

C. Geertsen, S. Vernageau, ITP InTerPipe

SPE-170079-MS

Oil Recovery Mechanisms in Bitumen-Bearing Carbonate Rocks

J.L. Bryan, A. Kantzias, University of Calgary, PERM Inc

SPE-170080-MS

Recovery of Bitumen in Heterogeneous Carbonate Through Application of Warm Solvent

J.L. Bryan, University of Calgary, PERM Inc; H. Huang, PERM Inc; A. Kantzias, University of Calgary, PERM Inc

SPE-170081-MS

Field Trial Outcomes Of A Permanent Magnet Drivetrain For Progressing Cavity Pumps

J. Cochran, ZiLift Limited; S.C. Franks, Chevron USA Inc

SPE-170082-MS

Remotely Monitoring of SAGD Operations with Satellite Based In SAR

M. Henschel, MDA; L. Shen, T. Shipman, Alberta Energy Regulator/Alberta Geological Survey; B. Lehrbass, MDA; G. Aubé, Canadian Space Agency

SPE-170083-MS

Steam Flow Tests for Comparing Performance of Nozzle, Tube, and Fluidic Diode Autonomous ICDs in SAGD Wells

B. Least, S. Greci, R. Huffer, Halliburton; V.S. Rajan, H. Golbeck, Alberta Innovates Technology Futures

SPE-170085-MS

Time-Dependent Neural Network Based Proxy Modeling of SAGD Process

E. Fedutenko, C. Yang, L.X. Nghiem, C. Card, Computer Modelling Group Ltd.

SPE-170086-MS

Russkoe High Viscous Oil Field - Production and Performance Optimization

D. Lachugin, OJSC; I.Y. Edelman, Rosneft; A. Shandrygin, Gazprombank; M.A. Aksenov, OJSC; Y. Lachugina, OJSC Tyumenneftegaz; S. Abramochkin

SPE-170088-MS

Equation of State Based Simulation of Hybrid and Thermal Processes

M. heidari, B.B. Maini, University of Calgary

SPE-170090-MS

Sub-Pore Scale Modelling of Viscous Fingering During Heavy Oil Miscible Flood

S. Taheri, S. Ghomeshi, University of Calgary; J.L. Bryan, Perm Inc; S. Kryuchkov, Perm Inc. TIPM Laboratory; A. Kantzias, University of Calgary

SPE-170091-MS

Field Upgrading of Bitumen to Produce a Synthetic Crude Oil with Improved Properties

A. Till, BP International Limited; A.C. Rees, BP America Production Company; A. Schleiffer, BP Europa SE

Table of Contents (continued)

SPE-170092-MS

A Robust Algorithm for Multiphase Isenthalpic Flash

D. Zhu, R. Okuno, University of Alberta

SPE-170094-MS

Emulsion Flow at the Edge of a Steam Chamber

G. Li, M. Mojarrad, H. Dehghanpour, University of Alberta

SPE-170095-MS

Opportunities and Challenges of Cyclic Steam Stimulation (CSS) Development in Seal's Cadotte Area

B. Y. Jamaloei, A. Singh, A. Solberg, Murphy Oil Company Ltd.

SPE-170096-MS

Experimental and Numerical Studies of the Reservoir Permeability and Drainage Height Effects on the Solvent-Diluted Heavy Oil Gravity Drainage

L. Lin, H. Ma, F. Zeng, Y. Gu, University of Regina

SPE-170097-MS

Screen-Inflow-Design Considerations with Inflow Control Devices in Heavy Oil

O. Oyeka, F. Felten, B. Least, Halliburton

SPE-170098-MS

A Critical Review of the Solvent-Based Heavy Oil Recovery Methods

L. Lin, H. Ma, F. Zeng, Y. Gu, University of Regina

SPE-170099-MS

Optimum Voidage Replacement Ratio and Operational Practice for Heavy Oil Waterfloods

B.W. Brice, S.X. Ning, A. Wood, BP Exploration (Alaska) Inc.; G. Renouf, Saskatchewan Research Council

SPE-170100-MS

Modeling of Multiphase Behavior for Water/n-Alkane Mixtures by Use of the Peng-Robinson EOS

A. Venkatramani, R. Okuno, University of Alberta

SPE-170101-MS

Characterizing the Effects of Lean Zones and Shale Distribution in SAGD Recovery Performance

C. Wang, J.Y. Leung, University of Alberta

SPE-170104-MS

The Polymer in Polymer Flooding: Is its Value Overestimated?

P.A. San Blas, BP; E.S. Vittoratos, Consultant to BP

Table of Contents (continued)

SPE-170105-MS

Performance of Flue Gas and Foam Assisted Steam Huff and Puff with Horizontal Well in Enhanced Recovery of Fengcheng Oil Field

C. Zhang, China University of Petroleum (East China); Z.m. Li, China University of Petroleum Huadong (CUPH) Chapter; H. Wang, China University of Petroleum (East China); S. Wang, China University of Petroleum Huadong (CUPH) Chapter; H. Yi, X. Xue, Engineering and Technology Research Institute of Xinjiang Oil Field; Y. Yao, Engineering and Technology Research Institute of Xinjiang Oil Field

SPE-170106-MS

A Simplified Model for Field-Scale Surfactant-Polymer Flooding

C. Thirawarapan, Stanford University; M.R. Thiele, Streamsim Technologies, Inc.; A.R. Kovscek, Stanford University; R.P. Batycky, Streamsim Technologies, Inc.; T. Clemens, OMV E&P

SPE-170108-MS

Forecasting Reservoir Water Losses in a SAGD Operation. A Combined Approach

D. Raffa, A. Keller, M.A. MacCallum, Suncor Energy Inc.

SPE-170109-MS

A Case Study in the Application of Bitumen Geochemistry for Reservoir Characterization in SAGD Development

J.N. Sereda, B.R. James, Suncor Energy Inc.

SPE-170112-MS

Quantifying the Impact of Flow Control Devices in SAGD Applications in the Surmont Area Through Numerical Analysis

S. Ajumogobia-Bestman, R. Jobling, E. Pederson, A. Cao, Baker Hughes

SPE-170113-MS

An Integrated Application of Cluster Analysis and Artificial Neural Networks for SAGD Recovery Performance Prediction in Heterogeneous Reservoirs

E. Amirian, J.Y. Leung, University of Alberta; S.D. Zanon, P.J. Dzurman, Nexen Inc.

SPE-170114-MS

Caprock Integrity Analysis during a SAGD Operation Using an Anisotropic Elasto-Plastic Model

E. Rahmati, A. Nouri, V. Fattahpour, University of Alberta

SPE-170115-MS

Modeling Effect of Permeability Heterogeneities on SAGD Performance Using Improved Upscaling Schemes

D. Kumar, M. Murugesu, The University of Texas at Austin; S. Srinivasan, University of Texas At Austin

SPE-170118-MS

Advanced Log Characterization of Complex Carbonate Reservoirs

C. Smith, L. Hamilton, L. Ziane, Halliburton

SPE-170122-MS

On the Use of Particle Size Distribution Data for Permeability Modeling

O. Babak, J. Resnick, Cenovus Energy

Table of Contents (continued)

SPE-170123-MS

Semi-Analytical Modeling of Steam-Solvent Gravity Drainage of Heavy Oil and Bitumen, Part 2: Unsteady-State Model with Curved Interface

M. Rabiei Faradonbeh, University of Calgary; T.G. Harding, Nexen Energy ULC; J. Abedi, University of Calgary

SPE-170126-MS

Pressure Maintenance at Post-CHOPS Cyclic Solvent Injection (CSI) Well Using Gas Injection at Offset Well

J. Chang, ICE Reservoir Solutions Ltd.; J.J. Ivory, Alberta Innovates Technology Futures; G. Beaulieu, Alberta Innovates - Technology Futures

SPE-170127-MS

Cold Heavy Oil Reservoir Characterization by Time-lapse Seismic Inversion, a Case Study

N. Riazi, L. Lines, University of Calgary; B. Russell, CGG

SPE-170128-MS

Interfacial Rheology of Heavy Oil-Aqueous Systems at Elevated Temperatures and Pressures: Effect of Diluents

J. Phan, Nalco, an Ecolab Company; V. Balsamo, D.T. Nguyen, E. Maharajh, Nalco Champion, an Ecolab Company

SPE-170129-MS

Design of Thermally Stable Surfactants Formulations for Steam Foam Injection

A. Cuenca, E. Lacombe, Solvay; M. Morvan, Solvay Rhodia; V. Le Drogo, R. Giordanengo, M. Chabert, Solvay; E. Delamaide, IFP Technologies Canada Inc.

SPE-170130-MS

Quantifying the Uncertainty Associated With Caprock Integrity During SAGD Using Coupled Geomechanics Thermal Reservoir Simulation

V. Pathak, D. Tran, A. Kumar, Computer Modelling Group Ltd.

SPE-170131-MS

De-Risking the Reservoir for a Commercial Development of the Grosmont Bitumen Carbonates in Alberta

D.F. Yang, Laricina Energy Ltd

SPE-170132-MS

A Numerical Investigation of the Hydraulic Fracturing Mechanism in Oil Sands

S. Taghipoor, M. Roostaei, A. Nouri, D. Chan, University of Alberta

SPE-170133-MS

Experimental Studies of Thermally Induced Deformation and Fracture Generation in Clay Shale

B. Li, F. Diedro, R. Wong, S. Kryuchkov, A. Kantzas, University of Calgary

SPE-170134-MS

Predictive Field-scale Simulations for the Design of a Solvent Injection Pilot

J. Chang, ICE Reservoir Solutions Ltd.; J.J. Ivory, Alberta Innovates - Technology Futures

Table of Contents (continued)

SPE-170135-MS

The Evolution of Water Saturations in the McMurray Oil Sands: A Product of Geological History and Capillary Pressure

B.R. James, Suncor Energy Inc.

SPE-170136-MS

Experimental Studies: Shear Induced in Single Phase Permeability

K. Ben Abdallah, M.T. Hamoud, R.J. Chalaturnyk, University of Alberta

SPE-170138-MS

Numerical Study of the Effects of Lean Zones on SAGD Performance in Periodically Heterogeneous Media

J. Xu, Z. Chen, J. Cao, R. Li, University of Calgary

SPE-170139-MS

Coupled Wellbore/Near-Well Flow and Geomechanical Thermal Simulation of Cyclic Steam Stimulation with Different Geometric Fractures

R. Li, Z. Chen, J. Xu, H. Zhong, University of Calgary

SPE-170140-MS

Phase Behaviour Modeling of Complex Hydrocarbon Systems Applicable to Solvent Assisted Recovery Processes

B. Bayestehparvin, H. Nourozieh, M. Kariznovi, J. Abedi, University of Calgary

SPE-170141-MS

Investigation of Post CHOPS Enhanced Oil Recovery of Alkali Metal Silicide Technology

P.H. Krumrine, SiGNa Chemistry Inc; M. Lefenfeld, SiGNa Chemistry, Inc.; G.A. Romney, Fifty Mile LLC

SPE-170142-MS

Upscaling Study of Cyclic Solvent Injection Process for Post-CHOPS Reservoirs through Numerical Simulation

M. Zhang, Z. Du, F. Zeng, University of Regina; S. Xu, Saskatchewan Research Council

SPE-170143-MS

New Insights on Chemical EOR Processes for Heavy Oil

S. Hocine, A. Magnan, G. Degre, Solvay; D. Rousseau, N. Rousseau, IFP Energies nouvelles

SPE-170144-MS

Practical Implementation of Knowledge-Based Approaches for SAGD Production Analysis

Z. Ma, J.Y. Leung, University of Alberta; S.D. Zanon, P.J. Dzurman, Nexen Energy

SPE-170145-MS

Wellbore Modeling and Design of Nozzle-Based Inflow Control Device (ICD) for SAGD Wells

S. Shad, Devon Canada Corporation; M. Majdi Yazdi, Schlumberger

SPE-170146-MS

Advances in Electrical Heating Technology for Heavy Oil Production

C. Sandberg, C.L. Sandberg & Associates; K. Thomas, MCAA; A. Hale, Oil and Gas Consultant

Table of Contents (continued)

SPE-170147-MS

Waterflooding Experiments with X-ray CT Imaging

M. London, S.M. Cameron, J. Donald, F.R. Wassmuth, Alberta Innovates Technology Futures

SPE-170149-MS

Numerical Thermal Simulation and Optimization of Hybrid CSS/SAGD Process in Long Lake with Lean Zones

J. Xu, Z. Chen, Y. Yu, J. Cao, University of Calgary

SPE-170150-MS

Kinetic Modeling of the In-situ Combustion Process for Athabasca Oil Sands

X. Chen, Devon Canada Corporation; Z. Chen, University of Calgary; T.G. Harding, Nexen Energy ULC; R.G. Moore, S.A. Mehta, M.G. Ursenbach, University of Calgary

SPE-170152-MS

The Successful Application of Automated Managed Pressure Drilling (MPD) to Protect Cap Rock Integrity by Narrow Margin Drilling In SAGD Wells

N. Osayande, E. Mammadov, S. Sephton, Weatherford Canada; V.L. Boucher, Suncor Energy Inc.

SPE-170153-MS

Application of Intelligent Well Technology to a SAGD Producer: Firebag Field Trial

R.M. Stahl, J.D. Smith, Suncor Energy Inc.; S. Hobbs, Halliburton Canada Inc.; C. Clarke, Baker Hughes Canada

SPE-170154-MS

Multi-stage Cleaning for Routine Core Analysis in Heavy Oil-bearing Carbonates, Campos Basin, Brazil

M.K. Borre, Maersk Oil; B.P. Coffey, Apache Coorporation

SPE-170155-MS

Improvement of Sweep Efficiency of Miscible Displacement Processes in Heterogeneous Porous Media

M. Sajjadi, J. Azaiez, University of Calgary

SPE-170156-MS

Development of a Microfluidic Device for Rapid Assessment of EOR Additives

P. Lele, H. Fadaei, University of Toronto; U. Guerrero, Suncor Energy; D. Sinton, University of Toronto

SPE-170157-MS

Gasflooding-Assisted Cyclic Solvent Injection (GA-CSI) for Enhancing Heavy Oil Recovery

X. Jia, F. Zeng, Y. Gu, University of Regina

SPE-170161-MS

Hybrid Thermal-Chemical Processes (HTCP) for Heavy-Oil and Oil-Sand Recovery

M. Taghavifar, R.P. Fortenberry, E. De Rouffignac, K. Sepehrnoori, G.A. Pope, The University of Texas At Austin

Table of Contents (continued)

SPE-170162-MS

Chemical Reaction Mechanisms That Govern Oxidation Rates During In-Situ Combustion and High-Pressure Air Injection

N.P. Freitag, Saskatchewan Research Council

SPE-170163-MS

Phase Behaviour Study of Butane / Athabasca Bitumen Mixtures Applicable for Thermal and Hybrid Solvent Recovery Processes

H. Nourozieh, M. Kariznovi, J. Abedi, University of Calgary

SPE-170164-MS

Feasibility Study of Using Polymer to Improve SAGD Performance in Oil Sands with Top Water

X. Zhou, F. Zeng, University of Regina

SPE-170165-MS

Asphaltene Precipitation Inhibitors and Phase Behavior Control for Bitumen Recovery by Solvent Injection

M. Yakubov, S. Yakubova, D. Borisov, G. Romanov, Institution of Russian Academy of Sciences A.E. Arbuzov Institute of Organic and Physical Chemistry; K. Yakubson, Oil and Gas Research Institute of Russian Academy of Sciences (OGRI RAS)

SPE-170166-MS

The Measurement of Connate Water Chlorides Concentration and Its Effect on Bottom Water Coning Analysis in SAGD for Optimization

S. Masih, Statoil Canada Ltd.; B. Bennett, Gushor Inc; M. Savage, Statoil Canada Ltd.

SPE-170167-MS

Nanoparticle Stabilized CO₂ in Water Foam for Mobility Control in Enhanced Oil Recovery via Microfluidic Method

P. Nguyen, H. Fadaei, D. Sinton, University of Toronto

SPE-170172-MS

Results of Field Operation of a Distributed Flux Burner in a Heater Treater in a Northern Canada Heavy Oil Field; Thermal Performance and Firetube Life

D. Bartz, J. Gotterba, Alzeta Corp

SPE-170173-MS

Development of Electrical Joule's Heating Simulation for Heavy Oil Reservoirs

H. Lashgari, M. Delshad, K. Sepehrnoori, E.P. De Rouffignac, University of Texas At Austin

SPE-170174-MS

A Paradigm Change Needed in Oil Sands Industry: CaO as Additives for Bitumen Extraction and Nonsegregating Tailings Production Processes

B. Ozum, N. Romaniuk, A. Sorta, B. Feland, Apex Engineering Inc.; J.D. Scott, Consultant Inc.

SPE-170176-MS

Effects of Pressure Decline Rate on the Post-CHOPS Cyclic Solvent Injection Process

Z. Du, F. Zeng, C. Chan, University of Regina

Table of Contents (continued)

SPE-170177-MS

SAGD Vacuum Insulated Tubing vs. Bare Tubing - Concentric and Eccentric Configurations: A Comparative Thermal Computational Fluid Dynamics Study

S. Karra, M. Chudiak, ANSYS Canada Ltd.; A. Sinha, G. Boser, zEroCor Tubulars Inc

SPE-170178-MS

Steam-Surfactant-Foam Modeling in Heavy Oil Reservoirs

H. Lashgari, M. Lotfollahi, M. Delshad, K. Sepehrnoori, E.P. De Rouffignac, University of Texas At Austin

SPE-170181-MS

Are Existing Three Phase Relative Permeability Models Adequate in Modeling Heavy Oil WAG Processes?

O.W. Saliu, M. Sohrabi, H. Shahverdi, Institute of Petroleum Engineering, Heriot Watt University

SPE-170182-MS

Modeling the Diffusion Controlled Swelling and Determination of Molecular Diffusion Coefficient in Propane-Bitumen System Using a Front Tracking Moving Boundary Technique

S. Etminan, Alberta Innovates Technology Futures; B.B. Maini, Z. Chen, University of Calgary

SPE-170183-MS

Stochastic Life Cycle Approach to Assess Wellbore Integrity for CO₂ Geological Storage

A. Nabih, R.J. Chalaturnyk, University of Alberta

SPE-170189-MS

Impact of Fractures Characterization, Wettability and Hysteresis on Thermal Recovery Processes in Carbonate Naturally Fractured Reservoirs

S.G. Ghedan, A. Kumar, Computer Modelling Group Ltd.

SPE-170190-MS

Pentane as a Potential Candidate for ES-SAGD and Hybrid Processes: Its Phase Behaviour with Bitumen

H. Nourozieh, M. Kariznovi, J. Abedi, University of Calgary

SPE-170191-MS

Could VES be a part of Hybrid option to recover Heavy oil in Complex Heavy oil Reservoirs

M. Azad, A.S. Sultan, King Fahd University of Petr. & Min.; S.A. Nuaim, M. Mahmoud, I. Hussein, KFUPM

SPE-170192-MS

Contribution of Geomechanics in Evaluation of Heat Transfer Mechanisms at Mobile Zone of SAGD and ES-SAGD

A. Rangriz Shokri, B. Koohmarez Hosseini, University of Alberta

SPE-170193-MS

A Domain Splitting-Based Analytical Model for Rapid Assessment of Hydro-thermo-geomechanical Responses of Large Scale Heavy oil Reservoirs: Steamflood Application

B. Koohmarez Hosseini, R.J. Chalaturnyk, University of Alberta