

# **SPE Latin American and Caribbean Petroleum Engineering Conference 2014**

**(LACPEC 2014)**

**Maracaibo, Venezuela  
21-23 May 2014**

**Volume 1 of 3**

**ISBN: 978-1-63266-888-2**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2014) by the Society of Petroleum Engineers  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Society of Petroleum Engineers  
at the address below.

Society of Petroleum Engineers  
P. O. Box 833836  
Richardson, Texas 75083-3836

Phone: (800) 456-6863  
Fax: (972) 952-9435

[books@spe.org](mailto:books@spe.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)



## Table of Contents / Tabla de Contenido

SPE-169235-MS	<b>Experimental Study of CO<sub>2</sub> Huff 'n' Puff Process for Low-Pressure Reservoirs</b>	<b>1</b>
	<i>J. Ma, University of Regina; Z. Wang, R. Gao, Yanchang Petroleum; F. Zeng, University of Regina; C. Huang, Yanchang Petroleum; P. Tontiwachwuthikul, University of Regina</i>	
SPE-169236-MS	<b>Successful Use of Multilateral Technology To Improve Oil Recovery in the Brazilian Amazon</b>	<b>17</b>
	<i>S.C. Mendes, M.A. Albuquerque, Petrobras; M. Vento, N. Batista, Halliburton</i>	
SPE-169237-MS	<b>Experimental and Visual Simulation of Gravel Packing in Horizontal and Highly Deviated Wells</b>	<b>27</b>
	<i>D. Changyin, L. Jiajia, L. Yanlong, China University of Petroleum; L. Huaiwen, S. Lifei, PetroChina</i>	
SPE-169240-MS	<b>Hydrocarbon Flow Assurance: Low Rate and Pressure Gas Field Experience</b>	<b>40</b>
	<i>S. Olayemi, M. Cano, S. Sanchez, C. O'Shea, F. Letendre, P. Solc, M. Verney, M. Maru, S.I. Olayemi, Shell</i>	
SPE-169242-MS	<b>Rheological Properties of an Amine Oxide Viscoelastic Surfactant With Application in Well Stimulation</b>	<b>60</b>
	<i>S. Aryanpanah, Intertek Westport Technology Center; H. Nasreldin, Texas A&amp;M University</i>	
SPE-169243-MS	<b>An Innovative Workflow for Appropriate Selection of Subsurface-Surface Model Integration Scheme Based on Petroleum Production System Nature, User Needs, and Integrated Simulation Performance</b>	<b>73</b>
	<i>E. Tillerio, PDVSA; J. Rincón, H. Nuñez, Universidad del Zulia</i>	
SPE-169244-MS	<b>Linear Discriminant Analysis for Bayesian Estimation of Continuous Facies Distribution</b>	<b>91</b>
	<i>W.J. Al-Mudhafer, Louisiana State University</i>	
SPE-169245-MS	<b>Overcoming Ultradeepwater Cementing Challenges in The Caribbean</b>	<b>103</b>
	<i>N. Gupta, M. Bogaerts, M. Bellabarba, A.M. Mendiola, A.G. Salehpour, Schlumberger</i>	
SPE-169249-MS	<b>Mitigating Vibration with Roller Reamer Technology Improves Drilling Efficiency in Hard/Abrasive Formation, Sao Francisco Basin, Brazil</b>	<b>119</b>
	<i>M. Breton, J. Mayol, M. Gerlero, O. Rojas, G. Leon, J. Tocantins, Schlumberger</i>	
SPE-169252-MS	<b>Natural Gas Reinjection in a Heavy Oil Field Increases Foamy Oil Recovery</b>	<b>129</b>
	<i>S. Xiaofei, Y. Zhang, X. Duan, China University of Petroleum (Huadong); X. Li, Research Institute of Petroleum Exploration and Development, PetroChina</i>	



SPE-169254-MS

**Optimization of Drilling and Completing Complex Wells in High-Permeability Reservoirs 141**

*A.S. Al-yami, K. Al-Faleh, H. Al-Ramis, Saudi Aramco*

SPE-169255-MS

**Improving Unconventional Completions by Pinpointing Multistage Fracturing With Coiled Tubing: 165  
Case Histories from Burgos Basin**

*E. Lopez-Bonetti, O. Araujo, Halliburton; J.R. Ortiz, J. Hernandez, Halliburton—Boots & Coots; C. Hazael, E. Basurto, Pemex*

SPE-169256-MS

**Impact of the Heavy-Oil Properties in the Slug-Flow Characteristics 178**

*A. Brito, J.G. Marquez, R. Ruiz, R. Cabello, PDVSA Intevep*

SPE-169257-MS

**New Approach For In-Line Production Testing for Mature Oil Fields Using Clamp-on SONAR Flow 186  
Metering System**

*G. Morra, ENI spa; S. Scagliotti, Eni E&P; D. Naeem, A. Al Alwan, SOC; S. Sridhar, A. Hussein, EXPRO Meter Inc*

SPE-169259-MS

**A Review at the Problem of Sanding in Colombia: Evolution and Cases of Evaluation for Sand Exclusion 198  
and Management Alternatives**

*M.G. Jaimes Plata, Y. Quintero Pea, Ecopetrol; D.P. Martin, Universidad Industrial De Santander*

SPE-169260-MS

**Floating Mud Cap Drilling (FMCD) for Parigi Formation in Cilamaya Field, West Java, Indonesia 212**

*N.B. Sangka, S. Hidayat, Pertamina EP; D. Nursaid, Matra Unikatama Consultant*

SPE-169262-MS

**A Novel Procedure to Apply a Relative Permeability Modifier During Perforating Guns and TCP 221**

*J.W. Pereira Suzart, H. Llerena, E. Lopez Martinez, M. Gonzales Jamillo, Halliburton; F. Paz, E. Davila, Petroamazonas - EP*

SPE-169263-MS

**Application of Concepts To Improve Oil Production in Low-Permeability Turbidite Reservoirs in Mexico 228**

*G. Gutierrez Murillo, J. Avendano Rodriguez, PEMEX; J. Salguero Centeno, CBM E&P; E. Medina, Halliburton; A. Perez Ramirez, SGF Global*

SPE-169264-MS

**Challenges and Successes in Horizontal Drilling Shallow 3D Unconventional Turbidite Reservoir, Mexico 239**

*G. Gutierrez Murillo, PEMEX; G. Villanueva Zapata, E. Medina, Halliburton; J. Salguero Centeno, CMB E&P*

SPE-169267-MS

**Old Problems, New Challenges: Evaluation of a Horizontal Well in Naturally Fractured Carbonate Reservoirs 252**

*A. Moreno, S. Rosales, Pemex; T. Resendiz, E. Ramirez, F. Tellez, M. Losada, G. Garcia, M. Quevedo, A. Anez, Schlumberger*

SPE-169268-MS

**Prediction of Water-Oil Relative Permeability Through Fractured Reservoirs: Analytical Development 266  
and Numerical Investigation**

*H. Saboorian-Jooybari, National Iranian South oil company (NISOC); M. Delshad, University of Texas At Austin*

SPE-169269-MS

**Optimization of Petroleum Reservoir Production Based on Numerical Simulation Guided by Metaheuristic 289**

*R.d. Melo, V.M. Filho, Universidade Federal do Rio de Janeiro; S.G. Sousa, Halliburton*



SPE-169270-MS

**Quantifying Thin-Bed Modeling Contribution on Characterization of Bypassed Oil for Improved Oil Recovery 301**

*L.A. Martino, M.L. Loss, S. Ucan, A. Thompson, E. Morettini, YPF SA*

SPE-169271-MS

**Capturing Regional Geomechanical Knowledge for Heavy-Oil Carbonate Offshore Fields in Campeche Oriente, Mexico 318**

*D. Garcia-Gavito, L. Carrillo-Galicia, J. Gómez-García, Pemex; A. Carballo Cabrera, A.L. Duarte, Schlumberger*

SPE-169272-MS

**Well Placement Optimization Constrained to Minimum Well Spacing 325**

*A.A. Awotunde, King Fahd University of Petroleum and Mines*

SPE-169273-MS

**Applying Mohr-Coulomb Cycle to Step-Rate Test: An Innovative Rock Mechanics Equation in Extreme Unconsolidated Formations 351**

*J.W. Pereira Suzart, M. Cayo, J. Jaramillo, X.A. Salas, Halliburton; E.L. Barragan, C.A. Calvachi-guerra, Andes Petroleum; T. Camilo, A. Mantilla, Petroamazonas E&P*

SPE-169274-MS

**Characterization of Semipermeable Stratigraphic Layer of the Upper Cretaceous based on the Sedimentary Model of the Ku-Maloob-Zaap Production Asset 364**

*J. Garcia Carmona, M. Correa Lopez, R. Rojas Figueroa, Pemex; N. Aguilera Franco, M. Prado Pena, R. Martinez Ibarra, Consultant*

SPE-169275-MS

**Water Injection in Offshore Naturally Fractured Reservoirs Associated to a Common Aquifer 370**

*R. Toledo-Piña, Pemex; A. Leon Garcia, R. Padilla, Advisor and Consultant*

SPE-169276-MS

**External Cake Built of Bi-sized Particles in Well Injectivity and Drilling 392**

*Y. Yang, University of Adelaide; R.N. Sacramento, A.S. Vaz Jr, Universidade Estadual do Norte Fluminense; Z. You, University of Adelaide; A. Leibson, A.A. Waldmann, Petrobras; P.L. Zitha, Delft University of Technology; P.G. Bedrikovetsky, University of Adelaide*

SPE-169277-MS

**Swelling of Elastomers in CO<sub>2</sub> Environment: Testing Methodology and Experimental Data 409**

*F. Daou, Schlumberger; C.R. Miranda, J.L. de Oliveira, Petrobras; B.S. Engelke, C.A. Borman, S. Le Roy-Delage, B.R. Lungwitz, Schlumberger*

SPE-169284-MS

**Use of NODAL Analysis Technique To Minimize Liquid Production During Underbalanced-Drilling Horizontal Wells 425**

*B. Guo, J. Shan, University of Louisiana at Lafayette; Y. Meng, Southwest Petroleum University*

SPE-169286-MS

**IPR in Naturally Fractured Gas Condensate Reservoirs 435**

*F.H. Qasem, Kuwait University; R. Gharbi, B.A. Baroon, Kuwait Oil Company*

SPE-169288-MS

**Selection and Optimization of Artificial Lift System in Heavy Oil Fields 448**

*V. Kaplan, E. Duygu, Turkish Petroleum Corporation*



SPE-169289-MS

**Efficiently Delivering Difficult Tortuous Well Profile Deepwater Brazil: Ream-on-Demand System Saves Operator Trip for Tool Change-Out 460**

*A. Lima, D. Oliveira, M. Breton, Schlumberger*

SPE-169290-MS

**An Improved Approach for Reservoir Monitoring in Oil Fields using Innovative Spectral Noise and High-Precision Temperature Tool 469**

*G. Galli, G. Morra, G. Rizzo, S. Scagliotti, Eni E&P; D. Naeem, A. Al Alwan, SOC*

SPE-169291-MS

**Solvent Selection Criteria Based on Diffusion Rate and Mixing Quality for Different Temperature Steam/Solvent Applications in Heavy-Oil and Bitumen Recovery 487**

*A. Marciales, T. Babadagli, University of Alberta*

SPE-169293-MS

**A Fit-for-Purpose Method for Drill-In Fluid Attributable Formation Damage Mitigation 502**

*M. Amanullah, M.K. Al-Arfaj, Saudi Aramco*

SPE-169295-MS

**Changing the Way To Drill in Ecuador: Experience Using Point -the-Bit and Hybrid RSS in Horizontal and 3D Complex Wells 515**

*H.R. Carrizo, J.L. Sanchez, Schlumberger; L.R. Perdomo, M.B. Valcarcel, Repsol*

SPE-169296-MS

**Miscible WAG-CO<sub>2</sub> Light Oil Recovery from Low Temperature and High Pressure Heterogeneous Reservoir 526**

*E.L. Ligerio, D.J. Schiozer, State University of Campinas*

SPE-169298-MS

**Solid Expandable Systems Brings New Life to Aging Venezuelan Field and Optimizes Production 539**

*R.M. Perez, R. Romman, A. Ciliberto, C. Granados, Weatherford*

SPE-169300-MS

**A Simplified Computer Model for Determination of Cuttings Concentration and Wellbore Cleaning 548**

*S. Gasbarri, V.C. Wills, Universidad Central De Venezuela*

SPE-169301-MS

**Integrated Methodology for Laboratory Evaluation of Shale Plays Cores 566**

*E. Perez Carrillo, Z. Pachon, J.J. Gomez, M.P. Marin, Ecopetrol*

SPE-169302-MS

**Economic Comparison for the Potential Development of Onshore Unconventional Resources and Offshore Conventional Prospects in Uruguay 578**

*S. Ferro, J. Tomasini, P. Gristo, H. de Santa Ana, ANCAP; P.G. Mcleroy, Texas A&M University*

SPE-169303-MS

**Upward Gas-Liquid Flow in Concentric and Eccentric Annular Spaces 595**

*P. Cavalcanti De Sousa, Texas A&M University; G. Falcone, TU Clausthal University of Technology; M.A. Barrufet, Texas A&M University*



SPE-169306-MS

**A Novel Channel Fracturing Technique Improves Tight Reservoir Potential in the Ordos Basin, China 610**

*A. Li, L. Mu, X. Li, PetroChina; H. Yang, T.C. Judd, Y. Liu, Schlumberger*

SPE-169307-MS

**Hydraulic Unit Determination and Permeability Prediction Based on Flow Zone Indicator Using Cluster Analysis 624**

*C. Aguilar, H.A. Govea, PDVSA; G. Rincon, Paradigm*

SPE-169309-MS

**PCP Run Life Improvement in Orinoco Belt With New PCP Technology 637**

*D. Caballero, PCM; Y. Hurtado, Petrocedeño; A.E. Gomez, Petrojunin; L. Zimmer, PCM*

SPE-169311-MS

**A Case Study on Optimization of PCP Operations for Production Increase in an Unconsolidated Sandstone Reservoir 648**

*A.A. Netzhanova, W. Bae, T.A. Gunadi, D.A. Gunadi, H.X. Nguyen, Sejong University; R. Arystanbay, Firm Ada Oil LLP*

SPE-169315-MS

**An Innovative Manganese Tetroxide/CaCl<sub>2</sub> Water-Based Drill-In Fluids for HT/HP Wells 661**

*A.S. Al-yami, A. Al-Nimer, A. Bubshait, O. Al-Fuwaires, A. Al-Wabari, Saudi Aramco*

SPE-169316-MS

**Advanced Technique for Enhancing Fracture Conductivity in Tight-Gas Condensate Reservoirs through Applying Liquid Resins: Case Histories from Burgos Basin, Mexico 672**

*E. Lopez-Bonetti, A. Cuessy, H. Coronel, Halliburton; J.D. Suarez-Fromm, Tecpetrol*

SPE-169317-MS

**Applications of Computational Fluid Dynamics To Study Slurry Flow in Pipeline for Heavy and Extra-heavy Oil 692**

*H.J. Zambrano Meza, A. Brito, J.G. Marquez, PDVSA Intevp*

SPE-169318-MS

**Integrated Well Planning Strategy: A Successful Forward Step To Optimize Field Performance in Heavily Fractured Carbonate Reservoir 701**

*S.M. Al-Mutairi, O.O. Ukaegbu, E. Alyan, F. Rowaihy, Saudi Aramco*

SPE-169319-MS

**Evaluation of Infill Projects in Heavy-Oil Reservoir With Low-Sand/Shale Relation: Moriche Field 711**

*E.M. Trigos, A. Caro, D.F. Galeano Barrera, A.J. Serna, R. Avila, E. Lozano, Mansarovar Energy; O.P. Parada Villate, M.I. Otero, R. Gomez, Ecopetrol*

SPE-169320-MS

**Use of Laboratory Scale Apparatus for Simulation of Downhole Stimulation Monitoring With Distributed Temperature Surveys 721**

*H.L. Pinto, C.F. Eira, F. Rosas, Petrobras; F.A. Carneiro, D. Bobula, Halliburton*

SPE-169321-MS

**Gas Injection Enhanced Oil Recovery Application in a Mature Naturally-Fractured-Carbonate Reservoir 732**

*J.E. Buenaventura, R.S. Alvarez Ortega, J.G. Flores, Schlumberger; I.E. Martinez, Pemex*



SPE-169322-MS

**Wireline Perforating Technology Maximizes Well Productivity and Minimizes Operational Risks 742**

*C.E. Baumann, D. Gultom, H.A. Williams, Schlumberger; A. Yudhatama, R. Rachman, Total*

SPE-169323-MS

**Finite Wellbore Radius Solution for Gas Wells by Green's Functions 761**

*E.S. Sousa, A.B. Barreto, A.M. Peres, Petrobras*

SPE-169324-MS

**Preventing Premature Gravel Pack Failures Using FLUX Calculations on High-Rate Dolphin Field Gas Wells - A Case Study 779**

*A. Lerza, J. Dolan, A.E. Guerrero, Chevron*

SPE-169326-MS

**Electrical Wellbore Heating in Environmentally Sensitive Llanquanelo Field, Argentina 787**

*S. Ucan, E.E. Savoy, M. Federici, M. Azcurra, YPF*

SPE-169327-MS

**Greenhouse Gas (GHG) Management in the Oil and Gas Industry: An Alternative Project To Capture and Use 799**

*J.A. Sachica, E.E. Yanez Angarita, E.A. Ribero Rangel, C.A. Buitrago Gomez, L.F. Sandoval, Ecopetrol*

SPE-169328-MS

**Evaluation of Multiphase Flow Models To Predict Pressure Gradient in Vertical Pipes With Highly Viscous Liquids 804**

*R. Ruiz, A. Brito, J.G. Marquez, PDVSA Intevep*

SPE-169329-MS

**Journal Assurance Data (JAD) - Customization and Integration of Standard Production Tools at Orncem for Ensuring Quality Control of Production Data from Sacha Oil Field 812**

*A. Díaz, P. Caicedo, R. Enríquez, Río Napo ORN CEM; B. Erazo, R.J. Gabarron, C.G. Crespo, Weatherford*

SPE-169330-MS

**Effect of Oil Saturation on Acid Propagation During Matrix Acidization of Carbonate Rocks 819**

*R.P. Kumar, J. He, H. Nasr-El-Din, Texas A&M*

SPE-169331-MS

**Diagnosis of Water Problem by Providing Physical Meaning for the Pattern Recognition 841**

*C.E. Aguado Sanchez, Universidad Nacional De Ingenieria*

SPE-169332-MS

**Registration and Fusion of Backscattered Electron Images and Energy Dispersive Spectroscopy Images on Siliciclastic Rock Samples for Petrophysical Calculations 861**

*D.A. Lattanzi, L. Salazar, P.I. Jaime, G. Taltec, K. Chan, T. Gerwig, FEI Co.*

SPE-169333-MS

**Inflow Performance Relationship Equation for Solution Gas-Drive Reservoirs Under Gravity Segregation 872**

*R. Padilla Sixto, Consultant; R. Camacho Velazquez, PEMEX*

SPE-169334-MS

**LWD Formation Tester Applications in Colombian Basins 890**

*J.A. Galindo, C.C. Rincon, J.J. Hemsing, Weatherford*





SPE-169335-MS

**Numerical Simulation of a Dry Combustion Tube Test for a Brazilian Heavy Oil 900**

*D.P. Mercado Sierra, O.V. Trevisan, Universidade Estadual De Campinas*

SPE-169336-MS

**A New Engineering Approach for Gas Anchor Applications for Extra Heavy Crude Oil - Study Case at PetroPiar in the Orinoco Belt 911**

*J. Diaz Sierra, Chevron; O.J. Moreno Mendoza, PDVSA; S. Rivas Johnson, Chevron; M. Arredondo, PDVSA*

SPE-169339-MS

**Optimal Infill Well Locations in a Mature Oil Field Using Manual and Search-Based Optimization Methods With Reservoir Flow Simulation 925**

*W.J. Al-Mudhafer, Louisiana State University*

SPE-169341-MS

**Flow Modeling and Comparative Analysis for a New Generation of Wireline Formation Tester Modules 941**

*M.R. Kristensen, C. Ayan, Y. Chang, R. Lee, A. Gisolf, J. Leonard, P. Corre, H. Dumont, Schlumberger*

SPE-169342-MS

**High-Temperature Solvent Injection for Heavy-Oil Recovery From Oil Sands: Determination of Optimal Application Conditions Through Genetic Algorithm 957**

*H. Leyva Gomez, T. Babadagli, University of Alberta*

SPE-169343-MS

**Engineered Fiber-Based Loss Circulation Control Pills To Successfully Combat Severe Loss Circulation Challenges During Drilling and Casing Cementing in Northern Pakistan 968**

*U. Arshad, B. Jain, H. Pardawalla, N. Gupta, A.W. Meyer, Schlumberger*

SPE-169344-MS

**Experimental Inter-stage Study of an Electrical Submersible Pump Handling Viscous Fluid in Multiphase Conditions 977**

*J.J. Ibarra, PDVSA Intevep; A. Valderrama, J. Gonzalez, E. Carios, PDVSA*

SPE-169345-MS

**Successful Extended Injection Test for Obtaining Reservoir Data in a Gas-Oil Shale Formation in Mexico 992**

*O. Araujo, E. Lopez-Bonetti, D. Garza, Halliburton; G. Salinas, Pemex*

SPE-169347-MS

**First Hole Enlargement From 8 1/2 to 9 1/2 Inches With Point the Bit Rotary Steerable System and Hole Opener in a High-Inclination Well in Ecuador 1000**

*J.L. Sanchez, H.R. Carrizo, Schlumberger; G. Camacho, Petroamazonas. E.P.*

SPE-169348-MS

**Advancements in Powered Rotary Steerable Technologies Result in Record-Breaking Runs 1009**

*H. Jerez, J.D. Tilley, Halliburton*

SPE-169349-MS

**Injection Leakage Detection in Mature Fields Using Data-Driven Models 1019**

*G.A. Moreno, A. Garriz, YPF-Tecnología*



SPE-169351-MS

**Technical-Economic Evaluation of Downhole Electric Heater Cable Application in Orinoco Oil Belt: Successful Case 1023**

*E. Quintero, A. Quezada Ruiz, PDVSA; I. Romero, Universidad Central de Venezuela*

SPE-169353-MS

**Velocity Modeling During Interpretation: A Case Study in the South Region of Mexico 1032**

*J.A. De la Torre Martinez, Pemex; H. Garcia, H. Saucedo Reyes, G. Bejarano Gerke, Schlumberger*

SPE-169354-MS

**Geoengineering Data Integration at Petrobras Production Engineering 1048**

*M.V. Schonmann, Petrobras; J.B. da Silva, Schlumberger; A.G. Oliveira, PUC-RIO*

SPE-169356-MS

**QVA (Quick Value Assessment) of San Andrés Oil Field, Veracruz, Mexico 1057**

*E.A. Meza Perez, F. Reyes-Alanis, J.M. Reyes Aguirre, P. Silva, Pemex E&P; B.K. Irani, The Information Store*

SPE-169357-MS

**Reduced Order Modeling in Reservoir Simulation Using the Bilinear Approximation Techniques 1069**

*M. Ghasemi, A. Ibrahim, E. Gildin, Texas A&M University*

SPE-169358-MS

**Catalytic Effect of Metallic Additives on In-Situ Combustion of Two Brazilian Medium and Heavy Oils 1079**

*A.B. Strazzi, O.V. Trevisan, UNICAMP*

SPE-169359-MS

**Fully Compositional Integrated Subsurface-Surface Modeling: Carito Production Unit Case 1105**

*J. Escalona, A. Figueroa, L. Lopez G., PDVSA*

SPE-169361-MS

**Numerical Simulation of 2D Hot Waterflooding Using Analytical Solutions Along Streamlines 1118**

*B.J. Vicente, V. Priimenko, A.P. Pires, Universidade Estadual do Norte Fluminense*

SPE-169362-MS

**The Application of Dispersion Modeling and Gas Detector Mapping for Offshore Assets 1129**

*J. Brumbaugh, E. Daher, B. Shah, W. Verkerk, United Safety Ltd.*

SPE-169363-MS

**Online Transient Simulation To Support Production Operations Planning in Wet Crude-Oil-Gathering System 1138**

*R. Mollinedo, L.F. Lopez Cisneros, Pemex; M.N. Kulkarni, J. Lazcano, F. Villanueva, P.J. Vivas, S.B. Palacio Peralta, E. Solano, Schlumberger*

SPE-169364-MS

**In-Situ Stress Constrain: A Geomechanics Study To Evaluate the Influence of the Structural Geology 1147**

*J.G. Haddad, J.A. Ramos, PDVSA Intevep; M. Aldana, Universidad Simón Bolívar*

SPE-169365-MS

**Shallow Horizontal Drilling Meets with Very Extended Reach Drilling in the Venezuelan Faja 1156**

*E. Chamat Burgos, J. Penaranda, K. Gonzalez, Schlumberger; E.D. Trejo, M. Meneses, A. Rosales, J. Martinez, PDVSA*



SPE-169366-MS

**Integrated Conceptual Probabilistic Model Forecast To Optimize and Prioritize the Development Plans of 1174  
Exploration Prospects, Early Visualization: Sur Lago Trujillo Field Case**

*F.J. Perez, R. Albarracín, W. Jazzan, A. Valera, A.J. Llavanas, V.J. Arguello, PDVSA; G. Griborio, K.A. Novaes, I. Acosta, Halliburton; L. Lujan, Independent Consultant*

SPE-169367-MS

**Reservoir Characterization and Estimating EOR Potential with a Sector Model Simulation of Señal 1194  
Picada, a Large Mature Field in Argentina**

*G. Manestar, A. Thompson, L. Gomez Rivarola, K. Mykietiuik, YPF*

SPE-169368-MS

**Analysis of Inflow-Control-Valves Shutdown Effects in Well Production and Economics 1206**

*V.E. Botechia, C.E. Barreto, D.J. Schiozer, Universidade Estadual De Campinas*

SPE-169369-MS

**Integrated Modeling of a Highly Structural and Complex Reservoir Where the Normal Modeling Rules Do 1218  
Not Apply, Cerro Fortunoso**

*A. Thompson, A. Garriz, G. Manestar, G. Vocaturro, V. Consoli, P. Giampaoli, YPF S.A.*

SPE-169370-MS

**An Innovative Workflow for Enhanced Oil Recovery Process Screening Reduces Uncertainty and Time 1238**

*J.G. Flores, N.D. Vasconez, W. Gaviria, Schlumberger*

SPE-169372-MS

**Selection of Optimum Completion Intervals Based on NMR Calibrated Lithofacies 1244**

*J.B. Lafournere, Schlumberger; J. Dutan, Petroamazonas; J.A. Hurtado, A. Suter, F. Bringer, Schlumberger; M.A. Naranjo, Sschlumberger; J. Bourge, E. Gozalbo, Schlumberger*

SPE-169373-MS

**The Effect of Oil Price on Oil Consumption and Reserves 1262**

*R.F. Aguilera, Curtin University; R. Aguilera, University of Calgary*

SPE-169374-MS

**New Ductile Cement System for ISC Wells in the Orinoco Oil Belt, Venezuela 1277**

*R.E. Bucce, M. Rodriguez, Baker Hughes*

SPE-169375-MS

**Dynamic IPR - Modeling Reservoir Well Interactions To Improve Transient Simulations of Wells 1289**

*A.P. Garcia, G.M. Neto, M.V. Machado, R.d. Carvalho, Petrobras*

SPE-169376-MS

**Drawdown Management: A Technical and Economic Alternative for Sand Control in Wells: 1304  
A Colombian Field Application**

*M.G. Jaimes Plata, Y. Quintero Pea, Ecopetrol; G.Y. Contreras Lozada, Natfract Corporation*

SPE-169377-MS

**Abrasive Perforating Helps To Improve Hydraulic Fracturing Results for Mature Fields: Historical Cases 1316  
Northwest Peru**

*J.C. Quintana Hidalgo, E.D. Duque, D. Zavala, Baker Hughes; A. Agurto, F. Ccoyllo, D. Cajavilca, Savia*



SPE-169378-MS

**Integrated Single Well Model by Coupling Formation Testing, Well Testing, and Openhole Logs for Well Performance Prediction in Green Field: A Case Study in Ghdamis Basin 1326**

*N.A. Misherghi, H.A. Algdamsi, A.M. El Mangoush, Schlumberger*

SPE-169379-MS

**A New Implementation of a Directional Surface Hole as an Economical Solution for Reaching the Shallower Reservoirs in Wells of the Orinoco Oil Belt in Venezuela 1336**

*E.D. Trejo, P.R. Machado, V. Aguilar, PDVSA; W.Y. Garcia, A.L. Bonalde Marcano, Halliburton*

SPE-169380-MS

**Automating a Comprehensive Methodology for Evaluation, Selection, and Sizing of Sand Control Methods in Fields With Sand Problems: A Case Study 1347**

*D.G. Oliveira Gomes, J.F. Carruyo Villalobos, PDVSA; E.R. González Castaño, Schlumberger*

SPE-169383-MS

**Application of Channel Fracturing in the Vaca Muerta Shale Formation 1363**

*E.A. Ejojodomi, G. Cavazzoli, J. Morris, R. Prioul, Schlumberger*

SPE-169386-MS

**Well-Reservoir Coupling on the Numerical Simulation of Horizontal Wells in Gas Reservoirs 1372**

*G. D Souza, A.P. Pires, Universidade Estadual do Norte Fluminense; E. Abreu, Universidade Estadual de Campinas*

SPE-169388-MS

**Generating Synthetic Well Logs by Artificial Neural Networks (ANN) Using MISO-ARMAX Model in Cupiagua Field 1398**

*G.A. Alzate, A. Arbelaez-Londono, A.d. Naranjo Agudelo, Universidad Nacional De Colombia; R.D. Zabala Romero, Ecopetrol; M.A. Rosero Bolaños, D.L. Rodriguez Escalante, S. Sebastián Gómez Quintero, C.A. Benítez Peláez, Universidad Nacional De Colombia*

SPE-169389-MS

**Downhole Testing Tools in Extreme Hostile Environments 1412**

*F. Marcanola, T.D. Pontes, M.D. Adriano, Halliburton*

SPE-169390-MS

**Optimizing Flow Assurance in Multizone Fracturing Treatments Using Smart-Material Ball-Seat Systems 1420**

*N. Carrejo, O.R. Espinoza, H. Wibowo, S. Gaudette, Baker Hughes*

SPE-169391-MS

**Using Engineered Smart-Materials To Optimize Efficiency in Drilling and Downhole Completions 1429**

*N. Carrejo, B.R. Kellogg, S. Gaudette, Baker Hughes*

SPE-169392-MS

**Stress Re-orientation Analysis in Cupiagua Field 1439**

*G.A. Alzate, A. Naranjo, A. Arbelaez-Londono, J.A. Arias, E.F. Araujo Guerrero, Universidad Nacional De Colombia; R.D. Zabala Romero, Ecopetrol*

SPE-169393-MS

**Evaluation of Different Types of Operation for Inflow-Control-Valves Based on Production and Reservoir Data 1447**

*C.E. Barreto, V.E. Botechia, D.J. Schiozer, Universidade Estadual de Campinas*



SPE-169395-MS

**Acidizing Sandstone Reservoirs Using Fines Control Acid 1465**

*Q. Ji, L. Zhou, H.A. Nasr-El-Din, Texas A&M University*

SPE-169396-MS

**Boscan Field\_Highly Deviated Wells To Avoid Water Production in a Heavy-Oil Reservoir Influenced by an Active Aquifer 1485**

*R. Plaza, Petroboscan; L. Urdaneta, Chevron; N. Valera, F. Bassano, Petroboscan; B.R. Smith, C. Shannon, O. Izgec, I.P. Benson, S. Balram, Chevron; L. Matheus, A. Molina, Petroboscan*

SPE-169397-MS

**Modifying the Zeta Potential of Formation Fines Utilizing Chemical Treatment: An Alternative to Sand Control to Increase Productivity: A Colombian Field Application 1494**

*M.G. Jaimes Plata, D. Valencia, J. Bahamon Pedrosa, Ecopetrol; A. Mendoza, C.E. Medina Zarate, Weatherford*

SPE-169398-MS

**Design and Implementation of Software Tool To Select and Evaluate Sand Exclusion and Management Alternatives, During the Stages of Drilling, Completion, and Production: A Colombian Field Application 1506**

*M.G. Jaimes Plata, Y. Quintero Peña, Ecopetrol; D.P. Martin, M.S. Puentes, Universidad Industrial de Santander*

SPE-169399-MS

**Innovative Fiber-Based Proppant Flowback Control Technique Unlocks Reservoir Potential 1520**

*M. Ramones, R.G. Rachid, A. Milne, K. Pelaez, L. Gutierrez, Schlumberger; O. Madrid, G. Ponce, O. Ponce, S. Cruz, Petroamazonas*

SPE-169400-MS

**Novel Gas Shutoff Resin System for Well Abandonment Applications in Colombia: A Case History 1532**

*J.A. Urdaneta, J.M. Arroyave, P. Jones, Halliburton; J.L. Amaya, A. Coral, H. Hernandez, Gran Tierra*

SPE-169401-MS

**Development of a Compositional Reservoir Simulator Including Asphaltene Precipitation From a Thermodynamic Consistent Model 1539**

*K.G. Gonzalez, M.A. Barrufet, H. Nasrabadi, Texas A&M University*

SPE-169403-MS

**Cyclic Water Injection in San Jorge Gulf Basin, Argentina 1556**

*D.G. Perez, F. Salicioni, S. Ucan, YPF SA*

SPE-169404-MS

**Increasing the Efficiency of Artificial Lifting Systems in the Production of Heavy Crude: A Colombian Field Application 1576**

*M. Jaimes Plata, Z.d. Pachon-Contreras, A. Villar, Ecopetrol; R. Dorado, Natfrac Corporation*

SPE-169405-MS

**Use of Emulator Methodology for Uncertainty Reduction Quantification 1589**

*C.J. Ferreira, Universidade Estadual De Campinas; I. Vernon, Durham University; D.J. Schiozer, Universidade Estadual De Campinas; M. Goldstein, Durham University*

SPE-169406-MS

**A Quantitative Approach To Analyze Fracture Area Loss in Shale Gas Reservoirs 1602**

*H. Lawal, Chesapeake Energy; N.U. Abolo, Kinder Morgan; G. Jackson, V. Sahai, Weatherford; C. Flores, Parsons Brinckerhoff*



SPE-169407-MS

**Incorporating Probabilistic Terrain-Based Modeling for H<sub>2</sub>S Dispersion Risk Assessments Into Emergency Management Plans 1616***J. Brumbaugh, E. Daher, W. Verkerk, United Safety*

SPE-169408-MS

**Effect of Dissolved Solids on Reuse of Produced Water in Hydraulic Fracturing Jobs 1631***A. Haghshenas, H.A. Nasr-El-Din, Texas A&M University*

SPE-169409-MS

**Improving Steam Drive in Naturally Fractured Heavy-Oil Reservoirs: A Global Optimization Strategy 1645***A.A. Awotunde, M. Sahib Azad, King Fahd University of Petroleum and Mines; C. Naranjo Suarez, Ecopetrol*

SPE-169410-MS

**Unlocking the Potential of Mexican Offshore Fields Through Real-Time Optimized Placement of Carbonate Acidizing Treatments 1653***A. Inda, L.A. Inda Herrera, E.O. Soto Lopez, PEMEX; P. Ramondenc, A.L. Murillo Vallejo, I. Rosado Rivero, S. Worden, Schlumberger*

SPE-169411-MS

**Understanding Wellbore Storage Effects to Interpret Buildup Pressure Data From Hydraulic Fractured Vertical Wells in Low-Permeability Reservoirs 1668***R. Pinto, A. Avalos, Baker Hughes*

SPE-169412-MS

**Successful Application of Water Injection To Increase Oil Recovery in Boscan Field 1674***A.J. Mendez, B. Chacin, PDVSA; S. Balram, B. Smith, Chevron*

SPE-169413-MS

**Reviving a Fractured Water Injection Well: The First Use of Clay Acid Stimulation in Major Oil Field in Algeria 1689***M. Shady, C.C. Okafor, J. Pazzi, O. Thomas, A. Sule, A.M. Ali, Schlumberger; T. Hamdane, H. Hachelaf, A. Allal, L. Colella, R. Latronico, F. Marfella, GSA*

SPE-169414-MS

**Application of Elastomers More Resistant to Gas in Progressive Cavity Pumps in Boscan Field To Improve Run Life 1701***L.G. Marchan, D. Socorro, PDVSA-Petroboscan; E. Goncalves, Chevron*

SPE-169415-MS

**An Environmentally Friendly Method To Control Halite Scale Deposition: Proven Case Histories From Latin America 1713***R. Martinez, W.L. Parker, E. Hernandez, C.R. Misino, Weatherford; I.E. Martinez, Pemex*

SPE-169416-MS

**Dynamic Model of Risk Assessment for Mature Fields 1720***R.J. Cervantes Bravo, V.A. Huerta, Universidad Nacional De Ingeniera*

SPE-169417-MS

**Stochastic Sensitivity Analysis for Effective Parameters Ranges on 3D Fracture Network Using Stress Distribution, Outcrops, and Wellbore Data Adjusted to Well Production History in Mature Field 1745***E.J. Bustamante, V. Cabello Rios, D. Escobedo Cabrera, P. Manrique Caceres, L. Choque, W.T. Espiritu, Petrobras Energia*



SPE-169418-MS

**Permeability Model Using a Minifrac Analysis Methodology in Tight Sands Reservoirs 1756**

*J.A. Pajuelo, D.E. Escobedo Cabrera, G.H. Moreyra, A.P. Patrocinio Flores, Petrobras Energia*

SPE-169419-MS

**Production Interference and Reserves Acceleration in Tight Sands Reservoirs - Case Study: 1771  
Massive Infill Drilling in Echinocytus and Ostrea Reservoirs -Talara Basin, Peru**

*D.E. Escobedo Cabrera, G.H. Moreyra, E.J. Bustamante, Petrobras Energia*

SPE-169420-MS

**First Production Results from Pimienta Oil Source Rock Reservoir, A Promising Shale: Case History from 1791  
Burgos Basin, Mexico**

*O. Araujo, D. Garza, D. Garcia, J. Ortiz, Halliburton; L. Bailon, A. Valenzuela, PEMEX*

SPE-169421-MS

**Porosity and Density Estimation From Seismic Inversion in Tight Gas Sandstones 1806**

*F. Castillo, R. Aguilera, D. Lawton, University of Calgary*

SPE-169422-MS

**Dynamic Characterization in Low-Permeability Reservoirs With Mini Falloff Test - Case Study: 1816  
Mogollon Formation**

*D.E. Escobedo Cabrera, E. Gabriel Valverde, R. Toledo, W. Espiritu, J. Tomanguilla, Petrobras Energia*

SPE-169423-MS

**Conceptual Study and Evaluation of the DTS-Fiber-Optic System as Monitoring System of Injection- 1833  
Production Profiles in Conventional Reservoirs: A Colombian Field Application**

*M. Jaimes Plata, J.A. Prada-Mejia, Ecopetrol; R. Dorado Dominguez, E. Cornejo, Natfrac Corporation*

SPE-169424-MS

**First Installation of an Expandable Liner Hanger in Western Venezuela Reduces Operational Costs 1852  
for Baripetrol**

*W. Lopez, D. Portillo, Halliburton; A. Gonzalez, H. Quintero, PDVSA*

SPE-169425-MS

**Efficient Reservoir Modeling-Statistical Approach for Evaluation and Development of Future Waterdrive 1859  
Undersaturated Oil Reservoir Performance**

*W.J. Al-Mudhafer, Louisiana State University*

SPE-169426-MS

**Computational Fluid Dynamics For Estimating Oil-Water Relative Permeability Curves 1872**

*J.A. Cuevas, Inelectra S.A.; S. Gasbarri, Universidad Central De Venezuela; M. Asuaje, Universidad Simon Bolivar*

SPE-169427-MS

**The Multi-applications of Capture Formation Sigma While Drilling 1906**

*A.G. Peternell Carballo, J. Hebert, C. Cao Minh, Schlumberger; J. Fisher, J.T. Dupuis, Stone Energy Corporation; B. Hobbs, Noble Energy*

SPE-169428-MS

**New Drilling Campaing, New Technologies, 10 Years Without Drilling, Performance Improved in La Ceiba 1923**

*J.A. Tinoco, C. Celis, Schlumberger; E. Rodriguez, G. Coronel, PDVSA; J. Lopez, Schlumberger*



SPE-169429-MS

**Evaluation of Different Secondary Recovery Process in the Bachaquero-01 Reservoir 1937**

*Z.Y. Rosal, K.R. Mieres, G.J. Chourio Arocha, PDVSA*

SPE-169430-MS

**Improvement in Completion Design of High-Productivity Gas-Condensate Wells in Peru 1956**

*C.E. Bilbao Arauco, R.O. Salinas Serpa, Repsol*

SPE-169431-MS

**Development of a Finite Element Computer Simulation Platform for a Coupled Reservoir and Geomechanics System 1971**

*A. Morillo, J. Moreno, R. Quintero, M.K. Gambus, O. Zambrano, V.A. Marcano, J. Araque, N. Rincon, N. El Mijamsami, J. Guiñez, M. Perez Pirela, Universidad del Zulia; C. Alciaturi, Inzit-Cicasi*

SPE-169432-MS

**Early Detection and Diagnosis of Operating Events in Real-Time for Producing Wells With Artificial Lift Systems With Submersible Pumping 1985**

*J.A. Prada Mejia, C.A. Pereira Gutierrez, Ecopetrol - ICP*

SPE-169433-MS

**A Hybrid Approach to Closed-Loop Directional Drilling Control Using Rotary Steerable Systems 1996**

*J. Matheus, M. Ignova, P. Hornblower, Schlumberger*

SPE-169435-MS

**Integrated Analysis To Identify and Prevent Formation Damage Caused by Completion Brines: A Colombian Field Application 2006**

*M. Jaimes Plata, R.D. Castillo, A. Villar, M. Escobar, Ecopetrol; R. Dorado, N.P. Acevedo-Villamizar, Natfrac Corporation*

SPE-169436-MS

**Physicochemical Evaluation of Formation Fluids and Stimulation Effluents In Situ: A Way To Ensure the Success of the Jobs 2021**

*M. Jaimes Plata, A. Villar, M. Escobar, Ecopetrol; T.A. Prada, UT Pexlab S.A.S*

SPE-169437-MS

**Improving the Characterization of Reservoirs With Compositional Variations 2029**

*M.B. Rosa, Petrobras*

SPE-169440-MS

**Design and Validation of an Improved Shunt Tube System 2040**

*A.J. Bonner, T.T. Hailey, J. Veit, Halliburton*

SPE-169441-MS

**Estimation for Representative Element Area of a Coquinas Analog Using Statistical and Numerical Methods 2061**

*R. Oliveira, A.H. Pepin, Schlumberger; M.S. Carvalho, Pontifical Catholic University of Rio de Janeiro*

SPE-169442-MS

**Economic Evaluation of Steam and Solvent Injection for Heavy-Oil Recovery 2070**

*E.V. Galvão, M. Rodrigues, T.V. Dutra, W. da Mata, J.M. Tarifa, Universidade Federal do Rio Grande Do Norte*





SPE-169444-MS

**A Method To Size Gas-Liquid Horizontal Separators Handling Nonstable Multiphase Streams 2085**

*J. Hernandez-Martinez, Pemex; V. Martinez Ortiz, Schlumberger*

SPE-169445-MS

**Static 3D Modeling at Boscán Field: Overview of Data Integration and Model Construction Techniques 2096**

*C. Shannon, K. Radecker, M.W. Waite, J. Munoz, Chevron; O. Leon, N. Valera, R. Paz, G. Perez, A. Pina, Petrobrascan*

SPE-169447-MS

**Optimizing Waterflooding Process for Recovery Using Nonlinear Model Predictive Control: 2108  
Case Yarigui-Cantagallo**

*J.A. Prada Mejia, J.P. Osorio Suarez, Ecopetrol - ICP; J. Camacho Navarro, Natfrac Corporation*

SPE-169448-MS

**Evaluation of Multiple Component Induction Logging in a Deltaic Environment: A Case Study 2122**

*C. Aguilar, H.A. Govea, J.C. Jimenez, F. Salazar, J. Barboza, PDVSA*

SPE-169449-MS

**Conceptual Study and Experimental Protocol for the Selection and Evaluation of Matrix Stimulation 2134  
Treatments With Biocides, Focused on H<sub>2</sub>S and Corrosion Control in Producer Wells of Fields  
Undergoing Secondary Recovery**

*M. Jaimes Plata, A. Villar, M. Escobar-Hernandez, Ecopetrol; N. Acevedo, Natfrac Corporation*

SPE-169451-MS

**An Analytical Model Coupled With Data Analytics To Estimate PDC Bit Wear 2155**

*Z. Liu, C.N. Marland, D. Li, R. Samuel, Halliburton*

SPE-169452-MS

**3D Seismic Interpretation Techniques for Detecting Oilfield Exploration Locations 2164**

*J. Carrasco, R. Garcia, Halliburton*

SPE-169455-MS

**Novel MPD Technology Applied in Ultradeep Waters in the Caribbean 2176**

*R.F. Malt, AGR Enhanced Drilling; R. Figuera, A. Marcano, A. Baez, PDVSA*

SPE-169456-MS

**Assessment System First Gas Artificial Lift by Using (Coiled Tubing) in Punta de Mata District Production 2192  
Executive East**

*J.R. Almendras, J. Torrealba, R. Tineo, L. Arcia, PDVSA*

SPE-169457-MS

**Fiber-Optic Technology Reduces Production Logging Limitations in Complex Conditions: 2212  
Case Studies from Mexico**

*S. Perez Lopez, I. Diaz Hernandez, D. Tornez Luvio, M.A. Garcia Ortega, PEMEX; N.S. Sookram, I. Perez Hernandez, J.E. Mendoza Joly, Schlumberger*

SPE-169458-MS

**Geomechanical Modeling of Wellbore Stability in Anisotropic Salt Formation 2224**

*H. Wang, University of Houston; A. Kumar, R. Samuel, Halliburton*



SPE-169459-MS

**Waterflooding in Colombia: Past, Present, and Future 2238***R.H. Castro García, G.A. Maya, J. Mantilla, V.M. Diaz Guardia, R. Amaya, A. Lobo, A. Ordonez, A. Villar García, Ecopetrol*

SPE-169461-MS

**The Stratigraphic-Sedimentology Model of Upper Cretaceous to Oil Exploration Field “Campeche Oriente” 2246***A. Cervantes, Pemex; L.M. Montes, Schlumberger*

SPE-169462-MS

**New Work Flows for Well Interventions Using Production Data Center Solutions 2254***J. Sosa Sanchez, PEMEX; Y.A. Bello Salazar, R.C. Sahmkow, O.J. Marcano, Schlumberger*

SPE-169464-MS

**Application of Assisted Optimization to Aid Oil Exploitation Strategy Selection for Offshore Fields 2262***A.T. Gaspar, C.E. Barreto, E. Munoz Mazo, D.J. Schiozer, Universidade Estadual De Campinas*

SPE-169465-MS

**Evaluation of Completion With Method Unconventional Pilot in the Field Motatan 2283***J.L. Barrios, G. Diaz, L. Rosales, PDVSA Petroquiquire*

SPE-169466-MS

**A Novel Approach To Analyzing and Managing Well Spacing and Density in Boscan Field, Western Venezuela 2289***R. Plaza, M. Pernalet, Petroboscan; B.R. Smith, B. Suman, C. Shen, K. Mayank, Chevron*

SPE-169468-MS

**Uncertainty Analysis and Risk Assessment Methodology in Early Development Fields 2305***R. Salinas, A.M. Di Nezio, Repsol; V.A. Huerta Quinones, PetroPeru*

SPE-169469-MS

**Strategy for the Development of Shale Gas in Peruvian Fields 2314***J.W. Porlles, Universidad Nacional de Ingeniería*

SPE-169470-MS

**A Feasibility Study of Tar Sands Exploitation in Trinidad and Tobago 2322***G.P. Ransome, University of Trinidad & Tobago*

SPE-169471-MS

**Original Gas in Place Probabilistic Assessment Using Design of Experiments on Material Balance Models in the Dolphin Field 2344***A.E. Guerrero, G. Gomez, A. Lerza, J.D. Dolan, Chevron*

SPE-169473-MS

**Effect of Extending the Radial Superposition Function to Other Flow Regimes 2350***F.H. Escobar Macualo, H.D. Alzate, L. Moreno, Universidad Surcolombiana*

SPE-169474-MS

**Adaptive Control Applied to an Electric Submersible Pumping System To Operate in the Best Efficiency Point 2369***L. da Fonseca Souza, L.H. Santos Torres, L. Schnitman, Universidade Federal Da Bahia*



SPE-169475-MS

**Work Flow Integration, Best Practices, and Technological Solutions for Improving Productivity in Mature Fields 2378**

*M.d. Gonzalez, M.S. Corvo, M. Mora Villa, Halliburton*

SPE-169476-MS

**Full-Field Dynamic Reservoir Characterization To Directly Impact Field Development Decision of a Cretaceous Age Naturally Fractured Reservoir in Mexico 2390**

*A. Rojas Figueroa, E. Perez-Martinez, J.J. Rivera Zumaya, PEMEX; C. Chen, Y. Jiang, QRI International*

SPE-169477-MS

**Improvements to Data Acquisition and Bottomhole Fluid Sampling in Offshore Drill-Stem Testing 2405**

*D. Engel, V. Azevedo, T.D. Pontes, Halliburton*

SPE-169478-MS

**Successful Polymer Gels Application in a Highly Channeled Peripheral Injection Well: Tello Field Pilot 2412**

*G.A. Maya, R.H. Castro Garcia, J. Sandoval, Z. Pachon, R. Jimenez, K.T. Pinto, V.M. Diaz, J.F. Zapata Arango, L.C. Perdomo, Ecopetrol; S.F. Munoz Navarro, Universidad Industrial de Santander*

SPE-169479-MS

**Evaluation of Strategies for Enhancing Production of Low-Viscosity Liquids From Tight/Shale Reservoirs 2425**

*G.J. Moridis, Lawrence Berkeley National Laboratory; T.A. Blasingame, Texas A&M University*

SPE-169480-MS

**Material Balance Analysis of Naturally or Artificially Fractured Shale Gas Reservoirs To Maximize Final Recovery 2449**

*J.C. Cabrapan Duarte, E.A. Caliz, M. Ciancaglini, Buenos Aires Institute of Technology*

SPE-169481-MS

**Optimization of Multiphase Pumping Stations based on Reliability Analysis and Monitoring of Process Conditions at Huyapari Field - PetroPiar, Orinoco Belt 2464**

*O.J. Moreno, PDVSA; S. Rivas Johnson, J. Diaz Sierra, Chevron; J. Gil, PDVSA*

SPE-169483-MS

**Compact Intelligent Completion: A Game Change for Shushufindi Field 2478**

*J.C. Rodriguez, Schlumberger; J. Dutan, Petroamazonas; G. Serrano, L.M. Sandoval, J.C. Arevalo, A. Suter, Schlumberger*

SPE-169484-MS

**The Real Impact of Reservoir Surveillance During the Early Development Phase of an Oil Field Concerning to Reservoir Characterization and Productivity: The Corvina Field Case Study 2493**

*M.E. Quispe Santos, A.D. Marin Peley, Pacific Rubiales Energy*