

2014 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2014)

**Ischia, Italy
18 - 20 June 2014**

Pages 1-688



IEEE Catalog Number: CFP1448A-POD
ISBN: 978-1-4799-4748-5

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

WA1 - Design of Brushless Machines

Chaired by: **W. Hofmann** - Germany, **R. Miceli** - Italy

- 1 *Yamada A., Miki I.* - (Japan)
Novel rotor structure of permanent magnet synchronous motor with rare earth and ferrite magnets
- 6 *Sadeghi S., Mohammadpour A., Parsa L.* - (United States)
Design optimization of a high performance five-phase slotless PMSM
- 12 *Lindner A., Hahn I.* - (Germany)
Simulation of a permanent magnet flux-switching machine with reduced outer stator leakage flux
- 18 *Castellini L., D'Andrea M., Carmignano M.* - (Italy)
Design of a 10p-12s SMPM synchronous machine for a dynamic focus adjustment of a laser beam
- 25 *Günther S., Ulbrich S., Hofmann W.* - (Germany)
Driving cycle-based design optimization of interior permanent magnet synchronous motor drives for electric vehicle application
- 31 *Caruso M., Di Tommaso A. O., Miceli R., Ognibene P., Ricco-Galluzzo G.* - (Italy)
An IPMSM torque/weight and torque/moment of inertia ratio optimization

WB1 - Power Electronics Applications

Chaired by: **F. De Belie** - Belgium

- 37 *Jamshidpour E., Shahbazi M., Poure P., Gholipour E., Saadate S.* - (France, Iran)
FPGA based fault detection and fault tolerance operation in DC-DC converters
- 43 *Deblecker O., De Grève Z., Versèle C.* - (Belgium)
Evaluation of power loss and mass gains of SiC versus Si-based switch-mode power supplies using a multiobjective optimization cad tool
- 50 *Fioritto M., Rubino G., Rubino L., Serbia N., Marino P.* - (Italy)
J cto qple'cpf "kvtj cto qple'ewtgpw'eqo r gpu'kq'lp'F'E'kpg
- 57 *Dragonas F. A., Grandi G., Neretti G.* - (Italy)
High-voltage high-frequency arbitrary waveform multilevel generator for dielectric barrier discharge

WC1 - Control and Management of Power Systems

Chaired by: **M. Comanescu** - United States

- 62 *Fei T., Bingcheng C., Dichen L., Feifei D., Yang Y., Yu L.* - (China)
Research of control strategy of SVC on subsynchronous oscillation suppression
- 66 *D'Arco S., Suul J. A.* - (Norway)
Generalized implementations of piecewise linear control characteristics for multiterminal HVDC
- 73 *Bucella C., Cecati C., Cimatoroni M. G., Razi K.* - (Italy)
J armonic O itigation Vechnique for O ultilevel Kverters k Pover Uystems
- 78 *Pisani C., Lauria D.* - (Italy)
Real time generator coherency evaluation via Hilbert transform and signals morphological similarity
- 84 *Qingfen L., Yifei W., Fei T., Jian Y., Yu L.* - (China)
An islanding surface searching approach based on Floyd-Warshall and DFS algorithm

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

WA2 - Design of Electrical Machines

Chaired by: **A. Binder** - Germany, **A. Tessarolo** - Italy

- 88 *Popa D. C., Fodorean D.* - (Romania)
Design and performances evaluation of a high speed induction motor used for the propulsion of an electric vehicle
- 94 *Benath K., Schützhold J., Hofmann W.* - (Germany)
Advanced design rules for the energy optimal motor-gearbox combination in servo drive systems
- 100 *Andriollo M., Tortella A., Kallio S.* - (Italy, Finland)
Optimized "fork connection" arrangement for multiple star windings
- 106 *Franke J., Albrecht T., Lamprecht E., Hubert M., Schneider M.* - (Germany)
The development and validation of a segmented rotor design for electric motors in hybrid vehicle applications
- 112 *Rafajdus P., Dubravka P., Peniak A., Saitz J., Szabo L.* - (Slovakia, United States, Romania)
Design procedure of switched reluctance motor used for electric car drive
- 118 *Ruba M., Chindris V., Fodorean D.* - (Romania)
Design and experimental validation of a low voltage high current SRM for light electric vehicles

WB2 - Power Electronics Devices

Chaired by: **A. Raciti** - Italy

- 124 *Hamady S., Morancho F., Beydoun B., Austin P., Gavelle M.* - (France, Lebanon)
Scalable normally-off MIS-HEMT using fluorine implantation below the channel
- 128 *Balakrishnan M., Sweet M., Narayanan Ekkanath Madathil P. S.* - (United Kingdom)
Thermal cycling reliability of polycrystalline diamond and aluminium nitride substrates
- 133 *Cavaiuolo D., Riccio M., De Falco G., Romano G., Irace A., et al.* - (Italy)
An effective parameters calibration technique for PSpice IGBT models application
- 139 *Testa A., De Caro S., Panarello S., Patanè S., Cannata G., Russo S.* - (Italy)
Reliability assessment of avalanche mode operating power MOSFETs through Coffin Manson law based mathematical models

WC2 - Energy Storage Systems

Chaired by: **Z. Soghomonian** - United States

- 146 *Bonanno F., Capizzi G., Coco S., Laudani A., Lo Sciuto G.* - (Italy)
A coupled design optimization methodology for Li-ion batteries in electric vehicle applications based on FEM and neural networks
- 154 *Unamuno E., Gorrotxategi L., Aizpuru I., Iraola U., Fernandez I., Gil I.* - (Spain)
Li-ion battery modeling optimization based on electrical impedance spectroscopy measurements
- 161 *Gruber W., Hinterdorfer T., Sima H., Schulz A., Wassermann J.* - (Austria)
Comparison of different motor-generator sets for long term storage flywheels
- 167 *Carpinelli G., Khormali S., Mottola F., Proto D.* - (Italy)
Demand response and energy storage systems: an industrial application for reducing electricity costs. Part I: theoretical aspects
- 173 *Magno M., Giuffrida R., Brunelli D., Leonardi S., Benini L.* - (Italy)
A portable hybrid hydrogen fuel cell-battery power unit for wireless sensor network

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 179 *Braslavsky I. Ya., Plotnikov I., Ishmatov Z., Polunin F.* - (Russia)
The estimation of technical and economic efficiency of using the supercapacitors in the hoisting applications

WA3 - Identification Problems and Diagnostics I

Chaired by: **V. Fireteanu** - Romania, **I. Plotnikov** - Russia

- 184 *Brela M., Heyder A., Dietlein F., Markert J., Franke J., et al.* - (Germany)
Automated Ki-line Ecr dng O agnetic Utray Hield O easurement O gj qf "for O onitoring the Xalue Ehain S uality of O agnetic Eircuits
- 190 *Altaf S., Al-Anbuky A., Gholamhosseini H.* - (New Zealand)
Fault diagnosis in a distributed motor network using artificial neural network
- 198 *Zoeller C., Vogelsberger M. A., Wiedner H. D., Riefel J., Wolbank Th. M.* - (Austria)
Detecting insulation condition changes of inverter fed AC machines based on two current sensors and indirect phase step excitation
- 204 *Füvesi V., Kovács E.* - (Hungary)
Neural network multi-model based method of fault diagnostics of actuators
- 210 *Sahraoui M., Cardoso A. J. M., Ghoggal A.* - (Algeria)
The use of a modified Prony's method to track the broken rotor bars characteristic frequencies and amplitudes in three-phase induction motors

WB3 - Power Electronics in Aerospace Applications

Chaired by: **F. Garofalo** - Italy, **S. Gavin** - Switzerland

- 216 *Mastromauro R. A., Stasi S., Gervasio F., Liserre M.* - (Italy, Germany)
A ground power unit based on paralleled interleaved inverters for a more-electric-aircraft
- 222 *Collotta M., Caponetto R., Pau G.* - (Italy)
A real-time system based on a neural network model to control hexacopter trajectories
- 228 *Garofalo F., Manzo I.* - (Italy)
Some lab experiments on the control of an aircraft electrical landing gear
- 232 *Alnajjar M., Gerling D.* - (Germany)
Control of three-source high voltage power network for more electric aircraft
- 238 *Bommottet D., Carpita M., De Vivo M., Gavin S.* - (Switzerland)
A rotating contactless power transfer system for space applications
- 243 *Castellini L., D'Andrea M., Borgarelli N.* - (Italy)
Analysis and design of a linear electro-mechanical actuator for a high lift system

WC3 - Renewable Energy Sources for Smart Grids

Chaired by: **D. Proto** - Italy

- 248 *Faranda R., Hafezi H., Leva S., Mussetta M., Ogliari E.* - (Italy)
Energy production estimation for suitable PV planning
- 253 *Menniti D., Sorrentino N., Pinnarelli A., Burgio A., Brusco G., Belli G.* - (Italy)
The concentrated solar power system with stirling technology in a micro-grid: the simulation model
- 261 *Thounthong P., Sikkabut S., Mungporn P., Nahid-Mobarakeh B., Pierfederici S., et al.* - (Thailand, France, United Kingdom)
Differential flatness control approach for fuel cell/solar cell power plant with Li-ion battery storage device for grid-independent applications

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

267 *Werminski S.* - (Poland)
Reduction of primary energy demand in electrical systems of buildings

WA4 - Identification Problems and Diagnostics II

Chaired by: *A. Al-Anbuky* - *New Zealand*

273 *Wehner M., Ponick B.* - (Germany)
Search coil systems for early fault detection in wind turbine generators

279 *Ji X., Noguchi T.* - (Japan)
Off-line parameter identification of interior permanent magnet synchronous motor by searching minimum point of current norm characteristics

285 *Mirimani S. M., Vahedi A., Marignetti F., Di Stefano R.* - (Italy)
An online eccentricity fault detection method for axial flux machines

290 *McKinney M., Fox J. C., Gislason B., Salem T.* - (United States)
Controller hardware-in-the-loop validation of a magnetic core saturation algorithm for fault ride-through evaluations

295 *Boseniuk F., Ponick B.* - (Germany)
Parameterization of transient thermal models for permanent magnet synchronous machines exclusively based on measurements

302 *Fireteanu V., Constantin A. I., Peter I.* - (Romania)
Stator short-circuit faults detection based on harmonics of the magnetic field in the induction motors neighboring

WB4 - Power Electronics in Marine Applications

Chaired by: *G. Sulligoi* - *Italy*

307 *Maqsood A., Corzine K. A.* - (United States)
The Z-source breaker for fault protection in ship power systems

313 *Altosole M., Figari M., Giuffra V., Ferrero C., Piva L.* - (Italy)
Propulsion retrofitting of the tall ship Amerigo Vespucci: automation design by simulation

319 *Baret M., Ferrero C., Giulivo D., Vicenzutti A., Bosich D., et al.* - (Italy)
Amerigo Vespucci: retrofitting of propulsion and generation systems on the italian training's tall ship

327 *Cavallaro C., Cacciato M., Scarcella G., Scelba G., Testa A., et al.* - (Italy)
Active ship roll stabilization via efficient PMSM actuators

WC4 - Modeling and Analysis of Photovoltaic Systems

Chaired by: *M. Carpita* - *Switzerland*

334 *Widyan M. S.* - (Jordan)
Large-disturbance stability analysis of grid-integrated photovoltaic generator with MPPT

342 *Chicco G., Cocina V., Di Leo P., Spertino F.* - (Italy)
Weather forecast-based power predictions and experimental results from photovoltaic systems

347 *Pellegrino M., Flaminio G., Fucci R., Graditi G., Fontani D., et al.* - (Italy)
Uet of protocols for overall testing for CPV

355 *Bonanno F., Capizzi G., Coco S., Laudani A., Lo Sciuto G., Napoli C.* - (Italy)
Optimal thicknesses determination in a multilayer structure to improve the SPP efficiency for photovoltaic devices by an hybrid FEM - cascade neural network based approach

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

WP1 - Electrical Machines Modelling and Design

- 363 *Lebsir A., Rebbah R., Larakeb M., Djeghloud H., Bentounsi A.* - (Algeria)
Modeling and analysis of a salient poles synchronous machines using finite-elements method
- 368 *Ferková Ľ., Richter A.* - (Slovakia, Czech Republic)
3D EM modelling of DC traction motors for pairing of motors in tram undercarriages
- 372 *Ghasaei A., Vahedi A.* - (Iran)
Torque ripple reduction by multi-layering technique in an interior permanent magnet motor used in hybrid electric vehicle
- 378 *Castellini L., D'Andrea M., Borgarelli N.* - (Italy)
Analysis and design of a electro-mechanical actuator for a gate valve in oil&gas applications
- 385 *Demir Y., Aydin M.* - (Turkey)
Design and comparison of 33 slot permanent magnet synchronous motor with symmetric and asymmetric AC windings
- 391 *Castellini L., D'Andrea M., Carmignano M.* - (Italy)
Design of a 18 krpm rated speed SMPM synchronous machine for wobble laser welding
- 397 *Martinovic M., Ćarko D., Stipetic S., Jercic T., Kovacic M., et al.* - (Croatia)
Influence of winding design on thermal dynamics of permanent magnet traction motor
- 403 *Lazcano U., Bäuml T., Poza J., Aldasoro L., Nieva T.* - (Spain)
Geometry based reduced order thermal model for totally enclosed machines
- 409 *Siadatan A., Afjei E., Mahmoodi M. M.* - (Iran)
Torque comparison between a novel multilayer switched reluctance motor and a custom one
- 417 *Ando Y., Suzuki K., Dohmeki H.* - (Japan)
Efficiency comparison of the switched reluctance motor due to the difference in the electromagnetic material
- 421 *Rosario J. M., Ardilla L. R., Kubiak D., Dumur D., Melo L. F.* - (Brazil, Colombia, France)
Actuator selection of CNC machine tool based in dynamical modeling and control
- 427 *Afjei E., Moeini R., Siadatan A., Mahmoodi M. M.* - (Iran)
Analysis of torque ripple reduction methods in switched reluctance motor
- 433 *Bizzozero F., Giassi M., Gruosso G., Bozzi S., Passoni G.* - (Italy)
Dynamic model, parameter extraction, and analysis of two topologies of a tubular linear generator for seawave energy production
- 439 *Jurca F., Martis C.* - (Romania)
Optimal design of a flux-switching permanent magnet machine for small power automotive applications
- 444 *Laiá R., Pousinho H., Melício R., Mendes V. M. F., Collares-Pereira M.* - (Portugal)
Spinning reserve and emission unit commitment through stochastic optimization
- 449 *Mohammadpour A., Parsa L.* - (United States)
Optimal design and prototyping of a five-phase direct-drive permanent magnet linear motor

WP2 - Control and Diagnosis of Electrical Machines and Drives

- 455 *Orkisz M., Lipnicki P.* - (Poland)
Rotating compressor surge detection using variable speed drive signals
- 461 *Carpiuc S. C., Lazar C.* - (Romania)
Lyapunov-based constrained explicit current predictive control in permanent magnet synchronous machine drives

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 467 *Dokukin A., Weinger A., Shatokhin A.* - (Russia)
Subordinate regulation of drives with electromagnetically excited synchronous motor
- 472 *Roubache T., Chaouch S., Nait Said M. S.* - (Algeria)
Backstepping fault tolerant control for induction motor
- 478 *Braslavsky I. Ya., Kostylev A. V., Tsibanov D. V.* - (Russia)
The use of cluster analysis for the synthesis of optimal frequency control law for induction drive
- 483 *Comanescu M.* - (United States)
A sensorless sliding mode observer with improper speed input using an alternative state-space model of the induction motor
- 489 *Damiano A., Deiana F., Fois G., Gatto G., Marongiu I., et al.* - (Italy)
Performance comparison between two-phase-on and three-phase-on operation of brushless DC drives
- 495 *Pereira R., Melicio R., Mendes V. M. F., Fagundes A., Figueiredo J., et al.* - (Portugal)
Fuzzy clustering applied to a demand response model in a smart grid contingency scenario
- 500 *El Deeb H. M., Massoud A., Elserougi A., Ahmed S., Abdel-Khalik A. S.* - (Qatar, Egypt)
Performance assessment of single and dual loops discrete PR controllers with LCL filter for inverter-based distributed generation
- 506 *El Deeb H. M., Massoud A., Elserougi A., Ahmed S., Abdel-Khalik A. S.* - (Qatar, Egypt)
Discrete time domain analysis and optimal design of stationary frame AC current controllers with active damped LCL filter for high power applications
- 512 *Grebchenko N., Smirnova M., Kozhukhar A.* - (Ukraine)
Continuous condition monitoring of the electrical insulation of AC motors without disconnection
- WP3 - Electrical Machines and Power Electronics Applications**
- 515 *Ciancetta F., Del Pizzo A., Rotondale N., Castellini L., D'Andrea M.* - (Italy)
SFRA technique applied to fault diagnosis on stators of electric motors
- 521 *Rosario J. M., Aviles O. F., Kuteken R., Melo L. F.* - (Brazil, Colombia)
Virtual based antropomorphic gripper application for industrial automation
- 527 *Mauri M., Carmeli M. S., Castelli-Dezza F., Maglio M.* - (Italy)
Design and analysis of a high frequency wireless power feeding system for train axle telemetry
- 533 *Nobile G., Sciacca A. G., Cacciato M., Cavallaro C., Raciti A., et al.* - (Italy)
Energy harvesting in roped elevators
- 541 *Brenna M., Foiadelli F., Zaninelli D.* - (Italy)
Robustness of interleaving switched power converters in multisystem locomotives
- 548 *Falvo M. C., Graditi G., Siano P.* - (Italy)
Electric vehicles integration in demand response programs
- 554 *Zito P., Lampasi D. A., Maffia G., Candela G.* - (Italy)
A novel digital controller for 12-pulse back-to-back AC/DC converters in nuclear fusion experiments
- 560 *Roque A.* - (Portugal)
Control of a power supply with cycling current using different controllers
- 566 *Del Pizzo A., Spina I., Beneduce L., Cascone B., Fratelli L.* - (Italy)
Comparative analysis of performance and energy losses in light railways vehicles equipped with IM or PMSM drive
- 573 *Fialho L., Melicio R., Mendes V. M. F.* - (Portugal)
PV system modeling by five parameters and in site test

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 579 *Jenica-Ileana Corcau J., Dinca L.* - (Romania)
Experimental tests regarding the functionality of a DC to DC boost converter
- 583 *Brazhnikov A. V., Dovzhenko N. N., Minkin A. N., Pomolotova O. V., Litvinenko A. I., Shilova V. A.* - (Russia)
Multiphase hybrid traction drives for electrical vehicles
- TA1 - Modeling of Electrical Machines**
Chaired by: **I. Miki** - Japan, **M. Andriollo** - Italy
- 589 *Tsuji M., Shin-Ichi Hamasaki, Del Pizzo A.* - (Japan)
Physical space vectors for permanent magnet synchronous machine
- 595 *Aoyama M., Noguchi T.* - (Japan)
Estimation of rotor current based on mathematical model of wound-field synchronous motor self-excited by space harmonics
- 601 *Yahia K., Matos D., Estima J., Cardoso A. J. M.* - (Portugal, Algeria)
Modeling synchronous reluctance motors including saturation, iron losses and mechanical losses
- 607 *Tessarolo A., Bruzzese C., Branz L., Bailoni M.* - (Italy)
An accurate Fourier-series expansion for round-rotor electric machine permeance function including large eccentricity effects
- 613 *Abu-Elhaija W., Faiz J.* - (Jordan, Iran)
Review of series connected wound rotor three phase induction motors
- 619 *Deusinger B., Lehr M., Binder A.* - (Germany)
Determination of efficiency of permanent magnet synchronous machines from summation of losses
- 625 *Kiselychnyk O., Wang J., Bodson M., Pushkar M.* - (United Kingdom, United States, Ukraine)
Steady-state and dynamic characteristics of self-excited induction generators with resistive-inductive loads
- TB1 - Innovative Converter Topologies**
Chaired by: **O. Deblecker** - Belgium
- 631 *Baimel D., Tapuchi S., Rabinovici R., Horen Y., Hay S., et al.* - (Israel)
Hybrid flying capacitor cascaded multilevel inverter
- 637 *Kaniewski J.* - (Poland)
Three-phase voltage sag/swell compensator with phase shifter function based on bipolar matrix-reactance chopper
- 643 *Rafin S. M. S. H., Lipo T. A., Byung-Il Kwon* - (South Korea, United States)
A novel topology for a voltage source inverter with reduced transistor count and utilizing naturally commutated thyristors with simple commutation
- 649 *Kysela A.* - (Czech Republic)
Resonant converter with input stabilizer
- 653 *Testa A., De Caro S., Scimone T., Cacciato M., Scarcella G.* - (Italy)
A NPC transformerless single phase inverter with inner voltage boosting capability
- 659 *Rubino L., Serbia N., Ladoux P., Marino P.* - (Italy, France)
Comparative study of variant topologies for MMC
- 665 *Iyer K., Robbins W. P., Mohan N.* - (United States)
Winding design of a high power medium frequency transformer

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

TC1 - Smart Grids Analysis and Features

Chaired by: **D. Wilson** - *United States*

- 670 *Verhelst B., Ryckeghem J. V., Desmet J.* - (Belgium)
Influence of grid-connected inverters on the power quality of the distribution grid
- 676 *Menniti D., Sorrentino N., Pinnarelli A., Burgio A., Brusco G., Belli G.* - (Italy)
In the future smart cities: coordination of micro smart grids in a virtual energy district
- 683 *Szczesniak P.* - (Poland)
Matrix converter interfaces two three-phase AC systems as a component of smart-grid
- 689 *Preto R., Petrecca G.* - (Italy)
Realization of a biomass power plant feeded by animal by-products
- 695 *Cornea O., Guran E., Muntean N., Hulea D.* - (Romania)
Bi-directional hybrid DC-DC converter with large conversion ratio for microgrid DC busses interface
- 701 *Santini E., Bitetti M., Boccitto A., Cervone A., Teodori S.* - (Italy)
Financial analysis of renewable energy projects in Italy in 2013

TA2 - Electrical Drives Control

Chaired by: **B. Piepenbreier** - *Germany*, **D. Casadei** - *Italy*

- 707 *Liu Y., Piepenbreier B.* - (Germany)
Improvement of dynamic characteristic for v/f controlled induction motor drive system
- 713 *Valikhani M., Sourkounis C.* - (Germany)
A brain emotional learning based intelligent controller (BELBIC) for DFIG system
- 719 *Comanescu M.* - (United States)
An MRAS-type estimator for the speed, flux magnitude and rotor flux angle of the induction motor using sliding mode
- 725 *Comanescu M.* - (United States)
A synchronous reference frame sliding mode based estimator for the speed and flux magnitude of the induction motor drive
- 731 *Zaskalicky P., Dobrucky B.* - (Slovakia)
Analytical method of a torque ripple calculation for two-phase IM supplied by three-leg SPWM inverter
- 737 *Betin F., Yazidi A., Capolino G. A.* - (France)
Fuzzy logic applied to control of electrical machines
- 743 *Nagy I., Nagy P., Stumpf P., Vajk I.* - (Hungary)
Limitations of the rotor voltage of doubly fed induction generator in shaping the slip-torque characteristics
- 749 *Cardoso L. R. L., Teixeira J. C.* - (Brazil)
3D cross coupling effect for flux control in magnetic circuit with permanent magnet

TB2 - Converter Control and Modulation

Chaired by: **N. Mohan** - *United States*, **S. Bronshtein** - *Israel*

- 753 *Baimel D., Rabinovici R., Tapuchi S.* - (Israel)
Phase shifted PWM with third harmonic injection for over-modulation range operation
- 758 *Grandi G., Loncarski J.* - (Italy, Sweden)
Implementation of carrier-based optimized centered PWM in three-phase three-level inverters

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 764 *Lezynski P., Kempski A., Smolenski R.* - (Poland)
A new control method of energy conversion for the cascaded voltage source inverter
- 769 *Baranwal R., Castelino G. F., Mohan N.* - (United States)
Power electronic transformer with reduced switch count and dual matrix converters to eliminate load common mode voltage and input snubber requirement
- 775 *Leyva-Ramos J., Diaz-Saldierna L. H., Martinez-Cruz M.* - (Mexico)
Harmonic rejection control scheme for PWM DC/AC power converter
- 780 *Cecati C., Azeez N. A., Pramanick S., Gopakumar K.* - (Italy, India)
A 5th and 7th order harmonic suppression scheme using capacitive filtering for 2-level VSI fed IM drive
- 784 *Maragliano G., Marchesoni M., Vaccaro L.* - (Italy)
Optimal operation mode for modular multilevel converter based HVDC

TC2 - Control of Railway Systems

Chaired by: **L. Fratelli** - Italy

- 790 *Suarez J., Ladoux P., Roux N., Caron H., Guillaume E.* - (France)
Measurement of locomotive input admittance to analyze low frequency instability on AC rail networks
- 796 *Szelag A., Patoka M.* - (Poland)
Some aspects of impact analysis of a planned new 25kV AC railway lines system on the existing 3kV DC railway system in a traction supply transition zone
- 801 *Palmieri G., Frasca R., Vasca F., Marino P.* - (Italy)
Control of supercapacitor storage system in energy efficient railway vehicles
- 807 *Ratniyomchai T., Hillmansen S., Tricoli P.* - (United Kingdom)
Optimal capacity and positioning of stationary supercapacitors for light rail vehicle systems
- 813 *Calderaro V., Galdi V., Graber G., Piccolo A., Cogliano D.* - (Italy)
An algorithm to optimize speed profiles of the metro vehicles for minimizing energy consumption

TA3 - Brushless PM Drives

Chaired by: **W. Gruber** - Austria

- 820 *Jun-Hyuk Choi, Park J. S., Jin-Hong Kim, In-Soung Jung A.* - (South Korea)
Control scheme for efficiency improvement of slim type BLDC motor
- 825 *Ludwig F., Möckel A.* - (Germany)
A dynamic angle calibration method for sensed FOC-controlled IPMSM in field weakening region
- 830 *Richter J., Gemassmer T., Doppelbauer M.* - (Germany)
Predictive current control of saturated cross-coupled permanent magnet synchronous machines
- 836 *Atiq S., Lipo T. A., Byung-Il Kwon* - (South Korea, United States)
Novel field weakening technique for surface mounted permanent magnet machine using current regulated voltage source inverters
- 842 *Gemassmer T., Richter J., Schnarrenberger M., Braun M.* - (Germany)
Dynamic overmodulation for highly dynamic current control of IPMSM with saturation characteristics
- 848 *Angelone G., Del Pizzo A., Spina I., Vasca F.* - (Italy)
Model predictive control for PMSM with flux-current nonlinear maps
- 854 *De Belie F., Darba A., Melkebeek J.* - (Belgium)
Digitally current controlled three-phase machines: enhancements in dynamic analysis and antiwind-up scheme

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 860 *Lannert T., Welte A., Gemassmer T., Braun M.* - (Germany)
Control and dynamic performance of the Quasi-Z-Source-Inverter feeding an interior permanent magnet synchronous machine

TB3 - Wind Conversion Systems

Chaired by: **E. Afjei** - Iran, **G. Graditi** - Italy

- 866 *Liu B., Nishikata S., Tatsuta F., Suzuki K.* - (Japan)
A wind turbine simulator considering various moments of inertia using a DC motor
- 871 *Jemaa A. B., Najib E., Abdelaziz H., Hnaien F., Yalaoui F.* - (France)
Optimum sizing of hybrid PV/wind/battery using fuzzy-adaptive genetic algorithm in real and average battery service life
- 877 *Tourou P., Sourkounis C.* - (Germany)
DFIG-based wind energy conversion systems under unbalanced voltage dips
- 883 *Ademi S., Jovanovic M.* - (United Kingdom)
Maximum torque per inverter ampere control of brushless doubly-fed reluctance generators for wind turbines
- 889 *Monteiro A., Ribeiro E., Cardoso A. J. M., Boccaletti C.* - (Portugal, Italy)
Power control of a small-scale standalone wind turbine for rural and remote areas electrification
- 895 *Broy A., Sourkounis C.* - (Germany)
Active vibration minimization in drive systems of wind power plants by PID state control
- 900 *Gritli Y., Rossi C., Zarri L., Mengoni M., Filippetti F., et al.* - (Italy)
Wind turbine generator operating in smart grids: diagnosis for more reliability

TC3 - Road Electric Vehicles

Chaired by: **K. Kondo** - Japan, **G. Brusaglino** - Italy

- 906 *Becker N., Sourkounis C.* - (Germany)
Concepts for an integration of quick charging stations in weak power grids
- 911 *Sourkounis C., Wenske J., Türki F.* - (Germany)
Voltage stabilization in weak grids by high power charging station
- 917 *Kütt L., Saarijärvi E., Lehtonen M., Mölder H., Niitsoo J.* - (Finland, Estonia)
Electric vehicle charger load current harmonics variations due to supply voltage level differences: case examples
- 923 *Blága C., Kovács E.* - (Hungary)
Some myths and facts of electric road vehicles
- 929 *Biagi E., Di Piro L., Schipani M., Serventi R., D'Abramo P., Fanucci L.* - (Italy)
Universal output stage with reverse polarity protection for automotive applications
- 935 *Kim C. S., Lee K., Yang H. J., Yang H., Cho H., et al.* - (South Korea)
Power assist recuperation system (PARS□) for automotive fuel saving and e-boost
- 941 *Caillierez A., Sadarnac D., Jaafari A., Loudot S.* - (France)
Unlimited range for electric vehicles
- 947 *Ornaghi D., Piegari L., Tironi E., Musolino V.* - (Italy)
Innovative hybrid-eco bus: control strategies for reducing fuel consumption
- 954 *Brusaglino G., Gava R., Leon M.* - (Italy, Spain)
Teemehv, an european project for professional formation of electric and hybrid vehicle operators

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

TP1 - Renewable Energy Sources in Power Systems

- 960 *Daliento S., Guerriero P., Di Napoli F., Di Nardo L. M., D'Alessandro V., et al.* - (Italy)
A wireless sensor network for the monitoring of large PV plants
- 966 *El-Amin Ibrahim., Ahmed M. K.* - (Saudi Arabia)
Impact of a PV system on a power grid
- 971 *Leite V., Batista J., Chenlo F., Afonso J. L.* - (Portugal, Spain)
Low-cost i-v tracer for photovoltaic modules and strings
- 977 *Laudani A., Fulginei F. R., Salvini A., Mancilla-David F., Lozito G. M.* - (Italy, United States)
Implementation of a neural MPPT algorithm on a low-cost 8 bit microcontroller
- 982 *Daliento S., Guerriero P., Di Napoli F., D'Alessandro V.* - (Italy)
A wireless controlled circuit for PV panel disconnection in case of fire
- 987 *Daliento S., Guerriero P., Di Napoli F., Cominale F., D'Alessandro V.* - (Italy)
Accurate analysis of small shadows effects on photovoltaic systems yield
- 993 *Pellegrino M., Graditi G., Flaminio G., Giglio V., Ferrara W., et al.* - (Italy)
A comparison between two different techniques to estimate the uncertainty of the low irradiance test
- 998 *Boscaino V., Cipriani G., Di Dio V., Miceli R., Prestigiacomo G., Pulizzotto A.* - (Italy)
A DC-DC power converter for PV module characterization
- 1003 *Cipriani G., Di Dio V., Madonia N., Miceli R., Pellitteri F., Ricco-Galluzzo F.* - (Italy)
Reconfiguration strategies to reduce mismatch effects on PV array: an Arduino-based prototype
- 1009 *Palone F., Rebolini M., Bruzzese C., Ielpo F., Lauria S., Vitiello A.* - (Italy)
An integrated transformer-shunt reactor operation device for the connection of off-shore wind-farms
- 1015 *Coppola M., Guerriero P., Di Napoli F., Daliento S., Lauria D., Del Pizzo A.* - (Italy)
A PV AC module based on coupled inductors boost DC/AC converter
- ### TP2 - Control of Power Systems
- 1021 *Collotta M., Caponetto R., Tirrito S.* - (Italy)
Flexible street lamp lighting system management through power line
- 1027 *Mongibello L., Graditi G., Bianco N., Musto M., Caliano M.* - (Italy)
Optimal operation of residential micro-CHP systems with thermal storage losses modelling
- 1034 *Mysinski W., Platek T., Zajac W.* - (Poland)
Resonance converter with a toroidal transformer for a tram-train vehicle
- 1038 *Carpinelli G., Khormali S., Mottola F., Proto D.* - (Italy)
Demand response and energy storage systems: an industrial application for reducing electricity costs. Part II: numerical application
- 1043 *Mussa S. A., Jappe T. K., Lazzarin T. B., Arbugeri C. A.* - (Brazil)
Implementation of a control strategy for three-phase four-wire VSI parallel connected
- 1049 *Bizzarri F., Brambilla A.* - (Italy)
Stability analysis of voltage regulators versus different digital control strategies by analog-mixed-signal circuit simulation
- 1054 *Longo M., Roscia M. C.* - (Italy)
Sustainable transportation application for smart mobility
- 1060 *De Vivo B., Lamberti P., Petrarca C., Raimo R., Tucci V.* - (Italy)
Evaluation of the bearing voltage and the overshoot phase voltage in PWM inverter-fed by means of a multiconductor transmission line model

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 1065 *Sikkabut S., Mungporn P., Poonnoi N., Phattanasak M., Thounthong P., et al.* - (Thailand, France, United Kingdom)
A nonlinear control algorithm of Li-ion battery substation for DC distributed system
- 1071 *Chiodo E., Di Noia L. P., Lauria D.* - (Italy)
Stochastic modelling of electrochemical batteries for smart grid applications
- 1077 *Bonanno F., Capizzi G., Napoli C., Lo Sciuto G., Pappalardo G., Tramontana A. E.* - (Italy)
A novel cloud-distributed toolbox for optimal energy dispatch management from renewable in IGSS by using WRNN predictors and GPU parallel solutions
- 1085 *Graditi G., Riva-Sanseverino E., Di Silvestre M. L., Gallea R., Zizzo G.* - (Italy)
Managing electrical energy storage systems and shiftable loads with an innovative approach in energy districts

TP3 - Measurement and Diagnostic in Power Systems

- 1092 *Brando G., Spina I., Dannier A., Piegari L.* - (Italy)
Comparison of accuracy of different LiFePO battery circuital models
- 1098 *Moreira A. C., da Silva L. C. P., Morales Paredes H. K.* - (Brazil)
Electrical modelling and power quality analysis of three-phase X-Ray apparatus
- 1104 *Accetta G., D'Antona G., Della Giustina D., Faranda R., Hafezi H.* - (Italy)
Open UPQC: a possible solution for power quality, series unit analysis
- 1110 *Pisani C., Villacci D., Lauria D., Carlini E. M.* - (Italy)
An integrated approach to improve the networks security in presence of high penetration of RES
- 1116 *Chiodo E., Mazzanti G.* - (Italy)
Bayes parametric estimation of insulation reliability under distorted voltage
- 1122 *Chiodo E.* - (Italy)
A dynamic lognormal stress-strength reliability model with application to power system insulation devices
- 1128 *Mehdi A., Reama A., Medouce H. E., Rezgui S. E., Benalla H.* - (Algeria, France)
Direct active and reactive power control of DFIG based wind energy conversion system
- 1134 *Falvo M. C., Sbordone D., Bayram I. S., Devetsikiotis M.* - (Italy)
EV charging stations and modes: international standards
- 1140 *Chiodo E.* - (Italy)
Model robustness analysis of a Bayes stress-strength reliability estimation with limited data

FA1 - Sensorless Control Drives

Chaired by: **M. Tsuji** - Japan

- 1146 *Barnard F. J. W., Villet W. T., Kamper M. J.* - (South Africa)
Hybrid active-flux and arbitrary injection position sensorless control of reluctance synchronous machines
- 1152 *Rambetius A., Piepenbreier B.* - (Germany)
Comparison of carrier signal based approaches for sensorless wound rotor synchronous machines
- 1160 *Kobayashi N., Kondo K.* - (Japan)
Induction motor speed sensor-less vector control with the mechanical simulator with disturbance torque compensation
- 1166 *Olivieri C., Del Pizzo A., Tursini M., Rotondale N.* - (Italy)
Development issues of a neural observer-based and fault-adaptive sensorless strategy for a multiphase BLDC motor

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 1174 *Aydin M., Gokasan M., Bogosyan S.* - (Turkey)
Fuzzy based parameter tuning of EKF observers for sensorless control of induction motors
- 1180 *Kobayashi K., Suzuki K., Dohmeki H.* - (Japan)
Gzco kpcvkqp'qh'yj g"Ucdlksf'qh'Ugputrguu'Eqpvqrq'h'Rgto cpgpv'O ci pgvUf'ej tqpqwu'O qvqt 'kp'yj g'Ecug'qh'Hnwewc'kpi 'Nqcf"

FB1 - Power Quality and Filtering

Chaired by: **E. Kovacs** - Hungary

- 1184 *Wei J., Gerling D., Galek M.* - (Germany)
Experimental characterization of conducted EMI in three-phase power electronics system using terminal model
- 1190 *Collin A. J., Djokic S. Z., Cresswell C. E., Meyer J., Blanco A. M.* - (United Kingdom, Germany)
Cancellation of harmonics between groups of modern compact fluorescent lamps
- 1195 *Kotny J. L., Duquesne T., Idir N.* - (France)
Modeling and design of the EMI filter for DC-DC SiC-converter
- 1201 *Carpinelli G., Russo A., Varilone P.* - (Italy)
Active filters: a multi-objective approach for the optimal allocation and sizing in distribution networks
- 1208 *Di Napoli A., Ndokaj A.* - (Italy)
Behavior of an active front end in presence of voltage sags
- 1213 *Boscaino V., Cipriani G., Di Dio V., Lauricella R., Marcotulli A., Miceli R.* - (Italy)
Overview and performance comparison of grid synchronization algorithms

FA2 - Applications of Electric Drives

Chaired by: **I. Nagy** - Hungary, **E. Santini** - Italy

- 1219 *Fizek S., Reisinger M., Silber S., Amrhein W.* - (Austria)
A hybrid solenoid model comprising eddy currents
- 1225 *Hodzic K., Mercorelli P., Werner N.* - (Germany)
A Kalman filter for sensorless control of a piezo actuator for camless internal combustion engines
- 1231 *Gulec M., Yolcan E., Aydin M.* - (Turkey)
Design and control of an 8-slot radial flux magnetic bearing
- 1237 *Luise F., Tassarolo A., Scalabrin M., Pieri S., Agnolet F., Raffin P.* - (Italy)
A high-performance 640-kW 10.000-rpm Halbach-array PM slotless motor with active magnetic bearings. Part I: preliminary and detailed design
- 1245 *Luise F., Tassarolo A., Scalabrin M., Pieri S., Agnolet F., Raffin P.* - (Italy)
A high-performance 640-kW 10.000-rpm Halbach-array PM slotless motor with active magnetic bearings. Part II: manufacturing and testing
- 1251 *Christen A., Haerri V. V.* - (Switzerland)
Analysis of a six- and three-phase interior permanent magnet synchronous machine with flux concentration for an electrical bike
- 1256 *Schützhold J., Benath K., Müller V., Hofmann W.* - (Germany)
Design criteria for energy efficient belt conveyor drives

FB2 - Energy Management in DG Power Systems

Chaired by: **A. Russo** - Italy

- 1264 *Neely J., Cook M., Wilson D., Glover S., Young J., Robinett R.* - (United States)
Hamiltonian control design for DC microgrids with stochastic sources and loads with applications

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 1272 *Ippolito M. G., Zizzo G., Piccolo A., Siano P.* - (Italy)
Definition and application of innovative control logics for residential energy optimization
- 1278 *Ortjohann E., Leksawat S., Schmelter A., Wirasanti P., Holtschulte D., Morton D.* - (Germany, United Kingdom)
Integration of clustering power systems approach and data management infrastructure for smart grids
- 1284 *Sechilariu M., Wang B., Locment F.* - (France)
Power management and optimization for isolated DC microgrid
- 1290 *Grasselli U., Lamedica R., Ruvio A., Novati D.* - (Italy)
Management policies for residential and tertiary users: a measurement campaign

FA3 - Special machines and drives

Chaired by: **T. Yano** - *Japan*, **T. Lannert** - *Germany*

- 1296 *Gofuku A., Okido Y., Yano T.* - (Japan)
Evaluation of basic performances of a 14-12 spherical motor
- 1301 *Adachi K., Gofuku A., Yano T.* - (Japan)
Simulation of rotation behavior of a 14-12 spherical motor
- 1306 *Santini E., Teodori S.* - (Italy)
O qf gkpi . 'HGO 'Cpcn{uku'cpf 'F {pco le'Ulo wvxlqp'qh'c'O qxlpi 'Eqkl'Nqwf ur gcngt
- 1313 *Vodovozov V., Lillo N., Raud Z.* - (Estonia)
Single-phase electric drive for automotive applications
- 1319 *Bojoi R., Cavagnino A., Cossale M., Tenconi A.* - (Italy)
Multiphase starter generator for 48V mini-hybrid powertrain: design and testing

FB3 - Motion Control and Robotics

Chaired by: **M. Huba** - *Slovakia*, **C. Cavallaro** - *Italy*

- 1325 *Huba M., Belai I.* - (Slovakia)
Noise attenuation motivated controller design. Part I: speed control
- 1331 *Huba M., Bistak P., Belai I.* - (Slovakia)
Noise attenuation motivated controller design. Part II: position control
- 1337 *Straßberger D., Mercorelli P., Georgiadis A.* - (Germany)
Using the flatness of DC-drives to emulate a generator for a decoupled MPC using a geometric approach for motion control in robotino
- 1344 *Zuev A., Filaretov V., Yukhimets D., Gubankov A., Mursalimov E.* - (Russia)
An new approach for automatization of cutting of flexible items by using multilink manipulators with vision system
- 1350 *Verrelli C. M., Pirozzi S., Tomei P., Natale C.* - (Italy)
Padé approximants in linear repetitive learning controls for robotic manipulators

FA4 - Linear/Tubular Drives and Generators

Chaired by: **S. Tapuchi** - *Israel*, **L. Piegari** - *Italy*

- 1356 *Poltschak F. G.* - (Austria)
A high efficient linear motor for compressor applications
- 1362 *Dang T. T., Ruellan M., Ahmed H. B., Prevond L., Multon B.* - (France)
Sizing optimization of tubular linear induction generator for a new stirling micro-cogenerator system

SPEEDAM 2014 – Proceedings Index

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES, AUTOMATION AND MOTION
ISCHIA (Italy), 18th – 20th June, 2014

PROCEEDINGS INDEX

- 1368 *Tapuchi S., Baimel D.* - (Israel)
Novel multilayer differential linear electrostatic motor
- 1373 *Castellini L., D'Andrea M., Borgarelli N.* - (Italy)
Analysis and design of a reciprocating linear generator for a PTO