

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the American Institute of Physics for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-0043-1/01/\$30.00.

© 2001 American Institute of Physics

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Office of Rights and Permissions, Suite 1N01, 2 Huntington Quadrangle, Melville, NY 11747-4502, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-0043-1 (Original Print)

ISSN 0094-243X

Printed in the United States of America

TABLE OF CONTENTS

RCTV'C

| | |
|--|-----|
| X-RAY SOURCES AS TRACERS OF THE LARGE-SCALE STRUCTURE IN THE UNIVERSE | 3 |
| <i>X. Barcons, F. J. Carrera, M. T. Ceballos, S. Mateos</i> | |
| AN X-RAY VIEW OF MILLISECOND PULSARS | 13 |
| <i>Werner Becker</i> | |
| NARROW-LINE SEYFERT 1 GALAXIES AS AN EXTREME OF SEYFERT ACTIVITY | 25 |
| <i>Th. Boller</i> | |
| X-RAY TRANSIENTS MONITORED BY THE ALL-SKY MONITOR ON RXTE: A TABULATION | 35 |
| <i>Hale Bradt, Alan Levine, Ronald Remillard, Donald A. Smith</i> | |
| X-RAY ABSORPTION IN RADIO-QUIET QSOS | 53 |
| <i>W. N. Brandt, S. C. Gallagher, A. Laor, Beverley J. Wills</i> | |
| X-RAY TRANSIENTS IN QUIESCENCE | 63 |
| <i>Sergio Campana</i> | |
| WHAT'S WRONG WITH AGN MODELS FOR THE X-RAY BACKGROUND? | 73 |
| <i>Andrea Comastri</i> | |
| CORONAL HEATING AND EMISSION MECHANISMS IN AGN | 83 |
| <i>Tiziana Di Matteo</i> | |
| THE ENERGY OUTPUT OF THE UNIVERSE | 93 |
| <i>A. C. Fabian</i> | |
| RELATIVISTIC JETS FROM X-RAY BINARIES: RECENT ADVANCES | 101 |
| <i>R. P. Fender</i> | |
| THE BEPOSAX HELLAS SURVEY: ON THE NATURE OF FAINT HARD X-RAY SELECTED SOURCES | 111 |
| <i>F. Fiore, L. A. Antonelli, P. Ciliegi, A. Comastri, P. Giommi, F. La Franca, R. Maiolino, G. Matt, S. Molendi, G. C. Perola, C. Vignali</i> | |
| RELATIVISTIC FLOWS IN BLAZARS | 120 |
| <i>Gabriele Ghisellini</i> | |
| BEPOSAX OBSERVATIONS OF BRIGHT RADIO GALAXIES | 130 |
| <i>Paola Grandi</i> | |
| PROBING THE COSMIC DARK AGE IN X-RAYS | 140 |
| <i>Z. Haiman</i> | |
| HIGH-ENERGY EMISSION FROM ISOLATED PULSARS | 150 |
| <i>Alice K. Harding</i> | |
| THE 4 AND ONE-HALF (PLUS OR MINUS ONE HALF) SOFT GAMMA REPEATERS IN REVIEW | 160 |
| <i>K. Hurley</i> | |
| X-RAY PROPERTIES OF ULTRA-LUMINOUS INFRARED GALAXIES (ULIGS) | 169 |
| <i>K. Iwasawa</i> | |
| SPECTRAL SIGNATURES OF KILOHERTZ QUASIPERIODIC OSCILLATIONS FROM ACCRETING NEUTRON STARS | 179 |
| <i>Philip Kaaret</i> | |
| DEEP ROSAT SURVEYS & THE CONTRIBUTION OF AGNS TO THE SOFT X-RAY BACKGROUND | 189 |
| <i>I. Lehmann, G. Hasinger, M. Schmidt, J. E. Gunn, D. P. Schneider, R. Giacconi, M. McCaughrean, J. Trümper, G. Zamorani</i> | |
| OBSCURED ACTIVE GALACTIC NUCLEI | 199 |
| <i>R. Maiolino</i> | |
| THE BROAD BAND SPECTRUM AND VARIABILITY OF SEYFERT 1 | 209 |
| <i>Giorgio Matt</i> | |
| THE ANOMALOUS X-RAY PULSARS | 219 |
| <i>S. Mereghetti</i> | |
| BEAT-FREQUENCY MODELS OF KILOHERTZ QPOS | 229 |
| <i>M. Coleman Miller</i> | |
| JETS IN QUASARS, MICROQUASARS AND GAMMA-RAY BURSTS | 239 |
| <i>I. F. Mirabel</i> | |
| ISOLATED NEUTRON STARS DISCOVERED BY ROSAT | 244 |
| <i>C. Motch</i> | |

| | |
|--|-----|
| TRANSIENT BE STAR BINARY SYSTEMS | 254 |
| <i>F. Nagase</i> | |
| IRON K LINE EMISSION IN AGN: OBSERVATIONS | 264 |
| <i>K. Nandra</i> | |
| PHOTOIONIZED GAS IN STARBURST AND ACTIVE GALAXIES | 274 |
| <i>Hagai Netzer</i> | |
| HARD X-RAY TAILS AND CYCLOTRON FEATURES IN X-RAY PULSARS | 283 |
| <i>Mauro Orlandini, Daniele Dal Fiume</i> | |
| X-RAY AFTERGLOWS OF GAMMA-RAY BURSTS | 295 |
| <i>Luigi Piro</i> | |
| TIME LAGS IN COMPACT OBJECTS: CONSTRAINTS ON THE EMISSION MODELS | 310 |
| <i>Juri Poutanen</i> | |
| LOW-LUMINOSITY AGN AND NORMAL GALAXIES | 326 |
| <i>A. Ptak</i> | |
| THE USA X-RAY TIMING EXPERIMENT | 336 |
| <i>P. S. Ray, K. S. Wood, G. Fritz, P. Hertz, M. Kowalski, W. N. Johnson, M. N. Lovellette, M. T. Wolff, D. Yentis, R. M. Bandyopadhyay, E. D. Bloom, B. Giebels, G. Godfrey, K. Reilly, P. Saz Parkinson, G. Shabad, P. Michelson, M. Roberts, D. A. Leahy, L. Cominsky, J. Scargle, J. Beall, D. Chakrabarty, Y. Kim</i> | |
| OBSERVING THE EFFECTS OF STRONG GRAVITY WITH FUTURE X-RAY MISSION | 346 |
| <i>Christopher S. Reynolds</i> | |
| RADIO-LOUD AGNS: THE X-RAY PERSPECTIVE | 355 |
| <i>Rita M. Sambruna, Michael Eracleous</i> | |
| THE RELATIVISTIC PRECESSION MODEL FOR QPOS IN LOW MASS X-RAY BINARIES | 365 |
| <i>L. Stella</i> | |
| OSCILLATIONS DURING THERMONUCLEAR X-RAY BURSTS: A NEW PROBE OF NEUTRON STARS | 377 |
| <i>Tod E. Strohmayer</i> | |
| EARLY RESULTS FROM THE CHANDRA OBSERVATORY | 387 |
| <i>Harvey Tananbaum</i> | |
| RESULTS FROM X-RAY SURVEYS WITH ASCA | 396 |
| <i>Yoshihiro Ueda</i> | |
| KILOHERTZ QUASI-PERIODIC OSCILLATIONS-OBSERVATIONAL OVERVIEW | 406 |
| <i>M. Van Der Klis</i> | |
| WHAT HAVE WE LEARNED ABOUT GAMMA RAY BURSTS FROM AFTERGLOWS? | 416 |
| <i>Mario Vietri</i> | |
| KECK K-BAND OBSERVATIONS OF LOW MASS X-RAY BINARIES | 433 |
| <i>Paul J. Callanan, Alexei V. Filippenko, Michael R. Garcia</i> | |
| INTENSIVE HST/RXTE MONITORING OF NGC 3516: EVIDENCE AGAINST THERMAL REPROCESSING | 437 |
| <i>Rick Edelson</i> | |
| SYNCHROTRON AND COMPTON COMPONENTS AND THEIR VARIABILITY IN BL LAC OBJECTS | 441 |
| <i>P. Giommi, G. Ghisellini, P. Padovani, G. Tagliaferri</i> | |
| A NEW PULSAR/SNR PAIR: AX J1845-0258 IN G29.6+0.1 | 445 |
| <i>E. V. Gotthelf, G. Vasisht, K. Torii, B. M. Gaensler</i> | |
| THE X-RAY SOURCE POPULATIONS OF THE MAGELLANIC CLOUDS | 449 |
| <i>F. Haberl</i> | |
| DISCOVERY OF TWO HIGH-MAGNETIC-FIELD RADIO PULSARS | 453 |
| <i>V. M. Kaspi, F. Camilo, A. G. Lyne, R. N. Manchester, J. F. Bell, N. D'Amico, N. P. F. McKay, F. Crawford</i> | |
| EVIDENCE FOR PHOTON BUBBLE OSCILLATIONS (PBO) AND TURBULENCE IN CENTAURUS X-3 | 457 |
| <i>Richard I. Klein, J. Garrett Jernigan, Jonathan Arons</i> | |
| ASCA OBSERVATIONS OF THE NEW JET SYSTEM XTE J1748-288 | 462 |
| <i>T. Kotani, N. Kawai, F. Nagase, M. Namiki, M. Sakano, T. Takeshima, Y. Ueda, M. Matsuoka</i> | |
| A BEPOSAX OBSERVATION OF NOVA VELORUM 1999: A VERY BRIGHT CLASSICAL NOVA | 466 |
| <i>M. Orio, A. N. Parmar, L. Amati, R. Benjamin, M. Della Valle, F. Frontera, J. Greiner, T. Mineo, H. Ögelman, S. Starrfield, E. Trussoni</i> | |
| A SELF-CONSISTENT TEST OF COMPTONIZATION MODELS USING A LONG BEPOSAX OBSERVATION OF NGC 5548 | 470 |
| <i>P. O. Petrucci, F. Haardt, L. Maraschi, P. Grandi, G. Matt, F. Nicastro, L. Piro, G. C. Perola, A. De Rosa</i> | |

| | |
|---|-----|
| A ROSAT HRI SURVEY OF BRIGHT NEARBY GALAXIES | 474 |
| <i>T. P. Roberts, R. S. Warwick</i> | |
| A NEW EVENT ANALYSIS METHOD FOR THE X-RAY PHOTON COUNT CCD | 478 |
| <i>T. G. Tsuru, H. Awaki, K. Koyama, K. Hamaguchi, H. Murakami, M. Nishiuchi, M. Sakano, H. Tsunemi</i> | |
| PROBING DENSE MATTER IN THE CORES OF AGN: OBSERVATIONS WITH RXTE AND ASCA | 482 |
| <i>K. A. Weaver</i> | |
| WARM COMPTONIZATION IN AGN: EFFECT ON THE IRON $K\alpha$ LINE AND THE LYMAN EDGE | 489 |
| <i>A. Abrassart, A. M. Dumont</i> | |
| AVERAGE PROPERTIES OF GAMMA-RAY BURSTS SPECTRA FROM 2 TO 700 KEV WITH BEPPOSAX | 493 |
| <i>L. Amati, F. Frontera, D. Dal Fiume, M. Orlandini, E. Palazzi, E. Costa, M. Feroci, P. Soffitta, M. N. Cinti, J. Heise, J. In'T Zand, J. M. Muller, L. Nicastro, M. Tavani</i> | |

RCTV'D

| | |
|---|-----|
| HIGH ENERGY SPECTRA OF SEYFERT 2 GALAXIES | 497 |
| <i>L. Bassani, G. Malaguti, A. Malizia, J. B. Stephen, E. Caroli, G. Di Cocco, F. Frontera, M. Trifoglio</i> | |
| NEW RESULTS FROM THE HRX BL LAC SAMPLE | 502 |
| <i>Volker Beckmann, Anna Wolter</i> | |
| RXTE MONITORING OF CENTAURUS A | 506 |
| <i>S. Benlloch, R. E. Rothschild, J. Wilms, C. S. Reynolds, W. A. Heindl, K. Pottschmidt, A. Orr, I. Kreykenbohm, R. Staubert</i> | |
| ELECTRON INJECTION BREAK AND PAIR CONTENT OF QUASAR JETS | 510 |
| <i>M. Blazejowski, M. Sikora, R. Moderski, T. Bulik</i> | |
| OBSERVING THE UNOBSERVABLE: CORONAL LINE DATA FROM NARROW-LINE SEYFERT IS AS A TEST OF EUV CONTINUUM MODELS | 514 |
| <i>P. J. Bleackley, P. T. O'Brien</i> | |
| LOW AND HIGH FREQUENCY QUASI-PERIODIC OSCILLATIONS IN 4U1915-05. RELATION WITH SOURCE STATE | 518 |
| <i>L. Boirin, D. Barret, J. F. Olive</i> | |
| ROSAT DISCOVERED SOFT X-RAY INTERMEDIATE POLARS: UU COL AND RX J0806.3+1527 | 522 |
| <i>Vadim Burwitz, Klaus Reinsch</i> | |
| A NEW BL LAC SAMPLE FROM THE REX SURVEY | 526 |
| <i>A. Caccianiga, T. Maccacaro, A. Wolter, R. Della Ceca, I. M. Gioia</i> | |
| ON THE FATE OF STARS NEAR A SUPERMASSIVE BLACK-HOLE | 530 |
| <i>Andrej Cadež, Andreja Gomboc</i> | |
| DERIVING THE EMISSIVITY LAW IN ACCRETION DISKS FROM X-RAY IRON EMISSION LINES | 534 |
| <i>A. Cadež, M. Calvani, C. Di Giacomo, P. Marziani</i> | |
| VARIABILITY OF THE RELATIVISTIC IRON K-LINE IN NGC 3516 | 538 |
| <i>A. Cadež, M. Calvani</i> | |
| AN EUVE OBSERVATION OF THE GLOBULAR CLUSTER NGC 1851 | 542 |
| <i>Paul J. Callanan, Jeremy J. Drake, Antonella Fruscione, Damian Christian</i> | |
| BEPPOSAX OBSERVATIONS OF CEN X-4 IN QUIESCENCE | 546 |
| <i>Sergio Campana, Luigi Stella, Sandro Mereghetti, Davide Cremonesi</i> | |
| MULTIPLE BEPPOSAX OBSERVATIONS OF IC 4329A TO PROBE THE ORIGIN OF THE COMPTON REFLECTION COMPONENT IN SEYFERT 1 GALAXIES | 550 |
| <i>M. Cappi, G. Di Cocco, M. Dadina, G. Malaguti, M. Matsuoka, G. Matt, G. C. Perola, L. Piro</i> | |
| HARD SOURCES, THEIR COLORS, AND THE X-RAY BACKGROUND | 554 |
| <i>F. J. Carrera, J. P. D. Mittaz, M. J. Page</i> | |
| PKS 2155-304—A SOURCE OF VERY HIGH ENERGY GAMMA RAYS | 558 |
| <i>P. M. Chadwick, K. Lyons, T. J. L. McComb, K. J. Orford, J. L. Osborne, S. M. Rayner, S. E. Shaw, K. E. Turver</i> | |
| BEPPO-SAX OBSERVATIONS OF MKN 421: CLUES ON THE PARTICLE ACCELERATION? | 562 |
| <i>G. Fossati, A. Celotti, M. Chiaberge, L. Chiappetti, Y. H. Zhang</i> | |
| VERY HIGH ENERGY GAMMA RAYS FROM CEN X-3 | 566 |
| <i>P. M. Chadwick, K. Lyons, T. J. L. McComb, K. J. Orford, J. L. Osborne, S. M. Rayner, S. E. Shaw, K. E. Turver</i> | |
| VERY HIGH ENERGY GAMMA RAY OBSERVATIONS OF SOUTHERN HEMISPHERE AGNS | 570 |
| <i>P. M. Chadwick, K. Lyons, T. J. L. McComb, K. J. Orford, J. L. Osborne, S. M. Rayner, S. E. Shaw, K. E. Turver</i> | |

| | |
|---|------------|
| SEARCH FOR INTERACTIONS BETWEEN EJECTIONS OF GRS 1915+105 AND ITS ENVIRONMENT | 574 |
| <i>S. Chaty, L. F. Rodriguez, I. F. Mirabel</i> | |
| EUVE/ASCA/RXTE OBSERVATIONS OF NGC 5548 | 578 |
| <i>James Chiang, Chris Reynolds, Omer Blaes, Mike Nowak, Norm Murray, Greg Madejski, Herman Marshall, Pawel Magdziarz</i> | |
| SUPER-AGILE—THE X-RAY DETECTOR FOR THE GAMMA-RAY MISSION AGILE | 582 |
| <i>E. Costa, L. Barbanera, M. Feroci, M. Frutti, I. Lapshov, B. Martino, M. Mastropietro, E. Morelli, M. Rapisarda, A. Rubini, P. Soffitta, M. Tavani, S. Mereghetti, S. Vercellone, P. Caraveo, F. Perotti, G. Barbiellini, G. Budini, F. Longo, M. Prest, E. Vallazza, A. Morselli, P. Picozza, V. Cocco, C. Pittori, G. Di Cocco, C. Labanti</i> | |
| NEW EXTREME SYNCHROTRON BL LAC OBJECTS..... | 586 |
| <i>L. Costamante, G. Ghisellini, P. Giommi, G. Tagliaferri, A. Celotti, M. Chiaberge, L. Chiappetti, G. Fossati, L. Maraschi, F. Tavecchio, A. Treves, A. Wolter</i> | |
| THE COMPLEX AND VARIABLE ABSORPTION OF NGC 3516 OBSERVED BY BEPOSAX..... | 590 |
| <i>E. Costantini, C. Salvini, A. Comastri, A. Fruscione, S. Mathur, F. Nicastro, G. M. Stirpe, B. Wilkes</i> | |
| ERRATIC VARIABILITY OF LMC X-1 IN THE 1.5–10 KEV RANGE. SPORADIC PRESENCE OF A QPO IN A BLACK HOLE CANDIDATE | 594 |
| <i>D. Dal Fiume, F. Haardt, M. R. Galli, A. Treves, L. Chiappetti</i> | |
| THE PARKES MULTIBEAM PULSAR SURVEY: PRELIMINARY RESULTS | 598 |
| <i>N. D'Amico, A. G. Lyne, R. N. Manchester, F. M. Camilo, V. M. Kaspi, J. Bell, I. H. Stairs, F. Crawford, D. Morris, A. Possenti</i> | |
| THE ASCA HARD SERENDIPITOUS SURVEY (HSS): A PROGRESS UPDATE | 602 |
| <i>R. Della Ceca, V. Braito, I. Cagnoni, T. Maccacaro</i> | |
| BEPOSAX OBSERVATIONS OF ASYNCHRONOUS MAGNETIC CATAclySMIC VARIABLES..... | 606 |
| <i>D. De Martino, G. Matt, T. Belloni, K. Beuermann, B. T. Gänsicke, F. Haberl, M. Mouchet, K. Mukai, J. M. Bonnet-Bidaud</i> | |
| THE BEPOSAX LONG LOOKS AT THE SEYFERT 1 GALAXIES NGC 5548 AND NGC 3783 | 610 |
| <i>A. De Rosa, L. Piro, F. Nicastro, P. Grandi, M. Dadina, F. Fiore, F. Haardt, J. Kaastra, L. Maraschi, G. Matt, T. Mineo, G. C. Perola, P. O. Petrucci, A. Treves</i> | |
| DISCOVERY OF HARD X-RAY EMISSION FROM TYPE II BURSTS OF THE RAPID BURSTER..... | 614 |
| <i>F. Frontera, N. Masetti, M. Orlandini, L. Amati, E. Palazzi, D. Dal Fiume, S. Del Sordo, G. Cusumano, A. N. Parmar, G. Pareschi, I. Lapidus, L. Stella</i> | |
| X-RAY BEAMING IN THE HIGH MAGNETIC FIELD PULSAR GX 1+4 | 618 |
| <i>D. K. Galloway, K. Wu</i> | |
| VARIABLE FE-KA LINE PROFILES IN SY 1 GALAXIES | 622 |
| <i>J. Gelbord, K. A. Weaver</i> | |
| AGN X-RAY ABSORPTION VS. OPTICAL CLASSIFICATION: HINTS FROM THE XRB MODELS..... | 626 |
| <i>R. Gilli, G. Risaliti, M. Salvati</i> | |
| IBIS/INTEGRAL GALACTIC PLANE OBSERVATIONS: X-RAY NOVAE..... | 630 |
| <i>P. Goldoni, A. Goldwurm, P. Laurent, F. Lebrun</i> | |
| RXTE STUDIES OF THE STARBURST GALAXIES M82 AND NGC253 | 634 |
| <i>D. E. Gruber, Yoel Rephaeli</i> | |
| COMPTONIZATION IN X-RAY BRIGHT NEUTRON STAR GLOBULAR CLUSTER SYSTEMS | 638 |
| <i>M. Guainazzi, A. N. Parmar, T. Oosterbroek</i> | |
| TRANSIENT TAXONOMY | 642 |
| <i>C. A. Haswell, A. R. King</i> | |
| THE VSOP MISSION AND THE POSSIBLE FUTURE..... | 646 |
| <i>H. Hirabayashi, Y. Murata, P. G. Edwards, H. Kobayashi</i> | |
| DIGITIZED ASTRONOMICAL PLATES: OPTICAL DATA FOR X-RAY ASTRONOMY..... | 650 |
| <i>R. Hudec</i> | |
| X-RAY ASTRONOMY 2000: WIDE FIELD X-RAY MONITORING WITH LOBSTER-EYE TELESCOPES | 654 |
| <i>A. Inneman, R. Hudec, L. Pina, P. Gorenstein</i> | |
| SPECTRAL EVOLUTION DURING DIPPING IN X 1624-490 FROM THE BEPOSAX OBSERVATION..... | 658 |
| <i>P. J. Humphrey, M. J. Church, M. Balucinska-Church, A. N. Parmar</i> | |
| OPTICAL OBSERVATIONS OF SUPERSOFT SOURCE 0925-47 | 662 |
| <i>J. B. Hutchings, A. P. Cowley, D. Crampton, P. Schmidtke</i> | |
| X-RAY EMISSION FROM SUPERNOVAE | 666 |
| <i>S. Immler, W. Pietsch</i> | |

| | |
|--|-----|
| DETECTION OF SUPERNOVA REMNANT AND BLACK HOLE CANDIDATES IN M83 WITH ROSAT | 670 |
| <i>S. Immler, M. Ehle, W. Pietsch, A. Vogler</i> | |
| A SYSTEMATIC SEARCH FOR NEW X-RAY PULSATORS IN PUBLIC ROSAT HRI AND BEPOSAX SMC FIELDS | 674 |
| <i>G. L. Israel, S. Campana, S. Covino, D. Dal Fiume, D. Lazzati, T. Oosterbroek, M. Orlandini, M. R. Panzera, A. N. Parmar, D. Ricci, G. Tagliaferri, L. Stella</i> | |
| THE RELATIVISTIC ASTROPHYSICS EXPLORER: A NEW MISSION FOR X-RAY TIMING | 678 |
| <i>P. Kaaret, J. Grindlay, F. K. Lamb, E. H. Morgan, J. H. Swank, W. Zhang</i> | |
| LUMINOUS SUPERSOFT X-RAY EMISSION FROM THE RECURRENT NOVA U SCORPII | 682 |
| <i>P. Kahabka</i> | |
| AN OPTICAL AND X-RAY STUDY OF THE PECULIAR NARROW-LINE QUASAR QSO 0117-2837 | 686 |
| <i>Stefanie Komossa, D. Grupe, V. Burwitz, M. Janek</i> | |
| SIMULTANEOUS X-RAY/OPTICAL BURST FROM GS 1826-24 | 690 |
| <i>Albert Kong, Lee Homer, Erik Kuulkers, Phil Charles, Alan Smale</i> | |
| AN X-RAY/TEV GAMMA-RAY STUDY OF MKN 501 DURING ITS EXTRAORDINARY OUTBURST OF 1997 | 694 |
| <i>H. Krawczynski, P. S. Coppi, T. Maccarone, F. A. Aharonian</i> | |
| WIND ACCRETION IN HMXRB | 698 |
| <i>I. Kreykenbohm, J. Wilms, P. Kretschmar, R. Staubert, R. E. Rothschild, W. A. Heindl, D. E. Gruber</i> | |
| TWO CYCLOTRON LINES IN VELA X-1? | 702 |
| <i>I. Kreykenbohm, P. Kretschmar, J. Wilms, R. Staubert, W. A. Heindl, D. E. Gruber, R. E. Rothschild</i> | |
| HER X-1 X-RAY TURN-ON MONITORED BY RXTE | 706 |
| <i>M. Kuster, J. Wilms, R. Staubert, D. E. Gruber, R. E. Rothschild, W. A. Heindl</i> | |
| RXTE OBSERVATIONS OF SEYFERT GALAXIES: EVIDENCE FOR REFLECTION FROM DISK AND TORUS | 710 |
| <i>G. Lamer, P. Uttley, I. M. McHardy</i> | |
| GINGA OBSERVATIONS OF THE SHORT HIGH STATE IN HER X-1 | 714 |
| <i>D. Leahy</i> | |
| TWO PHOTON BREMMSTRAHLUNG IN STRONG MAGNETIC FIELDS | 718 |
| <i>D. Leahy, L. Semionova</i> | |
| A SERIES OF ECLIPSES OF HER X-1 OBSERVED WITH RXTE | 722 |
| <i>D. Leahy, D. M. Scott</i> | |
| THE OPTICALLY BRIGHT REX SAMPLE | 726 |
| <i>D. Lentini, R. Della Ceca, T. Maccacaro, A. Wolter, A. Caccianiga, I. M. Gioia</i> | |
| THE REX SURVEY: THE CATALOG | 730 |
| <i>T. Maccacaro, R. Della Ceca, A. Wolter, A. Caccianiga, I. M. Gioia</i> | |
| MEASUREMENTS OF FLUCTUATIONS IN THE HARD X-RAY BACKGROUND WITH RXTE | 734 |
| <i>Daniel R. Macdonald, Duane E. Gruber, Elihu A. Boldt</i> | |
| THE RADIO TO HARD X-RAY SPECTRAL ENERGY DISTRIBUTION OF BEPOSAX EMISSION LINE AGN | 738 |
| <i>A. Malizia, F. Fiore</i> | |
| TIME DEPENDENT COMPTONISATION | 742 |
| <i>J. Malzac, E. Jourdain</i> | |
| SPECTRAL FEATURES FROM X-RAY ILLUMINATED ACCRETION DISCS AS DIAGNOSTICS OF THE BLACK HOLE ANGULAR MOMENTUM | 746 |
| <i>Andrea Martocchia, Giorgia Matt, Vladimir Karas</i> | |
| EPIC/XMM CALIBRATIONS | 750 |
| <i>P. Marty, J.-P. Bernard</i> | |
| BEPOSAX SPECTRA OF FIVE LOW MASS X-RAY BINARIES | 754 |
| <i>Nicola Masetti, Elena Pian, Filippo Frontera, Eliana Palazzi, Lorenzo Amati, Mauro Orlandini, Daniele Dal Fiume</i> | |
| X-RAY EVIDENCE OF AN AGN IN M82 | 758 |
| <i>H. Matsumoto, T. G. Tsuru</i> | |
| RESOLVING THE 10–40 KEV COSMIC X-RAY BACKGROUND WITH CONSTELLATION-X | 762 |
| <i>Giorgio Matt, Fulvio Pompilio, Fabio La Franca</i> | |
| CORRELATED VARIABILITY IN LMC X-2 | 766 |
| <i>K. E. McGowan, P. A. Charles, D. O'Donoghue, A. P. Smale</i> | |
| THE MULTICOLOUR DISC MODEL PARAMETER FOR BLACK HOLE CANDIDATES: CAN WE TRUST THE INNER DISC MEASUREMENTS? | 770 |
| <i>A. Merloni, A. C. Fabian, R. R. Ross</i> | |

| | |
|--|-----|
| SPATIAL DISTRIBUTION OF SPECTRAL CHARACTERISTICS OF THE SUPERNOVA REMNANT CAS A | 774 |
| <i>T. Mineo, M. C. Maccarone, A. Preite-Martinez, J. Vink, J. S. Kaastra</i> | |
| VARIABILITY OF AN IRON LINE PROFILE AND A POWER-LAW CONTINUUM | 778 |
| <i>K. Misaki, H. Kunieda, Y. Terashima</i> | |
| WHY DO BROAD LINE AGN SHOW UP AMONG FAINT HARD X-RAY SOURCES? | 782 |
| <i>J. P. D. Mittaz, M. J. Page, F. J. Carrera</i> | |
| HYSTERETIC BEHAVIOR AND COHERENCE OF THE BLACK HOLE CANDIDATE X-RAY BINARIES | 786 |
| <i>Sigenori Miyamoto, Shunji Kitamoto</i> | |
| AN EXTENDED MULTI-ZONE MODEL FOR THE MCG-6-30-15 WARM ABSORBER | 790 |
| <i>R. Morales, A. C. Fabian, C. S. Reynolds</i> | |
| DUST SCATTERED X-RAY HALO OF 4U 1538-52 OBSERVED WITH ASCA | 794 |
| <i>F. Nagase, T. Dotani, T. Endo, H. Ozawa, S. Uno, T. Kotani, T. Mihara</i> | |
| SHORT-TERM SPECTRAL VARIATIONS DURING X-RAY FLARES IN BLACK HOLE CANDIDATES AND AGNS | 798 |
| <i>Hitoshi Negoro</i> | |
| HIGH RESOLUTION OBSERVATIONS OF X-RAY ABSORBERS/EMITTERS | 802 |
| <i>Fabrizio Nicastro, Martin Elvis, Fabrizio Fiore, Giorgio Matt, Sandra Savaglio</i> | |
| INTERMEDIATE POLAR SPIN PULSE PROFILES | 806 |
| <i>A. J. Norton</i> | |
| RESONANT TRUNCATION OF BE DISKS AND TYPE I OUTBURSTS IN BE/X-RAY BINARIES | 810 |
| <i>A. T. Okazaki, I. Negueruela</i> | |
| TIME LAGS IN LOW MASS X-RAY BINARIES | 814 |
| <i>Jean-François Olive, Didier Barret</i> | |
| THE X-RAY SPECTRA OF AGN ACCRETION DISK CORONAE: FIRST RESULTS | 818 |
| <i>A. Orr, G. Torricelli-Ciamponi, P. Pietrini</i> | |
| A SURVEY FOR HARD SPECTRUM ROSAT SOURCES | 822 |
| <i>M. J. Page, J. P. D. Mittaz, F. J. Carrera</i> | |
| AUTOMATIC SEARCH FOR PERIODIC SOURCES IN THE ROSAT DATABASE | 826 |
| <i>S. Paltani, P. Bartholdi</i> | |
| THE X-RAY SPECTRUM OF [OIII]λ5007 SELECTED SEYFERT 2 GALAXIES | 830 |
| <i>A. Pappa, I. Georgantopoulos, G. C. Stewart, A. L. Zezas</i> | |
| THE 0.5-10 KEV SPECTRA OF BROAD-LINE QUASARS AND THE X-RAY BACKGROUND | 834 |
| <i>A. Pappa, G. C. Stewart, I. Georgantopoulos, R. E. Griffiths, B. J. Boyle, T. Shanks, O. Almaini</i> | |
| BEPPOSAX OBSERVATIONS OF THE HER X-1 SHORT-ON AND ANOMALOUS LOW-STATES | 838 |
| <i>A. N. Parmar, T. Oosterbroek, D. Dal Fiume, M. Orlandini, A. Santangelo, S. Del Sordo, A. Segreto</i> | |
| XEUS-THE X-RAY EVOLVING UNIVERSE SPECTROSCOPY MISSION | 842 |
| <i>A. N. Parmar, T. Peacock, M. Bavdaz, G. Hasinger, M. Arnaud, X. Barcons, D. Barret, A. Blanchard, H. Böhringer, M. Cappi, A. Comastri, T. Courvoisier, A. C. Fabian, R. Griffiths, P. Malaguti, K. O. Mason, T. Ohashi, F. Paerels, L. Piro, J. Schmitt, M. Van Der Klis, M. Ward</i> | |
| SPECTRAL EVOLUTION OF GRS 1915+105 DURING THE REGULAR FLARES | 846 |
| <i>B. Paul, A. R. Rao</i> | |
| DETECTION OF A PULSATING SOFT COMPONENT IN THE X-RAY PULSAR XTE J0111.2-7317 | 850 |
| <i>B. Paul, J. Yokogawa, M. Ozaki, F. Nagase, D. Chakrabarty, T. Takeshima</i> | |
| BEPPOSAX DETECTION OF HIGHLY IONIZED EMISSION AND ABSORPTION FEATURES IN M81 | 854 |
| <i>S. Pellegrini, M. Cappi, L. Bassani, G. Malaguti, G. G. C. Palumbo, M. Persic</i> | |
| THE BEPPOSAX GRATIS SURVEY | 858 |
| <i>M. Perri, P. Giommi, F. Fiore, M. Capalbi</i> | |
| PAIR CREATION AT SHOCKS: A POSSIBLE ORIGIN OF THE HIGH ENERGY VARIABILITY OF AGNS | 862 |
| <i>P. O. Petrucci, G. Henri, G. Pelletier</i> | |
| BEPPOSAX OBSERVATIONS OF MARKARIAN 501 IN JUNE 1999 | 866 |
| <i>E. Pian, L. Chiappetti, P. Giommi, F. Tavecchio, L. Maraschi, E. Palazzi, F. Aharonian, M. Catanese, A. Celotti, B. Degrange, A. Djannati-Atai, G. Fossati, G. Ghisellini, H. Krawczynski, C. M. Raiteri, R. M. Sambruna, D. Smith, G. Tagliaferri, G. Tosti, A. Treves, C. M. Urry, M. Villata</i> | |
| ACCRETION DISK BOUNDARY LAYERS IN LOW-MASS X-RAY BINARIES | 870 |
| <i>R. Popham, R. Sunyaev</i> | |
| WEIGHING THE BLACK HOLE IN THE NARROW-LINE SEYFERT 1 GALAXY, RE J1034+396 | 874 |
| <i>E. M. Puchnarewicz, K. O. Mason, A. Siemiginowska, I. Cagnoni, A. Comastri, F. Fiore, A. Fruscione</i> | |

| | |
|---|-----|
| SPECTRAL SIGNATURES OF REPROCESSING ON HERCULES X-1/HZ HERCULIS | 878 |
| <i>H. Quaintrell, M. D. Still, S. D. Vrtilik, B. Boroson, P. Roche</i> | |
| X-RAYS FROM THE SEYFERT GALAXY IC 4329A, ITS NEIGHBORS AND ITS GALAXY GROUP | 886 |
| <i>A. M. Read, W. Pietsch</i> | |
| NATURE OF "PASSIVE" ELLIPTICAL GALAXIES | 890 |
| <i>T. A. Rector, J. T. Stocke</i> | |
| PDS 456: AN EXTREME ACCRETION RATE QUASAR? | 894 |
| <i>J. Reeves, P. O'Brien, S. Vaughan, D. Law-Green, M. Ward, C. Simpson, K. Pounds, R. Edelson</i> | |
| THE X-RAY PROPERTIES OF LUMINOUS INFRARED GALAXIES | 898 |
| <i>G. Risaliti, R. Gilli, R. Maiolino, M. Salvati</i> | |
| THE ORBITAL LIGHT CURVE OF AQUILA X-1 | 902 |
| <i>E. L. Robinson, W. F. Welsh, P. Young</i> | |
| MAGNETIC FIELD LIMIT ON SGR 1900+14 | 906 |
| <i>R. E. Rothschild, D. Marsden, R. E. Lingenfelter</i> | |
| X-RAY IRON LINE VARIABILITY FOR THE MODEL OF AN ORBITING FLARE ABOVE A BLACK HOLE ACCRETION DISC | 910 |
| <i>Mateusz Ruzzkowski</i> | |
| THE INFLUENCE OF RESONANT ABSORPTION ON THE FE EMISSION LINE PROFILES FROM ACCRETING BLACK HOLES | 914 |
| <i>Mateusz Ruzzkowski, Andrew C. Fabian</i> | |
| MORPHOLOGICAL ANALYSIS OF A STATISTICALLY COMPLETE X-RAY SELECTED SAMPLE OF SEYFERT GALAXIES | 918 |
| <i>M. Salvato, P. Böhm, J-U. Fischer, G. Hasinger, I. Lehmann, P. Rafanelli</i> | |
| IRRADIATION OF THE SECONDARY STAR IN X-RAY NOVA SCORPII 1994 (=GRO J1655-40) | 922 |
| <i>T. Shahbaz, P. Groot, S. N. Phillips, J. Casares, P. A. Charles, J. Van Paradijs</i> | |
| FAINT-SOURCE CONTRIBUTIONS TO THE EXTRAGALACTIC X-RAY BACKGROUND IN AN XMM DEEP FIELD | 927 |
| <i>R. Shirey, F. Cordova, J. Kennea, D. Pandel, T. Sasseen, J. West</i> | |
| BEPPPOSAX OBSERVATIONS OF THE GALACTIC CENTER REGION: SOFT X-RAYS FROM THE RADIO HALO OF SGRA EAST | 931 |
| <i>L. Sidoli, S. Mereghetti, A. Treves, L. Chiappetti, G. L. Israel, M. Orlandini</i> | |
| ON PAIR CONTENT OF QUASAR JETS | 935 |
| <i>M. Sikora, G. Madejski</i> | |
| CCD PHOTOMETRY OF OUTBURSTS IN GK PER | 939 |
| <i>V. Šimon, Z. Velic</i> | |
| COLOR VARIATIONS DURING ACTIVITY STATES OF THE BINARY V SGE | 943 |
| <i>V. Šimon, S. Shugarov</i> | |
| ACTIVITY OF THE DWARF NOVA CH UMA | 947 |
| <i>V. Šimon</i> | |
| ROSAT REVEALS THE LARGE SCALE DISTRIBUTION OF MATTER | 951 |
| <i>A. Soltan, M. Freyberg, G. Hasinger, T. Miyaji, M. Treyer, J. Trümper</i> | |
| THE IBIS DATA HANDLING SYSTEM | 955 |
| <i>M. Stuhlinger, E. Goehler, C. Dreischer, R. Volkmer, R. Staubert, E. Kendziorra, N. V. Krusentjern, P. Risse, R. Weiss</i> | |
| THE POPULATION OF FAINT X-RAY SOURCES IN THE GALAXY AND THEIR CONTRIBUTION TO THE GALACTIC RIDGE X-RAY EMISSION | 959 |
| <i>M. Sugizaki, K. Matsuzaki, H. Kaneda, S. Yamauchi, K. Mitsuda</i> | |
| AN H-R DIAGRAM FOR AGN? | 963 |
| <i>J. W. Sulentic, P. Marziani, M. Calvani</i> | |
| ON THE MODELLING OF TIME-DEPENDENT PHENOMENA AROUND BLACK HOLES | 967 |
| <i>E. Szuszkiewicz, J. C. Miller</i> | |
| FLARING BLAZARS WITH BEPPPOSAX | 971 |
| <i>G. Tagliaferri, G. Ghisellini, P. Giommi, L. Chiappetti, L. Maraschi, A. Celotti, M. Chiaberge, A. Comastri, L. Costamante, G. Fossati, E. Massaro, R. Nesci, E. Pian, C. M. Raiteri, M. Ravasio, F. Tavecchio, G. Tosti, A. Treves, M. Villata, A. Wolter</i> | |
| GAMMA-LOUD QUASARS: A VIEW WITH BEPPPOSAX | 975 |
| <i>F. Tavecchio, L. Maraschi, G. Ghisellini, A. Celotti, L. Chiappetti, A. Comastri, G. Fossati, P. Grandi, F. Haardt, E. Pian, G. Tagliaferri, A. Treves, C. M. Raiteri, R. Sambruna, M. Villata</i> | |
| CONSTRAINTS TO THE SSC MODEL FOR MKN 501 | 979 |
| <i>Fabrizio Tavecchio, Laura Maraschi</i> | |
| VARIABILITY OF THE IRON LINE IN THE LOW-LUMINOSITY AGN NGC 4579 | 983 |
| <i>Y. Terashima, T. Yaqoob, P. J. Serlemitsos, H. Kunieda, K. Misaki, A. F. Ptak, L. C. Ho</i> | |

| | |
|---|------|
| X-RAY PROPERTIES OF FR I RADIO GALAXIES | 987 |
| <i>E. Trussoni, L. Feretti, A. Capetti, A. Celotti, M. Chiaberge</i> | |
| TARTARUS-AN ASCA AGN DATABASE | 991 |
| <i>T. J. Turner, K. Nandra, D. Turcan, I. M. George</i> | |
| X-RAY SPECTRAL COMPLEXITY IN NARROW-LINE SEYFERT 1 GALAXIES | 995 |
| <i>S. Vaughan, J. Reeves, R. Warwick, R. Edelson, K. Pounds</i> | |
| ASCA VIEW ON HIGH-REDSHIFT RADIO-QUIET QUASARS | 999 |
| <i>C. Vignali, A. Comastri, M. Cappi, G. G. C. Palumbo, M. Matsuoka</i> | |
| THE WARM SCATTERING MEDIUM IN NGC 4151 | 1003 |
| <i>R. S. Warwick, R. G. Griffiths</i> | |
| THE X-RAY SPECTRA OF SYMBIOTIC STARS | 1007 |
| <i>Peter J. Wheatley</i> | |
| HARD SYNCHROTRON BL LACS: THE CASE OF 1ES 1101-232 | 1011 |
| <i>Anna Wolter, Gabriele Ghisellini, Gainpiero Tagliaferri, Fabrizio Tavecchio, Alessandro Caccianiga</i> | |
| ASCA/ROSAT OBSERVATIONS OF PKS 2316-423: SPECTRAL PROPERTIES OF A LOW LUMINOSITY INTERMEDIATE-TYPE BL LAC OBJECT | 1015 |
| <i>S.-J. Xue, Y.-H. Zhang</i> | |
| ENERGY DEPENDENT X-RAY VARIABILITY OF THE TEV BLAZARS PKS 2155-304 AND MKN 421 | 1019 |
| <i>Y. H. Zhang, A. Celotti, A. Treves, G. Fossati, L. Maraschi, E. Pian, S. Paltani, F. Tavecchio, L. Chiappetti, G. Ghisellini, G. Tagliaferri, M. Chiaberge</i> | |
| STRUCTURE OF THE CIRCUMNUCLEAR REGION OF SEYFERT 2 GALAXIES—CLUES FROM RXTE OBSERVATIONS OF NGC 4945 | 1023 |
| <i>P. Zycki, G. Madejski, C. Done</i> | |
| THE CONSTELLATION X-RAY MISSION | 1027 |
| <i>N. E. White, H. Tananbaum</i> | |
| Author Index | |