

# **18th APS-SCCM and 24th AIRAPT 2013**

**2nd Joint Conference APS Topical Group on Shock Compression of Condensed Matter (APS-SCCM) and the International Association for the Advancement of High Pressure Science and Technology (AIRAPT)**

**Journal of Physics: Conference Series Volume 500**

**Seattle, Washington, USA  
7 – 12 July 2013**

**Part 1 of 2**

**ISBN: 978-1-63439-280-8  
ISSN: 1742-6588**

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© by the Institute of Physics  
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Institute of Physics  
at the address below.

Institute of Physics  
Dirac House, Temple Back  
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481  
Fax: 44 1 17 920 0979

[techtracking@iop.org](mailto:techtracking@iop.org)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2634  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# TABLE OF CONTENTS

## PART 1

### PART 1: PLENARY MANUSCRIPTS

|                                                          |   |
|----------------------------------------------------------|---|
| UNUSUAL BEHAVIOUR OF USUAL MATERIALS IN SHOCK WAVES..... | 1 |
| <i>G I Kanel</i>                                         |   |

### PART 2: CHEMISTRY

|                                                                                                                                        |    |
|----------------------------------------------------------------------------------------------------------------------------------------|----|
| DISPROPORTIONATION REACTION OF LAH <sub>2</sub> AT HIGH PRESSURE AND LOW TEMPERATURE .....                                             | 11 |
| <i>A Machida, T Watanuki, D Kawana, K Aoki</i>                                                                                         |    |
| STUDY OF THE LASER-INDUCED DECOMPOSITION OF ENERGETIC MATERIALS AT STATIC HIGH-PRESSURE BY TIME-RESOLVED ABSORPTION SPECTROSCOPY ..... | 16 |
| <i>P Hébert, C Saint-Amans</i>                                                                                                         |    |
| NON-LINEAR OPTICAL PROPERTIES OF MOLECULAR SYSTEMS UNDER HIGH STATIC PRESSURES .....                                                   | 23 |
| <i>M Citroni, S Fanetti, P Foggi, R Bini</i>                                                                                           |    |
| SHOCK-INDUCED CHEMISTRY OF PHENYLACETYLENE .....                                                                                       | 31 |
| <i>D M Dattelbaum, S A Sheffield, J D Coe, M A Margevicius</i>                                                                         |    |
| DEVELOPMENT OF SPECTRAL INTERFEROMETRY FOR SHOCK CHARACTERIZATION IN ENERGETIC MATERIALS .....                                         | 37 |
| <i>I Kohl, B Jilek, D Farrow, J Urayama, S Kearney</i>                                                                                 |    |
| MODELLING OF AMORPHOUS POLY-CO STRUCTURE WITH N AND HE .....                                                                           | 43 |
| <i>I G Batyrev, W D Mattson</i>                                                                                                        |    |
| GROWTH OF RECTANGULAR HOLLOW TUBE CRYSTALS WITH RUTILE-TYPE STRUCTURE IN SUPERCRITICAL FLUIDS .....                                    | 49 |
| <i>K Niwa, H Ikegaya, T Taguchi, S Muto, T Tokunaga, M Hasegawa</i>                                                                    |    |
| HIGH PRESSURE CHEMISTRY OF RED PHOSPHORUS BY PHOTO-ACTIVATED SIMPLE MOLECULES.....                                                     | 54 |
| <i>M Ceppatelli, S Fanetti, R Bini, M Caporali, M Peruzzini</i>                                                                        |    |
| STUDIES IN USEFUL HARD X-RAY PHOTOCHEMISTRY: DECOMPOSITION OF POTASSIUM HALATES.....                                                   | 60 |
| <i>M Pravica, B Hulsey, L Bai, D Sneed, Q Smith, G Guardala</i>                                                                        |    |
| HIGH PRESSURE SYNTHESIS OF NOVEL, ZEOLITE BASED NANO-COMPOSITE MATERIALS .....                                                         | 65 |
| <i>M Santoro, F A Gorelli, R Bini, J Haines, O Cambon, C Levelut, A Van Der Lee, G Garbarino</i>                                       |    |
| PHYSICAL AND CHEMICAL TRANSFORMATIONS OF IRON PENTACARBONYL UNDER PRESSURE .....                                                       | 73 |
| <i>Y J Ryu, C S Yoo</i>                                                                                                                |    |

### PART 3: CONDENSED MATTER

|                                                                                                                                        |    |
|----------------------------------------------------------------------------------------------------------------------------------------|----|
| AN EQUATION OF STATE FOR POLYUREA AEROGEL BASED ON MULTI-SHOCK RESPONSE .....                                                          | 78 |
| <i>T D Aslam, R L Gustavsen, B D Bartram</i>                                                                                           |    |
| INTERACTIONS IN THE AMMONIA-DEUTERIUM SYSTEM UNDER PRESSURE .....                                                                      | 84 |
| <i>G M Borstad, C S Yoo</i>                                                                                                            |    |
| THE INFLUENCE OF PEAK SHOCK STRESS ON THE HIGH PRESSURE PHASE TRANSFORMATION IN ZR.....                                                | 90 |
| <i>E K Cerreta, F L Addessio, C A Bronkhorst, D W Brown, J P Escobedo, S J Fensin, G T Gray III, T Lookman, P A Rigg, C P Trujillo</i> |    |
| A MULTIPHASE EQUATION OF STATE FOR CERIUM (IV) OXIDE .....                                                                             | 96 |
| <i>E D Chisolm</i>                                                                                                                     |    |

|                                                                                                                                                        |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>DENSITY FUNCTIONAL THEORY (DFT) SIMULATIONS OF POROUS TANTALUM PENTOXIDE .....</b>                                                                  | <b>101</b> |
| <i>K R Cochrane, T J Vogler, M P Desjarlais, T R Mattsson</i>                                                                                          |            |
| <b>GERMANIUM MULTIPHASE EQUATION OF STATE .....</b>                                                                                                    | <b>106</b> |
| <i>S D Crockett, G D Lorenzi-Venneri, J D Kress, S P Rudin</i>                                                                                         |            |
| <b>HYDROSTATIC HIGH-PRESSURE STUDIES TO 25 GPa ON THE MODEL SUPERCONDUCTING Pnictide LARU2P2.....</b>                                                  | <b>112</b> |
| <i>N Foroozani, J Lim, J Schilling, R Fotovat, C Zheng, R Hoffmann</i>                                                                                 |            |
| <b>A NICRAL PRESSURE CELL UP TO 4.6 GPa AND ITS APPLICATION TO CUPRATE AND Pnictide SUPERCONDUCTORS.....</b>                                           | <b>118</b> |
| <i>N Fujiwara, Y Uwatoko, T Matsumoto</i>                                                                                                              |            |
| <b>THE DISTORTED-FCC PHASE OF SAMARIUM.....</b>                                                                                                        | <b>123</b> |
| <i>R J Husband, I Loa, K Munro, M I McMahon</i>                                                                                                        |            |
| <b>EXPERIMENTAL INVESTIGATION OF DYNAMIC COMPRESSION AND SPALLATION OF CERIUM AT PRESSURES UP TO 6 GPa .....</b>                                       | <b>129</b> |
| <i>A N Zubareva, S A Kolesnikov, A V Utkin</i>                                                                                                         |            |
| <b>EQUATION OF STATE MEASUREMENTS BY RADIOGRAPHY PROVIDE EVIDENCE FOR A LIQUID-LIQUID PHASE TRANSITION IN CERIUM.....</b>                              | <b>135</b> |
| <i>M J Lipp, Z Jenei, D Ruddle, C Aracne-Ruddle, H Cynn, W J Evans, Y Kono, C Kenney-Benson, C Park</i>                                                |            |
| <b>HIGH TEMPERATURE RAMAN ANALYSIS OF HYDROGEN PHASE IV FROM MOLECULAR DYNAMICS .....</b>                                                              | <b>141</b> |
| <i>I B Magdau, G J Ackland</i>                                                                                                                         |            |
| <b>PRESSURE EFFECT ON THE ISOSTRUCTURAL TRANSITION IN RNIAL COMPOUNDS (R=TB AND GD) .....</b>                                                          | <b>147</b> |
| <i>J Prchal, M Klicpera, P Doležal, J Kaštil, M Míšek, P Javorský</i>                                                                                  |            |
| <b>SOUND SPEED MEASUREMENTS IN ZIRCONIUM USING THE FRONT SURFACE IMPACT TECHNIQUE.....</b>                                                             | <b>151</b> |
| <i>P A Rigg, R A Saavedra, R J Scharff</i>                                                                                                             |            |
| <b>ANALYSIS OF TEMPERATURE MEASUREMENTS AT LEAD(PB) / TRANSPARENT WINDOW INTERFACE UNDER SHOCK COMPRESSION.....</b>                                    | <b>157</b> |
| <i>G Robert, F Gillot, J Bénier</i>                                                                                                                    |            |
| <b>MEASUREMENT OF THE PRINCIPAL QUASI-ISENTROPE OF LEAD TO ~3MBAR USING THE "Z" MACHINE .....</b>                                                      | <b>163</b> |
| <i>S Rothman, J-P Davis, S Gooding, M Knudson, T Ao</i>                                                                                                |            |
| <b>THE EMBEDDED ATOM MODEL AND LARGE-SCALE MD SIMULATION OF TIN UNDER SHOCK LOADING.....</b>                                                           | <b>169</b> |
| <i>F A Sapozhnikov, G V Ionov, V V Dremov, L Soulard, O Durand</i>                                                                                     |            |
| <b>SOUND SPEED MEASUREMENTS IN TANTALUM USING THE FRONT SURFACE IMPACT TECHNIQUE.....</b>                                                              | <b>175</b> |
| <i>P A Rigg, R J Scharff, R S Hixson</i>                                                                                                               |            |
| <b>PROBING DYNAMIC CRYSTAL GROWTH OF COMPRESSED HYDROGEN USING DYNAMIC-DAC, TIME-RESOLVED SPECTROSCOPY AND HIGHSPEED MICRO-PHOTOGRAPHY .....</b>       | <b>183</b> |
| <i>D A Tomasino, C S Yoo</i>                                                                                                                           |            |
| <b>TIME-RESOLVED X-RAY DIFFRACTION AND ELECTRICAL RESISTANCE MEASUREMENTS OF STRUCTURAL PHASE TRANSITIONS IN ZIRCONIUM.....</b>                        | <b>188</b> |
| <i>N Velisavljevic, S Sinogeikin, R Saavedra, R S Chellappa, A Rothkirch, D M Dattelbaum, Z Konopkova, H-P Liermann, M Bishop, G M Tsoi, Y K Vohra</i> |            |
| <b>TWO-TEMPERATURE HYDRODYNAMICS OF LASER-GENERATED ULTRASHORT SHOCK WAVES IN ELASTO-PLASTIC SOLIDS .....</b>                                          | <b>194</b> |
| <i>D K Il'nitsky, V A Khokhlov, N A Inogamov, V V Zhakhovsky, Y V Petrov, K V Khishchenko, K P Migdal, S I Anisimov</i>                                |            |

#### **PART 4: DYNAMIC RESPONSE OF MATERIALS**

|                                                                                                    |            |
|----------------------------------------------------------------------------------------------------|------------|
| <b>DYNAMIC EXPERIMENT USING IMPULSE AT THE ADVANCED PHOTON SOURCE .....</b>                        | <b>200</b> |
| <i>B J Jensen, K J Ramos, A J Iverson, J Bernier, C A Carlson, J D Yeager, K Fezzaa, D E Hooks</i> |            |

## **PART 5: ENERGETIC MATERIALS**

|                                                                                                                                                    |            |
|----------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>TRANSVERSE INITIATION OF AN INSENSITIVE EXPLOSIVE IN A LAYERED SLAB GEOMETRY: INITIATION MODES.....</b>                                         | <b>208</b> |
| <i>E K Anderson, T D Aslam, S I Jackson</i>                                                                                                        |            |
| <b>MODELING PORE COLLAPSE AND CHEMICAL REACTIONS IN SHOCK-LOADED HMX CRYSTALS.....</b>                                                             | <b>214</b> |
| <i>R A Austin, N R Barton, W M Howard, L E Fried</i>                                                                                               |            |
| <b>STUDY OF THERMITE MIXTURE CONSOLIDATED BY THE COLD GAS DYNAMIC SPRAY PROCESS.....</b>                                                           | <b>220</b> |
| <i>A Bacciochini, G Maines, C Poupart, H Akbarnejad, M Radulescu, B Jodoin, F Zhang, J J Lee</i>                                                   |            |
| <b>SHOCK-TO-DETONATION TRANSITION OF RDX, HMX AND NTO BASED COMPOSITE HIGH EXPLOSIVES: EXPERIMENTS AND MODELLING .....</b>                         | <b>226</b> |
| <i>G Baudin, M Roudot, M Genetier, P Mateille, A Lefrançois</i>                                                                                    |            |
| <b>HIGH PRESSURE-TEMPERATURE POLYMORPHISM OF 1,1-DIAMINO-2,2-DINITROETHYLENE.....</b>                                                              | <b>232</b> |
| <i>M M Bishop, R S Chellappa, Z Liu, D N Preston, M M Sandstrom, D M Dattelbaum, Y K Vohra, N Velisavljevic</i>                                    |            |
| <b>THE HIGH-PRESSURE PHASE STABILITY OF 2,4,6-TRINITROTOLUENE (TNT).....</b>                                                                       | <b>238</b> |
| <i>P R Bowden, R S Chellappa, D M Dattelbaum, V W Manner, N H Mack, Z Liu</i>                                                                      |            |
| <b>IMPROVED SENSITIVITY TESTING OF EXPLOSIVES USING TRANSFORMED UP-DOWN METHODS.....</b>                                                           | <b>244</b> |
| <i>G W Brown</i>                                                                                                                                   |            |
| <b>HIGH PRESSURE SPECTROSCOPIC STUDIES OF HYDRAZINE (N<sub>2</sub>H<sub>4</sub>).....</b>                                                          | <b>250</b> |
| <i>R Chellappa, D Dattelbaum, L Daemen, Z Liu</i>                                                                                                  |            |
| <b>OBSERVATION OF SUB-DETONATION RESPONSE IN CONFINED HIGH DENSITY HMX BASED PBXS.....</b>                                                         | <b>256</b> |
| <i>M D Cook, A D Wood, P R Ottley, P J Cheese</i>                                                                                                  |            |
| <b>DETONATION PERFORMANCE OF HIGH-DENSE BTF CHARGES.....</b>                                                                                       | <b>261</b> |
| <i>A Dolgoborodov, M Brazhnikov, M Makhov, S Gubin, I Maklashova</i>                                                                               |            |
| <b>PHASE DIAGRAM OF AMMONIUM NITRATE .....</b>                                                                                                     | <b>266</b> |
| <i>M Dunuwille, C S Yoo</i>                                                                                                                        |            |
| <b>NANO-SCALE ENERGETIC FILMS BY SUPERFLUID HELIUM DROPLET ASSEMBLY.....</b>                                                                       | <b>271</b> |
| <i>S B Emery, J M Boyle, K B Rider, B K Little, C M Lindsay</i>                                                                                    |            |
| <b>SHOCK COMPRESSION RESPONSE OF TI+B REACTIVE POWDER MIXTURES .....</b>                                                                           | <b>277</b> |
| <i>M Gonzales, A Gurumurthy, G B Kennedy, A M Gokhale, N N Thadhani</i>                                                                            |            |
| <b>HIGH-PRESSURE AND TEMPERATURE INVESTIGATIONS OF ENERGETIC MATERIALS .....</b>                                                                   | <b>283</b> |
| <i>J C Gump</i>                                                                                                                                    |            |
| <b>PLATE IMPACT EXPERIMENTS ON THE TATB BASED EXPLOSIVE PBX 9502 AT PRESSURES NEAR THE CHAPMAN-JOUGUET STATE.....</b>                              | <b>291</b> |
| <i>R L Gustavsen, T D Aslam, B D Bartram, B C Hollowell</i>                                                                                        |            |
| <b>DISCRETE EFFECTS IN ENERGETIC MATERIALS.....</b>                                                                                                | <b>297</b> |
| <i>A J Higgins</i>                                                                                                                                 |            |
| <b>EFFECT OF CONFINEMENT DURING COOKOFF OF TATB.....</b>                                                                                           | <b>305</b> |
| <i>M L Hobbs, M J Kaneshige</i>                                                                                                                    |            |
| <b>MODELLING AN IHE EXPERIMENT WITH A SUITE OF DSD MODELS.....</b>                                                                                 | <b>313</b> |
| <i>A N Hodgson</i>                                                                                                                                 |            |
| <b>STUDY OF THERMAL SENSITIVITY AND THERMAL EXPLOSION VIOLENCE OF ENERGETIC MATERIALS IN THE LLNL ODTX SYSTEM .....</b>                            | <b>319</b> |
| <i>P C Hsu, G Hust, M X Zhang, T K Lorenz, J G Reynolds, L Fried, H K Springer, J L Maienschein</i>                                                |            |
| <b>EXPERIMENTAL MEASUREMENT OF THE SCALING OF THE DIAMETER- AND THICKNESS-EFFECT CURVES FOR IDEAL, INSENSITIVE, AND NON-IDEAL EXPLOSIVES .....</b> | <b>325</b> |
| <i>S I Jackson, M Short</i>                                                                                                                        |            |
| <b>SHOCK INITIATION THRESHOLDS FOR PROJECTILES WITH CURVED SURFACES.....</b>                                                                       | <b>330</b> |
| <i>H R James</i>                                                                                                                                   |            |
| <b>EXPERIMENTS AND NUMERICAL SIMULATIONS OF PLATE GAP MODEL FOR HIGH ENERGETIC MATERIALS .....</b>                                                 | <b>335</b> |
| <i>S Kubota, T Saburi, Y Ogata, Y Wada, K Nagayama</i>                                                                                             |            |
| <b>A SIMPLE MODEL FOR THE PRESSURE FIELD FROM A DISTRIBUTION OF HOTSPOTS.....</b>                                                                  | <b>341</b> |
| <i>B D Lambourn, H J Lacy, C A Handley, H R James</i>                                                                                              |            |
| <b>A VIEW ON THE FUNCTIONING MECHANISM OF EBW DETONATORS -PART 2: BRIDGEWIRE OUTPUT .....</b>                                                      | <b>347</b> |
| <i>E A Lee, R C Drake, J Richardson</i>                                                                                                            |            |

|                                                                                                                                        |            |
|----------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>CHEMICAL DYNAMICS OF NANO-ALUMINUM/IODINE (V) OXIDE.....</b>                                                                        | <b>353</b> |
| <i>B K Little, E J Welle, S B Emery, M B Bogle, V L Ashley, A M Schrand, C M Lindsay</i>                                               |            |
| <b>SPECIMEN SIZE EFFECT OF EXPLOSIVE SENSITIVITY UNDER LOW VELOCITY IMPACT .....</b>                                                   | <b>359</b> |
| <i>D Ma, P Chen, K Dai, Q Zhou</i>                                                                                                     |            |
| <b>RESEARCH TOPICS IN EXPLOSIVES - A LOOK AT EXPLOSIVES BEHAVIORS.....</b>                                                             | <b>365</b> |
| <i>J L Maienschein</i>                                                                                                                 |            |
| <b>PRESSURE WAVES GENERATED BY METASTABLE INTERMOLECULAR COMPOSITES IN AN AQUEOUS ENVIRONMENT .....</b>                                | <b>373</b> |
| <i>G Maines, M Radulescu, A Bacciochini, B Jodoin, J J Lee</i>                                                                         |            |
| <b>MEASUREMENTS OF NEAR-FIELD BLAST EFFECTS USING KINETIC PLATES .....</b>                                                             | <b>379</b> |
| <i>V W Manner, S J Pemberton, G W Brown, B C Tappan, L G Hill, D N Preston, S J Neuscamman, L G Glascoe</i>                            |            |
| <b>DIFFERENCES BETWEEN THE DETONATION BEHAVIOR OF EMULSION EXPLOSIVES SENSITIZED WITH GLASS OR WITH POLYMERIC MICRO-BALLOONS .....</b> | <b>385</b> |
| <i>R Mendes, J Ribeiro, I Plaksin, J Campos, B Tavares</i>                                                                             |            |
| <b>THE INFLUENCE OF SMALL ADDITIONS OF DIETHYLENETRIAMINE ON THE DETONATION WAVES STABILITY FOR NITROMETHANE/ACETONE SOLUTION.....</b> | <b>391</b> |
| <i>V Mochalova, A Utkin</i>                                                                                                            |            |
| <b>THERMODYNAMIC FORMULATION OF ENTHALPY-BASED EQUATION OF STATE FOR CONDENSED SUBSTANCES .....</b>                                    | <b>397</b> |
| <i>K Nagayama, S Kubota</i>                                                                                                            |            |
| <b>NUMERICAL SIMULATIONS OF NEAR-FIELD BLAST EFFECTS USING KINETIC PLATES .....</b>                                                    | <b>402</b> |
| <i>S J Neuscamman, V W Manner, G W Brown, L G Glascoe</i>                                                                              |            |
| <b>ON THE PARTIALLY REACTED BOUNDARY LAYER IN RATE STICKS.....</b>                                                                     | <b>408</b> |
| <i>Y Partom</i>                                                                                                                        |            |
| <b>THE LOS ALAMOS DETONATING PELLET TEST (DPT): PBX 9501 EVALUATION TESTS.....</b>                                                     | <b>413</b> |
| <i>D N Preston, L G Hill, B C Tappan</i>                                                                                               |            |
| <b>THE INCREASED SHOCK SENSITIVITY OF PBX 9502 AT HIGH TEMPERATURE .....</b>                                                           | <b>419</b> |
| <i>P J Rae, E V Baca, A R Cartelli, M D Holmes, T A Kuiper</i>                                                                         |            |
| <b>DHS SMALL-SCALE SAFETY AND THERMAL TESTING OF IMPROVISED EXPLOSIVES-COMPARISON OF TESTING PERFORMANCE .....</b>                     | <b>424</b> |
| <i>J G Reynolds, M M Sandstrom, G W Brown, K F Warner, J J Phillips, T J Shelley, J A Reyes, P C Hsu</i>                               |            |
| <b>REVIEW OF THE WELDABILITY WINDOW CONCEPT AND EQUATIONS FOR EXPLOSIVE WELDING .....</b>                                              | <b>430</b> |
| <i>J B Ribeiro, R Mendes, A Loureiro</i>                                                                                               |            |
| <b>QUANTUM MECHANICAL SIMULATIONS OF CONDENSED-PHASE DECOMPOSITION DYNAMICS IN MOLTEN RDX.....</b>                                     | <b>436</b> |
| <i>I V Schweigert</i>                                                                                                                  |            |
| <b>MICROWAVE FREQUENCY MATERIAL PROPERTIES OF PBS 9501 AND PBX 9501 AND SMALL SCALE HEATING EXPERIMENTS .....</b>                      | <b>442</b> |
| <i>B B Glover, M E Daily, S F Son, L J Groven</i>                                                                                      |            |
| <b>INVESTIGATING SHORT-PULSE SHOCK INITIATION IN HMX-BASED EXPLOSIVES WITH REACTIVE MESO-SCALE SIMULATIONS.....</b>                    | <b>448</b> |
| <i>H K Springer, C M Tarver, J E Reaugh, C M May</i>                                                                                   |            |
| <b>IMPROVED RELATIONSHIPS FOR THE THERMODYNAMIC PROPERTIES OF CARBON PHASES AT DETONATION CONDITIONS.....</b>                          | <b>454</b> |
| <i>L I Stiel, E L Baker, D J Murphy</i>                                                                                                |            |
| <b>HIGH-TEMPERATURE AND PRESSURE ALUMINUM REACTIONS IN CARBON DIOXIDE RICH POST-DETONATION ENVIRONMENTS .....</b>                      | <b>460</b> |
| <i>B C Tappan, L G Hill, V W Manner, S J Pemberton, M A Lieber, C E Johnson, V E Sanders</i>                                           |            |
| <b>IGNITION AND GROWTH MODELING OF SHORT PULSE SHOCK INITIATION EXPERIMENTS ON FINE PARTICLE HEXANITROSTILBENE (HNS) .....</b>         | <b>466</b> |
| <i>C M Tarver, S K Chidester</i>                                                                                                       |            |
| <b>SHORT PULSE DURATION SHOCK INITIATION EXPERIMENTS PLUS IGNITION AND GROWTH MODELING ON COMPOSITION B .....</b>                      | <b>472</b> |
| <i>C M May, C M Tarver</i>                                                                                                             |            |
| <b>REACTIVE ATOMISTIC SIMULATIONS OF SHOCK-INDUCED INITIATION PROCESSES IN MIXTURES OF AMMONIUM NITRATE AND FUEL OIL.....</b>          | <b>477</b> |
| <i>A P Thompson, T-R Shan</i>                                                                                                          |            |
| <b>DOUBLE SHOCK EXPERIMENTS AND REACTIVE FLOW MODELING ON LX-17 TO UNDERSTAND THE REACTED EQUATION OF STATE.....</b>                   | <b>485</b> |
| <i>K S Vandersall, F Garcia, L E Fried, C M Tarver</i>                                                                                 |            |

|                                                                                                                                   |            |
|-----------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>SHOCK INITIATION EXPERIMENTS WITH IGNITION AND GROWTH MODELING ON LOW DENSITY HMX.....</b>                                     | <b>491</b> |
| <i>F Garcia, K S Vandersall, C M Tarver</i>                                                                                       |            |
| <b>MICROSTRUCTURAL EFFECTS ON THE IGNITION BEHAVIOR OF HMX .....</b>                                                              | <b>497</b> |
| <i>E J Welle, C D Molek, R R Wixom, P Samuels</i>                                                                                 |            |
| <b>CREST MODELLING OF PBX 9502 CORNER TURNING EXPERIMENTS AT DIFFERENT INITIAL TEMPERATURES .....</b>                             | <b>505</b> |
| <i>N J Whitworth</i>                                                                                                              |            |
| <b>MICROSCOPIC MODELLING OF IGNITION AND BURNING FOR WELL-ARRANGED ENERGETIC CRYSTALS IN RESPONSE TO DROP-WEIGHT IMPACT .....</b> | <b>512</b> |
| <i>Y Wu, F Huang, M Zhou</i>                                                                                                      |            |
| <b>THE EFFECT OF MOISTURE CONTENT ON THE EXPLOSIVELY DRIVEN FRAGMENTATION OF WET SAND .....</b>                                   | <b>518</b> |
| <i>K Xue</i>                                                                                                                      |            |
| <b>A MIE-GRÜNEISEN EOS WITH NON-CONSTANT SPECIFIC HEAT .....</b>                                                                  | <b>524</b> |
| <i>C D Yarrington, D Kittell, R R Wixom, D L Damm</i>                                                                             |            |

## **PART 6: GEOPHYSICS**

|                                                                                                                                       |            |
|---------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>GAS RECOVERY EXPERIMENTS TO DETERMINE THE DEGREE OF SHOCK-INDUCED DEVOLATILIZATION OF CALCITE.....</b>                             | <b>529</b> |
| <i>S Ohno, K Ishibashi, T Sekine, K Kurosawa, T Kobayashi, S Sugita, T Matsui</i>                                                     |            |
| <b>RAMP COMPRESSION OF MAGNESIUM OXIDE TO 234 GPa .....</b>                                                                           | <b>534</b> |
| <i>J Wang, R F Smith, F Coppari, J H Eggert, T R Boehly, G W Collins, T S Duffy</i>                                                   |            |
| <b>MGO MELTING CURVE CONSTRAINTS FROM SHOCK TEMPERATURE AND RAREFACTION OVERTAKE MEASUREMENTS IN SAMPLES PREHEATED TO 2300 K.....</b> | <b>540</b> |
| <i>O V Fat'Yanov, P D Asimow</i>                                                                                                      |            |
| <b>ANISOTROPIC HUGONIOT ELASTIC LIMIT OF MGO .....</b>                                                                                | <b>546</b> |
| <i>X Liu, K Ogata, X M Zhou, W J Nellis, T Sekine, T Mashimo</i>                                                                      |            |
| <b>SHOCK COMPRESSION OF GEOLOGICAL MATERIALS .....</b>                                                                                | <b>550</b> |
| <i>S Kirk, C Braithwaite, D Williamson, A Jardine</i>                                                                                 |            |

## **PART 7: PLANETARY PHYSICS**

|                                          |            |
|------------------------------------------|------------|
| <b>EQUATION OF STATE OF AMMONIA.....</b> | <b>556</b> |
| <i>R Mulford, D C Swift, S Hamel</i>     |            |

## **PART 8: HIGH ENERGY DENSITY MATERIALS**

|                                                                                                                                                                          |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>PROGRESS TOWARD X-RAY THOMSON SCATTERING OF WARM DENSE MATTER ON THE Z ACCELERATOR .....</b>                                                                          | <b>561</b> |
| <i>T Ao, E C Harding, J E Bailey, M P Desjarlais, S B Hansen, R W Lemke, G A Rochau, D B Sinars, I C Smith, M Geissel, J Reneker, M D Kernaghan, L P Mix, D F Wenger</i> |            |
| <b>METAL LINER-DRIVEN CYLINDRICALLY CONVERGENT ISENTROPIC COMPRESSION OF CRYOGENIC DEUTERIUM.....</b>                                                                    | <b>567</b> |
| <i>M Weinwurm, S N Bland, J P Chittenden</i>                                                                                                                             |            |

## **PART 9: LARGE SCALE EXPERIMENTS**

|                                                                                                                                    |            |
|------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>THE SCIENCE OF DYNAMIC COMPRESSION AT THE MESOSCALE AND THE MATTER-RADIATION INTERACTIONS IN EXTREMES (MARIE) PROJECT .....</b> | <b>573</b> |
| <i>C W Barnes, D J Funk, M P Hockaday, J L Sarrao, M F Stevens</i>                                                                 |            |
| <b>RAMP COMPRESSION OF A METALLIC LINER DRIVEN BY A SHAPED 5 MA CURRENT ON THE SPHINX MACHINE .....</b>                            | <b>578</b> |
| <i>T D'Almeida, F Lassalle, A Morell, J Grunenwald, F Zucchini, A Luyen, T Maysonnave, A Chuvatin</i>                              |            |

## **PART 10: MEDICINE AND BIOLOGY, EXTREMES AND BLAST INJURIES**

|                                                                                                                           |            |
|---------------------------------------------------------------------------------------------------------------------------|------------|
| <b>INTEGRATED EXPERIMENTAL PLATFORMS TO STUDY BLAST INJURIES: A BOTTOM-UP APPROACH .....</b>                              | <b>584</b> |
| <i>C Bo, A Williams, S Rankin, W G Proud, K A Brown</i>                                                                   |            |
| <b>PREDICTION OF SHOCK-INDUCED CAVITATION IN WATER .....</b>                                                              | <b>591</b> |
| <i>A Brundage</i>                                                                                                         |            |
| <b>TRAUMATIC EYE INJURIES AS A RESULT OF BLUNT IMPACT: COMPUTATIONAL ISSUES .....</b>                                     | <b>595</b> |
| <i>C Clemente, L Esposito, N Bonora, J Limido, J L Lacome, T Rossi</i>                                                    |            |
| <b>TOLERANCE OF BUDDING YEAST SACCHAROMYCES CEREVISIAE TO ULTRA HIGH PRESSURE .....</b>                                   | <b>601</b> |
| <i>M Shibata, M Torigoe, Y Matsumoto, M Yamamoto, N Takizawa, Y Hada, Y Mori, K Takarabe, F Ono</i>                       |            |
| <b>INTERACTION BETWEEN BLAST WAVE AND RETICULATED FOAM: ASSESSING THE POTENTIAL FOR AUDITORY PROTECTION SYSTEMS .....</b> | <b>606</b> |
| <i>J M Wilgeroth, T-T N Nguyen, W G Proud</i>                                                                             |            |

## **PART 11: MECHANICS AND ENGINEERING**

|                                                                                                                                                                                                         |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>ELASTIC PRECURSOR DECAY IN S-200F BERYLLIUM .....</b>                                                                                                                                                | <b>612</b> |
| <i>C D Adams, W W Anderson, W R Blumenthal, G T Gray III</i>                                                                                                                                            |            |
| <b>IMPROVED UNDERSTANDING OF THE DYNAMIC RESPONSE IN ANISOTROPIC DIRECTIONAL COMPOSITE MATERIALS THROUGH THE COMBINATION OF EXPERIMENTS AND MODELING .....</b>                                          | <b>618</b> |
| <i>C S Alexander, C T Key, S C Schumacher</i>                                                                                                                                                           |            |
| <b>MEASUREMENT OF DAMAGE VELOCITIES IN IMPACTS OF TRANSPARENT ARMOR .....</b>                                                                                                                           | <b>626</b> |
| <i>C E Anderson Jr, R P Bigger, C E Weiss</i>                                                                                                                                                           |            |
| <b>ON THE DYNAMIC TENSILE STRENGTH OF ZIRCONIUM.....</b>                                                                                                                                                | <b>631</b> |
| <i>G J Appleby-Thomas, A Hameed, R Vignjevic, P J Hazell, J Painter, S Cademartori</i>                                                                                                                  |            |
| <b>ON THE BALLISTIC RESPONSE OF COMMUNUTED CERAMICS.....</b>                                                                                                                                            | <b>636</b> |
| <i>A Hameed, G J Appleby-Thomas, D C Wood, P J Hazell, K M Jaansalu</i>                                                                                                                                 |            |
| <b>MEASUREMENTS OF STRENGTH OF METALS IN A PICOSECOND TIME RANGE .....</b>                                                                                                                              | <b>642</b> |
| <i>S I Ashitkov, P S Komapov, M B Agranat, G I Kanel, V E Fortov</i>                                                                                                                                    |            |
| <b>USING HIGH ENERGY DIFFRACTION MICROSCOPY TO ASSESS A MODEL FOR MICROSTRUCTURAL SENSITIVITY IN SPALL RESPONSE .....</b>                                                                               | <b>648</b> |
| <i>R Barton, M Rhee, S F Li, J V Bernier, M Kumar, J F Lind, J F Bingert</i>                                                                                                                            |            |
| <b>THE INFLUENCE OF THE ADMIXTURE OF THE FULLERENE C<sub>60</sub> ON THE STRENGTH PROPERTIES OF ALUMINUM AND COPPER UNDER SHOCK-WAVE LOADING.....</b>                                                   | <b>655</b> |
| <i>G S Bezruchko, S V Razorenov, M Y Popov</i>                                                                                                                                                          |            |
| <b>DYNAMIC CRACK TIP OPENING DISPLACEMENT (DCTOD) AS GOVERNING PARAMETERS FOR MATERIAL FRAGMENTATION .....</b>                                                                                          | <b>661</b> |
| <i>N Bonora, A Ruggiero, G Testa, G Iannitti, D Gentile</i>                                                                                                                                             |            |
| <b>THE LIMITS OF STRENGTH IN MATERIALS IN THE CONDENSED PHASE.....</b>                                                                                                                                  | <b>666</b> |
| <i>N K Bourne</i>                                                                                                                                                                                       |            |
| <b>HIGH-DENSITY POLYETHYLENE DAMAGE AT EXTREME TENSILE CONDITIONS .....</b>                                                                                                                             | <b>672</b> |
| <i>E N Brown, J Furmanski, K J Ramos, D M Dattelbaum, B J Jensen, A J Iverson, C A Carlson, K Fezzaa, G T Gray III, B M Patterson, C P Trujillo, D T Martinez, T H Pierce</i>                           |            |
| <b>EFFECT OF SHOCK WAVE DURATION ON DYNAMIC FAILURE OF TUNGSTEN HEAVY ALLOY .....</b>                                                                                                                   | <b>678</b> |
| <i>J P Escobedo, C P Trujillo, E K Cerreta, G T Gray III, E N Brown</i>                                                                                                                                 |            |
| <b>CHARACTERIZATION OF SHOCKED BERYLLIUM.....</b>                                                                                                                                                       | <b>684</b> |
| <i>E N Brown, C M Cady, G T Gray III, L M Hull, J H Cooley, C A Bronkhorst, F L Addessio</i>                                                                                                            |            |
| <b>EXPLOSIVELY DRIVEN TWO-SHOCKWAVE TOOLS WITH APPLICATIONS .....</b>                                                                                                                                   | <b>690</b> |
| <i>W T Buttler, D M Oró, F G Mariam, A Saunders, M J Andrews, F J Cherne, J E Hammerberg, R S Hixson, S K Monfared, C Morris, R T Olson, D L Preston, J B Stone, G Terrones, D Tupa, W Vogan-McNeil</i> |            |
| <b>ON THE RESIDUAL YIELD STRESS OF SHOCKED METALS .....</b>                                                                                                                                             | <b>698</b> |
| <i>D J Chapman, D E Eakins, W G Proud, A S Savinykh, G V Garkushin, S V Razorenov, G I Kanel</i>                                                                                                        |            |
| <b>DYNAMIC BEHAVIOR OF A CE-AL BULK METALLIC GLASS .....</b>                                                                                                                                            | <b>704</b> |
| <i>L E Chen, D E Eakins, D C Chapman, N Thadhani, D C Swift, M Kumar</i>                                                                                                                                |            |
| <b>MECHANISMS OF FRAGMENTATION AND MICROSTRUCTURE OF DEBRIS GENERATED DURING EXPLOSIVE TESTING OF AL-W GRANULAR COMPOSITE RINGS .....</b>                                                               | <b>710</b> |
| <i>P-H Chiu, K L Olney, C Braithwaite, A Jardine, A Collins, D J Benson, V F Nesterenko</i>                                                                                                             |            |

|                                                                                                                                                  |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>EXPERIMENTS AND SIMULATION OF SPLIT HOPKINSON BAR TESTS ON SAND .....</b>                                                                     | <b>716</b> |
| <i>P D Church, P J Gould, A D Wood, A Tyas</i>                                                                                                   |            |
| <b>SPATIALLY RESOLVED SHOCK RESPONSE AT DRY METALLIC MULTI-MATERIAL<br/>INTERFACES .....</b>                                                     | <b>722</b> |
| <i>M A Collinson, D J Chapman, D E Eakins</i>                                                                                                    |            |
| <b>EFFECTS OF SAMPLE TEMPERATURE ON SPALL FRACTURE IN LASER SHOCK-LOADED<br/>METALS BETWEEN 30 K AND 1000 K.....</b>                             | <b>728</b> |
| <i>T De Rességuier, E Lescoute, D Loison, J M Chevalier</i>                                                                                      |            |
| <b>POLYMORPHISM AND DECOMPOSITION OF THE SINGLE CRYSTALS: INSIGHT FROM<br/>STATIC AND SHOCK COMPRESSION EXPERIMENTS .....</b>                    | <b>734</b> |
| <i>Z A Dreger</i>                                                                                                                                |            |
| <b>DEVELOPMENT OF A SHOCK WAVE ADHESION TEST FOR COMPOSITE BONDS BY<br/>PULSED LASER AND MECHANICAL IMPACTS.....</b>                             | <b>742</b> |
| <i>R Ecault, M Boustie, F Touchard, M Arrigoni, L Berthe</i>                                                                                     |            |
| <b>INFLUENCE OF SHOCK LOADING KINETICS ON THE SPALL RESPONSE OF COPPER .....</b>                                                                 | <b>748</b> |
| <i>J P Escobedo, E K Cerreta, D Dennis-Koller, B M Patterson, C A Bronkhorst</i>                                                                 |            |
| <b>PREDICTING FAILURE STRESS FOR GRAIN BOUNDARIES USING AVERAGE AND LOCAL<br/>PROPERTIES.....</b>                                                | <b>754</b> |
| <i>S J Fensin, S M Valone, E K Cerreta, G T Gray III</i>                                                                                         |            |
| <b>INTERPRETING THE SHOCK RESPONSE OF POROUS OXIDE SYSTEMS.....</b>                                                                              | <b>759</b> |
| <i>D A Fredenburg, D D Koller</i>                                                                                                                |            |
| <b>EXPLOSIVE FORMATION OF COHERENT PARTICLE JETS .....</b>                                                                                       | <b>765</b> |
| <i>D L Frost, J-F Ruel, Z Zarei, S Goroshin, Y Gregoire, F Zhang, A Milne, A Longbottom</i>                                                      |            |
| <b>RESPONSE OF MAGNESIUM SINGLE CRYSTALS TO SHOCK-WAVE LOADING AT ROOM<br/>AND ELEVATED TEMPERATURES.....</b>                                    | <b>771</b> |
| <i>G V Garkushin, A S Savinykh, G I Kanel, S V Razorenov, D Jones, W G Proud, L R Botvina</i>                                                    |            |
| <b>DYNAMIC YIELD AND TENSILE STRENGTHS OF SPARK PLASMA SINTERED ALUMINA .....</b>                                                                | <b>776</b> |
| <i>I Gurlitsky, E Zaretsky, S Kalabukhov, M Dariel, N Frage</i>                                                                                  |            |
| <b>DYNAMIC STRENGTH OF TANTALUM UNDER IMPACT .....</b>                                                                                           | <b>781</b> |
| <i>B Glam, M Werdiger, Y Horovitz, E Moshe, S L Pistinner</i>                                                                                    |            |
| <b>SHOCK PROPAGATION AND ATTENUATION IN GREEN RIVER OIL SHALE .....</b>                                                                          | <b>787</b> |
| <i>D E Grady</i>                                                                                                                                 |            |
| <b>THE INFLUENCE OF SHOCK-LOADING PATH ON THE SPALLATION RESPONSE OF TA.....</b>                                                                 | <b>793</b> |
| <i>G T Gray III, N K Bourne, V Livescu, C P Trujillo, S Macdonald, P Withers</i>                                                                 |            |
| <b>THE SHOCK AND SPALL RESPONSE OF AA 7010-T7651 .....</b>                                                                                       | <b>799</b> |
| <i>P J Hazell, G J Appleby-Thomas, D C Wood, J D Painter</i>                                                                                     |            |
| <b>DEFORMATION QUANTIFICATION IN STEEL PLATES FOLLOWING IMPACT AT A<br/>VELOCITY OF 2.6 KM/S .....</b>                                           | <b>804</b> |
| <i>J D Hogan, R J Rogers, J G Spray</i>                                                                                                          |            |
| <b>DAMAGE IN LOW ALLOY STEEL PRODUCED BY SWEEPING, INTERACTING<br/>DETONATION WAVES .....</b>                                                    | <b>810</b> |
| <i>L Hull, G Gray, J Faulkner, M Briggs</i>                                                                                                      |            |
| <b>DUCTILE DAMAGE IN TAYLOR-ANVIL AND ROD-ON-ROD IMPACT EXPERIMENT .....</b>                                                                     | <b>816</b> |
| <i>G Iannitti, N Bonora, A Ruggiero, G Testa</i>                                                                                                 |            |
| <b>MEASUREMENT OF THE RESPONSE OF AN ELASTOMER AT PRESSURES UP TO 9 GPa<br/>AND SHEAR-RATES OF <math>10^5 - 10^6 \text{ s}^{-1}</math> .....</b> | <b>822</b> |
| <i>T Jiao, R J Clifton</i>                                                                                                                       |            |
| <b>GAS GUN DRIVEN DYNAMIC FRACTURE AND FRAGMENTATION OF Ti-6Al-4V<br/>CYLINDERS.....</b>                                                         | <b>828</b> |
| <i>D R Jones, D J Chapman, D E Eakins</i>                                                                                                        |            |
| <b>TEMPERATURE EFFECTS ON THE MECHANICAL BEHAVIOUR OF PZT 95/5.....</b>                                                                          | <b>834</b> |
| <i>A S Khan, J E Balzer, J M Wilgeroth, W G Proud</i>                                                                                            |            |
| <b>OPTIMUM STRUCTURE OF WHIPPLE SHIELD AGAINST HYPERVELOCITY IMPACT .....</b>                                                                    | <b>840</b> |
| <i>M Lee</i>                                                                                                                                     |            |
| <b>MODELING SINGLE-CRYSTAL MICROSTRUCTURE EVOLUTION DUE TO SHOCK<br/>LOADING .....</b>                                                           | <b>846</b> |
| <i>J T Lloyd, J D Clayton, R A Austin, D L McDowell</i>                                                                                          |            |
| <b>BALLISTIC PROPERTIES OF DEBRIS PRODUCED BY LASER SHOCK-INDUCED MICRO-<br/>SPALLATION OF TIN SAMPLES .....</b>                                 | <b>852</b> |
| <i>D Loison, T De Resseguier, A Dragon</i>                                                                                                       |            |
| <b>PHASE TRANSFORMATIONS IN TITANIUM: ANISOTROPIC DEFORMATION OF <math>\omega</math> PHASE .....</b>                                             | <b>858</b> |
| <i>H Zong, D Xue, X Ding, T Lookman</i>                                                                                                          |            |

|                                                                                                                                        |            |
|----------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>A COMPARISON OF MULTIPLE TECHNIQUES FOR DETERMINING THE SHOCK RELEASE BEHAVIOUR OF COPPER.....</b>                                  | <b>866</b> |
| <i>M Lowe, S Rothman, D Chapman, C Robinson</i>                                                                                        |            |
| <b>SHOCK-INDUCED DEFORMATION IN WETTED PARTICLE BEDS .....</b>                                                                         | <b>872</b> |
| <i>B J Marr, O E Petel, D L Frost, A J Higgins, S Ringuette</i>                                                                        |            |
| <b>X-RAY MICROTOMOGRAPHY STUDY OF THE SPALLATION RESPONSE IN TA-W .....</b>                                                            | <b>877</b> |
| <i>S A McDonald, M Cotton, J C F Millett, N K Bourne, P J Withers</i>                                                                  |            |
| <b>SHEAR STRENGTH DEVELOPMENTS DURING SHOCK LOADING IN TANTALUM ALLOYS: EFFECTS OF COLD WORK AND ALLOYING .....</b>                    | <b>883</b> |
| <i>J C F Millett, G Whiteman, N K Bourne, S Case, G T Gray III</i>                                                                     |            |
| <b>MESO-SCOPIC DEFORMATION IN BRITTLE GRANULAR MATERIALS .....</b>                                                                     | <b>888</b> |
| <i>W D Neal, G J Appleby-Thomas, G S Collins</i>                                                                                       |            |
| <b>THE EFFECT OF MICROSTRUCTURE ON RAYLEIGH-TAYLOR INSTABILITY GROWTH IN SOLIDS .....</b>                                              | <b>893</b> |
| <i>R T Olson, E K Cerreta, C Morris, A M Montoya, F G Mariam, A Saunders, R S King, E N Brown, G T Gray, J F Bingert</i>               |            |
| <b>SHOCK AND RELEASE BEHAVIOUR OF SAND .....</b>                                                                                       | <b>901</b> |
| <i>J I Perry, C H Braithwaite, N E Taylor, A P Jardine</i>                                                                             |            |
| <b>SHOCK HUGONIOT MEASUREMENTS IN FOAM .....</b>                                                                                       | <b>907</b> |
| <i>O E Petel, S Ouellet, D L Frost, A J Higgins</i>                                                                                    |            |
| <b>USING GROWTH AND ARREST OF RICHTMYER-MESHKOV INSTABILITIES AND LAGRANGIAN SIMULATIONS TO STUDY HIGH-RATE MATERIAL STRENGTH.....</b> | <b>913</b> |
| <i>M B Prime, D E Vaughan, D L Preston, W T Buttler, S R Chen, D M Oró, C Pack</i>                                                     |            |
| <b>GAS PERCOLATION THROUGH SAND .....</b>                                                                                              | <b>919</b> |
| <i>W G Proud</i>                                                                                                                       |            |

## PART 2

|                                                                                                                                                              |            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>THE SPALL STRENGTH AND HUGONIOT ELASTIC LIMIT OF MONO-CRYSTALLINE AND POLYCRYSTALLINE COPPER NEAR MELTING TEMPERATURE .....</b>                           | <b>924</b> |
| <i>S V Razorenov, E B Zaretsky, A S Savinykh</i>                                                                                                             |            |
| <b>EXPERIMENTAL AND NUMERICAL STUDY OF WATER-FILLED VESSEL IMPACTED BY FLAT PROJECTILES.....</b>                                                             | <b>929</b> |
| <i>W Zhang, P Ren, W Huang, Y B Gao</i>                                                                                                                      |            |
| <b>MULTISCALE STRENGTH (MS) MODELS: THEIR FOUNDATION, THEIR SUCCESSES, AND THEIR CHALLENGES.....</b>                                                         | <b>935</b> |
| <i>R E Rudd, A Arsenlis, N R Barton, R M Cavallo, A J Comley, B R Maddox, J Marian, H-S Park, S T Prisbrey, C E Wehrenberg, L Zepeda-Ruiz, B A Remington</i> |            |
| <b>A MULTIPHASE APPROACH FOR MODELLING THE SHOCK RESPONSE OF COMPOSITE MATERIALS.....</b>                                                                    | <b>943</b> |
| <i>C T Key, S C Schumacher, K P Ruggirello, C S Alexander</i>                                                                                                |            |
| <b>MODELING OF LASER-DRIVEN WATER-CONFINED SHOCKS INTO POROUS GRAPHITE.....</b>                                                                              | <b>949</b> |
| <i>G Seisson, D Hébert, I Bertron, L Videau, P Combis, L Berthe, M Boustie</i>                                                                               |            |
| <b>STRENGTH EFFECTS IN AN IMPLoding CYLINDER WITH CONSTANT MASS-TO-EXPLOSIVE LOADING .....</b>                                                               | <b>955</b> |
| <i>M Serge, O E Petel, J Loiseau, A J Higgins</i>                                                                                                            |            |
| <b>SHOCK RESPONSES OF GRAPHENE REINFORCED COMPOSITES VIA MOLECULAR DYNAMICS SIMULATIONS .....</b>                                                            | <b>960</b> |
| <i>H Shang, W Wang</i>                                                                                                                                       |            |
| <b>STUDY ON DYNAMIC FRAGMENTATION OF MULTIPLE METAL RINGS UNDER HIGH EXPLOSIVE LOADING .....</b>                                                             | <b>966</b> |
| <i>T Tang, G Ren, Z Guo, Q Li</i>                                                                                                                            |            |
| <b>STEPS TOWARD THIN FILM METAL THERMISTORS WITH MICROSECOND TIME RESPONSE FOR SHOCK TEMPERATURE MEASUREMENTS OF POLYMERS .....</b>                          | <b>972</b> |
| <i>N E Taylor, D M Williamson, A P Jardine</i>                                                                                                               |            |
| <b>TAYLOR IMPACT TESTS ON PBX COMPOSITES: IMAGING AND ANALYSIS .....</b>                                                                                     | <b>978</b> |
| <i>D G Thompson, R Deluca, J Archuleta, G W Brown, J Koby</i>                                                                                                |            |
| <b>INVESTIGATIONS INTO RAPID UNIAXIAL COMPRESSION OF POLYCRYSTALLINE TARGETS USING FEMTOSECOND X-RAY DIFFRACTION .....</b>                                   | <b>984</b> |
| <i>D McGonegle, A Higginbotham, E Galtier, E E McBride, M I McMahon, D Milathianaki, H J Lee, B Nagler, S M Vinko, J S Wark</i>                              |            |

|                                                                                                                                                                                                  |             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>STRAIN ANISOTROPY AND SHEAR STRENGTH OF SHOCK COMPRESSED TANTALUM FROM IN-SITU LAUE DIFFRACTION .....</b>                                                                                     | <b>990</b>  |
| <i>C Wehrenberg, A J Comley, R E Rudd, M Terry, J Hawrelak, B R Maddox, S T Prisbrey, H-S Park, B A Remington</i>                                                                                |             |
| <b>PERFORATION OF THIN ALUMINUM ALLOY PLATES BY BLUNT PROJECTILES: AN EXPERIMENTAL AND NUMERICAL INVESTIGATION .....</b>                                                                         | <b>996</b>  |
| <i>G Wei, W Zhang</i>                                                                                                                                                                            |             |
| <b>SPALL PROPERTIES OF AL 5083 PLATE FABRICATED USING EQUI-CHANNEL ANGULAR PRESSING (ECAP) AND ROLLING.....</b>                                                                                  | <b>1002</b> |
| <i>R L Whelchel, N N Thadhani, T H Sanders, L J Kecskes, C L Williams</i>                                                                                                                        |             |
| <b>PLANAR SHOCK COMPRESSION OF SINGLE CRYSTAL TANTALUM FROM 6 – 23 GPA .....</b>                                                                                                                 | <b>1008</b> |
| <i>G Whiteman, S Case, J C F Millett</i>                                                                                                                                                         |             |
| <b>THERMODYNAMIC WORK OF ADHESION MEASUREMENTS OF POLYMER BONDED EXPLOSIVE CONSTITUENTS VIA THE WILHELMY PLATE TECHNIQUE AND THEIR APPLICATION TO AFM PULL-OFF EXPERIMENTS.....</b>              | <b>1014</b> |
| <i>D M Williamson, N R Hamilton, S J P Palmer, A P Jardine, C Leppard</i>                                                                                                                        |             |
| <b>THE USE OF LATERAL GAUGES IN THE ASSESSMENT OF SHEAR STRENGTH IN A CARBON FIBRE COMPOSITE.....</b>                                                                                            | <b>1020</b> |
| <i>D C Wood, G J Appleby-Thomas, J A Leighs, M Goff, N R Barnes, A Hughes, P J Hazell</i>                                                                                                        |             |
| <b>SURFACE NANO-STRUCTURING PRODUCED BY SPALLATION OF METAL IRRADIATED BY AN ULTRASHORT LASER PULSE .....</b>                                                                                    | <b>1026</b> |
| <i>N A Inogamov, V V Zhakhovsky, S I Ashitkov, Y N Emirov, A Y Faenov, T A Pikuz, M Ishino, M Kando, N Hasegawa, M Nishikino, T Kawachi, M B Agranat, A V Andriash, S E Kuratov, I I Oleynik</i> |             |

## **PART 12: NOVEL MATERIALS**

|                                                                                                                                              |             |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>TABLE-TOP GENERATION AND SPECTROSCOPIC STUDY OF ~10 TPA HIGH-ENERGY DENSITY MATERIALS WITH C60+ HYPERVELOCITY (~100 KM/S) IMPACT.....</b> | <b>1032</b> |
| <i>Y K Bae</i>                                                                                                                               |             |
| <b>BRAZILIAN DISC EXPERIMENTS ON A COLD SPRAY MATERIAL .....</b>                                                                             | <b>1038</b> |
| <i>C H Braithwaite, B Aydelotte, A P Jardine</i>                                                                                             |             |
| <b>A NOVEL ASSEMBLY USED FOR HOT-SHOCK CONSOLIDATION .....</b>                                                                               | <b>1045</b> |
| <i>P Chen, Q Zhou</i>                                                                                                                        |             |
| <b>MOLECULAR ADSORBATES UNDER HIGH PRESSURE: A STUDY USING SURFACE-ENHANCED RAMAN SCATTERING SPECTROSCOPY .....</b>                          | <b>1051</b> |
| <i>Y Fu, J M Christensen, D D Dlott</i>                                                                                                      |             |
| <b>POLYCRYSTALLINE SOLIDS UNDER NONHYDROSTATIC COMPRESSION: DETERMINATION OF STRENGTH FROM X-RAY DIFFRACTION DATA .....</b>                  | <b>1057</b> |
| <i>A K Singh</i>                                                                                                                             |             |
| <b>STRAIN RATE BEHAVIOR OF MAGNETORHEOLOGICAL MATERIALS .....</b>                                                                            | <b>1065</b> |
| <i>K Seminuk, V Joshi, J Gump, C Stoltz, J Forbes</i>                                                                                        |             |

## **PART 13: NONCONVENTIONAL ENERGETICS**

|                                                                                                                                       |             |
|---------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>FRAGMENTATION OF STRUCTURAL ENERGETIC MATERIALS: IMPLICATIONS FOR PERFORMANCE.....</b>                                             | <b>1070</b> |
| <i>B Aydelotte, C H Braithwaite, N N Thadhani</i>                                                                                     |             |
| <b>MECHANISMS OF LARGE STRAIN, HIGH STRAIN RATE PLASTIC FLOW IN THE EXPLOSIVELY DRIVEN COLLAPSE OF NI-AL LAMINATE CYLINDERS .....</b> | <b>1075</b> |
| <i>K L Olney, P H Chiu, A Higgins, M Serge, T P Weihs, G Fritz, A Stover, D J Benson, V F Nesterenko</i>                              |             |

## **PART 14: NOVEL TECHNIQUES**

|                                                                                                      |             |
|------------------------------------------------------------------------------------------------------|-------------|
| <b>ENHANCING IMPACT VELOCITY WITH SHOCK INTERACTIONS IN A RESTRICTING DIE .....</b>                  | <b>1081</b> |
| <i>W W Anderson, B J Jensen, F J Cherne, C T Owens, K J Ramos, M A Lieber</i>                        |             |
| <b>MAGNETIC GAUGE FOR FREE SURFACE VELOCITIES IN REINFORCED CONCRETE BLASTED BY EXPLOSIVES .....</b> | <b>1087</b> |
| <i>Y Ashuach, I Gissis, C Avinadav</i>                                                               |             |

|                                                                                                                                                                                                             |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>IN SITU X-RAY DIFFRACTION, ELECTRICAL RESISTIVITY AND THERMAL MEASUREMENTS USING A PARIS-EDINBURGH CELL AT HPCAT 16BM-B BEAMLINE.....</b>                                                                | 1093 |
| <i>J Baker, R Kumar, N Velisavljevic, C Park, C Kenney-Benson, Y Kono, A Cornelius, Y Zhao</i>                                                                                                              |      |
| <b>PICOSECOND DYNAMICS OF SHOCK COMPRESSED AND FLASH-HEATED NANOMETER THICK FILMS OF D-HMX.....</b>                                                                                                         | 1099 |
| <i>C M Berg, D D Dlott</i>                                                                                                                                                                                  |      |
| <b>OPTICAL DISTANCE MEASUREMENTS TO RECOVER THE MATERIAL APPROACH MISSED BY OPTICAL VELOCIMETRY .....</b>                                                                                                   | 1105 |
| <i>M E Briggs, E A Moro, M A Shinas, S McGrane, D Knierim</i>                                                                                                                                               |      |
| <b>TIME-RESOLVED X-RAY DIFFRACTION ACROSS WATER-ICE-VI/VII TRANSFORMATIONS USING THE DYNAMIC-DAC.....</b>                                                                                                   | 1110 |
| <i>J-Y Chen, M Kim, C-S Yoo, H-P Liermann, W J Evans</i>                                                                                                                                                    |      |
| <b>MODELLING THE EQUATION OF STATE OF A GRADED DENSITY IMPACTOR.....</b>                                                                                                                                    | 1118 |
| <i>G A Cox, J R Maw</i>                                                                                                                                                                                     |      |
| <b>MEASUREMENT OF AN EXPLOSIVELY DRIVEN HEMISPHERICAL SHELL USING 96 POINTS OF OPTICAL VELOCIMETRY .....</b>                                                                                                | 1124 |
| <i>J R Danielson, E P Daykin, A B Diaz, D L Doty, B C Frogget, M R Furlanetto, C H Gallegos, M Gibo, A Garza, D B Holtkamp, M S Hutchins, C Perez, M Peña, V T Romero, M A Shinas, M G Teel, L J Tabaka</i> |      |
| <b>NON-INVASIVE TIMING OF GAS GUN PROJECTILES WITH LIGHT DETECTION AND RANGING.....</b>                                                                                                                     | 1130 |
| <i>P M Goodwin, B D Bartram, L L Gibson, M Wu, D M Dattelbaum</i>                                                                                                                                           |      |
| <b>OPTICAL DIAGNOSTICS FOR HIGH POWER PULSED UNDERWATER ELECTRICAL DISCHARGE CHARACTERIZATION .....</b>                                                                                                     | 1136 |
| <i>J Deroy, A Claverie, G Avriilaud, M Boustie, E Mazanchenko, D Assous, A Chuvatin</i>                                                                                                                     |      |
| <b>LASER-DRIVEN FLYER PLATES FOR SHOCK COMPRESSION SPECTROSCOPY .....</b>                                                                                                                                   | 1142 |
| <i>W L Shaw, A D Curtis, A A Banishev, D D Dlott</i>                                                                                                                                                        |      |
| <b>ER,YB:ZRO<sub>2</sub>/EU:Y<sub>2</sub>O<sub>3</sub> CORE/SHELL ASSEMBLIES AS POTENTIAL TEMPERATURE SENSORS IN EXPLOSIONS.....</b>                                                                        | 1147 |
| <i>R Gunawidjaja, T Myint, H Eilers</i>                                                                                                                                                                     |      |
| <b>NUMERICAL REFOCUSING OF 2D-VISAR DATA.....</b>                                                                                                                                                           | 1152 |
| <i>D J Erskine, R F Smith, C Bolme, S Ali, P M Celliers, G W Collins</i>                                                                                                                                    |      |
| <b>APPLICATION OF HETERODYNE VELOCIMETRY AND PYROMETRY AS DIAGNOSTICS FOR EXPLOSIVE CHARACTERISATION.....</b>                                                                                               | 1158 |
| <i>J W Ferguson, P Taylor</i>                                                                                                                                                                               |      |
| <b>THREE DIMENSIONAL HEMISPHERICAL TEST DEVELOPMENT TO EVALUATE DETONATION WAVE BREAKOUT .....</b>                                                                                                          | 1164 |
| <i>E G Francois, J S Morris, M Lieber</i>                                                                                                                                                                   |      |
| <b>RAMP WAVE GENERATION USING GRADED AREAL DENSITY CERAMIC FLYERS AND THE PLATE IMPACT TECHNIQUE .....</b>                                                                                                  | 1170 |
| <i>P Taylor, M Goff, P J Hazell, J Leighs, D Wood, G J Appleby-Thomas</i>                                                                                                                                   |      |
| <b>EFFECTS OBSERVED WHEN USING METALLIC FLYERS AND BARRIERS WITH THE EMBEDDED PARTICLE VELOCITY GAUGE TECHNIQUE .....</b>                                                                                   | 1176 |
| <i>M Goff, M Burns, R Gustavsen, C Stennett, P J Hazell, G J Appleby-Thomas</i>                                                                                                                             |      |
| <b>CYLINDRICAL ISENTROPIC COMPRESSION BY ULTRAHIGH MAGNETIC FIELD .....</b>                                                                                                                                 | 1181 |
| <i>Z Gu, H Luo, H Zhang, S Zhao, X Tang, Y Tong, Z Song, F Tan, J Zhao, C Sun</i>                                                                                                                           |      |
| <b>DEVELOPMENT OF AN ACCELERATING PISTON IMPLOSION-DRIVEN LAUNCHER .....</b>                                                                                                                                | 1186 |
| <i>J Huneault, J Loiseau, A J Higgins</i>                                                                                                                                                                   |      |
| <b>CONFOCAL MICROSCOPY OF FLUIDS UNDER STATIC PRESSURE.....</b>                                                                                                                                             | 1192 |
| <i>M D McCluskey, A M Rasmussen</i>                                                                                                                                                                         |      |
| <b>COHERENT RAMAN STUDIES OF SHOCKED LIQUIDS .....</b>                                                                                                                                                      | 1197 |
| <i>S D McGrane, K E Brown, N C Dang, C A Bolme, D S Moore</i>                                                                                                                                               |      |
| <b>FRONTAL AND TILTED PDV PROBES FOR MEASURING VELOCITY HISTORY OF LASER-SHOCK INDUCED CALIBRATED PARTICLES .....</b>                                                                                       | 1203 |
| <i>G Prudhomme, P Mercier, L Berthe, J Bénier, P-A Frugier</i>                                                                                                                                              |      |
| <b>NEW DEVELOPMENTS IN PHOTON DOPPLER VELOCIMETRY.....</b>                                                                                                                                                  | 1209 |
| <i>E A Moro</i>                                                                                                                                                                                             |      |
| <b>PRELIMINARY INVESTIGATIONS OF HE PERFORMANCE CHARACTERIZATION USING SWIFT .....</b>                                                                                                                      | 1217 |
| <i>M J Murphy, C E Johnson</i>                                                                                                                                                                              |      |
| <b>CONTROLLING BLAST WAVE GENERATION IN A SHOCK TUBE FOR BIOLOGICAL APPLICATIONS.....</b>                                                                                                                   | 1223 |
| <i>T-T N Nguyen, J M Wilgeroth, W G Proud</i>                                                                                                                                                               |      |

|                                                                                                                                            |             |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>PLANE SHOCK COMPRESSION GENERATORS, UTILIZING CONVERGENCE OF CONICAL SHOCK WAVES .....</b>                                              | <b>1229</b> |
| <i>D Nikolaev, V Ternovoi, V Kim, A Shutov</i>                                                                                             |             |
| <b>PDV EXPERIMENTS ON SHOCK-LOADED PARTICLES .....</b>                                                                                     | <b>1234</b> |
| <i>G Prudhomme, P Mercier, L Berthe</i>                                                                                                    |             |
| <b>IN SITU INVESTIGATION OF THE DYNAMIC RESPONSE OF ENERGETIC MATERIALS USING IMPULSE AT THE ADVANCED PHOTON SOURCE .....</b>              | <b>1240</b> |
| <i>K J Ramos, B J Jensen, A J Iverson, J D Yeager, C A Carlson, D S Montgomery, D G Thompson, K Fezzaa, D E Hooks</i>                      |             |
| <b>FIBRE BRAGG GRATING SENSOR FOR SHOCK WAVE DIAGNOSTICS .....</b>                                                                         | <b>1248</b> |
| <i>A Ravid, E Shafir, S Zilberman, G Berkovic, B Glam, G Appelbaum, A F Gefen</i>                                                          |             |
| <b>FIBER BRAGG SENSING OF HIGH EXPLOSIVE DETONATION EXPERIMENTS AT LOS ALAMOS NATIONAL LABORATORY .....</b>                                | <b>1253</b> |
| <i>G Rodriguez, R L Sandberg, S I Jackson, S W Vincent, S M Gilbertson, E Udd</i>                                                          |             |
| <b>EMBEDDED OPTICAL PROBES FOR SIMULTANEOUS PRESSURE AND TEMPERATURE MEASUREMENT OF MATERIALS IN EXTREME CONDITIONS .....</b>              | <b>1259</b> |
| <i>R L Sandberg, G Rodriguez, L L Gibson, D M Dattelbaum, G D Stevens, M Grover, B M Lalone, E Udd</i>                                     |             |
| <b>HIGH PRESSURE MAGNETIC MEASUREMENTS ON STRONGLY CORRELATED ELECTRON SYSTEMS WITH A MINIATURE CERAMIC ANVIL HIGH PRESSURE CELL .....</b> | <b>1264</b> |
| <i>N Tateiwa, Y Haga, T D Matsuda, Z Fisk</i>                                                                                              |             |
| <b>DIELECTRIC CHARACTERIZATION AND MICROWAVE INTERFEROMETRY IN HMX-BASED EXPLOSIVES .....</b>                                              | <b>1269</b> |
| <i>J W Tringe, R J Kane, K T Lorenz, E V Baluyot, K S Vandersall</i>                                                                       |             |
| <b>A NOVEL GRADED DENSITY IMPACTOR .....</b>                                                                                               | <b>1274</b> |
| <i>R E Winter, M Cotton, E J Harris, D J Chapman, D Eakins</i>                                                                             |             |

## **PART 15: CONTINUUM MODELING “COMPUTATIONAL SHOCK COMPRESSION OF SINGLE CRYSTALS” AND CONTINUUM MODELING**

|                                                                                                                                                              |             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>NUMERICAL SIMULATION OF MULTISCALE DAMAGE-FAILURE TRANSITION AND SHOCK WAVE PROPAGATION IN METALS AND CERAMICS .....</b>                                  | <b>1280</b> |
| <i>Y V Bayandin, N V Saveleva, A S Savinykh, O B Naimark</i>                                                                                                 |             |
| <b>AN OVERVIEW OF MESOSCALE MATERIAL MODELING WITH EULERIAN HYDROCODES .....</b>                                                                             | <b>1284</b> |
| <i>K Olney, D J Benson, V Nesterenko</i>                                                                                                                     |             |
| <b>MODELING AND ANALYSIS OF HIGH-EXPLOSIVE DRIVEN PERTURBED PLATE EXPERIMENTS AT LOS ALAMOS .....</b>                                                        | <b>1290</b> |
| <i>J H Cooley, R T Olson, D Oro</i>                                                                                                                          |             |
| <b>TEMPERATURE-BASED MODEL FOR CONDENSED-PHASE EXPLOSIVE DETONATION .....</b>                                                                                | <b>1296</b> |
| <i>N Desbiens, C Matignon, R Sorin</i>                                                                                                                       |             |
| <b>TOWARDS THE PREDICTION OF MULTIPLE NECKING DURING DYNAMIC EXTENSION OF ROUND BAR : LINEAR STABILITY APPROACH VERSUS FINITE ELEMENT CALCULATIONS .....</b> | <b>1302</b> |
| <i>S E Mai, S Mercier, J Petit, A Molinari</i>                                                                                                               |             |
| <b>COMPUTATIONAL ANALYSIS OF COMPACTION WAVE DISSIPATION IN POROUS METALIZED EXPLOSIVES .....</b>                                                            | <b>1307</b> |
| <i>P Rao, K A Gonthier</i>                                                                                                                                   |             |
| <b>EQUATION OF STATE FOR SHOCK COMPRESSION OF DISTENDED SOLIDS .....</b>                                                                                     | <b>1313</b> |
| <i>D Grady, G Fenton, T Vogler</i>                                                                                                                           |             |
| <b>MODELING OF PROPELLANT FLOW AND EXPLOSIVELY-DRIVEN VALVE FOR THE LARGE-BORE POWDER GUN .....</b>                                                          | <b>1321</b> |
| <i>K Lam</i>                                                                                                                                                 |             |
| <b>ON THE SCALING OF THE MAGNETICALLY ACCELERATED FLYER PLATE TECHNIQUE TO CURRENTS GREATER THAN 20 MA .....</b>                                             | <b>1327</b> |
| <i>R W Lemke, M D Knudson, K R Cochrane, M P Desjarlais, J R Asay</i>                                                                                        |             |
| <b>ANALYSES ON THE EFFECT OF HOT SPOT DENSITY ON MATERIAL CONSUMPTION RATE .....</b>                                                                         | <b>1332</b> |
| <i>G A Levesque Iv, P Vitello, A L Nichols III, C Tarver, T Willey, G Friedman, T Oettelstrup</i>                                                            |             |
| <b>GENERATION OF ISENTROPIC COMPRESSION BY USE OF MULTI-LAYER COMPOSITE FLYER AND ITS INFLUENCE ON SYSTEM THERMODYNAMICS: A SIMULATION STUDY .....</b>       | <b>1338</b> |
| <i>A Ray</i>                                                                                                                                                 |             |

|                                                                                                                                 |             |
|---------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>JETTING INSTABILITY MECHANISMS OF PARTICLES FROM EXPLOSIVE DISPERSAL .....</b>                                               | <b>1344</b> |
| <i>R C Ripley, F Zhang</i>                                                                                                      |             |
| <b>A COMPARISON OF THE SHOCK RESPONSE OF THE MATERIAL POINT METHOD.....</b>                                                     | <b>1352</b> |
| <i>K P Ruggirello, S C Schumacher</i>                                                                                           |             |
| <b>INSTABILITY IN SHOCKED GRANULAR GASES .....</b>                                                                              | <b>1357</b> |
| <i>N Sirmas, S Falle, M Radulescu</i>                                                                                           |             |
| <b>MODELLING OF THE PELE FRAGMENTATION DYNAMICS .....</b>                                                                       | <b>1363</b> |
| <i>J Verreault</i>                                                                                                              |             |
| <b>COMBINED HYDRODYNAMIC AND DIFFRACTION SIMULATIONS OF FEMTOSECOND X-<br/>RAY SCATTERING FROM LASER-SHOCKED CRYSTALS .....</b> | <b>1369</b> |
| <i>J S Wark, A Higginbotham, D Milathianaki, A Gleason</i>                                                                      |             |

## **PART 16: FIRST PRINCIPLES METHODS**

|                                                                                                                                                           |             |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>Z METHODOLOGY FOR PHASE DIAGRAM STUDIES: PLATINUM AND TANTALUM AS<br/>EXAMPLES .....</b>                                                               | <b>1375</b> |
| <i>L Burakovsky, S P Chen, D L Preston, D G Sheppard</i>                                                                                                  |             |
| <b>TRANSPORT IN ALUMINIZED RDX UNDER SHOCK COMPRESSION EXPLORED USING<br/>MOLECULAR DYNAMICS SIMULATIONS .....</b>                                        | <b>1381</b> |
| <i>M Losada, S Chaudhuri</i>                                                                                                                              |             |
| <b>CRYSTAL STRUCTURE SEARCHING BY FREE ENERGY SURFACE TREKKING:<br/>APPLICATION TO CARBON AT 1 TPA .....</b>                                              | <b>1387</b> |
| <i>T Ishikawa, N Suzuki, K Shimizu</i>                                                                                                                    |             |
| <b>EQUATIONS OF STATE FOR MIXTURES: RESULTS FROM DENSITY-FUNCTIONAL (DFT)<br/>SIMULATIONS COMPARED TO HIGH ACCURACY VALIDATION EXPERIMENTS ON Z .....</b> | <b>1393</b> |
| <i>R J Magyar, S Root, T R Mattsson</i>                                                                                                                   |             |
| <b>DENSITY FUNCTIONAL THEORY INVESTIGATION OF SODIUM AZIDE AT HIGH<br/>PRESSURE .....</b>                                                                 | <b>1401</b> |
| <i>B A Steele, A C Landerville, I I Oleynik</i>                                                                                                           |             |
| <b>AMMONIUM AZIDE UNDER HYDROSTATIC COMPRESSION .....</b>                                                                                                 | <b>1407</b> |
| <i>A C Landerville, B A Steele, I I Oleynik</i>                                                                                                           |             |

## **PART 17: MOLECULAR DYNAMICS**

|                                                                                                                       |             |
|-----------------------------------------------------------------------------------------------------------------------|-------------|
| <b>QUANTUM MOLECULAR DYNAMICS SIMULATIONS OF THE OXIDATION OF ALUMINUM-<br/>CYCLOPENTADIENYL CLUSTERS .....</b>       | <b>1413</b> |
| <i>S Alnemrat, J P Hooper</i>                                                                                         |             |
| <b>DPDE-BASED MESOSCALE SIMULATIONS OF SHOCK RESPONSE OF HE COMPOSITES.....</b>                                       | <b>1419</b> |
| <i>P Sood, S Dwivedi, J Brennan, N Thadhani, Y Horie</i>                                                              |             |
| <b>FRictional INTERACTIONS AT HIGH VELOCITY DUCTILE METAL INTERFACES.....</b>                                         | <b>1425</b> |
| <i>J E Hammerberg, J L Milhans, R J Ravelo, T C Germann</i>                                                           |             |
| <b>EVALUATION OF METASTABLE REGION BOUNDARIES FOR LIQUID AND SOLID STATES<br/>IN MD SIMULATIONS.....</b>              | <b>1430</b> |
| <i>G V Ionov, V V Dremov, A V Karavaev, S P Protsenko, V G Baidakov, A O Tipeev</i>                                   |             |
| <b>FROM LAMINAR TO TURBULENT DETONATIONS IN ENERGETIC MATERIALS FROM<br/>MOLECULAR DYNAMICS SIMULATIONS .....</b>     | <b>1436</b> |
| <i>V V Zhakhovsky, M M Budzevich, A C Landerville, I I Oleynik, C T White</i>                                         |             |
| <b>NANO-SCALE SPINNING DETONATION IN A CONDENSED PHASE ENERGETIC MATERIAL .....</b>                                   | <b>1442</b> |
| <i>V V Zhakhovsky, M M Budzevich, A C Landerville, I I Oleynik, C T White</i>                                         |             |
| <b>ELASTIC-PLASTIC COLLAPSE OF SUPER-ELASTIC SHOCK WAVES IN FACE-CENTERED-<br/>CUBIC SOLIDS.....</b>                  | <b>1447</b> |
| <i>V V Zhakhovsky, N A Inogamov, B J Demaske, I I Oleynik, C T White</i>                                              |             |
| <b>EVOLUTION OF ELASTIC PRECURSOR AND PLASTIC SHOCK WAVE IN COPPER VIA<br/>MOLECULAR DYNAMICS SIMULATIONS .....</b>   | <b>1453</b> |
| <i>R Perriot, V V Zhakhovsky, N A Inogamov, I I Oleynik</i>                                                           |             |
| <b>SHOCK-INDUCED HOTSPOT FORMATION AND CHEMICAL REACTION INITIATION IN<br/>PETN CONTAINING A SPHERICAL VOID .....</b> | <b>1459</b> |
| <i>T-R Shan, A P Thompson</i>                                                                                         |             |

|                                                                                     |             |
|-------------------------------------------------------------------------------------|-------------|
| <b>MOLECULAR DYNAMICS SIMULATION OF THE BURNING FRONT PROPAGATION IN PETN .....</b> | <b>1465</b> |
| <i>A V Yanilkin, O V Sergeev</i>                                                    |             |

## **PART 18: POSTER SESSION 1**

|                                                                                                                                         |             |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>HIGH-PRESSURE PHASE DIAGRAM OF O<sub>2</sub> AND N<sub>2</sub> BINARY SYSTEM: FORMATION OF KAGOME-LATTICE OF O<sub>2</sub> .....</b> | <b>1470</b> |
| <i>Y Akahama, T Maekawa, T Sugimoto, H Fujihisa, N Hirao, Y Ohishi</i>                                                                  |             |
| <b>MULTI-STEP KOLSKY BAR LOADING OF MATERIALS WHICH FAIL BY ADIABATIC SHEAR BANDING.....</b>                                            | <b>1476</b> |
| <i>Y Ashuach, Z Rosenberg, C Avinadav</i>                                                                                               |             |
| <b>CHARACTERIZATION OF VISCOELASTIC MATERIALS FOR LOW-MAGNITUDE BLAST MITIGATION .....</b>                                              | <b>1481</b> |
| <i>S Bartyczak, W Mock</i>                                                                                                              |             |
| <b>HIGH-PRESSURE HIGH-TEMPERATURE BEHAVIOR OF POLYMER DERIVED AMORPHOUS B-C-N.....</b>                                                  | <b>1487</b> |
| <i>S Bhat, S Lauterbach, D Dzivenko, C Lathe, L Bayarjargal, M Schwarz, H-J Kleebe, E Kroke, B Winkler, R Riedel</i>                    |             |
| <b>MECHANOLUMINESCENCE OF NYLON UNDER HIGH VELOCITY IMPACT .....</b>                                                                    | <b>1493</b> |
| <i>N Bonora, A Ruggiero, G Iannitti, C Abbate, F Iannuzzo, G Busatto</i>                                                                |             |
| <b>IMPACT INITIATED COMBUSTION OF ALUMINUM EXPOSED TO MECHANICAL PRE-ACTIVATION .....</b>                                               | <b>1498</b> |
| <i>J L Breidenich, J Turner, G Kennedy, N N Thadhani</i>                                                                                |             |
| <b>MECHANICAL AND HISTOLOGICAL CHARACTERIZATION OF TRACHEA TISSUE SUBJECTED TO BLAST-TYPE PRESSURES .....</b>                           | <b>1504</b> |
| <i>B J Butler, C Bo, A W Tucker, A P Jardine, W G Proud, A Williams, K A Brown</i>                                                      |             |
| <b>MEASURING THREE-DIMENSIONAL DEFORMATION WITH SURFACE-IMAGING ORVIS.....</b>                                                          | <b>1510</b> |
| <i>M A Cooper, P E Specht, W M Trott</i>                                                                                                |             |
| <b>THE SHOCK SENSITIVITIES OF NITROMETHANE/METHANOL MIXTURES.....</b>                                                                   | <b>1516</b> |
| <i>D M Dattelbaum, S A Sheffield, B D Bartram, L L Gibson, P R Bowden, B F Schilling</i>                                                |             |
| <b>USING LASER-DRIVEN FLYER PLATES TO STUDY THE SHOCK INITIATION OF NANOENERGETIC MATERIALS.....</b>                                    | <b>1522</b> |
| <i>W L Shaw, R A Williams, E L Dreizin, D D Dlott</i>                                                                                   |             |
| <b>SMALL-SCALE TUNNEL TEST FOR BLAST PERFORMANCE .....</b>                                                                              | <b>1527</b> |
| <i>J E Felts, R J Lee</i>                                                                                                               |             |
| <b>THE PREHEATING EFFECT ON THE DYNAMIC STRENGTH OF ALUMINIUM CONTAINING HELIUM BUBBLES .....</b>                                       | <b>1533</b> |
| <i>B Glam, M Strauss, S Eliezer, D Moreno</i>                                                                                           |             |
| <b>RESISTIVITY AND EQUATION OF STATE OF WARMED GALLIUM MELT IN MEGABAR PRESSURE .....</b>                                               | <b>1538</b> |
| <i>A A Golyshev, A M Molodets</i>                                                                                                       |             |
| <b>SHOCK INITIATION OF THE TATB-BASED EXPLOSIVE PBX 9502 COOLED TO 77 KELVIN.....</b>                                                   | <b>1544</b> |
| <i>B C Hollowell, R L Gustavsen, D M Dattelbaum, B D Bartram</i>                                                                        |             |
| <b>HUGONIOT-BASED EQUATIONS OF STATE FOR TWO FILLED EPDM RUBBERS .....</b>                                                              | <b>1550</b> |
| <i>A H Pacheco, D M Dattelbaum, E B Orler, B D Bartram, R L Gustavsen</i>                                                               |             |
| <b>PLATE IMPACT EXPERIMENTS AND SIMULATION ON POROUS GRAPHITE .....</b>                                                                 | <b>1555</b> |
| <i>D Hébert, G Seisson, I Bertron, J M Chevalier, C Thessieux, J H Quessada, S Tastet</i>                                               |             |
| <b>A POSSIBLE EXISTENCE OF PHASE CHANGE OF DEUTERATED ICE VII AT ABOUT 11 GPA BY X-RAY AND RAMAN STUDIES .....</b>                      | <b>1561</b> |
| <i>H Kadobayashi, H Hirai, T Matsuoka, Y Ohishi, Y Yamamoto</i>                                                                         |             |
| <b>ULTRAFINE PARTICLE GENERATION BY HIGH-VELOCITY IMPACT OF METAL PROJECTILES .....</b>                                                 | <b>1566</b> |
| <i>L Stabile, G Iannitti, P Vigo, A Ruggiero, A Russi, G Buonanno</i>                                                                   |             |
| <b>ASPECT RATIO COMPRESSION EFFECTS ON METALS AND POLYMERS.....</b>                                                                     | <b>1572</b> |
| <i>A S Khan, J E Balzer, J M Wilgeroth, W G Proud</i>                                                                                   |             |
| <b>DEHYDRATION OF POTASSIUM ALUM INDUCED BY SHOCK LOADING .....</b>                                                                     | <b>1578</b> |
| <i>H Kishimura, Y Imasu, H Matsumoto</i>                                                                                                |             |
| <b>SHOCK-RECOVERY STUDIES ON INSB SINGLE CRYSTALS UP TO 24 GPA.....</b>                                                                 | <b>1584</b> |
| <i>H Kishimura, H Matsumoto</i>                                                                                                         |             |
| <b>VIBRATIONAL PROPERTIES OF BA<sub>8</sub>GA<sub>16</sub>SN<sub>30</sub> UNDER HIGH PRESSURE .....</b>                                 | <b>1590</b> |
| <i>T Sukemura, T Kume, T Matsuoka, S Sasaki, T Onimaru, T Takabatake</i>                                                                |             |

|                                                                                                                                                                         |             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>A VIEW ON THE FUNCTIONING MECHANISM OF EBW DETONATORS-PART 3:<br/>EXPLOSIVE INITIATION CHARACTERISATION .....</b>                                                    | <b>1594</b> |
| <i>E A Lee, R C Drake, J Richardson</i>                                                                                                                                 |             |
| <b>SMALL-SCALE CHAMBER TEST FOR INTERNAL BLAST PERFORMANCE .....</b>                                                                                                    | <b>1600</b> |
| <i>R J Lee, J E Felts, C Watry, A Gonzales</i>                                                                                                                          |             |
| <b>THE EFFECT OF HYDROSTATIC VS. SHOCK PRESSURE TREATMENT OF PLANT SEEDS .....</b>                                                                                      | <b>1606</b> |
| <i>A Mustey, J A Leighs, G J Appleby-Thomas, D C Wood, R Hazael, P F McMillan, P J Hazell</i>                                                                           |             |
| <b>THE BACTERICIDAL EFFECT OF SHOCK WAVES .....</b>                                                                                                                     | <b>1612</b> |
| <i>J A Leighs, G J Appleby-Thomas, D C Wood, M J Goff, A Hameed, P J Hazell</i>                                                                                         |             |
| <b>ACCELERATION OF PLATES USING NON-CONVENTIONAL EXPLOSIVES HEAVILY-<br/>LOADED WITH INERT MATERIALS .....</b>                                                          | <b>1618</b> |
| <i>J Loiseau, O E Petel, J Huneault, M Serge, D L Frost, A J Higgins</i>                                                                                                |             |
| <b>ENERGETIC LANTHANIDE COMPLEXES: COORDINATION CHEMISTRY AND<br/>EXPLOSIVES APPLICATIONS .....</b>                                                                     | <b>1624</b> |
| <i>V W Manner, B J Barker, V E Sanders, K E Laintz, B L Scott, D N Preston, M Sandstrom, B L Reardon</i>                                                                |             |
| <b>ELECTRONIC EXCITATION ENERGIES IN CRYSTALS OF PETN, RDX AND HMX .....</b>                                                                                            | <b>1630</b> |
| <i>A E Mukhanov</i>                                                                                                                                                     |             |
| <b>MODELLING DYNAMIC COMPACTION OF POROUS MATERIALS WITH THE OVERSTRESS<br/>APPROACH .....</b>                                                                          | <b>1636</b> |
| <i>Y Partom</i>                                                                                                                                                         |             |
| <b>LATERAL STRESS EVOLUTION IN CHROMIUM SULFIDE.....</b>                                                                                                                | <b>1641</b> |
| <i>O E Petel, G J Appleby-Thomas, A Hameed, A Capozzi, S Goroshin, D L Frost, P J Hazell</i>                                                                            |             |
| <b>THE EFFECT OF HIGH NON-HYDROSTATIC PRESSURE ON III-V SEMICONDUCTORS:<br/>ZINC BLENDE TO WURTZITE STRUCTURAL PHASE TRANSITION AND MULTIPHASE<br/>GENERATION .....</b> | <b>1646</b> |
| <i>P S Pizani, R G Jasinevicius</i>                                                                                                                                     |             |
| <b>DROP WEIGHT IMPACT MEASUREMENTS OF HE SENSITIVITY: MODIFIED DETECTION<br/>METHODS.....</b>                                                                           | <b>1651</b> |
| <i>D N Preston, G W Brown, B C Tappan, D M Oshwald, J R Koby, M L Schoonover</i>                                                                                        |             |
| <b>UNDERWATER SHOCK RESPONSE OF AIR-BACKED THIN ALUMINUM ALLOY PLATES:<br/>AN EXPERIMENTAL AND NUMERICAL STUDY .....</b>                                                | <b>1657</b> |
| <i>P Ren, W Zhang</i>                                                                                                                                                   |             |
| <b>THREE-DIMENSIONAL CHARACTERISATION AND SIMULATION OF DEFORMATION AND<br/>DAMAGE DURING TAYLOR IMPACT IN PTFE.....</b>                                                | <b>1663</b> |
| <i>A D Resnyansky, S A McDonald, P J Withers, N K Bourne, J C F Millett, E N Brown, P J Rae</i>                                                                         |             |
| <b>HIGH STRAIN RATE FRACTURE BEHAVIOUR OF FUSED SILICA .....</b>                                                                                                        | <b>1669</b> |
| <i>A Ruggiero, G Iannitti, G Testa, J Limido, J L Lacome, L Olovsson, M Ferraro, N Bonora</i>                                                                           |             |
| <b>HIGH AND LOW VELOCITY DETONATION IN A HIGHLY INSENSITIVE EXPLOSIVE .....</b>                                                                                         | <b>1675</b> |
| <i>H W Sandusky, H F Hayden</i>                                                                                                                                         |             |
| <b>CORRELATING COMPUTATIONALLY DERIVED PARTICLE SURFACE STRESS-STRAIN<br/>STATES TO MESOSCALE SHOCK RESPONSE .....</b>                                                  | <b>1681</b> |
| <i>D Sripka, S Dwivedi, N Thadhani</i>                                                                                                                                  |             |
| <b>REACTIVITY OF TI-B, CR-S, AND MN-S POWDER SYSTEMS DURING EXPLOSIVELY-<br/>DRIVEN COLLAPSE .....</b>                                                                  | <b>1687</b> |
| <i>M Serge, P H Chiu, A J Higgins, V F Nesterenko</i>                                                                                                                   |             |
| <b>ELECTRICAL RESISTANCE OF DYSPROSIUM UNDER PRESSURE.....</b>                                                                                                          | <b>1693</b> |
| <i>B Sundqvist, V K Tolpygo</i>                                                                                                                                         |             |
| <b>PRESENCE OF PARAMAGNETISM IN HOCO<sub>2</sub> UNDER HYDROSTATIC PRESSURE.....</b>                                                                                    | <b>1698</b> |
| <i>J Valenta, J Prchal, R Khasanov, M Kratochvílová, M Míšek, M Vališka, V Sechovský</i>                                                                                |             |
| <b>EFFECT OF PRESSURE ON SOME OPTICAL PROPERTIES OF GA<sub>x</sub>IN<sub>1-x</sub>P<br/>SEMICONDUCTORS.....</b>                                                         | <b>1704</b> |
| <i>P S Vyas, P N Gajjar, A R Jani</i>                                                                                                                                   |             |
| <b>DEFORMATION AND FRACTURE BEHAVIOR OF STEEL PROJECTILES IMPACTING AD95<br/>CERAMIC TARGETS-EXPERIMENTAL INVESTIGATION .....</b>                                       | <b>1710</b> |
| <i>G Wei, W Zhang</i>                                                                                                                                                   |             |
| <b>VISAR 'CROSS-HAIRS': SIMULTANEOUS PERPENDICULAR LINE-IMAGING VISAR.....</b>                                                                                          | <b>1716</b> |
| <i>J B R Winters, S N Bland, S J P Stafford, D J Chapman, D E Eakins</i>                                                                                                |             |
| <b>THE EFFECT OF FIBRE ORIENTATION ON A TWCP COMPOSITE .....</b>                                                                                                        | <b>1722</b> |
| <i>N R Barnes, A Hughes, D C Wood, G J Appleby-Thomas, J A Leighs, M Goff, P J Hazell</i>                                                                               |             |

## **PART 19: POSTER SESSION II**

|                                                                                                                                                                                            |             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <b>EFFECT OF THE OXYGEN BALANCE ON IGNITION AND DETONATION PROPERTIES OF LIQUID EXPLOSIVE MIXTURES .....</b>                                                                               | <b>1727</b> |
| <i>M Genetier, A Osmont, G Baudin</i>                                                                                                                                                      |             |
| <b>DYNAMICS OF SHOCKS IN LASER-LAUNCHED FLYER PLATES PROBED BY PHOTON DOPPLER VELOCIMETRY .....</b>                                                                                        | <b>1733</b> |
| <i>A D Curtis, D D Dlott</i>                                                                                                                                                               |             |
| <b>PRESSURE-INDUCED SUPERCONDUCTIVITY IN NON-STOICHIOMETRIC BISMUTH TELLURIDE <math>\text{Bi}_{1.5}\text{Te}_{0.5}</math> .....</b>                                                        | <b>1738</b> |
| <i>M Einaga, A Ohmura, F Ishikawa, A Nakayama, Y Yamada, S Nakano, A Matsushita, K Shimizu</i>                                                                                             |             |
| <b>SHOCK INITIATION SENSITIVITY AND HUGONIOT-BASED EQUATION OF STATE OF COMPOSITION B OBTAINED USING IN SITU ELECTROMAGNETIC GAUGING .....</b>                                             | <b>1743</b> |
| <i>L L Gibson, D M Dattelbaum, B D Bartram, S A Sheffield, R L Gustavsen, G W Brown, M M Sandstrom, A M Giambra, C A Handley</i>                                                           |             |
| <b>EFFECTS OF SCALE ON INTERNAL BLAST MEASUREMENTS .....</b>                                                                                                                               | <b>1749</b> |
| <i>R Granholm, H Sandusky, R Lee</i>                                                                                                                                                       |             |
| <b>PHASE CHANGES INDUCED BY GUEST ORIENTATIONAL ORDERING OF FILLED ICE <math>\text{I}_\text{H}</math> METHANE HYDRATE UNDER HIGH PRESSURE AND LOW TEMPERATURE .....</b>                    | <b>1754</b> |
| <i>H Hirai, T Tanaka, T Matsuoka, Y Ohishi, T Yagi, M Ohtake</i>                                                                                                                           |             |
| <b>ELECTRIC PROPERTIES OF AMORPHOUS SILVER CHALCOGENIDES WITH CONTENT OF CARBON NANOTUBES AT PRESSURES UP TO 50 GPa .....</b>                                                              | <b>1760</b> |
| <i>K V Kurochka, N V Melnikova, I S Ustinova, Y Y Volkova, D O Alikin</i>                                                                                                                  |             |
| <b>A VIEW ON THE FUNCTIONING MECHANISM OF EBW DETONATORS -PART 1: ELECTRICAL CHARACTERISATION .....</b>                                                                                    | <b>1766</b> |
| <i>E A Lee, R C Drake, J Richardson</i>                                                                                                                                                    |             |
| <b>ORIGIN OF THE VOLUME COLLAPSE UNDER PRESSURE IN ELEMENTAL DY .....</b>                                                                                                                  | <b>1772</b> |
| <i>J Lim, G Fabbri, D Haskel, J S Schilling</i>                                                                                                                                            |             |
| <b>DEVELOPMENT OF MULTI-COMPONENT EXPLOSIVE LENSES FOR ARBITRARY PHASE VELOCITY GENERATION .....</b>                                                                                       | <b>1778</b> |
| <i>J Loiseau, J Huneault, O E Petel, S Goroshin, D L Frost, A J Higgins, F Zhang</i>                                                                                                       |             |
| <b>RAMAN TEMPERATURE MEASUREMENT .....</b>                                                                                                                                                 | <b>1784</b> |
| <i>D S Moore, S D McGrane</i>                                                                                                                                                              |             |
| <b>EQUATION OF STATE FOR DETONATION PRODUCT GASES .....</b>                                                                                                                                | <b>1789</b> |
| <i>K Nagayama, S Kubota</i>                                                                                                                                                                |             |
| <b>HIGH ENERGY-RESOLUTION ELECTRON ENERGY-LOSS SPECTROSCOPY AND SOFT-X-RAY EMISSION SPECTROSCOPY STUDIES OF AMORPHOUS DIAMOND TRANSFORMED FROM NEUTRON-IRRADIATED GRAPHITE .....</b>       | <b>1794</b> |
| <i>Y Sato, M Terauchi, K Niwase, K G Nakamura, T Atou, T Iwata</i>                                                                                                                         |             |
| <b>MODELING COMBINED TENSION-SHEAR FAILURE OF DUCTILE MATERIALS .....</b>                                                                                                                  | <b>1799</b> |
| <i>Y Partom</i>                                                                                                                                                                            |             |
| <b>RATE DEPENDENT SHEAR FAILURE AND THE SCALING EFFECT IN LONG ROD PENETRATION .....</b>                                                                                                   | <b>1804</b> |
| <i>Y Partom</i>                                                                                                                                                                            |             |
| <b>STRENGTH AND SINTERING EFFECTS AT EJECTION OF EXPLOSIVELY DRIVEN SAND .....</b>                                                                                                         | <b>1809</b> |
| <i>A D Resnyansky, S A Weckert</i>                                                                                                                                                         |             |
| <b>FEATURES OF THE INCORPORATION OF SINGLE AND DOUBLE BASED POWDERS WITHIN EMULSION EXPLOSIVES .....</b>                                                                                   | <b>1815</b> |
| <i>J B Ribeiro, R Mendes, B Tavares, C Louro</i>                                                                                                                                           |             |
| <b>BCC-FCC STRUCTURE TRANSITION OF TE .....</b>                                                                                                                                            | <b>1821</b> |
| <i>T Sugimoto, Y Akahama, T Ichikawa, H Fujihisa, N Hirao, Y Ohishi</i>                                                                                                                    |             |
| <b>X-RAY THOMSON SCATTERING AS A TEMPERATURE PROBE FOR GBAR SHOCK EXPERIMENTS .....</b>                                                                                                    | <b>1827</b> |
| <i>T Döppner, A L Kritcher, D Kraus, S H Glenzer, B L Bachmann, D Chapman, G W Collins, R W Falcone, J Hawreliak, O L Landen, H J Lee, S L Pape, T Ma, P Neumayer, R Redmer, D C Swift</i> |             |
| <b>TECHNIQUE TO MEASURE CHANGE IN BIREFRINGENCE UNDER SHOCK COMPRESSION .....</b>                                                                                                          | <b>1833</b> |
| <i>G R Tear, D E Eakins, D J Chapman, W G Proud</i>                                                                                                                                        |             |
| <b>COMPUTATIONAL STUDIES OF THE SKID TEST: EVALUATION OF THE NON-SHOCK IGNITION OF LX-10 USING HERMES .....</b>                                                                            | <b>1839</b> |
| <i>B W White, H K Springer, J E Reaugh</i>                                                                                                                                                 |             |

**AN OVERVIEW ON THE EFFECT OF MANUFACTURING ON THE SHOCK RESPONSE OF  
POLYMERS ..... 1845**  
*G Kister, D C Wood, G J Appleby-Thomas, J A Leighs, M Goff, N R Barnes, P J Hazell*

**TWO-TEMPERATURE HYDRODYNAMIC EXPANSION AND COUPLING OF STRONG  
ELASTIC SHOCK WITH SUPERSONIC MELTING FRONT PRODUCED BY ULTRASHORT  
LASER PULSE ..... 1851**  
*N A Inogamov, V V Zhakhovsky, V A Khokhlov, B J Demaske, K V Khishchenko, I I Oleynik*

**Author Index**