

Power Plant Pollutant Control “MEGA” Symposium

(MEGA 2014)

**Baltimore, Maryland, USA
19-21 August 2014**

Volume 1 of 2

ISBN: 978-1-63439-349-2

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

The opinions expressed in these papers are solely of the authors and should not be considered as having the endorsement or support of the Association.

Compilation Copyright © (2014) by the Air & Waste Management Association.
Copyright of the individual papers are retained by the authors.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact the Air and Waste Management Association at the address below.

Air and Waste Management Association
One Gateway Center, 3rd Floor
420 Fort Duzuesne Blvd.
Pittsburgh, Pennsylvania 15222-1435

Phone: 800 270 3444
Fax: 412 232 3450

www.awma.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

VOLUME 1

| | |
|---|-----|
| Update on Clean Air Act Actions | 1 |
| <i>J. McCabe</i> | |
| U.S. Department of Energy Clean Coal and Carbon Management Overview | 9 |
| <i>R. Conrad</i> | |
| Perspectives on Proposed Carbon Standards for Existing Power Plants | 38 |
| <i>J. Morris, D. Doniger, D. Murrow</i> | |
| Clean Power Generation: Stakeholder Perspective | 47 |
| <i>L. Monroe</i> | |
| #109 Global Climate Change: The Quantifiable Sustainability Challenge | 51 |
| <i>F. Princiotta, D. Loughlin</i> | |
| #118 The Inherent Benefits of a Coordinated MATS Solution: Lessons-Learned from Providing ACI and DSI Together | 86 |
| <i>G. Filippelli, C. Martin, C. Senior, T. Starns, D. Decator</i> | |
| #15 Optimum DSI/ACI Configurations for MATS Compliance | 97 |
| <i>J. Norman</i> | |
| #14 Latest Developments in DSI and ACI Systems | 103 |
| <i>M. Thiel</i> | |
| #57 Scrubber Additives for Mercury Re-Emission Control | 111 |
| <i>C. Acharya, G. Blythe, M. Richardson, C. Dene</i> | |
| #22-25 Impacts of Current Coal Unit Operations and Environmental Regulations on Wet FGD Systems | 122 |
| <i>M. Richardson, G. Blythe, K. Arambasick, J. Currie, N. Srinivasan, C. Dene</i> | |
| #28 Proactive Control Strategies to Prevent Re-Emissions and Achieve Consistent Mercury Compliance | 145 |
| <i>J. Yuan, W. Carlson, G. Finigan, J. Meier, B. Keiser</i> | |
| #90 Field Demonstration of Advanced Activated Carbon for Mercury Control in Wet FGD | 155 |
| <i>A. Li, J. Wong, R. Huston, S. Glesmann, W. Plona</i> | |
| #93 Single Scrubber Additive for Mercury and Heavy Metals Sequestration | 167 |
| <i>C. Chothani, P. Hurley, R. Evans</i> | |
| #70 Mercury Control with Brominated PAC and Injection Upstream of a Wet FGD System | 196 |
| <i>J. Miller, Z. Tang, G. Blythe, M. Richardson</i> | |
| #38 Optimizing Foam Control for Wet Flue Gas Desulphurization Systems | 214 |
| <i>P. Brandt, P. Dyer, K. Glikbarg, S. Tewell, M. Worcester</i> | |
| #1 Influence of FAO, Manganese Oxide and Bromide on the Corrosion Resistance of Duplex and Superaustenitic Materials for Wet FGD Systems | 231 |
| <i>S. Le Machet, E. Robin, A. Fanica, J. Grocki</i> | |
| #17 Impact of Bromine Addition on Low-Temperature Corrosion | 246 |
| <i>K. Davis, T. Shurtz, J. Beutler, B. Adams, W. Cox</i> | |
| #44 2014 Update on EPRI's Balance of Plant Effects Study of Bromine-based Mercury Controls | 262 |
| <i>K. Arambasick, K. Dombrowski, N. Srinivasan</i> | |
| #72 Impact of Mercury Emission Control on APH Baskets Corrosion and Mitigation Strategies | 278 |
| <i>J. Miller, E. Zhou, G. Lambeth</i> | |
| #78 Implementation of Baghouse Cleaning Changes to Improve Sorbent Injection Systems | 310 |
| <i>J. Rooney, A. Carstens, J. Daghlian, W. Simko</i> | |
| #56 Fabric Filter Leak Detector Setup and Use | 320 |
| <i>R. Snyder</i> | |
| #16 The Application of Fuel Additives to Improve ESP Performance | 335 |
| <i>P. Bardessi, C. Rojas, P. Farber</i> | |
| #31 Taking the Mystery Out of Choosing Electrostatic Precipitator (ESP) Power Supplies for MATS PM Control | 348 |
| <i>D. Johnston, J. Knapik, J. Walker</i> | |
| #8 Multi-Pollutant Control Using Pyrite Removal During the Coal Milling Process | 364 |
| <i>R. Truce, J. Cover, F. Kidman</i> | |
| #117 MATS Performance Testing of ACI and DSI Systems: Guidelines and Lessons Learned | 378 |
| <i>C. Senior, C. Martin, T. Starns, P. Farber</i> | |
| #11 A DSI System Installation at a Midwest Utility: A Low-Cost Pollutant Control Solution | 395 |
| <i>R. Broglio</i> | |

| | |
|--|-----|
| #49 Design, Installation and Performance of a DSI System at TVA Shawnee Fossil Plant Units 1 – 9 | 405 |
| <i>M. Kinkhabwala, R. Williams, C. Bone</i> | |
| #64 Dry Sorbent Injection (DSI) Operation and Optimization by Third Party Suppliers | 420 |
| <i>A. Depaoli, C. Lockert, M. Valach</i> | |
| #39 Project Update of 500 TPD Demonstration Plant for Coal-fired Power Plant | 438 |
| <i>T. Yonekawa, M. Inui, T. Kamijo, T. Tsujiuchi, H. Nagayasu, Y. Nakagawa, J. Thomas, T. Wall</i> | |
| #71 Field Testing of a Novel CO₂ Capture Process Utilizing Physical Sorbents | 452 |
| <i>R. Jain, D. Satchell, J. Klumppan, E. Everitt</i> | |
| #114 Solid Sorbents as a Retrofit CO₂ Capture Technology: Update on 1 MW Pilot Progress | 465 |
| <i>S. Sjostrom, W. Morris, N. Irvin, J. Denney, C. Lindsey, M. Sayyah, O. Syed, J. Thomas, M. Lindsay</i> | |
| #4 Evaluation of Heat Rates of Coal Fired Electric Power Boilers | 477 |
| <i>J. Staudt, J. Macedonia</i> | |
| #35 Using Pre-Air Preheater Injection of Hydrated Lime to Your Advantage | 503 |
| <i>C. Behn, A. Harris</i> | |
| #43 Update on SO₂ Control Using Dry Sorbent Injection Technology with Hydrated Lime | 512 |
| <i>G. Hung, J. Dickerman</i> | |
| #80 DSI Impact on Visual Opacity | 526 |
| <i>A. Silva, R. Snyder</i> | |
| #95 Case Study: Pulse Jet Fabric Filter & Dry Sorbent Injection for Biomass Boiler Application | 540 |
| <i>J. Shellenberger, J. Gilmour, A. Rainio</i> | |
| #29 Challenges in Licensing New Gas-Fired Combustion Turbine Generation as an Alternative to MATS Compliance | 552 |
| <i>D. Shotts, J. Perry, M. McGlynn</i> | |
| #59 Comparison of NO_x Reduction Technologies for Natural Gas-Fired Boilers: Impacts on Efficiency, Heat Rate, and Net Generation | 561 |
| <i>E. Schindler, R. Carr, M. Elliott, D. Giovanni</i> | |
| #108 Viability of SCR on Simple Cycle Gas Turbines | 575 |
| <i>A. Licata, L. Bressan, M. Chupka</i> | |
| #53 Siemens Flex-Plant with Clean-Ramp | 588 |
| <i>J. Haywood, R. Kagolanu, B. Marini</i> | |
| #21 Mercury Sorbent HX™ - A Patented Advancement in the Application of Sorbents for MATS Mercury Compliance | 596 |
| <i>W. Hizny, F. Rioult, X. Yang, N. Meeks</i> | |

VOLUME 2

| | |
|--|-----|
| #105 Improved Mercury Removal Performance using New Darco® EXP734 | 609 |
| <i>J. Adler, D. Smith</i> | |
| #111 ACI for Mercury Control at Units without Traditional Particulate Control | 615 |
| <i>R. Mimna, K. Fisher, N. Hatch</i> | |
| #102 MATS Hg Compliance Program Installation Update on PRB and Lignite Electric Utility Units | 630 |
| <i>J. Trettel, M. Sylvester, J. Eutizi, P. Luhring</i> | |
| #10 Full-Scale Test Evaluation of a Multielement Sorbent Trap Sampling Method For Halogen and Trace Metal Emissions at an Illinois Coal-Fired Plant | 641 |
| <i>J. Pavlish, J. Thompson, L. Hopkins</i> | |
| #120 TDL Based HCI CEMS Development Challenges To Meet EPA's Draft Performance Specification | 654 |
| <i>T. Kuiken, K. Crabbe, J. Pisano, T. Durbin, G. Mackay</i> | |
| #121 Overview of HCI Monitoring Technologies | 669 |
| <i>C. Dene</i> | |
| #116 A Look into the Crystal Ball: Post-MATS Utility Environmental Challenges | 680 |
| <i>C. Senior, S. Sjostrom</i> | |
| #7 Multi-Pollutant Control Solution for the Decatur Facility BART Compliance Project | 693 |
| <i>F. Owens II, J. Bisesi, L. McDonald, A. Silva, T. Swanson, P. Bair, B. Wendt</i> | |
| #26 Heavy Metals Emissions from a Coal-fired Utility Boiler with AQCS System | 708 |
| <i>L. Czarnecki, D. Love, W. Wang</i> | |
| #34 Physical Flow Modeling (PFM) and Computational Fluid Dynamics (CFD) Simulation to Enhance the CDS Technology | 722 |
| <i>J. Gayheart, M. Feldkamp</i> | |

| | |
|---|------|
| #40-50 Dominion’s Approach to Optimizing Spray Dry Absorbers by Replacing Rotary Atomizer with Dual Fluid Spray Nozzles | 736 |
| <i>A. Patni, E. Merricks, N. Johnson</i> | |
| #30-100 Water & Waste Challenges Facing the Coal-Fired Electricity Industry | 743 |
| <i>K. Ellison, X. Teng</i> | |
| #65 WFGD Effluent Characterization Study Update and Considerations for MATS, CCR, and ELG | 757 |
| <i>S. Winter, M. Fischer, M. Hoydick, M. Sandell</i> | |
| #47 Immobilization of Heavy Metals by Solidification / Stabilization in Co-Disposed Coal Fly Ash and Concentrated Flue Gas Desulfurization Wastewater Brines | 771 |
| <i>J. Renew, C.-H. Huang, S. Burns, M. Carrasquillo</i> | |
| #45 Swinging and Low Load Operation: Impacts on Wet FGD Chemistry, Wastewater Effluent Management and Air Emissions | 780 |
| <i>S. Brown, D. Johnson, B. Kennedy, R. Devault, J. Mitchell, G. Pavlovicz</i> | |
| #77 Upstream Wastewater Treatment to Address New Effluent Limitation Guidelines | 804 |
| <i>S. Feeney, H. Kruger, M. Gadgil</i> | |
| #74 SCR Catalyst Mercury Oxidation Behavior Studies Supporting MATS Mercury Compliance | 821 |
| <i>S. Hinton, T. Martz, C. Acharya, K. Cushing, J. Paradis</i> | |
| #20 Mercury Oxidation in the SCR with Ultra Low Halogen Fuel | 838 |
| <i>K. Neidig, E. Pear, T. Hayashi, C. Patterson, H. Yoshimura</i> | |
| #37 SCR Catalyst Selection and Management for Improved Hg Oxidation Performance | 851 |
| <i>C. Reeves, C. Bertole, C. DiFrancesco, S. Pritchard, K. Nochi</i> | |
| #81 Comparison Between Semi-bench Mercury Oxidation Results and BHK Prediction Model | 873 |
| <i>Y. Nagai, D. Porbatzki, A. Yamada, H. Yoshimura, A. Favale</i> | |
| #6 Approaches for Reducing and Eliminating WFGD Waste Water for Coal-Fired Power Plants | 885 |
| <i>R. Gansley, P. Rader, J. Brotherton</i> | |
| #69 Integrating Zero Liquid Effluent Discharge (ZLED) Technology into the Design of a 6x800 MW FGD Retrofit Project | 896 |
| <i>S. Russell, R. Craig Jr., R. Lutchminarain, A. Melanie</i> | |
| #61 Recent Applications of Meeting Compliance Challenges through Flue Gas Desulfurization (FGD) Wastewater Treatment | 914 |
| <i>T. Higgings, N. Hague, D. Kehres, D. Fink, K. Minirathinam, K. Jenkins, H. Suber, K. Doup</i> | |
| #32 Design of a High Removal Efficiency SCR System at Gallatin Fossil Plant Units 1 – 4 | 929 |
| <i>K. Henderson, C. Erickson, R. Williams</i> | |
| #27 Emerging Challenges and Design Strategies for SCR Systems | 942 |
| <i>L. Czarnecki, P. Oliveira</i> | |
| #5 Method for Improved SCR Performance through the Use of Enhanced NH₃ / NO Measurements and Process Control | 958 |
| <i>R. Himes</i> | |
| #88 Title Meeting NO_x Reduction with Technology with Co-Coupling | 972 |
| <i>M. Ehrnschwender, R. Glickert, M. Hay</i> | |
| #23 Performance Evaluation of a Vibratory Shear Enhanced Processing Membrane System for Flue Gas Desulfurization Wastewater Treatment | 981 |
| <i>B. Pakzadeh, J. Wos, J. Renew, L. Stowell, A. Deschutter, R. Breckenridge, J. Teng</i> | |
| #101 Meet ELG Limits by One Step Chemical Process – An Iron based Technology Pilot Demonstrations | 992 |
| <i>Y. Huang, X. Teng</i> | |
| #62 A Root Cause Study to Determine the Source of High Gypsum Moisture | 1008 |
| <i>J. Mion, M. Hoydick, S. Winter</i> | |
| #99 Trace-Metal Stabilization in Fly Ash by Amended Silicates | 1022 |
| <i>T. Gale, R. Stohmann</i> | |
| #91 Understanding Byproduct Impacts for MATS Compliance | 1033 |
| <i>J. Wong, R. Huston, C. Vizcaino, S. Glesmann, J. Kline, R. Minkara, J. Kelley</i> | |
| #94 Benefication of High Sodium Fly Ash | 1048 |
| <i>M. Atwell, R. Raythatha, K. Day</i> | |
| #12 Reversing SCR Buildup Problems with Ash Sweepers: The Experience at Wygen | 1055 |
| <i>J. Shelton, J. Shear, J. Shelton, A. Marti</i> | |
| #87 Title Pluggage Removal for SCR Catalyst Systems | 1065 |
| <i>M. Dunker, S. Hiedeman</i> | |
| #13 Importance of Furnace Mixing on Combustion Optimization and NO_x Reduction for Larger Coal-Fired Boilers | 1079 |
| <i>G. Liu, M. Klump, B. Gong, J. Aletto, C. Clemmer, V. Savarianadam, P. Crotty</i> | |

| | |
|---|------|
| #52 A Virtual Reconfigurable Controller for O₂ Balancing and Air Control | 1094 |
| <i>B. Radl</i> | |
| #18 Evaluation of Mercury Control Strategies in the Presence of SO₃ | 1103 |
| <i>B. Adams, B. Otten</i> | |
| #76 Designing AQC Equipment for the Remote, Cold Weather Climate of Healy, Alaska | 1113 |
| <i>L. Thompson, F. Goodrich, R. Lausman, M. DeFrancesco Jr.</i> | |
| #97 Fabric Filter Modular Fabrication for Constructability | 1121 |
| <i>H. Davis, B. Kalata, P. Paul</i> | |
| #48 Development of Speciation Method for Aqueous Selenium in Limestone-gypsum FGD Wastewater | 1132 |
| <i>H. Akiho, N. Noda, H. Shirai, S. Ito</i> | |
| #85 Utility FGD Design Trends – An Update Including Wastewater Treatment Systems | 1142 |
| <i>B. Hansen, N. Lumley</i> | |
| #98 Test and Evaluation of Amended Silicates™ for MATS Mercury Compliance in a Dry-Scrubbed Unit | 1166 |
| <i>J. Butz, S. Baloga, C. Brown Jr., R. Stohlmann</i> | |
| #107 Advances in Refined-Coal Technology for Emissions Reduction | 1179 |
| <i>M. Abbott, M. Gadgil, S. Batanian, G. Kotch, T. Owens, M. Watson</i> | |
| #112 Variable Rate Natural Gas/Coal Co-Firing | 1191 |
| <i>C. Lockert, A. Depaoli, M. Blankner, J. Czarniecki, T. McCreary, W. Kirkenir</i> | |
| Author Index | |