

**19th International
Conference on
Hydrotransport 2014**

**Golden, Colorado, USA
24 – 26 September 2014**

ISBN: 978-1-63439-444-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2014) by BHR Group
All rights reserved.

Printed by Curran Associates, Inc. (2014)

For permission requests, please contact BHR Group
at the address below.

BHR Group
The Fluid Engineering Centre
Cranfield, Bedfordshire MK43 0AJ
United Kingdom

Phone: +44 1234 750422
Fax: +44 1234 750074

contactus@bhrgroup.co.uk

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2634
Email: curran@proceedings.com
Web: www.proceedings.com

19th International Conference on
HYDROTRANSPORT
Colorado, USA: 24–26 September 2014

CONTENTS

FOREWORD	1
APPLICATION OF COMPUTATIONAL MODELS TO INDUSTRIAL PROBLEMS	
Simulation of particles transport in multiphase pipe flow for cleanup of oil and gas wells <i>K F Sinkov, Schlumberger Moscow Research Center and Moscow Institute of Physics and Technology; P E Spesivtsev, A A Osiptsov, Schlumberger Moscow Research Center, Russia</i>	5
Density and velocity profiles of non-dilute polydisperse sediment water mixtures using the drift flux model <i>J C Goeree, G Keetels, C van Rhee, Delft University of Technology; E A Munts, H H Bugdayci, IHC Merwede, The Netherlands</i>	17
Numerical investigation of sand-water mixture behavior in a centrifugal dredge pump <i>E A Munts, S J Dasselaar, H Bugdayci, MTI Holland B.V.; J C Goeree, MTI Holland B.V. and Delft University of Technology; C van Rhee, Delft University of Technology, The Netherlands</i>	29
Fluid Structure Interaction (FSI) in piston diaphragm pumps <i>R van Rijswijk, WEIR Minerals Netherlands B.V. and Delft University of Technology, A Talmon, Delft University of Technology and Deltares; C van Rhee, Delft University of Technology, The Netherlands</i>	43
Modelling of particle transport and bed-formation in pipelines <i>C Narayanan, S Gupta, D Lakehal, ASCOMP GmbH, Switzerland; S Thomas, ASCOMP USA Inc, USA</i>	57
APPLIED RHEOLOGY	
Method for measuring rheology at low shear rates <i>J Stowe, I Farrell, J M Treinen, R Cooke, Paterson & Cooke USA Ltd, USA</i>	69
Copper concentrate Couette rheometry: looking for a sweet spot <i>C F Ihle, M Álvarez, A Tamburrino, Universidad de Chile; F Munizaga, A Flores, Minera Los Pelambres, Chile</i>	79

CENTRIFUGAL PUMP PERFORMANCE

The effect of large particles on oil sand hydrotransport slurry pump performance <i>D Wolfe, Syncrude Canada Ltd, Canada</i>	89
Effect of throatbush adjustment on slurry pump operating costs <i>C I Walker, Weir Minerals Australia Ltd, Australia</i>	103
Centrifugal pump performance when handling highly non-Newtonian clays and tailings slurries <i>J Furlan, R Visintainer, GIW Industries, USA; A Sellgren, Lulea University of Technology, Sweden</i>	117
Pump and pipeline performance when pumping slurries with different particle gradings <i>A Sellgren, Lulea University of Technology, Sweden; R Visintainer, J Furlan, GIW Industries, USA; V Matousek, Czech Technical University in Prague, Czech Republic</i>	131

DEPOSITION VELOCITIES: MEASUREMENTS, MODELLING AND PREDICTIONS

Effect of pipe inclination on the deposition velocity of settling slurries <i>R B Spelay, R G Gillies, S A Hashemi, Saskatchewan Research Council; R S Sanders, University of Alberta, Canada</i>	147
Novel instrumentation to detect sliding and erratic bed load motion <i>H J Ilgner, CSIR, South Africa</i>	163
Trends in stationary deposition velocity with varying slurry concentration covering the turbulent and laminar flow regimes <i>P Goosen, A Paterson, Paterson & Cooke, South Africa</i>	179

NON-NEWTONIAN MIXTURES

Laminar non-Newtonian flow in open channels of different cross-sectional shapes: An alternative approach <i>N Alderman, BHR Group, UK</i>	197
Flow of non-Newtonian fluids in pipes with large roughness <i>L J W Graham, J Wu, CSIRO Minerals Downunder Flagship; L Pullum, Private Consultant, Australia</i>	211
Design of agitators for storage and surge tanks with high yield stress fluids <i>J Jung, W Keller, N Rohn, EKATO Rühr- und Mischtechnik GmbH, Germany</i>	223

“ON THE SHOULDERS OF GIANTS...”

Slurries of most interest to the mining industry flow homogeneously and the deposit velocity is the key parameter <i>A D Thomas, Slurry Systems Pty Limited, Australia</i>	239
---	-----

Does pseudo-rheology have a role in hydrotransport? <i>L Pullum, Consulting Engineer, Australia</i>	253
The history of coal slurry pipelines <i>R Derammelaere, Ausenco PSI LLC; E J Wasp, STI (Slurry Transport International); N Neal, Private Consultant; W M Cauthen, Tiger Energy Services, Inc., USA</i>	263
Developments in slurry flow modelling in historical perspective <i>K Wilson, Consultant, Canada; A Sellgren, Lulea University of Technology, Sweden</i>	279
 PIPELINE SYSTEMS – DESIGN AND IMPLEMENTATION	
Nkomati Nickel tailings pumping system: a case study <i>H M Nel, DRA Group Holdings (Pty) Ltd; G Johnson, Paterson & Cooke Consulting Engineers (Pty) Ltd, South Africa</i>	293
A new coal slurry pipeline under development in Mozambique – A case study <i>R Talamudupula, J Harris, Ausenco PSI LLC, USA; A Kuchibhotla, JSPL Mozambique Minerais Ltda, Africa</i>	301
 PIPELINE WEAR	
Characterization of hydro-abrasive wear in the slurry pipelines using white light interferometer <i>E A Chemmalasseri, A M Talmon, Delft University of Technology, The Netherlands</i>	315
An investigation into developing slurry flow conditions and their effect on wear profiles using a pilot scale flow loop <i>A Fuhr, M Krantz, B Fotty, Alberta Innovates – Technology Futures (AITF), Canada</i>	325
 SETTLING SLURRIES – NEWTONIAN CARRIER	
Holdup datasets predict critical deposition velocities using a modification of the two-layer model <i>T F Jones, TFJ Consulting Ltd, UK</i>	341
Distribution of concentration of coarse particle–water mixture in horizontal circular pipe <i>P Vlasak, Z Chara, J Konfrst, J Krupicka, Institute of Hydrodynamics ASCR, v. v. i., Czech Republic</i>	349
The Delft Head Loss & Limit Deposit Velocity model <i>S A Miedema, Delft University of Technology, The Netherlands; R C Ramsdell, Great Lakes Dredge & Dock Company, USA</i>	361
Experimental evaluation of interfacial friction and transport in steep flume <i>V Matoušek, V Bareš, J Krupička, T Pícek, Š Zrostlík, Czech Technical University in Prague, Czech Republic</i>	377

Solids velocity fluctuations in concentrated slurries 391
*S A Hashemi, R B Spelay, K F K Adane, Saskatchewan Research Council;
R S Sanders, University of Alberta, Canada*

SETTLING SLURRIES – NON-NEWTONIAN CARRIER

Application of an in-line flow visualisation technique based on ultrasonics 407
for paste and thickened tailings
*R Kotzé, R Haldenwang, Cape Peninsula University of Technology, South
Africa; J Wiklund, SIK - The Swedish Institute for Food and Biotechnology,
Sweden*

Characterisation of thickened tailings suspensions using a 100NB and 421
150NB pilot test facility
M Coghill, N Jarvie, Rio Tinto; L Pullum, Consulting Engineer, Australia

Critical shear stress for incipient motion of non-cohesive particles in open 435
channel flows of pseudoplastic fluids
*A Tamburrino, C Ihle, University of Chile; D Carrillo, BRASS Chile S.A.;
F Negrete, Ministry of Public Works, Chile*

Particle terminal settling velocities in non-Newtonian, viscoplastic fluids 449
A S Arabi, R S Sanders, University of Alberta, Canada

SLURRY FLOW – NOVEL DEVELOPMENTS

Characterization and delivery of Hanford high-level radioactive waste slurry 461
*M G Thien, Washington River Protection Solutions, LLC; K M Denslow, Pacific
Northwest National Laboratory; K P Lee, AREVA Federal Services, LLC, USA*

Options for fixed mechanical sand bypassing at river entrances 479
N T Cowper, L Nankervis, A D Thomas, Slurry Systems Pty Limited, Australia

The effects of solids porosity on physical properties and slurry behaviour 493
J Harris, R Talamudupula, Ausenco Process Infrastructure, USA

POSTERS

Construction challenges for slurry pipelines in cold weather and hard rock 501
conditions
J Harris, R Talamudupula, A Speirs, Ausenco, USA

Optimization of tailings dissipation boxes 503
J Facusse, M Zegpi, D Manzo, Ausenco, Chile

Advanced simulation of subsea hydrates formation and associated risks and 505
impact on flow assurance
*M Labois, D Lakehal, C Narayanan, ASCOMP GmbH Zurich, Switzerland;
S Thomas, ASCOMP USA Inc., USA*

AUTHOR INDEX