



XIII Mexican Symposium on Medical Physics

León, Guanajuato, Mexico

15–16 March 2014

Editors

José de Jesús Bernal-Alvarado

Universidad de Guanajuato Campus León, Guanajuato, Mexico

Rafael Guzmán-Cabrera

Universidad de Guanajuato, Guanajuato, Mexico

María-Ester Brandan

Instituto de Física UNAM, Distrito Federal, Mexico

Sponsoring Organizations

División de Física Médica, Sociedad Mexicana de Física

Universidad de Guanajuato-Campus León

Centro Latinoamericano de Física, CLAF

Instituto Politécnico Nacional, IPN

All papers have been peer reviewed.



Melville, New York, 2014
AIP Proceedings

Volume 1626

Editors

José de Jesús Bernal-Alvarado

Universidad de Guanajuato Campus León
División de Ciencias e Ingenierías
Loma del Bosque 103
Colonia Lomas del Campestre
37150 León, Guanajuato
Mexico

E-mail: bernal@fisica.ugto.mx

Rafael Guzmán-Cabrera

Universidad de Guanajuato
División de Ingenierías
Campus Salamanca
Carr. Salamanca- Valle de Santiago
Km 3.5+1.8, Comunidad de Palo Blanco
36885 Salamanca, Guanajuato
Mexico

E-mail: guzmanc81@gmail.com

María-Ester Brandan

Instituto de Física UNAM
AP 20-364
04510 Distrito Federal
Mexico

E-mail: brandan@fisica.unam.mx

Authorization to photocopy items for internal or personal use, beyond the free copying permitted under the 1978 U.S. Copyright Law (see statement below), is granted by the AIP Publishing LLC for users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$30.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA: <http://www.copyright.com>. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Services is: 978-0-7354-1263-7/14/\$30.00



© 2014 AIP Publishing LLC

No claim is made to original U.S. Government works.

Permission is granted to quote from the AIP Conference Proceedings with the customary acknowledgment of the source. Republication of an article or portions thereof (e.g., extensive excerpts, figures, tables, etc.) in original form or in translation, as well as other types of reuse (e.g., in course packs) require formal permission from AIP Publishing and may be subject to fees. As a courtesy, the author of the original proceedings article should be informed of any request for republication/reuse. Permission may be obtained online using RightsLink. Locate the article online at <http://proceedings.aip.org>, then simply click on the RightsLink icon/“Permissions/Reprints” link found in the article abstract. You may also address requests to: AIP Publishing Office of Rights and Permissions, Suite 300, 1305 Walt Whitman Road, Melville, NY 11747-4300, USA; Fax: 516-576-2450; Tel.: 516-576-2268; E-mail: rights@aip.org.

ISBN 978-0-7354-1263-7

ISSN 0094-243X

Printed in the United States of America

AIP Conference Proceedings, Volume 1626
XIII Mexican Symposium on Medical Physics

Table of Contents

Preface: XIII Mexican Symposium on Medical Physics María-Ester Brandan	1
Acknowledgments	2
Organization	3
Photo	4
PLENARY AND INVITED PAPERS	
Potential application of metal nanoparticles for dosimetric systems: Concepts and perspectives Eder José Guidelli and Oswaldo Baffa	5
TMS–EEG: From basic research to clinical applications Julio C. Hernandez-Pavon, Jukka Sarvas, and Risto J. Ilmoniemi	15
Magnetic resonance techniques for investigation of multiple sclerosis Alex MacKay, Cornelia Laule, David K. B. Li, Sandra M. Meyers, Bretta Russell-Schulz, and Irene M. Vavasour	22
Liposomes as delivery systems for antineoplastic drugs Luis Alberto Medina	36
Techniques to evaluate the quality of medical images Marlen Perez-Diaz	39
The atomic magnetometer: A new era in biomagnetism Ronald T. Wakai	46

CONTRIBUTED ORAL PAPERS

- Characterization of radiation beams used to determinate the correction factor for a CyberKnife® unit reference field using ionization chambers**
Nestor Aragón-Martínez, Arnulfo Gómez-Muñoz, and Guerda Massillon-JL 55
- Response of a hybrid pixel detector (MEDIPX3) to different radiation sources for medical applications**
E. Miguel Chumacero, B. De Celis Alonso, M. I. Martínez Hernández, G. Vargas, F. Moreno Barbosa, and E. Moreno Barbosa 61
- Characterization of skeletal muscle in the synemin knock-out mouse**
Karla P. García-Pelagio, Joaquin Muriel, Richard M. Lovering, Linda Lund, Meredith Bond, and Robert J. Bloch 67
- Preclinical assessment of dopaminergic system in rats by MicroPET using three positron-emitting radiopharmaceuticals**
V. M. Lara-Camacho, M. C. Ávila-García, and M. A. Ávila-Rodríguez 73
- Comparative morphometry of facial surface models obtained from a stereo vision system in a healthy population**
Leticia López, Alfonso Gastélum, Yuk Hin Chan, Patrice Delmas, Lilia Escorcia, and Jorge Márquez 77
- A six-channel pediatric coil array for detection of children spinal pathologies by MRI at 1.5 Tesla**
Marcos Alonso López Terrones and Sergio Enrique Solís-Nájera 82
- Valve morphology effect in aortic coarctation flow using realistic silicon models and magnetic resonance imaging**
Oscar Marrufo, Sergio Solis-Najera, Philippe Pibarot, Lyes Kadem, Zahra Kesharvarz-Motamed, Alfredo O. Rodriguez, and Julio Garcia 86
- Accuracy of an infrared marker-based patient positioning system (ExacTrac®) for stereotactic body radiotherapy in localizing the planned isocenter using fiducial markers**
María de los Ángeles Montes-Rodríguez, Mariana Hernández-Bojórquez, Alma Angélica Martínez-Gómez, Agustín Contreras-Pérez, Ingrid Mireya Negrete-Hernández, Jorge Omar Hernández-Oviedo, Eleni Mitsoura, and Bernardino Gabriel Santiago-Concha 91
- Characterization of unconventional electron fields for the treatment of mycosis fungoides using the total skin irradiation technique**
M. A. Pagnan González, J.O. Hernández Oviedo, E. Mitsoura, and D. R. Ruesga Vázquez 96

CONTRIBUTED POSTER PAPERS

- Patient dose estimation from CT scans at the Mexican National Neurology and Neurosurgery Institute**
Héctor Alva-Sánchez, Alberto Reynoso-Mejía, Katiuzka Casares-Cruz, and Jesús Taboada-Barajas 102
- Different cerebral connectivity of obese and lean children studied with fMRI**
Anaya Moreno Maryan A., Hernández López Javier M., Hidalgo Tobón Silvia, Dies Suarez Pilar, Barragán Pérez Eduardo, and De Celis Alonso Benito 106
- Reproducibility of quantitative measures of binding potential in rat striatum: A test re-test study using DTBZ dynamic PET studies**
A. Avendaño-Estrada, V. M. Lara-Camacho, M. C. Ávila-García, and M. A. Ávila- Rodríguez 110
- Neutron dosimetry in solid water phantom**
Jorge Luis Benites-Rengifo and Hector Rene Vega-Carrillo 114
- Difference between healthy children and ADHD based on wavelet spectral analysis of nuclear magnetic resonance images**
González Gómez Dulce I., Moreno Barbosa E., Mario Iván Martínez Hernández, José Ramos Méndez, Hidalgo Tobón Silvia, Dies Suarez Pilar, Barragán Pérez Eduardo, and De Celis Alonso Benito 117
- TREG coated iron oxide nanoparticles as contrast agent for MRI in-vivo use**
Gutierrez-Garcia Eric, Hidalgo-Tobon Silvia, Lopez Ciro, Gonzalez-Rodriguez Roberto, Coffey Jeffery, De Celis Alonso Benito, Dies Suarez Pilar, Obregon Manuel, Perez-Pena Mario, Platas-Neri Diana, and Mendez-Rojas Miguel 121
- Comparison of the calculated absorbed dose using the Cadplan™ treatment planning software and Tld-100 measurements in an Alderson-Rando phantom for a bronchogenic treatment**
J. G. Gutiérrez Castillo, J. T. Álvarez Romero, A. Torres Calderón, and V. Tovar M 125
- Specific absorption rate calculations of magnetite, using a modified linear response model for applications in magnetic hyperthermia**
A. Hernández S., M. E. Cano, and J. Torres-Arenas 130
- Anisotropic bioelectrical impedance determination of subcutaneous fat thickness**
P. A. I. Hernández-Becerra, I. Delgadillo-Holtfort, M. Balleza-Ordaz, M. R. Huerta-Franco, and M. Vargas-Luna 134
- Magnetic field calculations for iron oxide nanoparticles for MRI**
Hernandez Ricardo, Mendez Rojas Miguel, Dies Suarez Pilar, and Hidalgo Tobón Silvia 138

On the role of ion-based imaging methods in modern ion beam therapy L. Magallanes, S. Brons, T. Marcelos, M. Takechi, B. Voss, O. Jäkel, I. Rinaldi, and K. Parodi	142
Coating of gold nanoparticles for medical application: UV-VIS Juan Carlos Martínez Espinosa, Nayem Amtanus Chequer Ramírez, Luis Enrique Funes Oliva, Teodoro Córdova Fraga, Jesús Bernal Alvarado, Aldelmo Reyes Pablo, and Rosa Elvira Núñez Anita	147
Holter registers and metabolic syndrome A. Muñoz-Diosdado, L. Ramírez-Hernández, A. M. Aguilar-Molina, J. A. Zamora-Justo, R. A. Gutiérrez-Calleja, and C. D. Virgilio-González	151
Multifractal analysis and the NYHA index A. Muñoz-Diosdado, L. Ramírez-Hernández, A. M. Aguilar-Molina, J. A. Zamora-Justo, R. A. Gutiérrez-Calleja, and C. D. Virgilio-González	155
Multi circular-cavity surface coil for magnetic resonance imaging of monkey's brain at 4 Tesla A. I. Osorio, S. E. Solis-Najera, F. Vázquez, R. L. Wang, D. Tomasi, and A. O. Rodriguez	159
ADC biomarker for head and neck tumors Pacheco-Bravo Irlanda, Hidalgo-Tobon Silvia, Zaragoza Kena, Reynoso-Noverón Nancy, De Celis-Alonso Benito, and Delgado-Hernandez Rosa	164
Characterization of TLD-100 micro-cubes for use in small field dosimetry Salvador Peña-Jiménez, José Manuel Lárraga-Gutiérrez, Olivia Amanda García-Garduño, and Isabel Gamboa-deBuen	168
The use of wavelet filters for reducing noise in posterior fossa Computed Tomography images Reinado Pita-Machado, Marlen Perez-Diaz, Juan V. Lorenzo-Ginori, and Rolando Bravo-Pino	171
Brain activations evoked by tactile stimulation varies with the intensity and not with number of receptive fields stimulated: An fMRI study Y. T. Ramirez Garzón, E. H. Pasaye, and F. A. Barrios	175
Dosimetric study of surface applicators of HDR brachytherapy GammaMed Plus equipment E. Reyes-Rivera, M. Sosa, U. Reyes, E. Monzón, J. Bernal, T. Córdova, and A. Gil-Villegas	181
Diagnosis of digestive functional disease by the statistics of continuous monitoring of esophageal acidity Rogelio Rivera Landa, Eduardo Cardenas Cardenas, Ruben Fossion, and Mario Ulises Pérez Zepeda	185

Wavelet analysis of MR functional data from the cerebellum Romero Sánchez Karen, Vásquez Reyes Marcos A., González Gómez Dulce I., Hidalgo Tobón Silvia, Hernández López Javier M., Dies Suarez Pilar, Barragán Pérez Eduardo, and De Celis Alonso Benito	189
Monte Carlo simulation of an x-ray luminescence optical tomography scanner prototype S. Rosas-González, A. Martínez-Dávalos, M. Rodríguez-Villafuerte, and T. Murrieta-Rodríguez	193
Ex vivo micro-CT imaging of murine brain models using non-ionic iodinated contrast N. Salas Bautista, A. Martínez-Dávalos, M. Rodríguez-Villafuerte, T. Murrieta-Rodríguez, J. Manjarrez-Marmolejo, J. Franco-Pérez, and M. E. Calvillo-Velasco	197
Developing a device for monitoring O₂ saturation in blood Karla J. Sánchez-Pérez, Javier Herrera-Vega, Enrique Sucar-Succar, Felipe Orihuela-Espina, and Carlos G. Treviño-Palacios	201
Variability of the human heart rate as a diagnostic instrument obtained by mean of a wireless monitor Sánchez Barajas Mauricio, Hernández González Martha Alicia, Figueroa Vega Nicté, Malacara Hernández Juan Manuel, and Córdova Fraga Teodoro	205
Preliminary study of slow and fast ultrasonic waves using MR images of trabecular bone phantom S. E. Solis-Najera, J. A. Neria-Pérez, L. Medina, R. Garipov, and A. O. Rodríguez	209
Magnetic resonance imaging of rodent spinal cord with an improved performance coil at 7 Tesla S. E. Solis-Najera and A. O. Rodriguez	213
⁵⁵Co separation from proton irradiated metallic nickel H. F. Valdovinos, S. Graves, T. Barnhart, and R. J. Nickles	217
Entropy analysis for determining systolic and diastolic cycles in heart MR imaging Fabian Vazquez, Sergio Solis-Najera, Oscar Marrufo, Marcos Ley-Koo, and Rodrigo Martin	221
Radiation protection program for early detection of breast cancer in a mammography facility Villagomez Casimiro Mariana, Ruiz Trejo Cesar, and Espejo Fonseca Ruby	224
Location of foot arteries using infrared images Carlos Villasenor-Mora, Arturo González-Vega, Martín Osmany Falcón Antonio, Jesús Francisco Guillermo Benítez Ferro, and Teodoro Córdova Fraga	228