2014 Second RSI/ISM **International Conference on Robotics and Mechatronics**

(ICRoM 2014)

Tehran, Iran 15-17 October 2014



IEEE Catalog Number: CFP14RSI-POD ISBN:

978-1-4799-6744-5

Table of Contents

The Nonlinear Suboptimal Diving Control of an Autonomous Underwater Vehicle
The State-dependent Set-point Regulation and Tracking Control of Horizontal Motion of AUV 7
A Comparative Study on SMC, OSMC and SDRE for Robot Control13
Nonlinear Control of a Non-Passive Bilateral Teleoperation in Presence of Unsymmetric Time Varying Delay19
Robust Distance-Angle Leader-Follower Formation Control of Non-Holonomic Mobile Robots24
High Precision Electro-Hydraulic Self Leveling Platform system29
Push Recovery for NAO Humanoid Robot35
Automated Synthesis of Optimal Controller Using Multi-Objective Genetic Programming For Two- Mass-Spring System41
Comparison of Nearest Neighbor and Probabilistic Data Association Methods for Non-linear Target Tracking Data Association47
Real-Time Haptic Simulation of Soft Tissue Deformation53
Conceptual Design of a Lower Limb Motion Assist Robot with Bodyweight Support59
Dynamic Balancing of Two Planar Parallel 3-DOF Mechanisms without Counter-Rotations65
Gas Turbine Fault Detection and Identification by using Fuzzy Clustering Methods70
Reduced Order Representation of Robust Multi-target Multi-agent Sensor Allocation76
Study on the Effect of Axial Forces on Dynamic Stiffening of a 3-RPR Planar Parallel Manipulator with Flexible Intermediate Links83
Coverage Control Considering Unknown Moving Obstacles Avoidance89
Forbidden Region Virtual Fixture for Nonlinear Teleoperation Systems with Variable Time Delays9
Free Chattering Sliding Mode Control with Adaptive Algorithm for Ground Moving Target Tracking101
Dynamics Modeling of a Biped Robot with Active Toe Joints
Singularity Analysis of a Novel Three Translational DoF Parallel Robot Considering Kinematic Asymmetric Property113
Coverage Control in Non-Convex Environment Considering Unknown Non-Convex Obstacles 119
Experimental Study on Task Space Control during Physical Human Robot Interaction125
Offline Path Planning, Dynamic Modeling and Gait Optimization of a 2D Humanoid Robot131
Dynamics Model and Adaptive Control of Underwater Fish-Like Micro Mobile Robot with PZT Actuator137
Robust Stability for Bilateral Teleoperation Systems Under Time-Varying Delay by Communication Disturbance Observer

Effect of Motion Parameters on Time Optimal Path of Biped Robot Using Pso Algorithm	149
Suppression of Dynamic Pull-in Instability in Electrostatically Actuated Strain Gradient Beams	155
A high-speed low-power multitask digital vision chip	161
Control of a Pneumatically Actuated 6-DOF Gough-Stewart Platform	166
FPGA Design and Implementation for Real Time Vision Applications on NTACO Mobile Robot	172
A Full Bio-Inspired Bipedal Gait Locomotion System	178
An RGB-D Based Social Behavior Interpretation System for a Humanoid Social Robot	185
A New Spatiotemporal Virtual Plane to Evaluate the Performance of the Border Coverage Scen	arios
	191
A Geometrical Approach for Aerial Cooperative Obstacle Mapping using RSSI Observations	197
Development of a Tactile Robot for Tumor Detection and Localization in Biological Liver Tissue	203
Sliding Impedance Control for Improving Transparency in Telesurgery	209
Video-Based Multiple Vehicle Tracking at Intersections	215
Networked Control of Mobile Robots Using Switched Systems Theory	221
Damping Control of a Quadrotor with Swinging Load Using Input Shaping Method	227
Dynamics Modeling of Fully-Actuated Humanoids with General Robot-Environment Interaction	233
Online Time-Optimal Trajectory Planning In Dynamic Workspace of Cable Suspended Robots	239
Low Speed Control of AC Servo Motors in No-Load Conditions	245
Improving Transparency in Macro-Micro Tele-manipulation by Means of External Force Estima	
Designing a 2-DOF Passive Mechanism for Dynamical Calibration of MEMS-based Motion Senso	
TL-OSR, a Low Cost Mobile Robot with Open-source Technology Based on Sensor Fusion	262
Modeling of a Two-Stage Flapper-Nozzle electro-hydraulic servo valve exposed to acceleration	268
Error Based Self-Regulating PID Angle Control of Variable Structure Redundant Brushed DC Mo	
Dynamic Modeling and Computed Torque Control of a 3-DOF Spherical Parallel Manipulator	
Indirect Optimal Trajectory Planning of Robotic Manipulators with Homotopy Continuation	
Technique	286
Ball Tracking with a 2-DOF Spherical Parallel Robot Based on Visual Servoing Controllers	292
Parameter Estimation of Hammerstein-Wiener ARMAX Systems Using Unscented Kalman Filter	298
Parallel Spring Simplifies Actuator Output Torque And Improves Feed-Forward Learning	304
Comparing Two Online Tip-Over Avoidance Algorithms for Mobile Manipulators	310
An Online Implementation of Robust RGB-D SLAM	316
Workspace Determination of Planar Parallel Robots via Progressive Growing Neural Gas Netwo	rk 322
System Identification of a Humanoid Robot Power Transmission System	328

Range Image Denoising using a Custom Built Multiscale Transform	3
Design and Fabrication of a Robotic Tactile Device for Abdominal Palpation33	9
Fuzzy Coordination Graphs and Their Application in Multi Robot Coordination under Uncertainty.34	5
Cooperative Formation Control of Quadrotors with Obstacle Avoidance and Self Collisions Based on a Hierarchical MPC Approach	
Coordinated trajectory tracking and collision-avoidance in dynamic environment for robots with double-integrated nonlinear dynamics	7
Stable Walking of a Quadruped Robot on Uneven Terrains with Friction Constraints36	4
Energy Dissipation Rate Control for Planar quadruped bouncing Robot Based on the Property of Passive Dynamic Walking	0'
A Robust Adaptive Linear Control for a Ball Handling Mechanism	6
Improving the stability of gait planning for quadruped robots	2
Coverage Control of a Dynamic Large-Scale Environment Using Sector-Based Sensors38	8
Recursive Kane formulation for deriving the equations of motion a chain of robotic arms39	3
Velocity alignment for multiple agents based on topological distance with external disturbances39	9
Visual Servoing Control of Robot Manipulator with Jacobian Matrix Estimation40	5
Trajectory Tracking of the Quadrotor using Stabilizer Mechanisms	0
Control of Non-Linear Systems with Fast Varying-Parameters Using Adaptive-SMC Compensated by Short-Time Linear Quadratic Form Technique41	.6
On The Determination of the Maximal Inscribed Ellipsoid in the Wrench-Feasible Workspace of the Cable-Driven Parallel Robots	2
A Human Electrocardiogram Signal Processing Algorithm for Real-Time Control and Monitoring Applications	.8
Design and impelmentation of a speaker verification system using i-vector and Support Vector Machines	4
Elbow Rehabilitation Robot with Cable Actuation: First Experimental Results44	0
Design, Developement, Dynamic Analysis and Control of a 2-DOF Spherical Parallel Mechanism 44	.5
A Region Based CAMShift Tracking with a Moving Camera45	1
Paths of Two-Wheeled Self-Balancing Vehicles in the Horizontal Plane45	6
Regrasp Planning through Throwing and Catching46	2
Trajectory Tracking Control of Autonomous Underactuated Hovercraft Vehicles with Limited Torque	
Statics Modeling of Planar Continuum Robots Using Virtual Energy Method47	
Finite Circular Elements for Modeling of Continuum Robots	0
Impedance Control of the 3RPS Parallel Manipulator48	6

Design, Analysis and Optimization of a Novel Capacitive Pressure Sensor Based on Vertical Grid Configuration	
Cooperative Object Transportation by Multiple Mobile Manipulators through a Hierarchica Architecture	
The fuzzy expert system for hip motion enhancement in gait trainer robot	509
Dynamics Synchronization of the Running of Planar Biped Robots with SLIP Model in Stand	
	516
Mechatronics Modeling of a Branching Tendon-driven Robot	522
New reptile based omni-direction locomotion for a quadruped robot	528
Design of an Economical SCARA Robot for Industrial Applications	534
Attitude Control an Autonomous Octorotor	540
Multi Criteria Design of a Spherical 3-DoF Parallel Manipulator for Optimal Dynamic Performance	rmance 546
Modeling and adaptive sliding mode control of Samen SpaceCam	552
Optimal Path Planning for DRSSI based Localization of an RF Source by Multiple UAVs	558
Aerial Obstacle EstimationUsing RSSI Observations based on OHLOSS diffraction Model	564
Pattern Generation for Humanoid Robot with Natural ZMP Trajectory	570
Closed-Form Dynamic Formulation of Spherical Parallel Manipulators by Gibbs-Appell Met	thod 576
An Improved Optimization Method for iSAM2	582
Learning of Gestures by Imitation using a Monocular Vision System on a Humanoid Robot.	588
Dynamic behavior analysis of a planar four-bar linkage with three clearances joints	595
Geometric Design of 3R Manipulators for Three Precision Poses Using Dual Quaternions	601
A Vision-based Automatic Hotline Tracking Approach Using Unscented Kalman Filter	607
A Fuzzy Logic Based Motion Control for Nonholonomic Mobile Manipulator Robots	613
Design of a Fuzzy Controller by Minimum Controlling Inputs for a Quadrotor	619
Inverse Dynamics and Ground Reaction Force Estimation During Walking	625
Derivation of Dynamic Equations and Parametric Analysis for Dual Arm Mobile Manipulato Recursive Gibbs-Appell Formulation	_
Adaptive Impedance Control of UAVs Interacting with Environment Using a Robot Manipu	ılator 636
A Soccer Playing Humanoid Robot: Design, Algorithm and Prototype	642
The Design, Implementation, and Stability Analysis of a Human-Inspired Dome-Tethered R	Robot 648
Numerical Study of a Novel Microfluidic Eectroosmotic Mixer with High and Fast Throughp	out 654
Design, Simulation and Optimization of a Novel DC Electroosmotic Micro-infusion Pump	660

Management of Change propagation in Mechatronic Product Design Based on Minimum Cost of Changes	6
Mechanical Design, Implementation and Tracking Control of a Seven Degree of Freedom Redundant Manipulator using Discontinuous Lyapunov-based Controller	
A Fast Kinematic-Based Control Method for Lower-limb Power Augmentation Exoskeleton67	'8
4-D body posture in sagittal plane for care-receiver patient can be estimated by using only two low-resolution tactile sensors mounted on robot arms	
Implementation of Analytic Iterative Redundancy Resolution Technique on KNTU Cable Robot69	0
Fuzzy Logic Technique to Control a Robot Based on Non-Invasive Brain Computer Interface by Humar Group	
A Real-time Coverage and Tracking Algorithm for UAVs based on Potential Field70	0
Geometric control of the brachiation robot using controlled lagrangians method70)6
RoboParrot: A Robotic Platform for Human Robot Interaction, case of Autistic Children71	.1
Determining Mood via Emotions Observed in Face by Induction	.7
Computing a configuration skeleton for motion planning of two round robots on a metric graph72	:3
Adaptive H∞ controller Based on GA-Hybrid Wavelet RBF for Robot Arm73	0
Adaptive Position/Force Control of Robot Manipulators with Force Estimation73	6
Robust Output Feedback Control for a Class of Nonlinear Systems	2
Effect of Utilizing a Humanoid Robot as a TherapyAssistant in Reducing Anger, Anxiety, and Depression74	8
The Effect of Employing Humanoid Robots for Teaching English on Students' Anxiety and Attitude75	54
Social Robots as Assistants for Autism Therapy: Research in Progress	60
Trajectory Tracking Control Law for a Tractor-Trailer Wheeled Mobile Robot	57
Actor-Critic Neural Network Reinforcement Learning for Walking Control of a 5-Link Biped Robot 77	'3
Analysis of Tactile Imprints for Multi-Fingered Robot Hands	'9
Synthesis of System for Automatic Formation of Multilink Manipulator Velocity78	35
Detecting finger movement through classification of electromyography signals for use in control of robots	1
A system for feature classification of emotions based on Speech Analysis; Applications to Human-Robot Interaction	95
Two steps optimization path planning algorithm for robot manipulators using imperialist competitiv algorithm80	
Identification of Flexible Link by a Novel Recursive Maximum Likelihood Method80)7
Brain-Robot interface: distinguishing left and right hand EEG signals through SVM81	.3
A Mechatronic System Mounted on Insole for Analyzing Human Gait81	.7
Fast Object Tracking with Long-Term Occlusions Handling in Dynamic Scenes	!3

Using Rapidly Random Trees and Linear Programming for Stable Operation of a Multi-Robot Syste on Domes	
Control System Desgin of an Active Assistive Exoskeletal Robot for Rehabilitation of Elbow and W	
Stable Walking of Quadruped Robots Using Fuzzy Back-stepping Approach	.840
A Control Approach for Five Bar Linkage Manipulator Based on Imperialist Competitive Algorithm	846
Gait Generation and Transition for a Five-Link Biped Robot by Central Pattern Generator	852
Fuzzy Supervisory Assisted Impedance Control to Reduce Collision Impact	858
Optimum Determination of Motor Mount locations for a Cable-driven Rehabilitation Robot	864
Adaptive Robust Sliding Mode Controller Design for Full Control of Quadrotor with External Disturbances	.870
Nonlinear Optimal Control via Finite Time Horizon State-dependent Riccati Equation	.878
Gait Anaysis of Walking wth Scottish Rite Orthosis	.884
LQR Motion Control and Analysis of a Prototype Spherical Robot	.890
Offset Free Adaptive Neural Network based Predictive Control for Pneumatic Servo System	.896
Transformation Invariant 3D Object Recognition Based On Information Complexity	902
Trilateral Filtering of Range Images Using Normal Inner Products	908
Simulation and Analysis of a TET-Walker Robot Motion	914
Multi Scale CRF Based RGB-D Image Segmentation Using Inter Frames Potentials	.920
Development of the Tuning Formula for Unstable First Order Processes with Time Delay	.926
Attitude Control Using an Extended Calssifier System Algorithm for Offline Auto-Tuning of a PID Controller	.930
Adaptive Handshaking between Humans and Robots, Using Imitation; Based on Gender-Detection and Person Recognition	