

# **2014 10th International Conference on Advanced Semiconductor Devices & Microsystems**

**(ASDAM 2014)**

**Smolenice Castle, Slovakia  
20-22 October 2014**



**IEEE Catalog Number: CFP14469-POD  
ISBN: 978-1-4799-5476-6**

## CONTENTS

|   |            |
|---|------------|
| <b>Organizers</b>   | <i>iii</i> |
| <b>International Programme Committee</b>  | <i>iv</i>  |
| <b>Foreword</b>   | <i>v</i>   |
| <b>Contents</b>   | <i>vi</i>  |
| <br>  |            |
| <b>Sensors &amp; Microsystems 1</b>   |            |
| <b>Energy Harvesting Using Thermoelectric Microgenerators: A Critical Analysis</b>  | <b>1</b>   |
| G. Wachutka   |            |
| <b>Influence of temperature on the sensitivity of the AlGaN/GaN C HEMT based piezoelectric pressure sensor</b>  | <b>5</b>   |
| J. Dzuba, G. Vanko, I. Ryger, M. Vallo, V. Kutis, T. Lalinsky   |            |
| <b>Temperature sensor on flexible substrate patterned by laser ablation</b>   | <b>9</b>   |
| M. D. Dankoco , E. Benevent, E. Bergeret, L. Gallais, M. Bendahan   |            |
| <br>  |            |
| <b>Invited Talk 1</b>   |            |
| <b>Organic semiconductor based field-effect transistors</b>   | <b>13</b>  |
| M. Weis   |            |
| <br>  |            |
| <b>Organic Electronics</b>  |            |
| <b>Analysis on carrier trapping mechanism in organic diodes by charge modulation spectroscopy and electric field optical second harmonic generation measurement</b> | <b>21</b>  |
| E. Lim, M. Bok, D. Taguchi, M. Iwamoto  |            |
| <b>Probing and Modelling of Carrier Transport in Organic Devices by Optical Second Harmonic Generation</b>  | <b>25</b>  |
| M. Iwamoto, T. Manaka, D. Taguchi   |            |
| <b>Technology of conductive polymer PEDOT:PSS films</b>   | <b>29</b>  |
| J. Nevrela, M. Micjan, M. Novota, S. Flickyngrova, J. Kovac Jr, M. Pavuk, P. Juhasz, J. Jakabovic, M. Weis  |            |

**Poster Session 1 Technology & Devices**

|  |           |
|--|-----------|
| <b>SiC graphene FET with polydimethylglutarimide as a gate dielectric layer</b>  | <b>33</b> |
| J. Nahlik, Z. Soban, J. Voves, V. Jurka, P. Vasek  |           |
| <b>Electrical characterization of diamond films deposited in nitrogen and oxygen containing gas mixture</b>                                | <b>37</b> |
| M. Mikolasek, M. Vojs, M. Varga, O. Babchenko, T. Izak, M. Marton, A. Kromka, L. Harmatha  |           |
| <b>Radiation Hardness of 4H-SiC Structures</b>   | <b>41</b> |
| A. Kosa, J. Benkovska, L. Stuchlikova, D. Buc, F. Dubecky, L. Harmatha   |           |
| <b>Electrical Properties of Semi-Insulating GaAs Irradiated with 5 MeV Electrons</b>   | <b>45</b> |
| P. Bohacek, B. Zatko, A. Sagatova, P. Hybler, M. Sekacova  |           |
| <b>M/Si-GaAs/M diode: Role of the metal contact in electrical transport, <math>\alpha</math>-particle and photon detection</b>             | <b>49</b> |
| F. Dubecky, B. Zatko, G. Vanko, P. Hubik, J. Osvald, D. Kindl, E. Gombia, J. Kovac, A. Sagatova, V. Necas                                  |           |
| <b>Transition from a-Si:H to Si<sub>3</sub>N<sub>4</sub> in thin films deposited by PECVD technology from silane diluted with nitrogen</b> | <b>53</b> |
| P. Sutta, P. Calta, J. Mullerova, M. Netrvalova, J. Savkova, V. Vavrankova   |           |
| <b>Development issue in mushroom-like profile fabrication in EBL double step exposure method</b>   | <b>57</b> |
| K. Indykiewicz, B. Paszkiewicz, T. Szymanski, R. Paszkiewicz   |           |
| <b>Electron irradiation effects on the spectrometric characteristics of GaAs detectors</b>   | <b>61</b> |
| A. Sagatova, B. Zatko, K. Sedlackova, V. Necas, M. Fulop   |           |
| <b>Analysis of detection properties of particle detectors based on 4H-SiC high quality epitaxial layer</b>                                 | <b>65</b> |
| B. Zatko, F. Dubecky, K. Sedlackova, A. Sagatova, P. Bohacek, M. Sekacova, V. Necas  |           |
| <b>Determination of elastic properties of surface layers and coatings</b>  | <b>69</b> |
| M. Sevcik, M. Husak  |           |
| <b>Precise etching of AlGaN/GaN HEMT structures with Cl<sub>2</sub>/BCl<sub>3</sub>/Ar plasma</b>  | <b>73</b> |
| J. Gryglewicz, R. Paszkiewicz, W. Macherzynski, A. Stafiniak, M. Wosko   |           |
| <b>Application of real time in-situ interferometry for the observation of GaN/Si MOVPE growth process</b>                                  | <b>77</b> |
| T. Szymanski, M. Wosko, B. Paszkiewicz, K. Indykiewicz, R. Paszkiewicz   |           |
| <b>Different buffer approaches for AlGaN/GaN heterostructures epitaxy on Si(111) substrates</b>  | <b>81</b> |
| M. Wosko, B. Paszkiewicz, T. Szymanski, R. Paszkiewicz   |           |
| <b>III-nitride nano-LEDs for single photon lithography</b>   | <b>85</b> |
| St. Trellenkamp, M. Mikulics, A. Winden, Y. C. Arango, J. Moers, M. Marso, D. Grutzmacher, H. Hardtdegen                                   |           |
| <b>Novel Double-Level-Gate Technology</b>  | <b>89</b> |
| A. Fox, M. Mikulics, H. Hardtdegen, St. Trellenkamp, Y. C. Arango, D. Grutzmacher, Z. Sofer, D. Gregusova, J. Novak, P. Kordos , M. Marso  |           |
| <b>Ferroelectric polymer films for flexible memory devices</b>   | <b>93</b> |
| M. Micjan, J. Nevrela, M. Novota, S. Flickyngerova, P. Juhasz, J. Uhrik, J. Jakabovic, M. Weis   |           |
| <b>New phenanthrene-based organic semiconductor material for electronic devices</b>  | <b>97</b> |
| M. Novota, M. Micjan, J. Nevrela, S. Flickyngerova, P. Juhasz, R. Misicak, M. Putala, J. Jakabovic, M. Weis                                |           |

|   |            |
|---|------------|
| <b>Invited Talk 2</b>   |            |
| <b>Novel GaN-based transistors using polarization engineering</b>   | <b>101</b> |
| A. Vescan, H. Hahn, B. Reuters, H. Kalisch  |            |
| <b>GaN Based Structures &amp; Devices 1</b>   |            |
| <b>Design of GaN Trig-Gate HEMTs</b>  | <b>105</b> |
| M. Alsharef, R. Granzner, E. Ture, R. Quay, J. Racko, J. Breza, F. Schwierz   |            |
| <b>Modeling and characterization of power InAlN/GaN HEMTs supported by 3-D electrothermal simulation</b>  | <b>109</b> |
| M. Molnar, D. Donoval, A. Chvala, J. Marek, P. Pribytny   |            |
| <b>AlN/GaN/AlN double heterostructures with thin AlN top barriers</b>   | <b>113</b> |
| Ch. Zervos, A. Bairamis, A. Adikimenakis, A. Kostopoulos, M. Kayampaki, K. Tsagaraki, G. Konstantidis, A. Georgakilas                                 |            |
| <b>GaN Based Structures &amp; Devices 2</b>   |            |
| <b>GaN HEMTs on Si Substrate with High Cutoff Frequency</b>   | <b>117</b> |
| W. Jatal, K. Tonisch, U. Baumann, F. Schwierz, J. Pezoldt   |            |
| <b>Impact of the buffer structure on trapping characteristics of normally-off p-GaN/AlGaN/GaN HEMTs for power switching applications</b>              | <b>121</b> |
| M. Tapajna, L. Valik, P. Kotara, R. Zhytnytska, F. Brunner, O. Hilt, E. B. Treidel, J. Wuerfl, J. Kuzmik  |            |
| <b>Investigation of defects in GaN HFET structures by electroluminescence</b>   | <b>125</b> |
| J. Priesol, A. Satka, L. Sladek, M. Bernat, D. Donoval  |            |
| <b>Different polarities of InN (0001) heterostructures on Si (111) substrates</b>   | <b>129</b> |
| A. Bairamis, A. Adikimenakis, A. O. Ajagunna, Th. Kehagias, G. P. Dimitrakopoulos, J. Kioseoglou, Ph. Komninou, Ch. Zervos, J. Kuzmik, A. Georgakilas |            |
| <b>Gate leakage reduction of AlGaN/GaN MOS-HFETs with HfO<sub>2</sub> prepared by ALD</b>   | <b>133</b> |
| R. Stoklas, D. Gregusova, M. Blaho, K. Cico, K. Frohlich, J. Novak, P. Kordos   |            |
| <b>Invited Talk 3</b>   |            |
| <b>GaN Transistor Reliability and Instabilities</b>   | <b>137</b> |
| M. Uren, M. Kuball  |            |
| <b>GaN Based Structures &amp; Devices 3</b>   |            |
| <b>Time Resolved EBIC Study of InAlN/GaN HFETs</b>  | <b>145</b> |
| A. Satka, J. Priesol, M. Bernat, D. Donoval, J. Kovac, D.W.E. Allsopp, J. Kuzmik  |            |
| <b>Analysis of Time Dependent Current Collapse in AlGaN/GaN HEMTs</b>   | <b>149</b> |
| R. Maeta, H. Tokuda, M. Kuzuhara  |            |
| <b>Modelling and Optimization of GaN Capped HEMTs</b>   | <b>153</b> |
| S. Faramehr, P. Igic, K. Kalna  |            |
| <b>Influence of structure geometry and bulk traps on switching transients of InAlN/GaN HEMT</b>   | <b>157</b> |
| J. Marek, A. Satka, D. Donoval, M. Molnar, J. Priesol, A. Chvala, P. Pribytny   |            |
| <b>Invited Talk 4</b>   |            |
| <b>Energy efficient computing with tunnel FETs</b>  | <b>161</b> |
| A. Ionescu  |            |
| <b>Advanced Devices</b>   |            |
| <b>Simulative Study on Physical Modelling of Submicrometer Highly-strained In<sub>0.8</sub>Ga<sub>0.2</sub>As/AlAs Resonant Tunnelling Diode</b>      | <b>169</b> |
| W. M. Jubadi, M. A. Zawawi, M. Missous  |            |

|   |            |
|---|------------|
| <b>Statistical Analysis of Active and Passive RF Devices</b>  | <b>173</b> |
| M. Pak, A. E. Yarimbiyik, G. Dundar, F. Fernandez   |            |
| <b>Poster Session 2 Characterization &amp; Sensors</b>  |            |
| <b>Special-purpose oscillators</b>  | <b>177</b> |
| J. Foit, M. Husak   |            |
| <b>Model of Coupled Defect Level Recombination with Participation of Multiphonons</b>   | <b>181</b> |
| J. Racko, R. Granzner, P. Benko, M. Mikolasek, L. Harmatha, M. Kittler, F. Schwierz, J. Breza   |            |
| <b>Defects in Schottky Diodes Based on AlGaN/GaN Heterostructures</b>   | <b>185</b> |
| L. Stuchlikova, A. Kosa, J. Benkovska, P. Benko, L. Harmatha, J. Kovac  |            |
| <b>DLTS Study of Electrically Active Defects in Triple Quantum Well InGaAsN/GaAs Heterostructures</b>                                     | <b>189</b> |
| A. Kosa, L. Stuchlikova, P. Benko, J. Jakus, L. Harmatha, J. Kovac, B. Sciana, W. Dawidowski, D. Radziewicz, D. Pucicki, M. Tlaczala      |            |
| <b>Degradation process in AlGaN/GaN HEMTs under high drain-bias off-state stress</b>  | <b>193</b> |
| M. Florovic, J. Kovac, P. Benko, J. Skriniarova, P. Kordos, D. Donoval  |            |
| <b>Characterization of Gas Sensor with Polyaniline Film</b>   | <b>197</b> |
| J. Kroutil, A. Laposa, J. Nahlik, A. Boura, M. Husak  |            |
| <b>Simulation of Distributed MOEMS for Smart Environments</b>   | <b>201</b> |
| V. Shakhnov, L. Zinchenko, I. Kosolapov   |            |
| <b>Quality Water Analyzer</b>   | <b>205</b> |
| M. Husak, A. Laposa, P. Kulha, P. Nepras  |            |
| <b>Translator with Magnetic Levitation</b>  | <b>209</b> |
| F. Puci, M. Husak   |            |
| <b>Precise beat frequency evaluation circuit for multi-oscillators QCM gas detectors</b>  | <b>213</b> |
| A. Boura, J. Kroutil  |            |
| <b>Frequency dependent capacitance of insulator GaN/AlGaN/GaN heterostructure</b>   | <b>217</b> |
| J. Osvald, G. Vanko, K. Frohlich  |            |
| <b>Energy harvesting in 3D</b>  | <b>221</b> |
| V. Janicek  |            |
| <b>Calculation of accurate channel spacing of an Arrayed Waveguide Grating optical multiplexer/demultiplexer applying position method</b> | <b>225</b> |
| E. Hodzic, D. Seyringer, F. Uherek, J. Chovan, A. Kuzma   |            |
| <b>Design of low loss 1x64 Y-branch splitter having symmetric splitting ratio and small footprint</b>                                     | <b>229</b> |
| C. Burtscher, D. Seyringer, F. Uherek, J. Chovan, A. Kuzma  |            |
| <b>Methods for Lifetime Characterization of Concentric Circuit Boards</b>   | <b>233</b> |
| J. Formanek, J. Jakovenko   |            |
| <b>Analysis of Interfering Signals in Structures of Integrated Circuits</b>   | <b>237</b> |
| J. Novak, J. Foit   |            |
| <b>Modeling of geometrically scalable integrated finger diodes</b>  | <b>241</b> |
| V. Kosel, F. Roger, K. Molnar, W. Posch, E. Seebacher   |            |

**Invited Talk 5**

- The characterization and use of nanostructured films in sensing applications** 245  
 O. N. De Oliveira Jr.

**Sensors & Microsystems 2**

- Sensitivity and long term stability of  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> and CoFe<sub>2</sub>O<sub>4</sub> nanoparticle gas sensors for NO<sub>2</sub>, CO and acetone sensing - a comparative study** 247  
 S. Luby, M. Jergel, M. Benkovicova, P. Siffalovic, J. Ivancic, K. Vegso, E. Majkova, R. Rella, M. G. Manera, S. Capone, I. Vavra
- Complex measurement of human physiology using designed miniature wireless sensors** 251  
 E. Vavrinsky, D. Moskalova, J. Mihalov, M. Donoval, M. Daricek, V. Stopjakova
- Using of laser ablation technique in the processing technology of GaN/SiC based MEMS for extreme conditions** 255  
 J. Zehetner, G. Vanko, P. Choleva, J. Dzuba, I. Ryger, T. Lalinsky

**Characterization & Modeling**

- AlGaN/GaN micromembranes with diamond coating for high electron mobility transistors operated at high temperatures** 259  
 G. Vanko, M. Vojs, T. Izak, P. Potocky, P. Choleva, M. Marton, I. Ryger, J. Dzuba, T. Lalinsky
- Modelling Heating Effects due to Current Crowding in ZnO Nanowires with End-Bonded Metal Contacts** 263  
 O. Kryvchenkova, K. Kalna, R. J. Cobley
- Material and electrical properties of N-polar (GaN)/InN surfaces** 267  
 K. Cico, A. Adikimenakis, M. Micusik, S. Hascik, A. Georgakilas, J. Kuzmik
- Templates for highly ordered SiGe-QD arrays for single photon detection** 271  
 J. Moers, N. P. Stepina, St. Trellenkamp, D. Grutzmacher
- Application of TCAD in a Development of a Fully Complementary Vertical PNP IC Technology for High Performance Analog Applications** 275  
 R. Spetik, S. Kapsia, J. Pjencak
- Total internal reflection ellipsometry in the investigation of phenomena at surfaces and interfaces for biosensing** 279  
 J. Chlpik, K. Bombarova, J. Cirak

**Invited Talk 6**

- Photonic and plasmonic structures for applications in solar cells** 283  
 M. Zeman, A. Ingenito, H. Tan, D.N.P. Linssen, R. Santbergen, A. Smets, O. Isabella

**Solar cells**

- Spectral Analysis of In<sub>x</sub>Ga<sub>1-x</sub>N/GaN Quantum Well Structures for III-nitride based Solar Cells** 287  
 D. O'Mahony, P. J. Parbrook, B. Corbett, J. Kovac, J. Kovac jr., M. Florovic, A. Vincze
- Determination of defect states in P3HT material for solar cell application** 291  
 P. Juhasz, L. Stuchlikova, M. Micjan, L. Harmatha, J. Jakabovic, M. Weis
- Opto-electrical approaches for high efficiency and ultra-thin c-Si solar cells** 295  
 A. Ingenito, O. Isabella , M. Zeman
- Planar waveguide based structures for integrated optics on PDMS** 299  
 D. Jandura, D. Pudis, S. Slabeyciusova, J. Durisova

**Photovoltaics - LED's**

|   |            |
|---|------------|
| <b>Influence of Geometry on the Directionality of Light Emission of Nano-rod Array<br/>Vertical Light Emitting Diodes</b>                                     | <b>303</b> |
| S.A. Fox, S. Lis, S.E.J. O'Kane, D.W.E. Allsopp, J. Sarma   |            |
| <b>Investigation of Optical Stability Issues with Embedded Semiconductor Quantum<br/>Dots used as Colour Conversion Material in LED Lighting Applications</b> | <b>307</b> |
| D. Schmidmayr, J. Zehetner, P. Amann  |            |
| <b>InGaN nano-LEDs for energy saving optoelectronics</b>  | <b>311</b> |
| M. Marso, M. Mikulics, A. Winden, Y. C. Arango, A. Schafer, Z. Sofer, D. Grutzmacher, H. Hardtdegen   |            |
| <b>Detailed optical and electrical characterisation of green – orange InGaN/GaN LEDs<br/>grown by MOVPE</b>   | <b>315</b> |
| K. Cavanagh, C. Liu, T. Martin, M. A. Hopkins, S. Sivaraya, D. W. E. Allsopp  |            |
| <b>LEDs with polydimethylsiloxane 2D PhC membrane in the surface</b>  | <b>319</b> |
| D. Pudis, L. Suslik, R. Nolte, P. Schaaf, J. Kovac, P. Gaso   |            |

**SMArt System Co-design - Special session of 7 FP project SMAC**

|   |            |
|---|------------|
| <b>Homogenous Simulation: the Effective Integration Solution for Smart Systems</b>                                      | <b>323</b> |
| F. Fummi, M. Lora, D. Trachanis, J. V. Hese, S. Vinco   |            |
| <b>Advanced methodology for fast 3-D TCAD electrothermal simulation of power<br/>devices</b>                            | <b>327</b> |
| A. Chvala, D. Donoval, J. Marek, P. Pribytny, M. Molnar   |            |
| <b>A MEMS Design Methodology for Model-Order Reduction, based on High-order<br/>Parametric Elements</b>                 | <b>331</b> |
| A. Sanginario, G. Schropfer, S. Zerbini, M. Ekwinska, R. Houlihan, D. Demarchi  |            |
| <b>Design and simulation of an integrated optical CMOS heart rate sensor</b>  | <b>335</b> |
| D. He, C. Liu, D. Trachanis, J.V. Hese, D. Drogoudis, F. Fummi, F. Stefanni, V. Guarnieri, S.P. Morgan, B.R. Hayes-Gill |            |
| <b>TCAD Simulation Methodology for 3-D Electro-Physical and Optical Analysis</b>  | <b>339</b> |
| P. Pribytny, M. Molnar, A. Chvala, J. Marek, M. Mikolasek, D. Donoval,  |            |
| <b>Author index</b>   | <b>343</b> |