

# **2014 International Symposium on Antennas & Propagation**

  

## **(ISAP 2014)**

**Kaohsiung, Taiwan  
2-5 December 2014**



**IEEE Catalog Number:** CFP1434S-POD  
**ISBN:** 978-1-4799-2344-1

# Table of Contents

Paper No.	Paper Title	Authors and Contact Affiliation	Page
1WE1A-01	A New Compact Test Range for Satellite Antenna Measurements	R. Liu <sup>1</sup> , I. Lin <sup>1</sup> , J. Liang <sup>2</sup> , R. Lin <sup>2</sup> , <sup>1</sup> WavePro, Inc., Taiwan, <sup>2</sup> Zinwell Corporation, Taiwan	pp. 1-2
1WE1A-02	Far field Antenna Factor Estimation for a Single Antenna Measurement Using Time Frequency Analysis	S. Kurokawa, M. Hirose, National Institute of Advanced Industrial Science and Technology, Japan	pp. 3-4
1WE1A-03	Transmission Loss Through Reinforced Concrete Between 30 and 2400 MHz	T. Gilles, G. Afomasse, Royal Military Academy, Belgium	pp. 5-6
1WE1A-04	VHF/UHF Band Antenna Measurement Using Return Loss Compensation	C. Hu, N. Li, W. Chen, Northwestern Polytechnical Univ., China	pp. 7-8
1WE1A-05	Investigation on Spectrum Estimation Extrapolation Method of Antenna Measurement	W. Chen, N. Li, J. Dang, N. Liu, C. Hu, Northwestern Polytechnical Univ., China	pp. 9-10
1WE1B-01	Analysis of Reflection Characteristics of Periodic Structures with Oblique Incidence by using ARMA-FDTD Method	T. Arima, K. Ogawa, T. Uno, Tokyo Univ. of Agriculture and Technology, Japan	pp. 11-12
1WE1B-02	Wideband Design of a Circularly-polarized Plate-laminated Waveguide Slot Array Antenna	T. Yamamoto, M. Zhang, J. Hirokawa, T. Hirano, M. Ando, Tokyo Institute of Technology, Japan	pp. 13-14
1WE1B-03	A Domain Decomposition Finite Difference Time Domain (DD-FDTD) Method for Solving the Scattering Problem from Very Large Rough Surfaces	Z. Lai <sup>1</sup> , J. Kiang <sup>1</sup> , R. Mittra <sup>2</sup> , <sup>1</sup> National Taiwan Univ., Taiwan, <sup>2</sup> Pennsylvania State Univ., USA	pp. 15-16
1WE1B-04	A Multi-Feature Visibility Processing Algorithm for Radio Interferometric Imaging	M. Chiou <sup>1</sup> , J. Kiang <sup>1</sup> , R. Mittra <sup>2</sup> , <sup>1</sup> National Taiwan Univ., Taiwan, <sup>2</sup> Pennsylvania State Univ., USA	pp. 17-18
1WE1C-01	Scalability of FETI-2LM Methods on HPC Clusters for Antenna RCS Applications	A. Barka, F. Roux, The French Aerospace Lab., France	pp. 19-20
1WE1C-02	A Method to Measure the Antenna Mode and Structural Mode for Antenna RCS reduction Using Circulator and Phase Shifter	N. Nakamoto, T. Takahashi, T. Nomura, M. Otsuka, H. Miyashita, Mitsubishi Electric Corporation, Japan	pp. 21-22
1WE1C-03	A Fast Calculation Method of 2-Dimensional MUSIC for Simultaneous Estimation of DOA and Frequency	N. Suzuki, K. Hirata, T. Wakayama, Mitsubishi Electric Corporation, Japan	pp. 23-24
1WE1C-04	Transmit Beamforming with DOA Estimation in Fast Fading Channels with AOA Spread	S. Denno <sup>1</sup> , S. Tomisato <sup>1</sup> , M. Hata <sup>1</sup> , T. Furuno <sup>2</sup> , Y. Oda <sup>2</sup> , <sup>1</sup> Okayama Univ., Japan, <sup>2</sup> NTT DOCOMO Inc., Japan	pp. 25-26
1WE1C-05	Wideband DOA Estimation Technique for Correlated Sources	H. Yamada, S. Shirai, Y. Yamaguchi, Niigata Univ., Japan	pp. 27-28
1WE1D-01	Design of Millimeter-Wave Series-fed Array Antenna with Loop Elements	Y. Kashino <sup>1</sup> , H. Uno <sup>1</sup> , J. Sato <sup>2</sup> , <sup>1</sup> Panasonic System Networks R&D Lab. Co., Ltd., Japan, <sup>2</sup> Panasonic Corporation, Japan	pp. 29-30
1WE1D-02	Design of a 12 × 16-element Double-layer Corporate-feed Waveguide Slot Array Antenna	S. Ito, M. Zhang, J. Hirokawa, M. Ando, Tokyo Institute of Technology, Japan	pp. 31-32
1WE1D-03	Design and Fabrication of a Dual-polarization Corporate-feed Waveguide 32 × 32-slot Array Antenna for 120 GHz Band	K. Hashimoto <sup>1</sup> , J. Takeuchi <sup>1</sup> , J. Hirokawa <sup>1</sup> , A. Hirata <sup>2</sup> , M. Ando <sup>1</sup> , <sup>1</sup> Tokyo Institute of Technology, Japan, <sup>2</sup> NTT Corporation, Japan	pp. 33-34
1WE1D-04	High Coupling Radiating Element Using Impedance Transform Stub for Microstrip Comb-Line Antennas in the Millimeter-Wave Band	K. Seo, T. Okunaga, A. Nakatsu, Nippon Pillar Packing Co., Ltd., Japan	pp. 35-36
1WE1D-05	60 GHz Substrate Integrated Waveguide Fed Dense Dielectric Patch Antenna Array	Y. Li, K. Luk, City Univ. of Hong Kong, Hong Kong SAR, China	pp. 37-38

Paper No.	Paper Title	Authors and Contact Affiliation	Page
1WE1E-01	Planar Small-size Octa-Band LTE/WWAN Internal Mobile Phone Antenna	J. Lu, B. Zeng, Y. Fang, National Kaohsiung Marine Univ., Taiwan	pp. 39-40
1WE1E-02	Intelligent Multiband Mobile Array Antenna for Software Defined Radio	A. Kotraschetti <sup>1,2</sup> , B. Lande <sup>1,3</sup> , D. Sundararajan <sup>4</sup> , <sup>1</sup> Assam Don Bosco Univ., India, <sup>2</sup> Don Bosco Institute of Technology, India, <sup>3</sup> Swami Ram Himalayan Univ., India, <sup>4</sup> St. John's College of Engineering and Technology, India	pp. 41-42
1WE1E-03	Tunable Antenna Matching Architecture for LTE Application	C. Hong, S. Yeh, S. Fang, MediaTek, Inc., Taiwan	pp. 43-44
1WE1E-04	Planar Compact Tablet Monopole Antenna for LTE/WWAN System	J. Lu, Y. Wang, F. Tsai, National Kaohsiung Marine Univ., Taiwan	pp. 45-46
1WE2A-01	Back-to-Back Microstrip Antenna Fed with Tunable Power Divider	Y. Liu, J. Row, National Changhua Univ. of Education, Taiwan	pp. 47-48
1WE2A-02	Development of Microstrip BPF Using Open Split Ring Resonator with Square Groundplane Window	A. Munir, R. Safitri, M. Effendi, Institut Teknologi Bandung, Indonesia	pp. 49-50
1WE2A-03	Comparison of Non-foster Circuit Augmentations of a Near-field Resonant Parasitic Antenna	J. Roberts, R. Ziolkowski, Univ. of Arizona, USA	pp. 51-52
1WE2A-04	Design of an Ultra-compact Dual-band Bandpass Filter with CRLH Resonator	H. Cao, M. Yi, H. Chen, J. Liu, J. Liang, W. Cai, Chongqing Univ., China	pp. 53-54
1WE2A-05	A Miniaturized Filtering Power Divider with Wide Stopband	K. Wang <sup>1</sup> , H. Wong <sup>1</sup> , J. Xiang <sup>1</sup> , X. Zhang <sup>2</sup> , <sup>1</sup> City Univ. of Hong Kong, Hong Kong SAR, China, <sup>2</sup> South China Univ. of Technology, China	pp. 55-58
1WE2B-01	Numerical Modeling and Analysis of a Cylindrical Reflector Antenna for Ground Penetrating Radar	M. Tsunasaki <sup>1</sup> , I. Sugimoto <sup>2</sup> , M. Kominami <sup>3</sup> , <sup>1</sup> Osaka Gas Co., Ltd., Japan, <sup>2</sup> Laboratory of Energy & Human Life Science Inc., Japan, <sup>3</sup> Osaka Electro-Communication Univ., Japan	pp. 57-58
1WE2B-02	Radiation Pattern Affected by Thermal Distortion and BFN Error of the Reconfigurable Antenna for the 21-GHz Band Broadcasting Satellite	S. Nakazawa, M. Nagasaka, M. Kamei, S. Tanaka, T. Saito, Science & Technology Research Lab. of NHK, Japan	pp. 59-60
1WE2B-03	Mutual Coupling Compensation for Direction Finding using Receiving Mutual Impedance	H. Lui <sup>1</sup> , H. Hui <sup>2</sup> , <sup>1</sup> Univ. of Queensland, Australia, <sup>2</sup> National Univ. of Singapore, Singapore	pp. 61-62
1WE2B-04	Asymptotic Formulations for the Effective Analysis of EM Scattering from Array Structures for the Propagation Mechanism Interpretation	H. Chou <sup>1</sup> , S. Tuan <sup>2</sup> , K. Lu <sup>1</sup> , <sup>1</sup> Yuan Ze Univ., Taiwan, <sup>2</sup> Oriental Institute of Technology, Taiwan	pp. 63-64
1WE2B-05	Design of Tanh-profile Corrugated Feedhorn in Quasi-optical System	Y. Liu <sup>1</sup> , Y. Yao <sup>1</sup> , H. Wang <sup>1</sup> , J. Yu <sup>1</sup> , C. Yang <sup>1</sup> , X. Chen <sup>2</sup> , X. Liu <sup>1</sup> , <sup>1</sup> Beijing Univ. of Posts and Telecommunications, China, <sup>2</sup> Queen Mary Univ. of London, UK	pp. 65-66
1WE2C-01	ALOS PALSAR Fully Polarimetric Scattering Power Images over Taiwan	Y. Yamaguchi <sup>1</sup> , G. Singh <sup>1</sup> , Y. Cui <sup>1</sup> , T. Cheng <sup>2</sup> , B. Chu <sup>3</sup> , <sup>1</sup> Niigata Univ., Japan, <sup>2</sup> National Central Univ., Taiwan, <sup>3</sup> G-AVE Technology Corp., Taiwan	pp. 67-68
1WE2C-02	Pseudo Full-polarimetric SAR Signal Derivation	Y. Kato, Y. Oda, H. Fukuchi, Tokyo Metropolitan Univ., Japan	pp. 69-70
1WE2C-03	Modified Hyperbolic Summation for Through-the-Wall Radar Imaging using FDTD simulation	J. Cho <sup>1,2</sup> , S. Kim <sup>1</sup> , <sup>1</sup> Korea Institute of Science and Technology, Rep. of Korea, <sup>2</sup> Yonsei Univ., Rep. of Korea	pp. 71-72
1WE2C-04	A Modified Virtual Array ESPRIT Algorithm Based on Real Signal Subspace	N. Liu <sup>1</sup> , H. Shi <sup>1</sup> , L. Liu <sup>2</sup> , B. Yang <sup>2</sup> , <sup>1</sup> Northwestern Polytechnical Univ., China, <sup>2</sup> ZTE Xi'an Institute, China	pp. 73-74

Paper No.	Paper Title	Authors and Contact Affiliation	Page
1WE2D-01	Profile Miniaturization and Bandwidth Enhancements of Crossed Dipoles on Artificial Magnetic Conductor Surface	Park, S. Ta, Ajou Univ., Rep. of Korea	pp. 75-76
1WE2D-02	Planar EBG Structure in Application of SAR Reduction of Tablet PC	C. Wang, D. Lin, National Taipei Univ. of Technology, Taiwan	pp. 77-78
1WE2D-03	Dual Band Dielectric Resonator Based Metamaterial Antenna	B. Bala, M. Rahim, N. Murad, N. Samsuri, M. Khalily, Univ. Teknologi Malaysia, Malaysia	pp. 79-80
1WE2D-04	Bandwidth Characteristics of Printed Dipole Antenna with Artificial Magnetic Conductor Reflector	Y. Murakami, T. Hori, M. Fujimoto, Univ. of Fukui, Japan	pp. 81-82
1WE2D-05	Broadband Design of CP Reflectarray Element with Split-ring-related Structure and Explanation of Its Scattering Mechanism	F. Wu, J. Wang, Beijing Jiaotong Univ., China	pp. 83-84
1WE2E-01	Broadband Reconfigurable Stacked Microstrip Patch Antenna at X-band	A. Katyal, A. Basu, Indian Institute of Technology Delhi, India	pp. 85-86
1WE2E-02	Frequency Reconfigurable Active Antenna	S. Agarwal, A. Basu, M. Abegaonkar, S. Koul, Indian Institute of Technology Delhi, India	pp. 87-88
1WE2E-03	A Reconfigurable Antenna Using Fluorescent Lamps	T. Yamamoto, T. Kobayashi, Tokyo Denki Univ., Japan	pp. 89-90
1WE2E-04	Planar Pattern Reconfigurable UWB Antenna Array for Scanning in Personal Area Network Application	D. Sipal, A. Basu, M. Abegaonkar, S. Koul, Indian Institute of Technology Delhi, India	pp. 91-92
1WE3A-01	On-body Polarization-controlled Active Antenna to Enhance Signal Power in Human Dynamic Channels	K. Li, K. Honda, K. Ogawa, Toyama Univ., Japan	pp. 93-94
1WE3A-02	Accurate Permittivity Estimation Method for Double-layered Dielectric Object for UWB Radars	T. Niimi, S. Kidera and T. Kirimoto, Univ. of Electro-Communications, Japan	pp. 95-96
1WE3A-03	Soil Moisture Dielectric Measurement Using Microwave Sensor System	Y. Then, K. You and M. Dimon, Univ. Teknologi Malaysia, Malaysia	pp. 97-98
1WE3A-04	Broadband Circularly Polarized Stacked Patch Antenna for Universal UHF RFID Applications	B. Chen, C. Sim, Feng Chia Univ., Taiwan	pp. 99-100
1WE3A-05	Performance of Higher Order Correction of POMER in Diffraction	P. Lu, M. Ando, Tokyo Institute of Technology, Japan	pp. 101-102
1WE3A-06	Estimation Error of a Mono-pulse DOA Estimation Antenna for Two Incident Waves	R. Tanaka, E. Nishiyama, I. Toyoda, Saga Univ., Japan	pp. 103-104
1WE3A-07	Ultra-wideband Antenna with Tunable Artificial Magnetic Conductor	R. Dewan, M. Rahim, M. Hamid, H. Majid, M. Yusoff, Univ. Teknologi Malaysia, Malaysia	pp. 105-106
1WE3A-08	Compact Near-field Folded-loop Antenna for UHF RFID Handheld Reader	M. Chang, H. Chen, National Kaohsiung Univ. of Applied Sciences, Taiwan	pp. 107-108
1WE3A-09	Evaluation of Monitoring system for Removing IV Needles using RFID	H. Nakajima, M. Takahashi, Chiba Univ., Japan	pp. 109-110
1WE3A-10	On-board Adaptive Attenuation Compensation Technique for Future Satellite Communication	P. Chodkaveekityada, H. Fukuchi, Tokyo Metropolitan Univ., Japan	pp. 111-112
1WE3A-11	Study of Channel Capacity Improvement by Open Loop Active Propagation Control	K. Kamohara, H. Iwai, H. Sasaoka, Doshisha Univ., Japan	pp. 113-114
1WE3A-12	3-D Printed Discrete Dielectric Lens Antenna with Matching Layer	H. Yi1, S. Qu1, K. Ng2,, C. Chan2, 1Univ. of Electronic Science and Technology of China, China, 2City Univ. of Hong Kong, Hong Kong SAR, China	pp. 115-116

Paper No.	Paper Title	Authors and Contact Affiliation	Page
1WE3B-01	Asymptotic Analysis of Scattering for Finite Periodic Reflectarray/Transmitarray Antennas in the Near-Zone Focused Radiations	S. Tuan <sup>1</sup> , H. Chou <sup>2</sup> , <sup>1</sup> Oriental Institute of Technology, Taiwan, <sup>2</sup> Yuan Ze Univ., Taiwan	pp. 117-118
1WE3B-02	Scattering of Light by Gratings of Metal-coated Nanocylinders on Dielectric Substrate	V. Jandieri <sup>1</sup> , P. Meng <sup>2</sup> , K. Yasumoto <sup>2</sup> , Y. Liu <sup>2</sup> , <sup>1</sup> Free Univ. of Tbilisi, Rep. of Georgia, <sup>2</sup> Nanjing Forestry Univ., China	pp. 119-120
1WE3B-03	Influence of Relative Permittivity of Jig Made of Microstrip Line for S-parameter Method	T. Yanagibashi, T. Sasamori, T. Tobana, Y. Isota, Akita Prefectural Univ., Japan	pp. 121-122
1WE3B-04	Permittivity Estimation of Multilayered Dielectrics by Wall-thru Radar Image	H. Kobayashi <sup>1</sup> , S. Takaoka <sup>2</sup> , R. Kawamura <sup>1</sup> , Y. Cui <sup>2</sup> , Y. Yamaguchi <sup>2</sup> , <sup>1</sup> Osaka Institute of Technology, Japan, <sup>2</sup> Niigata Univ., Japan	pp. 123-124
1WE3B-05	Iterative Determination of Complex Permittivity Profile of a Dielectric Cylindrical Object	M. Tanaka, K. Hiramatsu, Oita Univ., Japan	pp. 125-126
1WE3B-06	Latitudinal Effect on Total Electron Content Variations	M. Homam, Univ. Tun Hussein Onn Malaysia, Malaysia	pp. 127-128
1WE3B-07	A Parallelized Multilevel Green's Function Interpolation Method for Open and Closed Objects	P. Zhao, D. Liu, C. Chan, City Univ. of Hong Kong, Hong Kong SAR, China	pp. 129-130
1WE3B-08	An Approximate Method of Obtaining Surface-wave Band Gap from Reflection Phase Plots for Mushroom Structures	W. Chao, M. Ng, National Chiao Tung Univ., Taiwan	pp. 131-132
1WE3B-09	Accuracy Investigation of Monostatic and Bistatic RCS Measurement by Near-field Far-field Transformation with Planar Scanning	S. Ohmi <sup>1</sup> , T. Uno <sup>1</sup> , T. Arima <sup>1</sup> , T. Fujii <sup>2</sup> , <sup>1</sup> Tokyo Univ. of Agriculture and Technology, Japan, <sup>2</sup> Fujitsu System Integration Laboratory Ltd., Japan	pp. 133-134
1WE3B-10	Antenna Radiation Pattern Effects on a Short-range Vibration-detection Radar System	C. Nieh, T. Huang, J. Lin, Univ. of Florida, USA	pp. 135-136
1WE3B-11	Effective Method of Pathloss Fitting with Azimuth Variable for White Space Boundary Estimation	K. Horihata <sup>1</sup> , I. Kanno <sup>1</sup> , A. Hasegawa <sup>1</sup> , T. Maeyama <sup>1,2</sup> , Y. Takeuchi <sup>1</sup> , <sup>1</sup> Advanced Telecommunications Research Institute International, Japan, <sup>2</sup> Takusyoku Univ., Japan	pp. 137-138
1WE3B-12	Grating Lobe Suppression of Narrow-wall Slotted Waveguide Array Antenna using Thin Narrow-wall Waveguides in Millimeter-wave Band	T. Araki, K. Sakakibara, N. Kikuma, H. Hirayama, Nagoya Institute of Technology, Japan	pp. 139-140
1WE3B-13	An Efficient MHz Range Analysis by ARMA-FDTD Method with AIC	K. Kuwabara , T. Uno , T. Arima, Tokyo Univ. of Agriculture and Technology, Japan	pp. 141-142
1WE3B-14	Investigation of Antenna Structure Consisting of Crossed-field Elements for Strong EM Radiation in the Near-Zone Communications	H. Chou, Y. Yan, K. Lu, Yuan Ze Univ., Taiwan	pp. 143-144
1WE3B-15	Synthesis of Thinned Square Array Using Modified Teaching-Learning-Based Optimization Algorithm	Z. Luo <sup>1</sup> , X. Chen <sup>1</sup> , X. He <sup>2</sup> , <sup>1</sup> Huazhong Univ. of Science and Technology, China, <sup>2</sup> China Maritime Police Academy, China	pp. 145-146
1WE3B-16	Pattern Synthesis of Focal-plane Array Fed Antenna with Particle Swarm Optimization	H. Cao, Q. Li, Y. Mao, H. Chen, J. Liu, Chongqing Univ., China	pp. 147-148
1WE3B-17	A New Effective SC-PML Implementation for WLP-FDTD Method in Plasma Medium	J. Liu, Y. Fan, X. Xi, Xi'an Univ. of Technology, China	pp. 149-150
1WE3B-18	Design of Beam Shifter Based on the Schwarz-Christoffel mapping	G. Du <sup>1,2</sup> , C. Liu <sup>1</sup> , <sup>1</sup> Sichuan Univ., China, <sup>2</sup> Chengdu Univ. of Information Technology, China	pp. 151-152

Paper No.	Paper Title	Authors and Contact Affiliation	Page
1WE3C-01	Experimental Study on Permittivity Estimation Method for UWB Internal Imaging Radar	T. Manaka <sup>1</sup> , S. Kidera <sup>2</sup> , T. Kirimoto <sup>2</sup> , <sup>1</sup> Univ. of Tokyo, Japan, <sup>2</sup> Univ. of Electro-Communications, Japan	pp. 153-154
1WE3C-02	Compact X-band FMCW Sensor Module for Fast and Accurate Vehicle Occupancy Detection	W. Chen, R. Chen, J. Li, P. Wu, Industrial Technology Research Institute, Taiwan	pp. 155-156
1WE3C-03	A Study on Ka-band Site Switching using Advanced Prediction for Rain-induced Attenuation	J. Poolsawut, T. Limpiti, N. Puttarak, King Mongkut's Institute of Technology Ladkrabang, Thailand	pp. 157-158
1WE3C-04	Wireless Power Transmission to Equipment in Closed Space Box by Acrylic	S. Hasegawa, H. Iwasaki, Shibaura Institute of Technology, Japan	pp. 159-160
1WE3C-05	On AC Resistance of Two-layered Wires	C. Kamidaki, N. Guan, Fujikura Ltd., Japan	pp. 161-162
1WE3C-06	High-speed, Automatic and Optimal Design of Microwave Filter Using Genetic Algorithms	H. Otani, S. Yamaguchi, Y. Maeda, M. Omiya, Hokkaido Univ., Japan	pp. 163-164
1WE3C-07	A Statistical Model for Delay Domain Radio Channel Parameter Affected with Extreme Values	H. El-Sallabi <sup>1</sup> , M. Abdallah <sup>1</sup> , J. Chamberland <sup>2</sup> , K. Qaraqe <sup>1</sup> , <sup>1</sup> Texas A&M Univ. at Qatar, Qatar, <sup>2</sup> Texas A&M Univ., USA	pp. 165-166
1WE3C-08	Efficient White Space Boundary Estimation with Heterogeneous Types of Sensors	I. Kanno <sup>1</sup> , K. Horihata <sup>1</sup> , A. Hasegawa <sup>1</sup> , T. Maeyama <sup>1,2</sup> , Y. Takeuchi <sup>1</sup> , <sup>1</sup> Advanced Telecommunications Research Institute International (ATR), Japan, <sup>2</sup> Tokusyoku Univ., Japan	pp. 167-168
1WE3C-09	Low Cost Self-Diplexed Antenna in Inverted Microstrip Gap Waveguide Technology	C. Cabello, E. Rajo-Iglesias, Carlos III Univ. of Madrid, Spain	pp. 169-170
1WE3C-10	Polarization Conversion Reflector Using a Metal-Plate-Loaded Meander Line	T. Moroya, S. Makino, T. Hirota, K. Noguchi, K. Itoh, K. Ikarashi, Kanazawa Institute of Technology, Japan	pp. 171-172
1WE3C-11	Human Motion Detection and Extraction by Using FM-CW Range-Doppler Radar	S. Fukushima <sup>1</sup> , H. Yamada <sup>1</sup> , H. Kobayashi <sup>2</sup> , Y. Yamaguchi <sup>1</sup> , <sup>1</sup> Niigata Univ., Japan, <sup>2</sup> Osaka Institute of Technology, Japan	pp. 173-174
1WE3C-12	On-chip Antenna Pattern Measurement Setup up to 325 GHz	B. Klein, M. Jenning, P. Seiler, K. Wolf, D. Plettemeier, Technische Universität Dresden, Germany	pp. 175-176
1WE3C-13	A Case Implementation of a Spotlight Range Migration Algorithm on FPGA Platform	A. Melnikov <sup>1</sup> , J. Kerneec <sup>2</sup> , D. Gray <sup>3</sup> , <sup>1</sup> Hong Kong Polytechnic Univ., Hong Kong SAR, China, <sup>2</sup> Univ. of Nottingham, China, <sup>3</sup> Xi'an Jiaotong Liverpool Univ., China	pp. 177-178
1WE3C-14	A Dual-Mode Dual-band Bandpass Filter with Novel Perturbation Element Using Open Loop Resonator	X. Shi <sup>1</sup> , X. Xi <sup>1</sup> , D. Wu <sup>2</sup> , <sup>1</sup> Xi'an Univ. of Technology, China, <sup>2</sup> Xi'an Jiaotong Univ., China	pp. 179-180
1WE3C-15	Development of Forceps-type Microwave Coagulation Device for Surgical Operation	Y. Endo, Y. Tezuka, K. Suzuki, K. Saito, K. Ito, Chiba Univ., Japan	pp. 181-182
1WE3C-16	Low-frequency Inverted-F Antenna on Hemispherical Ground Plane	Y. Saita, T. Ito, N. Michishita, H. Morishita, National Defense Academy, Japan	pp. 183-184
1WE3C-17	Performance of Miniaturized 6-port MIMO Antenna Using Orthogonal Polarization	K. Takahashi <sup>1</sup> , N. Honma <sup>1</sup> , K. Murata <sup>2</sup> , Y. Tsunekawa <sup>1</sup> , <sup>1</sup> Iwate Univ., Japan, <sup>2</sup> National Defense Academy, Japan	pp. 185-186
1WE3C-18	Compact Folded Dipole Microstrip Antenna for 2.4 GHz WLAN Application	F. Zulkifli, R. Ridha, B Basari, E. Rahardjo, Univ. of Indonesia, Indonesia	pp. 187-188
1WE3C-19	Measured SAR of Integrated CMOS Transceiver Front End with Antenna Design	W. Lai, H. Huang, P. Yang, National Taiwan Univ. of Science and Technology, Taiwan	pp. 189-190

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH1A-01	LP Radiation from a Metamaterial-based Loop Antenna	H. Nakano, M. Miura, K. Yoshida, J. Yamauchi, Hosei Univ., Japan	pp. 191-192
2TH1A-02	Thin Metamaterial Absorber Made of Randomly Distributed Cut Carbon Sticks	R. Kronberger <sup>1</sup> , V. Wienstroer <sup>1</sup> , B. Kronberger <sup>2</sup> , <sup>1</sup> Cologne Univ. of Applied Sciences, Germany, <sup>2</sup> Noretec GmbH & Co. KG, Germany	pp. 193-194
2TH1A-03	Dual Band Polarization Insensitive Metamaterial Absorber in X-band	O. Ayop, M. Rahim, N. Murad, N. Samsuri, Univ. Teknologi Malaysia, Malaysia	pp. 195-196
2TH1A-04	Variable Reflection Angle Meta-surface using Double Layered Patch Type FSS	R. Kuse, T. Hori, M. Fujimoto, Univ. of Fukui, Japan	pp. 197-198
2TH1B-01	Comparative Study of IDR and BiCG variant methods in Numerical Analysis Based on Method of Moments	H. Chiba, T. Fukasawa, H. Miyashita, Mitsubishi Electric Corporation, Japan	pp. 199-200
2TH1B-02	An Invisibility Cloak Design at Microwave Frequency Using Commonly Used Materials	R. Hwang, F. Kuo, National Chiao Tung Univ., Taiwan	pp. 201-202
2TH1B-03	Analysis of Substrate Integrated Waveguides by Transverse Resonant Technique	N. Yeh, M. Ng, National Chiao Tung Univ., Taiwan	pp. 203-204
2TH1B-04	Numerical Analysis of Spherical Wave Absorption by a Thin Metamaterial Absorber	S. Yagitani, N. Fukuoka, R. Hayashi, M. Ozaki, Kanazawa Univ., Japan	pp. 205-206
2TH1B-05	Novel Terahertz Dual-polarized Frequency Selective Surface with High Frequency Selectivity	D. Wang, C. Chan, City Univ. of Hong Kong, Hong Kong SAR, China	pp. 207-208
2TH1C-01	Analysis of Radio Propagation Characteristics for a Moving Vehicle	J. Liu, C. Pang, C. Chio, S. Ting, Univ. of Macau, Macau SAR, China	pp. 209-210
2TH1C-02	Microwave Radio Propagation in Automobile Engine Compartment	H. Kamoda, S. Ano, S. Kitazawa, N. Kukutsu, T. Kumagai, ATR Wave Engineering Laboratories, Japan	pp. 211-212
2TH1C-03	CRLH Leaky-wave Beam-forming Antenna with Enhanced Gain for the V2X Communication	S. Kahng <sup>1</sup> , J. Jeon <sup>1</sup> , M. Khattak <sup>1</sup> , K. Jang <sup>1</sup> , H. Kim <sup>1</sup> , H. Oh <sup>2</sup> , J. Kim <sup>3</sup> , <sup>1</sup> Incheon National Univ., Rep. of Korea, <sup>2</sup> Innertron, Inc., Rep. of Korea, <sup>3</sup> LG Innotek, Rep. of Korea	pp. 213-214
2TH1C-04	Propagation Characteristic Estimations of 2 GHz Inter-Car Wireless Links in High-Speed Train Cars in a Railway Tunnel	M. Shirafune <sup>1</sup> , T. Hikage <sup>1</sup> , T. Nojima <sup>1</sup> , M. Sasaki <sup>2</sup> , W. Yamada <sup>3</sup> , T. Sugiyama <sup>2</sup> , <sup>1</sup> Hokkaido Univ., Japan, <sup>2</sup> NTT Corporation, Japan	pp. 215-216
2TH1C-05	Simplified Prediction of Propagation Loss over Non Line-of-Sight Intersections in V2V	I. Sugae, T. Tango, H. Iwai, H. Sasaoka, Doshisha Univ., Japan	pp. 217-218
2TH1D-01	Design of a 60GHz RLSA for Compact Range Applications	T. Nguyen <sup>1</sup> , J. Hirokawa <sup>1</sup> , M. Ando <sup>1</sup> , M. Castaner <sup>2</sup> , <sup>1</sup> Tokyo Institute of Technology, Japan, <sup>2</sup> Universidad Politecnica de Madrid, Spain	pp. 219-220
2TH1D-02	Millimeter-wave Broadband Mode- transition between Grounded Coplanar Waveguide and Post-wall Waveguide	R. Hosono, Y. Uemichi, X. Han, N. Guan, Y. Nakatani, Fujikura Ltd., Japan	pp. 221-222
2TH1D-03	Metal Cap with Two Slots covering an Edge of a Mobile Device Substrate for 60GHz Band	K. Ito, J. Hirokawa, K. Sakurai, M. Ando, Tokyo Institute of Technology, Japan	pp. 223-224
2TH1D-04	Patch Antenna on a Thick Resin Layer Fed by Coaxial-lines through a Hole in a Silicon Chip in the 60GHz Band	N. Oikawa <sup>1</sup> , J. Hirokawa <sup>1</sup> , H. Nakano <sup>2</sup> , Y. Hirachi <sup>2</sup> , M. Ando <sup>1</sup> , <sup>1</sup> Tokyo Institute of Technology, Japan, <sup>2</sup> AMMSys Corporation, Japan	pp. 225-226

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH1E-01	CPW-Fed Printed Slot Antenna for WLAN/WiMAX and UWB Applications	P. Mocikham <sup>1</sup> , N. Tangthong <sup>2</sup> , S. Akatimagoor <sup>2</sup> , Rajamangala Univ. of Technology Lanna Chiangrai, Thailand, <sup>2</sup> King Mongkut's Univ. of Technology North Bangkok, Thailand	pp. 227-228
2TH1E-02	The Study of Koch Fractal Applied to Isosceles Triangle Patch Antenna	Z. Feng, M. Liang, National Univ. of Kaohsiung, Taiwan	pp. 229-230
2TH1E-03	Basic Characteristics of Wideband Sleeve Antenna	T. Oki <sup>1</sup> , T. Nguyen <sup>1</sup> , M. Sakuma <sup>2</sup> , H. Morishita <sup>1</sup> , <sup>1</sup> National Defense Academy, Japan, <sup>2</sup> Sakuma Antenna Co. Ltd., Japan	pp. 231-232
2TH1E-04	Dual-Band Dipole Antenna with Dual Flat Reflectors	Y. Sugimoto, T. Hori, M. Fujimoto, Univ. of Fukui, Japan	pp. 233-234
2TH2A-01	Design of a Transition from WR-15 to Microstrip Packaged by Gap Waveguide Technology	A. Brazalez <sup>1</sup> , E. Rajo-Iglesias <sup>2</sup> , P. Kildal <sup>1</sup> , <sup>1</sup> Chalmers Univ. of Technology, Sweden, <sup>2</sup> Univ. Carlos III, Spain	pp. 235-236
2TH2A-02	Noise Investigation of an Active Non-Foster Matching Network for Small Antennas	C. Stedler, V. Wienstroer, R. Kronberger, Cologne Univ. of Applied Sciences, Germany	pp. 237-238
2TH2A-03	Analysis on Balanced and Unbalanced Modes for Dipole Antennas Using Characteristic Modes	N. Ishii, Niigata Univ., Japan	pp. 239-240
2TH2A-04	Waveguide-fed Cylindrical DRA: Wide-Band Design	Abdulla P., Jasmine PM, Raphika PM, Cochin Univ. of Science and Technology, India	pp. 241-242
2TH2A-05	Quad-ridged Horn Antenna with L Shaped-slot Fed by Microstrip Line	Y. Shih <sup>1</sup> , T. Chiou <sup>2</sup> , <sup>1</sup> BWant Co. Ltd., Taiwan, <sup>2</sup> HL Technology Group, Taiwan	pp. 243-244
2TH2B-01	Numerical Analysis of Planar Dipole Antennas in the Vicinity of Dielectric Object Using HO-CBFM	K. Konno, Q. Chen, Tohoku Univ., Japan	pp. 245-246
2TH2B-02	On the Radiation Efficiency of Homogeneous Antennas	K. Fujita, H. Shirai, Chuo Univ., Japan	pp. 247-248
2TH2B-03	Three-Dimensional Diffractive Gaussian Beam Analysis Method For Multi-reflector Antennas	F. Cheng <sup>1</sup> , Z. Lu <sup>1</sup> , H. Wang <sup>1</sup> , X. Liu <sup>1</sup> , J. Yu <sup>1</sup> , X. Chen <sup>2</sup> , <sup>1</sup> Beijing Univ. of Posts and Telecommunications, China, <sup>2</sup> Queen Mary Univ. of London, UK	pp. 249-250
2TH2B-04	Analysis of Strip-grating Structure with ASBC	Y. Liang, M. Ng, National Chiao Tung Univ., Taiwan	pp. 251-252
2TH2C-01	WINNER Channel Model with Geometric Optics and Probability for Indoor Environment	C. Park, H. Moon, W. Kim, Y. Yoon, Yonsei Univ., Rep. of Korea	pp. 253-254
2TH2C-02	28 GHz Propagation Measurement Using FMCW Radar in a Reverberation Chamber	M. Jeong, K. Kim, D. Jung, S. Park, KAIST, Rep. of Korea	pp. 255-256
2TH2C-03	Indoor Channel Measurements and Capacity Evaluation with Directional Antennas	X. Zuo, D. Wang, Northwestern Polytechnical Univ., China	pp. 257-258
2TH2C-04	A New ADI-PE Scheme with Fourth-order Accuracy for Radio Wave Propagation Prediction in Tunnels	X. He, D. Li, J. Wang, S. Li, Beijing Jiaotong Univ., China	pp. 259-260
2TH2D-01	Design of a Leaf-shaped Bowtie Slot Antenna Electromagnetically Fed by a Microstrip Line	M. Yamamoto, T. Nojima, Hokkaido Univ., Japan	pp. 261-262
2TH2D-02	Fully Textile Slot Linear Array Antenna with Curvature and Crumple Analysis	M. Majid, M. Rahim, N. Murad, N. Samsuri, N. Elias, M. Mokhtar, Universiti Teknologi Malaysia, Malaysia	pp. 263-264
2TH2D-03	A Low-profile, Wideband, Vertically-polarized Antenna with Directional Radiation Patterns in the Azimuth Plane	K. Ghaemi, N. Behdad, Univ. of Wisconsin-Madison, USA	pp. 265-266
2TH2D-04	Novel Compact Uniplanar Printed CPW-fed M-antenna	H. Cao, B. Hou, Q. Li, F. Jiang, W. Li, Y. Yu, L. Yang, Chongqing Univ., China	pp. 267-268
2TH2D-05	E-shaped Element Design for Linearly Polarized Transmitarray Antennas	J. Luo, F. Yang, S. Xu, Tsinghua Univ., China	pp. 269-270

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH2E-01	Linearly-polarized Patch PIFA for GPS/ GLONASS Operation inside a Metal Back Cover Tablet	S. Su, ASUS, Taiwan	pp. 271-272
2TH2E-02	Multiple and Wideband Antenna Consideration for Commercial Mobile Terminal	T. Kang, S. Yeh, MediaTek Inc., Taiwan	pp. 273-274
2TH2E-03	Low-profile Tunable WWAN Antenna for Whole-Metal-Covered Mobile Phone Applications	C. Wu, Y. Kuo, K. Lin, HTC, Taiwan	pp. 275-276
2TH2E-04	A Novel Loop Antenna Design Integrated with Metal Ring for Mobile Device Application	F. Hsiao <sup>1</sup> , Y. Chiu <sup>2</sup> , <sup>1</sup> Advanced-Connectek Inc., Taiwan, <sup>2</sup> National Cheng Kung Univ., Taiwan	pp. 277-278
2TH2E-05	Novel LIM (Laser Induced Metallization) Technologies of ITRI Applied to 11 GHz High-gain Microstrip Array Design on Mobile Phone Casing	W. Li, T. Kao, W. Chung, M. Huang, M. Chou, Industrial Technology Research Institute, Taiwan	pp. 279-280
2TH3A-01	Sensor Connectivity Enhancement using Diversity Antennas in Cold Chain Logistic Applications	B. Hsiao <sup>1</sup> , H. Chen <sup>1</sup> , W. Liao <sup>1</sup> , T. Chiu <sup>2</sup> , C. Nien <sup>2</sup> , <sup>1</sup> National Taiwan Univ. of Science and Technology, Taiwan, <sup>2</sup> Industrial Technology Research Institute, Taiwan	pp. 281-282
2TH3A-02	On-board Ka-band Satellite Tracking Antenna for Unmanned Aircraft System	H. Tsuji, T. Orikasa, A. Miura, M. Toyoshima, R. Miura, National Institute of Information and Communications Technology, Japan	pp. 283-284
2TH3A-03	Evaluating Impact of Tag Element Spacing on Bit-error-rate Performance Using Passive MIMO Testbed	R. Takahashi, K. Terasaki, N. Honma, Y. Tsunekawa, Iwate Univ., Japan	pp. 285-286
2TH3A-05	Effect of Aspect Ratio on TE01 Mode DRA	Y. Wang <sup>1</sup> , D. Gray <sup>2</sup> , <sup>1</sup> Univ. of Nottingham, UK, <sup>2</sup> Xi'an Jiaotong Liverpool Univ., China	pp. 287-288
2TH3B-01	Ultra-Broad-Band Six-sector Patch Array	S. Foo, Huawei Technologies Canada Co. Ltd., Canada	pp. 289-290
2TH3B-02	Estimation of Directivity on Array Antennas by Using 1D Electric Current Distribution	E. Ohashi, H. Arai, Yokohama National Univ., Japan	pp. 291-292
2TH3B-03	A Study on Radiation Pattern of DBF Antenna with Bit Number Restriction	Y. Ito <sup>1,2</sup> , A. Miura <sup>2</sup> , T. Orikasa <sup>2</sup> , N. Komiyama <sup>3</sup> , H. Fukuchi <sup>1</sup> , <sup>1</sup> Tokyo Metropolitan Univ., Japan, <sup>2</sup> National Institute of Information and Communications Technology, Japan, <sup>3</sup> AXIS Corporation, Japan	pp. 293-294
2TH3B-04	Low-Sidelobe Design of Microstrip Comb-Line Antennas for Beam-Tilting in Perpendicular Plane to Feeding Line	D. Nakazawa, K. Sakakibara, N. Kikuma, H. Hirayama, Nagoya Institute of Technology, Japan	pp. 295-296
2TH3B-05	Design of an L-band Reflectarray Antenna for BeiDou Satellite Applications	X. Zhu, S. Xu, F. Yang, Tsinghua Univ., China	pp. 297-298
2TH3C-01	Enumeration of Unresolved Radar Targets with Beamspace Post-Doppler CFAR	R. Takahashi, K. Hirata, A. Okamura, Mitsubishi Electric Corporation, Japan	pp. 299-300
2TH3C-02	Time-Domain Analysis of Magnetization Reversal Process with Microwave Assist	S. Ohnuki, A. Kuma, Y. Takano, A. Tsukamoto, Nihon Univ., Japan	pp. 301-302
2TH3C-03	Ultra Wideband Radar Target Recognition Using Multiple Transient Responses	H. Lu1, F. Aldhubaib2, <sup>1</sup> Univ. of Queensland, Australia, <sup>2</sup> Public Authority of Applied Education and Training, Kuwait	pp. 303-304
2TH3C-04	Effects of Different Rocks Surrounding Monostatic Pulse Radar in a Borehole on the Length of PMC Coating along the Connection Cable	J. Jung, S. Kim, Korea Institute of Science and Technology, Rep. of Korea	pp. 305-306
2TH3C-05	Evaluation of Fan Beam Carbon Fiber Reinforce Plastics Offset Parabolic Reflector Antenna for W-band Millimeter-Wave Radar Systems	S. Futatsumori, K. Morioka, A. Kohmura, M. Shioji, N. Yonemoto, Electronic Navigation Research Institute, Japan	pp. 307-308

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH3D-01	Small-size Triple-wideband LTE Tablet Device Antenna with Circuit-Based Wideband Feed Structure	T. Weng, K. Wong, National Sun Ya-sen Univ., Taiwan	pp. 309-310
2TH3D-02	Small-size Dual-antenna with Pi-shape Grounded Strip for LTE Tablet Device	P. Lin, K. Wong, National Sun Ya-sen Univ., Taiwan	pp. 311-312
2TH3D-03	Internal Two-PIFA System with Comparable Polarization Radiation for Metal Back Cover Tablet	S. Su, F. Chu, D. Lin, ASUS, Taiwan	pp. 313-314
2TH3D-04	A Low SAR WWAN Antenna Design	S. Lai, C. Chiang, C. Tang, Auden Techno Corporation, Taiwan	pp. 315-316
2TH3D-05	Dual-Band Slot Antenna Suitable for Ultrabook Application with Metal Housing	F. Hsiao <sup>1</sup> , L. Huang <sup>2</sup> , <sup>1</sup> Advanced-Connectek Inc., Taiwan, <sup>2</sup> National Cheng Kung Univ., Taiwan	pp. 317-318
2TH3E-01	Frequency Reconfigurable Antenna for Two Ways Radio at VHF Band	D. Chang <sup>1</sup> , C. Huang <sup>1</sup> , C. Kao <sup>1</sup> , C. Lee <sup>1,2</sup> , <sup>1</sup> Oriental Institute of Tech., Taiwan, <sup>2</sup> Yuan Ze Univ., Taiwan	pp. 319-320
2TH3E-02	Polarization Tunable Microstrip Patch Antenna for Polarization Loss Compensation	J. Jeong, Y. Kim, Y. Yoon, Yonsei Univ., Rep. of Korea	pp. 321-322
2TH3E-03	Polarization Reconfigurable Patch Antenna through Modification of Feeding Network	M. Osman, M. Rahim, M. Yusoff, M. Hamid, H. Majid, Universiti Teknologi Malaysia, Malaysia	pp. 323-324
2TH3E-04	Pattern Reconfigurable Printed Yagi-Uda Antenna	C. Kittiyapanuya, M. Krairiksh, King Mongkut's institute of Technology Ladkrabang, Thailand	pp. 325-326
2TH4A-01	Microstrip-fed Quasi-Yagi Antenna Featuring Compact Characteristics	Y. Tseng, W. Tu, National Central Univ., Taiwan	pp. 327-328
2TH4A-02	Planar Dual-band Dipole Array for LTE/ WiMAX Access Points	J. Lu, S. You, H. Chin, National Kaohsiung Marine Univ., Taiwan	pp. 329-330
2TH4A-03	Planar Dual-band Slot Array Antenna for LTE/ WiMAX Access Points	J. Lu, Y. Liu, H. Chin, National Kaohsiung Marine Univ., Taiwan	pp. 331-332
2TH4A-04	UWB Planar Dipole Antenna with Notched Band	S. Lin <sup>1</sup> , Y. Lin <sup>2</sup> , Y. Pan <sup>1</sup> , <sup>1</sup> Cheng Shiu Univ., Taiwan, <sup>2</sup> Metal Industries Research & Development Center, Taiwan	pp. 333-334
2TH4A-05	Radiation Characteristic of Tapered Slot Antenna with 3dB 180° Hybrid Coupler	K Suto, A Mastui, Saitama Institute of Technology, Japan	pp. 335-336
2TH4A-06	A Gain-Enhanced 60 GHz Yagi Antenna based on Zero-Index Metamaterial	H. Su <sup>1</sup> , Y. Chen <sup>2</sup> , K. Lin <sup>2</sup> , <sup>1</sup> National Pingtung Institute of Commerce, Taiwan, <sup>2</sup> National Sun Yat-sen Univ., Taiwan	pp. 337-338
2TH4A-07	A High-Gain Directive Superstrate Antenna for 60-GHz Applications	Y. Chen <sup>1</sup> , K. Lin <sup>1</sup> , H. Su <sup>2</sup> , H. Lin <sup>3</sup> , T. Pu <sup>3</sup> , <sup>1</sup> National Sun Yat-sen Univ., Taiwan, <sup>2</sup> National Pingtung Institute of Commerce, Taiwan, <sup>3</sup> Industrial Technology Research Institute, Taiwan	pp. 339-340
2TH4A-08	Unsymmetrical Angular Axial Ratio Distribution Elliptical Polarization Antenna	T. Pu, C. Wu, Y. Kuo, HTC, Taiwan	pp. 341-342
2TH4A-09	Dimensional Parametric Study of the Spiral Resonator as a Metamaterial Planar-Antenna	M. Yunus, F. Zulkifli, E. Rahardjo, Universitas Indonesia, Indonesia	pp. 343-344
2TH4A-10	Leaky-wave Antenna with Modified Metamaterial Unit Cell for Narrowing Beam Steering Bandwidth	S. Gruszcynski, A. Rydosz, J. Sorocki, I. Slomian, K. Wincza, AGH Univ. of Science and Technology, Poland	pp. 345-346
2TH4A-11	Optical Nanodipole and Nanospiral Antennas	J. Yamauchi, K. Ohno, J. Shibayama, H. Nakano, Hosei Univ., Japan	pp. 347-348
2TH4A-12	Effect of Car Antenna Position on Radio Propagation Characteristics at Intersection for 760MHz Inter-vehicle Communications	S. Imai, K. Taguchi, T. Kashiba, Kitami Institute of Technology, Japan	pp. 349-350
2TH4A-13	High-efficiency and Low-side-lobe Reflectarray Antenna	Y. Fujii, K. Ikarashi, S. Makino, T. Hirota, K. Noguchi, K. Itoh, Kanazawa Institute of Technology, Japan	pp. 351-352

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH4A-14	Design of the E-field Probe with Variable Resistors	S. Kwak <sup>1,2</sup> , J. Kwon <sup>1</sup> , Y. Yoon <sup>2</sup> , <sup>1</sup> ETRI (Electronics and Telecommunications Research Institute), Rep. of Korea, <sup>2</sup> Yonsei Univ., Rep. of Korea	pp. 353-354
2TH4A-15	Cage-shaped Wideband Antenna Based on Folded Monopoles	C. Morlaas, B. Souny, A. Chabory, Toulouse Univ., France	pp. 355-356
2TH4A-16	Conical Monopole Type UWB Antenna with SRR to Tune out the Suppressed Dual Bands	E. Jang, K. Kim, J. Park, D. Yang, C. Kim, Kyungbook National Univ., Rep. of Korea	pp. 357-358
2TH4A-17	Resonance Analysis of the Leaky-wave Antenna	J. Wu, Y. Tai, C. Wang, National Univ. of Tainan, Taiwan	pp. 359-360
2TH4A-18	A Self-Oscillating Active Filtering Antenna	Y. Pang, National Univ. of Kaohsiung, Taiwan	pp. 361-362
2TH4A-19	Measurement of a Microstrip Antenna Array Fed by Transverse Slots on a Broad Wall of the Rectangular Waveguide with Standing-wave Excitation for Linear Polarization Parallel to the Axis	F. Nonaka, S. Saito, Y. Kimura, Saitama Univ., Japan	pp. 363-364
2TH4A-20	Gaussian Beam for Antennas Field Pattern Synthesis	H. Wang <sup>1</sup> , Z. Lu <sup>1</sup> , F. Cheng <sup>1</sup> , J. Wang <sup>1</sup> , X. Liu <sup>1</sup> , Y. Yao <sup>1</sup> , J. Yu <sup>1</sup> , X. Chen <sup>2</sup> , <sup>1</sup> Beijing Univ. of Posts and Telecommunications, China, <sup>2</sup> Queen Mary Univ. of London, UK	pp. 365-366
2TH4A-21	Design of a Quasi-endfire Phased Array	C. Zheng, S. Xiao, B. Wang, Univ. of Electronic Science and Technology of China, China	pp. 367-368
2TH4B-01	Dual Band Characteristics of a Linear Antenna over a Capacitance Grid Type AMC Substrate	S. Iwakata, H. Hayashi, M. Kotaka, S. Makino, T. Moroya, K. Noguchi, T. Hirota, and K. Itoh, Kanazawa Institute of Technology, Japan	pp. 369-370
2TH4B-02	Highly Accurate Direction-of-Arrival Estimation with a Uniform Circular Array	K. Chen, J. Kiang, National Taiwan Univ., Taiwan	pp. 371-372
2TH4B-03	Broadband Characterization of Planar Transmission Line Substrate Permittivity up to 67 GHz	P. Seiler, B. Klein, D. Plettmeier, Technische Universitat Dresden, Germany	pp. 373-374
2TH4B-04	DOA Estimation by MUSIC Algorithm using Forward-Backward Spatial Smoothing with Overlapped and Augmented Arrays	T. Iwai, N. Hirose, N. Kikuma, K. Sakakibara, H. Hirayama, Nagoya Institute of Technology, Japan	pp. 375-376
2TH4B-05	Performance Improvement of Obstacle Detection of Short Range MIMO Sensor Using Signal Subspace	Y. Aoki, H. Mori, N. Kikuma, H. Hirayama, K. Sakakibara, Nagoya Institute of Technology, Japan	pp. 377-378
2TH4B-06	The Investigation of Lateral and Angular Misalignment in the New Witricity Device	M. Salleh, N. Seman, J. Din, Universiti Teknologi Malaysia, Malaysia	pp. 379-380
2TH4B-07	Optimum Array Configuration to Improve the Null Steering Performance for CRPA Systems	G. Byun1, S. Kim1, H. Choo2, 1Hanyang Univ., Rep. of Korea, 2Hongik Univ., Rep. of Korea	pp. 381-382
2TH4B-08	Comparison of Cloud Models for Propagation Studies in Ka-band Satellite Applications	F. Yuan1, Y. Lee1, Y. Meng2, 1Nanyang Technological Univ., Singapore, 2Technology and Research (A*STAR), Singapore	pp. 383-384
2TH4B-09	Performance Improvement of Localization of Coherent Near-field Sources by Combined Use of DOA-Matrix Method and SAGE Algorithm	K. Takeuchi, N. Kikuma, H. Hirayama, K. Sakakibara, Nagoya Institute of Technology, Japan	pp. 385-386
2TH4B-10	Discrimination of Buried Objects Using GPR Responses	M. Nishimoto, D. Yoshida, Kumamoto Univ., Japan	pp. 387-388
2TH4B-11	Reduction of Frequency Shift Error on Periodical Noise Suppression System	S. Ito1, M. Fujimoto1, T. Hori1, M. Takanashi2, Y. Hattori2, 1Univ. of Fukui, Japan, 2Toyota Central R&D Labs., Inc., Japan	pp. 389-390
2TH4B-12	ZigBee Wireless Sensor Network for Surface Drainage Monitoring and Flood Prediction	K. Chan, C. Cheang, W. Choi, Univ. of Macau, Macau SAR, China	pp. 391-392

Paper No.	Paper Title	Authors and Contact Affiliation	Page
2TH4B-13	A Study of Direction Finding Method for Passive Airport Surveillance Radar	T. Otsuyama, J. Honda, Electronic Navigation Research Institute, Japan	pp. 393-394
2TH4B-14	Throughput Performance on IEEE802.11ac based Massive MIMO Considering Calibration Errors	K. Nishimori <sup>1</sup> , T. Hiraguri <sup>2</sup> , T. Ogawa <sup>2</sup> , H. Yamada <sup>1</sup> , <sup>1</sup> Niigata Univ., Japan, <sup>2</sup> Nippon Institute of Technology, Japan	pp. 395-396
2TH4B-16	Improvement of Position Estimation Accuracy Using Multiple Access Points in Terminal Position Estimation based on Position Fingerprint	M. Ohtani, H. Iwai, H. Sasaoka, Doshisha Univ., Japan	pp. 399-400
2TH4B-17	Miniaturization of Period of Dual-band Frequency Selective Surface by using C-shaped Ring Slots	Y. Amano <sup>1</sup> , K. Firdaus <sup>1</sup> , K. Sakakibara <sup>1</sup> , S. Iwanaga <sup>2</sup> , K. Kumaki <sup>2</sup> , S. Hori <sup>2</sup> , N. Kikuma <sup>1</sup> , H. Hirayama <sup>1</sup> , <sup>1</sup> Nagoya Institute of Technology, Japan, <sup>2</sup> Kojima Industries Corporation, Japan	pp. 401-402
2TH4B-18	A Study on Received Signal Spectrum of Antenna with Periodically Variable Directivity	Y. Idoguchi, M. Saito, Univ. of the Ryukyus, Japan	pp. 403-404
2TH4B-19	Cooperative Transmitter Structure for Improving Efficiency in Wireless Power Transfer	W. Chen, S. Rickers, G. Bruck, P. Jung, Duisburg-Essen Univ., Germany	pp. 405-406
2TH4B-20	An Improved Sum-of-Sinusoids Channel Simulator Based on Brownian Motion	Q. Zhu, X. Liu, N. Li, X. Chen, Nanjing Univ. of Aeronautics and Astronautics, China	pp. 407-408
2TH4B-21	The Suboptimal Power Allocation Scheme for V-BLAST System with Channel Feedback Delay	X. Chen, Y. Zhu, W. Tan, Q. Zhu, N. Li, Nanjing Univ. of Aeronautics and Astronautics, China	pp. 409-410
2TH4C-01	Experimental Evaluation of Matching Method Based on Image Impedances for Near Field MIMO	K. Ishii, N. Honma, Y. Tsunekawa, Iwate Univ., Japan	pp. 411-412
2TH4C-02	A Compact UWB MIMO Antenna with Enhanced Isolation for WBAN Applications	S. Woo, J. Baek, D. Kang, J. Tak, J. Choi, Hanyang Univ., Rep. of Korea	pp. 413-414
2TH4C-03	A Consideration on Simple Decoupling Circuit without Three-dimensional Structure for MIMO Antennas	M. Mori, N. Kikuma, H. Hirayama, K. Sakakibara, Nagoya Institute of Technology, Japan	pp. 415-416
2TH4C-05	A Compact Printed UWB MIMO Antenna with a 5.8 GHz Band Notch	K. Lin <sup>1</sup> , L. Hwang <sup>1</sup> , C. Hsu <sup>1</sup> , S. Wang <sup>1</sup> , F. Chang <sup>2</sup> , <sup>1</sup> National Sun Yat-sen Univ., Taiwan, <sup>2</sup> Cheng Shiu Univ., Taiwan	pp. 419-420
2TH4C-06	A High Port Isolation MIMO Antenna System for 2-6 GHz Wide-Band AP Applications	S. Wang <sup>1</sup> , L. Hwang <sup>1</sup> , C. Hsu <sup>1</sup> , F. Chang <sup>2</sup> , C. Liu <sup>2</sup> , <sup>1</sup> National Sun Yat-sen Univ., Taiwan, <sup>2</sup> Cheng Shiu Univ., Taiwan	pp. 421-422
2TH4C-07	Meandered Loop MIMO Antenna with Neutral line for USB Dongle Application	W. Chen, G. Cai, Southern Taiwan Univ. of Science and Technology, Taiwan	pp. 423-424
2TH4C-08	Isolation-improved LTE MIMO Antenna for Laptop-computer Applications	S. Chen, J. Sze, CCIT, National Defense Univ., Taiwan	pp. 425-426
3FR1B-02	Circularly-polarized Conical-beam Patch Antenna with Wide Bandwidth and Polarization Diversity	H. Wong, W. Lin, City Univ. of Hong Kong, Hong Kong SAR, China	pp. 429-430
3FR1B-03	Planar Inverted-F Antenna (PIFA) Array with Circular Polarization for Nano Satellite Application	G. Kurnia, B. Nugroho, A. Prasetyo, Telkom Univ., Indonesia	pp. 431-432
3FR1B-04	A High-Efficiency Single-layer Dual-band Circularly Polarized Reflectarray Antenna	R. Deng, S. Xu, F. Yang, Tsinghua Univ., China	pp. 433-434
3FR1C-01	A Received Signal Estimation Method at an Arbitrary Remote Location	M. Tanaka, H. Iwai, H. Sasaoka, Doshisha Univ., Japan	pp. 435-436
3FR1C-02	Comparison of Precipitable Water Vapor Derived from GPS and Radiosonde Data for Singapore	L. Kumar, F. Yuan, Y. Lee, Nanyang Technological Univ., Singapore	pp. 437-438
3FR1C-03	Variations of Ionospheric Scintillations Due to Solar Activity	M. Homam, Univ. Tun Hussein Onn Malaysia, Malaysia	pp. 439-440
3FR1C-04	Investigation of Ray Tracing Accuracy in Street Cell Environment in High-SHF Band	N. Omaki, K. Kitao, T. Imai, Y. Okumura, NTT DOCOMO Inc., Japan	pp. 441-442
3FR1C-05	Spatial Correlation Property Derived from Radar Rain Map and Site-diversity Effect Evaluation	H. Fukuchi, Y. Inose, P. Chodkaveekityada, Tokyo Metropolitan Univ., Japan	pp. 443-444

Paper No.	Paper Title	Authors and Contact Affiliation	Page
3FR1D-01	Dual-Band Dual-polarization Antenna Array	C. Wei <sup>1</sup> , T. Chiou <sup>1</sup> , C. Chuang <sup>2</sup> , 1HL Technology Group, Taiwan, 2BWant Co. Ltd., Taiwan	pp. 445-446
3FR1D-02	Printed Multi-antenna Isolation Improvement Using Decoupling Network for USB Dongle Application	C. Lee, Lite-On Technology Corporation, Taiwan	pp. 447-448
3FR1D-04	High Gain Directional Hybrid Dipole Antenna Array	R. Huang, T. Chiou, HL Technology Group, Taiwan	pp. 451-452
3FR1D-05	Compact WiMAX MIMO Antenna Design for Laptop Applications	W. Chen <sup>1</sup> , Y. Chi <sup>1</sup> , F. Chang <sup>2</sup> , 1Southern Taiwan Univ. of Science and Technology, Taiwan, 2Cheng Shiu Univ., Taiwan	pp. 453-454
3FR1E-01	3-element Super-directive Endfire Array with Decoupling Network	A. Noguchi <sup>1</sup> , H. Arai, Yokohama National Univ., Japan	pp. 455-456
3FR1E-02	A Decoupling Network for Two-element Array Using Uniform Coupled-line Sections	C. Wu, H. Chu, C. Lin, T. Ma, National Taiwan Univ. of Science and Technology, Taiwan	pp. 457-458
3FR1E-03	Novel Decoupling Network for Two-element Array Using Even-Odd-mode Impedance Transformer	C. Wu, T. Heish, T. Ma, National Taiwan Univ. of Science and Technology, Taiwan	pp. 459-460
3FR1E-04	Current Reduction on the Ground Plane using Quarter-wavelength Element	T. Ito, T. Oki, H. Morishita, National Defense Academy, Japan	pp. 461-462
3FR1E-05	Compact Printed Dual-band Monopole Array with High Port Isolation	L. Yi, Y. Yu, X. Liu, S. Chen, N. Rizka, Z. Gu, Chongqing Univ., China	pp. 463-464
3FR2A-01	A Dual-band Slot Antenna with Two Pairs of Slot Patches for Cross-polarization Reduction	S Wang <sup>1</sup> , M. Chiang <sup>2</sup> , C. Hsu <sup>1</sup> , 1National Taipei Univ. of Technology, Taiwan, 2Inventec Appliances Corp., Taiwan	pp. 465-466
3FR2A-02	Wide Band Planar Antenna with Asymmetrical Configuration	A. Watanabe, H. Iwasaki, Shibaura Institute of Technology, Japan	pp. 467-468
3FR2A-03	Compact Size Triple-band Monopole Antenna with Parasitic Element for WLAN/WiMAX Applications	C. Sim, C. Yeh, H. Lin, Feng Chia Univ., Taiwan	pp. 469-470
3FR2A-04	A Triple-band Monopole Antenna with Parasitic Elements for WLAN and WiMAX Application	R. Syu, Y. Chen, Lunghwa Univ. of Science and Technology, Taiwan	pp. 471-472
3FR2A-05	Analysis of Stepped-impedance Slot Antenna	Y. Cheng, J. Wu, L. Chen, C. Wang, National Univ. Of Tainan, Taiwan	pp. 473-474
3FR2A-06	Planar Multi-band Monopole Antenna for WLAN/WiMAX Applications	J. Lu, Y. Li, National Kaohsiung Marine Univ., Taiwan	pp. 475-476
3FR2A-07	Compact PIFA Antenna for USB Dongle Application	W. Chen <sup>1</sup> , W. Sin <sup>1</sup> , F. Chang <sup>2</sup> , 1Southern Taiwan Univ. of Science and Technology, Taiwan, 2Cheng Shiu Univ., Taiwan	pp. 477-478
3FR2A-08	Wideband Balanced Antenna with Open-end Loop for Handset Applications	M. Abbasil <sup>1</sup> , M. Rizwan <sup>1</sup> , H. Zahra <sup>2</sup> , S. Shahid <sup>1</sup> , W. Yeh <sup>3</sup> , 1National Univ. of Sciences and Technology (NUST), Pakistan, 2COMSATS Institute of Information Technology, Pakistan, 3National Ilan Univ., Taiwan	pp. 479-480
3FR2A-09	Design of an Omnidirectional and High-Gain Dual-Mode Dipole Antenna	W. Hsu <sup>1</sup> , H. Jheng <sup>1</sup> , S. Pan <sup>1</sup> , C. Tang <sup>2</sup> , 1Shu-Te Univ., Taiwan, 2Auden Techno Corp., Taiwan	pp. 481-482
3FR2A-10	Leaf-Shaped Dual Band Antenna for Wearable Application	N. Ramly, M. Rahim, M. Jalil, N. Samsuri, R. Dewan, Univ. Technology Malaysia, Malaysia	pp. 483-484
3FR2A-11	CPW-fed Hybrid Antenna for 2.4/5 GHz WLAN Applications	C. Lin <sup>1</sup> , C. Huang <sup>2</sup> , B. Chang <sup>1</sup> , 1R.O.C. Air Force Academy, Taiwan, 2National Kaohsiung Normal Univ., Taiwan	pp. 485-486
3FR2A-12	Small Size Uniplanar Monopole Antenna with Triple-band Operation	C. Sim, C. Yeh, B. Chen, Feng Chia Univ., Taiwan	pp. 487-488
3FR2A-13	Printed Monopole Antenna for Wireless USB Dongle Applications	W. Chen, M. Liu, C. Huang, Southern Taiwan Univ. of Science and Technology, Taiwan	pp. 489-490

Paper No.	Paper Title	Authors and Contact Affiliation	Page
3FR2A-14	Compact Broadband Planar Antennas with Modified Bow-Tie Patch	M. Wu, M. Chuang, National Penghu Univ. of Science and Technology, Taiwan	pp. 491-492
3FR2A-15	Design of Circularly Polarized Loop Tag Antenna for UHF Band RFID Application	C. Tsai, H. Chen, H. Yang, R. Tsai, National Kaohsiung Normal Univ., Taiwan	pp. 493-494
3FR2B-01	Coupled-fed Meandered Loop Antenna for Mobile Phone Applications	W. Chen <sup>1</sup> , Y. Wu <sup>1</sup> , H. Lin <sup>1</sup> , J. Hsu <sup>2</sup> , <sup>1</sup> Southern Taiwan Univ. of Science and Technology, Taiwan, <sup>2</sup> National Defense Univ., Taiwan	pp. 495-496
3FR2B-02	Small-size LTE/WWAN Coupled-fed Loop Antenna with Distributed Parallel Resonant Circuit	J. Sze, S. Chen, Y. Chu, CCIT, National Defense Univ., Taiwan	pp. 497-498
3FR2B-04	A Compact Planar Multi-band Antenna with Coupling Feed for LTE/GSM/UMTS Operations	Y. Hong, J. Tak, Y. Jin, J. Choi, Hanyang Univ., Rep. of Korea	pp. 501-502
3FR2B-05	Monopole-type Antenna with Two Coupled Strips for Mobile Phone Application	M. Sanchez-Torres <sup>1,2</sup> , W. Chen <sup>1</sup> , Y. Chi <sup>1</sup> , <sup>1</sup> Southern Taiwan Univ. of Science and Technology, Taiwan, <sup>2</sup> Univ. of Jaen, Spain	pp. 503-504
3FR2B-06	Compact Two-branch Monopole Tablet Computer Antenna with Integrated Wideband Matching Network for LTE Dual-wideband Operation	S. Hsu, K. Wong, National Sun Yat-sen Univ. Taiwan	pp. 505-506
3FR2B-07	Very-low-profile Dual-wideband Tablet Computer Antenna for LTE Operation	M. Chen, K. Wong, National Sun Yat-sen Univ. Taiwan	pp. 507-508
3FR2B-08	Circuit-defined Dual-wideband Antenna for LTE Tablet Device	Z. Liao, K. Wong, National Sun Yat-sen Univ. Taiwan	pp. 509-510
3FR2B-09	Dual-Wideband Combined-Type Antenna for LTE Tablet Device	L. Chen, K. Wong, National Sun Yat-sen Univ. Taiwan	pp. 511-512
3FR2B-10	Printed Antenna for HF- and UHF-RFID Tag	T. Phatarachaisakul, T. Pumpoung, P. Wongsiritorn, R. Pansonboon, C. Phongcharoenpanich, King Mongkut's Institute of Technology Ladkrabang, Thailand	pp. 513-514
3FR2B-11	Investigation of Embroidery Conductive Layer Dyed with Graphene and ZnO	L. Bao <sup>1</sup> , P. Ooi <sup>1</sup> , J. Chin <sup>1</sup> , C. Pu <sup>2</sup> , <sup>1</sup> Univ. of Nottingham Malaysia Campus, Malaysia, <sup>2</sup> Sunway Univ., Malaysia	pp. 515-516
3FR2B-12	Wideband Microstrip-Line-Fed Circularly Polarized Slot Antenna with Open Slot Structure	C. Pan, Z. Peng, J. Jan, B. Wu, Kaohsiung Univ. of Applied Sciences, Taiwan	pp. 517-518
3FR2B-13	Modified Cavity-backed 4-arm Spiral Antenna for GPS	D. Yang, K. Kim, E. Jang, C. Kim, Kyungpook National Univ., Rep. of Korea	pp. 519-520
3FR2B-14	Dual-feed Orthogonal Circular Polarized Microstrip Antenna with Front-end Parasitic for Inter Satellite Link	M. Akhsan, B. Nugroho, A. Prasetyo, Telkom Univ., Indonesia	pp. 521-522
3FR2B-15	Wideband Circularly Polarized Antenna With Backside Plates	C. Liou <sup>1</sup> , C. Kuo <sup>2</sup> , S. Mao <sup>1</sup> , <sup>1</sup> National Taiwan Univ., Taiwan, <sup>2</sup> National Taipei Univ. of Technology, Taiwan	pp. 523-524
3FR2B-16	Ellipse-Shaped Slotted Patch Antenna with Broadband Circular Polarization	J. Chen, J. Row, National Changhua Univ. of Education, Taiwan	pp. 525-526
3FR2B-17	Design of Circularly-polarized High-gain Green Antenna	H. Chen, J. Jheng, Y. Chen, Y. Tseng, National Kaohsiung Normal Univ., Taiwan	pp. 527-528
3FR2B-18	Triple Band Circularly Polarized Square Microstrip Antenna with Crank Slits	Y. Yoshitake <sup>1</sup> , T. Fujimoto, Nagasaki Univ., Japan	pp. 529-530
3FR2B-19	Compact Dipole Antenna for Implantable Devices	S. Lin <sup>1</sup> , Y. Lin <sup>2</sup> , J. Chen <sup>1</sup> , J. Peng <sup>1</sup> , <sup>1</sup> Cheng Shiu Univ., Taiwan, <sup>2</sup> Metal Industries Research & Development Center, Taiwan	pp. 531-532
3FR2B-20	Evaluation on Performances of Multiple Coaxial-slot Antenna for Microwave Heating Compatible with Metallic Stent for Bile Duct Carcinoma	E. Yashima, K. Saito, Y. Endo, K. Ito, Chiba Univ., Japan	pp. 533-534
3FR2B-21	Design of Implantable Rectangular Spiral Antenna with U-shaped Loop for Biomedical Applications	J. Lee, D. Seo, H. Lee, ETRI, Rep. of Korea	pp. 535-536

Paper No.	Paper Title	Authors and Contact Affiliation	Page
3FR2B-22	Size Reduction of UHF Planar Inverted-F Antenna with Patch Geometry Modification	A. Munir, A. Harish, C. Chairunnisa, Institut Teknologi Bandung, Indonesia	pp. 537-538
3FR2B-23	Feed Analysis of Tri-patch Multiband Antenna for Satellite Communication	H. Zahra <sup>1</sup> , S. Rafique <sup>2</sup> , W. Fong <sup>3</sup> , <sup>1</sup> Center for Advanced Studies in Engineering, Pakistan, <sup>2</sup> COMSATS Institute of Information Technology, Pakistan, <sup>3</sup> National Ilan Univ., Taiwan	pp. 539-540
3FR2B-24	Planar Array Antenna for WPT System at 2.4 GHz	K. Pookkapund, K. Boonying, S. Dentri, C. Phongcharoenpanich, King Mongkut's Institute of Technology Ladkrabang, Thailand	pp. 541-542
3FR2B-25	Wide-beam Microstrip Antenna for Application in 24 GHz Short-range Doppler Sensors	K. Wincza, A. Rydosz, J. Sorocki, I. Piekarz, I. Slomian, S. Gruszczynski, AGH Univ. of Science and Technology, Poland	pp. 543-544
3FR2B-26	A Novel Wideband Circular Patch Antenna for Wireless Communication	B. Wang <sup>1</sup> , F. Zhang <sup>1</sup> , T. Li <sup>1</sup> , Q. Li <sup>2</sup> , J. Ren <sup>1</sup> , <sup>1</sup> Xidian Univ., China, <sup>2</sup> North Electro-Mechanical Intelligent Technology Corporation Limited, China	pp. 545-546
3FR2B-27	A Novel Antenna Achieving Null-less Magnetic Field Distribution for Near-field UHF RFID	L. Shen <sup>1</sup> , W. Tang <sup>2</sup> , H. Xiang <sup>1</sup> , W. Zhuang <sup>2</sup> , <sup>1</sup> Nanjing Univ. of Science and Technology, China, <sup>2</sup> Nanjing Normal Univ., China	pp. 547-548
3FR2B-28	Broadband and Dual Circularly Polarized Patch Antenna with H-shaped Aperture	W. Zhu <sup>1</sup> , S. Xiao <sup>1</sup> , R. Yuan <sup>1</sup> , M. Tang <sup>2</sup> , <sup>1</sup> Univ. of Electronic Science and Technology of China, China, <sup>2</sup> Chongqing Univ., China	pp. 549-550
3FR2B-29	Design of Electromagnetic Wave Absorber Using Periodic Structure and Equivalent circuit-based Analysis	D. Sim <sup>1</sup> , J. Kwon <sup>1</sup> , S. Park <sup>2</sup> , <sup>1</sup> Electronics and Telecommunications Research Institute, Rep. of Korea, <sup>2</sup> Korea Advanced Institute of Science and Technology, Rep. of Korea	pp. 551-552
3FR2C-01	Millimeter-wave Rain Sensing Networks using Dual-Frequency Measurements	H. Le1, C. Capsoni2, R. Nebuloni3, L. Luini2, T. Hirano1, J. Hirokawa1, M. Ando1, 1Tokyo Institute of Technology, Japan, 2Politecnico di Milano, Italy, 3CNR-IEIIT, Italy	pp. 553-554
3FR2C-02	Measurement Experiment of LTE Terminal Transmit Power for Interference Estimation in Satellite/Terrestrial Integrated Mobile Communications System	A. Miura, T. Orikasa, H. Tsuji, M. Toyoshima, National Institute of Information and Communications Technology, Japan	pp. 555-556
3FR2C-03	Impact of Reconfigurable Polarization Angle on Parameters of a Statistical Distribution of Coherence Time of Radio Channel	H. El-Sallabi1, M. Abdallah1, J. Chamberland2, K. Qaraqe1, 1Texas A&M Univ. at Qatar, Qatar, 2Texas A&M Univ., USA	pp. 557-558
3FR2C-04	60-GHz Short-range Terrestrial Rainfall Attenuation Compared with K-band Long-distance Satellite Link	W. Chujo1, T. Manabe2, S. Yamamoto3, 1Meijo Univ., Japan, 2Osaka Prefecture Univ., Japan, 3NICT, Japan	pp. 559-560
3FR3B-01	Layered Butler Matrix Circuit for Vertical Multi Beam of Cellular Base Station Antenna	Y. Kozuki, H. Arai, Yokohama National Univ., Japan	pp. 561-562
3FR3B-02	A 40 GHz-Band Double-layer Waveguide Slot Array fed from Four Corners to Suppress Sidelobes	M. Zhang, J. Hirokawa, M. Ando, Tokyo Institute of Technology, Japan	pp. 563-564
3FR3B-03	A Hybrid 2D/3D Multilevel Green's Function Interpolation Method for Microstrip Antenna Array	D. Liu, P. Zhao, K. Ng, C. Chan, City Univ. of Hong Kong, Hong Kong SAR, China	pp. 565-566
3FR3B-04	Multiband Antenna Composed of 1 Monopole and 4 Parasitic Poles for In-building Mobile Communication	S. Kim, K. Min, Korea Maritime and Ocean Univ., Rep. of Korea	pp. 567-568
3FR3B-05	Design of Directivity of Tapered Slot Antenna for Triple-band Cellular Base Stations	K. Itoh1, K. Konno1, Q. Chen1, S. Inoue2, 1Tohoku Univ., Japan, 2Hitachi Kokusai Yagi Solutions Inc., Japan	pp. 569-570

Paper No.	Paper Title	Authors and Contact Affiliation	Page
3FR3C-01	Measurements on Overreach Propagation of TV and FM waves from Korea to Japan	M. Nishi, K. Shin, T. Yoshida, Hiroshima City Univ., Japan	pp. 571-572
3FR3C-02	The Effect of Bush Growth on Radio Wave Propagation in 920-MHz Band	M. Hara, N. Tsutsui, H. Shimasaki, Y. Kado, M. Ichida, Kyoto Institute of Technology, Japan	pp. 573-574
3FR3C-03	Performance of Time Diversity Technique in Heavy Rain Region	S. Jong <sup>1,2</sup> , M. D'Amico <sup>3</sup> , J. Din <sup>2</sup> , H. Lam <sup>2</sup> , <sup>1</sup> Universiti Tun Hussein Onn Malaysia, Malaysia, <sup>2</sup> Universiti Teknologi Malaysia, Malaysia, <sup>3</sup> Politechnico di Milano, Italy	pp. 575-576
3FR3C-05	Interpretation Procedure of Meteorological Radar Data for Propagation Application in Heavy Rain Region	H. Lam <sup>1</sup> , J. Din <sup>1</sup> , S. Jong <sup>1,2</sup> , <sup>1</sup> Universiti Teknologi Malaysia, Malaysia, <sup>2</sup> Universiti Tun Hussein Onn Malaysia, Malaysia	pp. 579-580
3FR3D-01	Design of Organ Phantom for Body-centric wireless System	S. Lee, J. Choi, Hanyang Univ., Rep. of Korea	pp. 581-582
3FR3D-02	Fast Estimation Algorithm for Living Body Radar	D. Sasakawa <sup>1</sup> , K. Konno <sup>1</sup> , N. Honma <sup>1</sup> , K. Nishimori <sup>2</sup> , N. Takemura <sup>3</sup> , T. Mitsui <sup>3</sup> , Y. Tsunekawa <sup>1</sup> , <sup>1</sup> Iwate Univ., Japan, <sup>2</sup> Niigata Univ., Japan, <sup>3</sup> Samsung R&D Institute Japan Co. Ltd., Japan	pp. 583-584
3FR3D-03	Investigation on Dielectric Properties in Gelatin Based Phantom for Human Brain	M. Said, N. Seman, M. Rahim, T. Rahman, Universiti Teknologi Malaysia, Malaysia	pp. 585-586
3FR3D-04	Design of Dual-mode Antenna at 21 MHz and 2.45 GHz for Medical Applications	Y. Oya, K. Ito, K. Saito, Chiba Univ., Japan	pp. 587-588
3FR3D-05	A Method for Input Impedance Matching of PIFA based on Meander Line Antenna	K. Chen, C. Yang, National Cheng Kung Univ., Taiwan	pp. 589-590
3FR3E-01	Isolation Enhancement of the Dual Polarized Planar Antenna with Orthogonal Electromagnetic Band-gap Backed Structure	K. Hung, S. Yeh, S. Fang, MediaTek Inc., Taiwan	pp. 591-592
3FR3E-02	The Improvement Technology of Radiation Pattern for GPS Antenna	S. Yeh, S. Huang, S. Fang, MediaTek Inc., Taiwan	pp. 593-594
3FR3E-03	A MIMO LTE Antenna System with Decoupling Elements for Smart Phone Application	S. Lai, Y. Li, C. Tang, Auden Techno Corporation, Taiwan	pp. 595-596
3FR3E-04	Requisite Design Volume of a Wire Inverted-F Antenna inside a Smartphone Terminal	T. Nguyen <sup>1</sup> , N. Nishiyama <sup>1</sup> , H. Morishita <sup>1</sup> , H. Sato <sup>2</sup> , Y. Koyanagi <sup>1</sup> , <sup>1</sup> National Defense Academy, Japan, <sup>2</sup> Panasonic System Networks Limited Co., Japan	pp. 597-598
3FR3E-05	Novel LIM (Laser Induced Metallization) Technologies of ITRI Applied to WWAN/LTE 2-port Antenna Array for Smart Handset Applications	W. Li, M. Huang, T. Kao, W. Chung, M. Chou, Industrial Technology Research Institute, Taiwan	pp. 599-600
3FR4B-01	High-impedance Wideband Folded Dipole Antenna for Energy Harvesting Applications	H. Miyagoshi, K. Noguchi, K. Itoh, J. Ida, Kanazawa Institute of Technology, Japan	pp. 601-602
3FR4B-02	2 × 2 Slot Dipole Array Antenna with CPW for 2.4GHz Band	N. Iizasa, K. Yoshitomi, R. Pokharel, H. Kanaya, Kyushu Univ., Japan	pp. 603-604
3FR4B-03	A Dual-polarized Dipole Antenna with Balun Feed	S. Lin <sup>1</sup> , T. Chiou <sup>2</sup> , W. Huang <sup>1</sup> , W. Chen <sup>1</sup> , <sup>1</sup> Cheng Shiu Univ., Taiwan, <sup>2</sup> BWant Co. Ltd., Taiwan	pp. 605-606
3FR4B-04	Pattern Reconfigurable Slot Antenna with Broadband Operation	Y. Chen, J. Row, National Changhua Univ. of Education, Taiwan	pp. 607-608
3FR4C-01	A Monopole Antenna with Circular Polarization	M. Shih, K. Hsiao, C. Wang, National Univ. of Tainan, Taiwan	pp. 609-610
3FR4C-02	Compact Broadband Circularly Polarized Monopole Antenna	J. Sze <sup>1</sup> , C. Hsu <sup>2</sup> , C. Lin <sup>2</sup> , <sup>1</sup> National Defense Univ., Taiwan, <sup>2</sup> National Yunlin Univ. of Science and Technology, Taiwan	pp. 611-612
3FR4C-03	Wideband Printed Elliptical Monopole Antenna for Circularly Polarization	T. Fujimoto, M. Takamura, Nagasaki Univ., Japan	pp. 613-614
3FR4C-04	Wideband Circularly Polarized Slotted-Patch Antenna with a Reflector	J. Chen, J. Tsai, J. Row, National Changhua Univ. of Education, Taiwan	pp. 615-616

Paper No.	Paper Title	Authors and Contact Affiliation	Page
3FR4D-01	Integration of Resonant Coil and Antenna for Wireless Power Transfer and Data Telemetry	D. Seo, J. Lee, H. Lee, Electronics and Telecommunications Research Institute, Rep. of Korea	pp. 617-618
3FR4D-02	Miniaturized SRRs-loaded Loop Structure for Enhanced Wireless Power Transmission	L. Ou Yang, J. Huang, S. Chen, National Taiwan Univ., Taiwan	pp. 619-620
3FR4D-03	Performance Evaluation of a 5.8-GHz Current Aggregation Type Multi-polarization Rectenna	R. Nakashima, E. Nishiyama, I. Toyoda, Saga Univ., Japan	pp. 621-622
3FR4D-04	Seal Effects on Wireless Power Transfer Systems via Magnetic Resonance Coupling	X. Shi <sup>1,2</sup> , C. Qi <sup>2</sup> , M. Qu <sup>2</sup> , Z. Shi <sup>2</sup> , H. Xu <sup>2</sup> , <sup>1</sup> Research Institute of Wuhan Univ. in Shenzhen, China, <sup>2</sup> Wuhan Univ., China	pp. 623-624
3FR4E-01	Compact Circularly Polarized Tag Antenna for UHF RFID System	J. Lu, B. Chang, National Kaohsiung Marine Univ., Taiwan	pp. 625-626
3FR4E-02	Advanced Design of RFID Tag Antennas using Artificial Magnetic Conductors	D. Kim, Sejong Univ., Rep. of Korea	pp. 627-628
3FR4E-03	Compact UHF Near-field RFID Reader Antenna	T. Lin, Y. Lin, H. Chen, J. Hsu, National Kaohsiung Univ. of Applied Sciences, Taiwan	pp. 629-630
3FR4E-04	Inverted-Z RFID Tag Antenna for Circularly Polarized Operation	H. Chen, R. Tsai, C. Tsai, T. Liu, National Kaohsiung Normal Univ., Taiwan	pp. 631-632